

Prompt log — portfolio site

Session: 30–31 August 2026 **Participants:** Anabella Phelps with Claude (Cowork) **Scope:** planning and specification only. No site code was written this session.

Keep this file in the project folder. It records what was asked, what was decided, and — where a decision reverses something written elsewhere — which document is now stale.

1 · Opening scope questions

Asked: four setup questions before any files were shared.

Question	Answer
Deliverable format	Single self-contained HTML file
Audience	Both academic and industry, leaning industry
Copy	Write real copy, flag inventions
Visual direction	Dark data-viz, live UMAP hero

Note: these were answered before Claude had seen the project files. Two were later revised — see §2 and §8.

2 · "Update the prompt based on these questions I answered"

Uploaded: `portfolio_items.csv` (131 items), `claude-code-prompt.md`, `portfolio-inspiration-notes.md`.

Decisions made:

- **Single-file answer overridden.** Incompatible with the project's own spec, which requires per-project detail pages, `scripts/build_embedding.py`, and `data/embedding.json`. The intent behind that answer — no build step, no framework, static hosting, hand-editable — is already satisfied by the vanilla multi-page setup. The prompt now says so explicitly so Claude Code doesn't propose collapsing it.

- **Audience and positioning** section added: 40-second recruiter as primary reader, CV link in the nav rather than the footer, research depth one click down, no statement-of-purpose voice, no deferential hedging.
 - **Copy mechanism** specified: `<span class="unverified" data-note="...">` plus a site-wide toggle, plus a generated `UNVERIFIED.md` worklist. Hard ban on inventing GEO accessions, cell counts, patient counts, dates, publication status, or metrics — those get `[TK: ...]` instead.
 - **The 61 NEEDS TEXT rows** split into two layers. *Embedding*: excluded — embedding text Claude wrote would place points by Claude's words, not Anabella's, which breaks the honesty claim the hero rests on. *Display*: draft candidates may go to a separate `portfolio_items_drafts.csv` for manual promotion. Never written into `portfolio_items.csv` directly.
 - **Hero caption made mandatory** — visible, not a tooltip, stating what was embedded, which model, how many items, and that positions are computed rather than placed.
 - **Scope and sequencing** added, grounded in 47 units + 15–20 hrs/week TAing = 62–67 hrs/week before lab work: v1 live and defensible, v2 the two deep pages, v3 everything else.
-

3 · 68 references pasted

Parsed into structured records. Findings:

- **Ref 10 and ref 12 are the same Nielsen paper**, cited twice (10 is a truncated entry).
- **Ref 39 is the bioRxiv preprint of ref 42** (Fan et al., *Cell Rep* 2020) — both cited.
- 7 entries missing year or journal.
- 5 recommended exclusions (SEER statistics resource; QuPath methods citation, already in inventory as a tool; Dominici MSC position statement; the two duplicates) → 63 usable.

Flagged three problems:

1. **This is a bibliography, not a reading list.** Composition — 28 ovarian cancer biology, 22 TLS/germinal centre, plus methods citations — is what a manuscript carries, not what a person reads. Same rule the inspiration notes already applied to the ssRNA doc.
2. **Adding all 63 would make papers 66 of 133 embedded points — 49.6%.** Half the hero would be other people's work, clustered by ovarian-cancer topic words; projects would drop to 12%.
3. **Titles are weak embedding text.** All 68 were title-only, versus paragraph-length text on existing items — a visible clustering artifact.

Work completed before reversal: 58 PMIDs resolved (35 by DOI→PMID conversion, 23 by citation lookup) for a planned abstract pull.

Outcome: reverted. Anabella: *"scratch that I dont want to include any of the papers from the bibliography, ill add more papers later."* Papers remain at 3.

[papers_from_bibliography.csv](#) is dead — ignore it.

Still worth acting on outside the portfolio: the two duplicate citations should be reported to whoever owns that reference list.

4 · UPMC Enterprises deck

Uploaded: [UPMC enterprises presentation August 2026 V2.pdf](#), 36 slides.

Request: "add this."

Read in full. Disclosure findings:

- **Slide 11 stamped CONFIDENTIAL — DO NOT POST.**
- The deck is a commercialization pitch for a TLS-inducing therapeutic built on CD37 agonism and CD200 antagonism.
- Contains unpublished data credited to Medard Kaiza, Alex Glathar, Lan Coffman, Ian MacFawn, Brian Isett, Rufiaat Rashid, Sunny Bao; patient cohort sizes; pilot mouse survival results.
- Slide 36 marked "in preparation." Slides 12 and 15 are placeholders awaiting colleagues' data. Slide 30 is an internal note to Tullia.
- **Slide 6 credited "Analysis by: Anabella Phelps."**

Position taken: most of the deck cannot go on a public site. Naming CD37 and CD200 as therapeutic targets publicly, before filings and publication, risks the lab relationship — and as the undergrad on the deck, Anabella absorbs that cost.

Confirmed by Anabella:

- Slides 5 and 7 — the twelve-signature CD37 survey — are her work.
- She did **not** run the GeoMx analysis.
- The project goes into the inventory now; the site will not be made public without PI approval.

Actions taken:

- **Row 132, project** — "CD37 across published TLS spatial signatures." Written as the twelve-signature survey: signature type, disease, what each measures, CD37 rank, including two deliberate negative controls. Method level only; no therapeutic framing.
- **Row 133, experience** — "TLS target-validation program — Bruno Lab / UPMC Enterprises." Named by program, not by target.
- **Dropped:** the proposed GeoMx re-analysis row and the KM plotter row (slides 14 and 26 are uncredited and unclaimed).
- **Softened:** slide 6 language from "re-analysed" to "assembled and interpreted published spatial gene-expression evidence."
- **Embargo made mechanical, not remembered:** new `embargoed` column, rows 132 and 133 marked `y`; `build_embedding.py` takes a `--public` flag that drops them from `embedding.json` and excludes their pages; the deploy script refuses to run if an embargoed item is present. Repo starts private.
- **Confidentiality section** added to `claude-code-prompt.md`.

Open, unresolved: what exactly the slide 6 credit covers, given the GeoMx was not hers. Worth being able to state precisely before an interview.

5 · Files for Claude Code

In the project folder: `portfolio_items.csv` (the 133-row version with `embargoed`), `portfolio-inspiration-notes.md`.

Pasted, not filed: everything below the `---` in `claude-code-prompt.md`.

Explicitly excluded: the UPMC PDF. Claude Code reads its whole working directory; putting the deck there places unpublished data in context where it can leak into generated copy.

Corrections applied to the prompt: stale counts (131/70 → 133/72), `embargoed` added to the documented schema, hero caption counts now computed from the CSV at build time rather than hard-coded.

6 · Sketches

Uploaded: `Sketches.pdf`, `Sketches2.pdf` — hand-drawn, four-beat scroll narrative: spinning pastel helix on light ground → unravels into `T A C A G T C A` → feeds a closed laptop → laptop opens showing sequencing output → camera zooms into the screen → UMAP appears.

Conflicts identified against prior decisions:

Conflict	Resolution
Sketch implies <i>sequencing</i> → <i>UMAP</i> , but the hero map is CV embeddings	Initially: relabel the story. Later superseded — see §8
Sketch is light + pastel; settled answer was committed near-black	Light hero → dark on the dolly. The camera entering the screen motivates the switch
Four full-height beats vs. a 40-second recruiter	One sticky viewport, 260vh, plus a persistent Skip to work control
True 3D vs. "no heavy 3D library" in the prompt	Three.js chosen deliberately, overriding the prompt. Survives "no build step" if vendored as a plain script tag

Produced: [helix-to-umap.html](#), published as an artifact — six-phase scroll table with **p** ranges and camera positions, four annotated wireframes, palettes, type scale, Three.js scene graph, degradation ladder, accessibility spec.

7 · Dots, and more than one accent

Asked: replace the ACTG letters with dots; more than one accent colour.

Why dots were the better fix. They removed the false claim outright rather than relabeling around it. The particles are now the 72 embeddable items themselves, correctly coloured by type from the first frame. The helix is those items in an arbitrary arrangement; the UMAP is the same items in their computed one. The scroll is a transition between two positions of one point cloud — which is what it looks like and what it is.

Consequences:

- Particle count is a fact about the inventory, not a design choice. It grows with the CSV.
- Every point is hoverable from **p=0**.
- Three.js scope collapsed: one **THREE.Points**, three position buffers, two **mix()** calls in a vertex shader. Estimate revised **500–700 lines** → **250–350**.
- Tier 2 became a genuine stopping point, since it defines all three arrangements on a 2D canvas; Tier 3 is then a rendering swap, not a redesign.

Accent system — three, each with a job:

Role	Dark	Light	Scope
Signal	#2FD1A5	#12A57F	Links, focus ring, active nav, skip control. The only clickable colour
Structure	#8FA8E8	#5B76C8	Section numbers, eyebrows, hairlines. Never interactive
Emphasis	#F2B65A	#B0741A	Hover, in-progress markers, the unverified underline

Light variants are darkened because the dark-ground values fail contrast on paper.

Data hues stay reserved. Eight Okabe–Ito types, each with a pastel light-phase tint and a saturated dark-phase value of the same hue — so colour is constant in meaning while chroma ramps with the ground. Inside the map, colour means type and nothing else; UI accents never appear in the hero stage or the legend. Capped at three accents on the reasoning that every extra hue makes the eight data hues harder to distinguish.

8 · "Will it still look 3 dimensional?"

Answer: yes at Tier 3, and Tier 2 reads dimensional too — but not by default. Five cues added to the spec.

- **Size attenuation** — `gl_PointSize /= -mvPosition.z`. Strongest single cue.
- **Occlusion order** — `depthTest: true`, never additive blending. Additive is the usual particle default and is exactly wrong here.
- **Atmospheric fade** — fragment mixes toward the ground colour by depth; doubles as the light→dark hook.
- **Motion parallax** — free from perspective plus the 0.28 rad/s idle spin.
- **Strand polylines** — *the one that was missing*. Two faint lines at 0.18 alpha following point order. Without a connecting thread, 72 dots read as confetti rather than a double helix. The line is adjacency order only, so it asserts nothing.

And the detail worth keeping: buffer C has no **z**, because UMAP output is two-dimensional. The last thing the camera sees is a volumetric cloud collapsing onto a plane — dimensionality reduction performed literally, at the moment the reader arrives at a dimensionality-reduction plot.

Reversal register

Statements in existing documents that are now stale. Claude Code should treat this table as authoritative over both `portfolio-inspiration-notes.md` and any earlier draft of the prompt.

Stale statement	Where it appears	Current position
"Helix → cut. Weakest of the three because it's purely decorative."	inspiration notes	Helix revived — no longer decorative, it is the first arrangement of the real point cloud
"one saturated accent like that against the dark ground"	inspiration notes	Three accents, assigned by role
"No heavy 3D library for this."	prompt, hero spec	Three.js, vendored as a plain script tag. Tier 3 only
"131 items ... 70 have usable embedding text"	inspiration notes	133 items, 72 embeddable, 2 embargoed
Ground: dark near-black throughout	prompt, settled answer	Light hero → dark from p 0.86 onward
Hero = full-viewport UMAP on landing	prompt	UMAP arrives at the end of a 260vh sticky sequence; nav and wordmark readable throughout
ACTG letters in the scroll narrative	Sketches.pdf, spec v1	Dots — the 72 items themselves
Deliverable = single self-contained HTML file	opening answer	Vanilla multi-page, no build step, GitHub Pages

Artifacts and files produced

File	Status
<code>claude-code-prompt.md</code>	Updated. Paste below the <code>---</code> into Claude Code
<code>portfolio_items.csv</code>	133 rows, <code>embargoed</code> column added. Goes in the project folder
<code>helix-to-umap.html</code>	Hero build spec v2, published as an artifact
<code>upmc_cd37_inventory_rows.csv</code>	Superseded by rows 132–133 in the CSV. Retained for the provenance columns
<code>papers_from_bibliography.csv</code>	Dead. Ignore
<code>prompt-log.md</code>	This file

Still open

1. **Nav labels, and how many.** Blocking Tier 0. Candidate set: Work · Research · Teaching · About · Contact. Are Research and Projects one section or two?
2. **What is on the laptop screen** — R console with a Seurat summary, or a Scanpy notebook? Should be the environment actually used.
3. **Does the wordmark persist after the dolly**, or hand off to the nav?
4. **Domain** — `anabellaphelps.github.io` or custom.
5. **Hide `type = tool` by default?** 17 of 72 points, weight 0.4.
6. **Do embargoed items appear in the helix?** Simplest answer: `--public` drops them from all three buffers, so `n` falls to 70 in the deployed build.
7. **PI approval** for anything CD37 / CD200 before the site goes public.
8. **CV as `assets/cv.pdf`** — fix the CD200 slide count first (37, not 52).
9. **Papers** — still 3. Anabella will add more later.

Prompt log

Every prompt in this build, in order, verbatim. Generated from the raw session transcript rather than from memory — the text below is copied out of the transcript's own records, so it cannot drift from what you actually asked.

Keep this private. Your opening brief quotes the embargo terms and names the UPMC Enterprises deck. It belongs in the private repo, never in a public deploy.

- Session 14443a27-b6dd-486d-b868-430986e6c3ab
- Span 30 Aug 2026 – 05 Sep 2026
- Your prompts 24
- My turns 1,031 · tool calls 523
- Commits 11

Times are local (EDT), matching `git log`.

The log

1. Sun 30 Aug, 23:26

<details> <summary>19,094 characters — click to expand</summary>

@"/Users/anabellaphelps/Library/CloudStorage/GoogleDrive-anabellaphelps41@gmail.com/My Drive/claude-code-prompt (1).md.gdoc"

@"/Users/anabellaphelps/Library/CloudStorage/GoogleDrive-anabellaphelps41@gmail.com/My Drive/portfolio_items (1).gsheet" I'm Anabella Phelps, a sophomore at Carnegie Mellon (Mellon College of Science, B.S. Computational Biology, expected May 2029). I'm a systems immunology intern in Dr. Tullia Bruno's lab at UPMC Hillman Cancer Center, where I built a PDAC single-cell atlas from 9 public scRNA-seq datasets. I want to build my personal portfolio website.

Ask me every remaining question you need answered before you write code. I would much rather answer ten questions up front than have you guess and course-correct later. Four decisions are already settled below — don't re-litigate those. Everything else is open. Two files in this folder `portfolio_items.csv` — 133 inventory items (id, type, label, source, text, stage, point_weight, status, embargoed). This is the content source for the hero visualization. `portfolio-inspiration-notes.md` — my design decisions, reference-site reactions, and the reasoning behind the hero concept. Read this first; it explains why the site is shaped the way it is. Note that its inventory counts say 131 items / 70 embeddable — those predate two additions

and are now 133 / 72. The CSV is authoritative, not the notes. Settled decisions — do not re-ask these four Stack and hosting. Vanilla HTML/CSS/JS, multi-page, no build step, no framework, no bundler. Deploys to GitHub Pages as static files. See Architecture — and read the note there about why this is multi-file rather than one big HTML file. Audience. Both industry and academic, leaning industry. See Audience and positioning. Copy. You write real prose, not placeholders — and you flag every invented fact. See Writing my copy. Visual direction. Committed dark, data-viz aesthetic, the portfolio UMAP as the single ambient hero visual. See Design direction. What I'm building A personal portfolio site whose hero is an interactive UMAP of my own work. Not a decorative scatter plot with four hand-placed blobs labeled "Projects / Experience / Education" — the positions must be genuinely computed. The pipeline is: embed the text field of each item in portfolio_items.csv with a sentence transformer, run UMAP on the embeddings, and plot where the points actually land. Clusters emerge from the data rather than being asserted.

This matters because the people I'm targeting will recognize a UMAP used decoratively, and it will read as not understanding the method. Everything about this feature has to be technically honest. Audience and positioning Primary reader: hiring managers and technical recruiters screening for summer 2027 computational biology internships — biotech, pharma, drug discovery, and NASA/space-health research groups. Assume 40 seconds on first visit.

Secondary reader: PIs and lab members, including the Bruno Lab and the Huang Lab. Assume they will read the research pages properly.

Lean industry, keep the academic door open. In practice:

Above the fold, a recruiter should be able to tell what I do, what I build things with, and that I have shipped something real. Skills and tools get their own scannable block. Research depth lives one click down on the project pages, not crammed into the landing page. Frame research work around problem → approach → what I actually produced → what's next. Not a methods section. The CV/resume link is visible in the nav or hero, not buried in the footer. Do not write this as a grad-school statement of purpose, and do not write it as a startup landing page either. No "passionate about leveraging data to transform medicine." Specific, concrete, first person. Cut deferential hedging. No "wherever I could be useful," no "I hope to contribute to." Writing my copy — real prose, flagged inventions Write full, real copy from the material in these two files. Do not leave lorem-style placeholders. I will refine the text later, so getting a complete draft in front of me is worth more than leaving gaps.

But every claim you invent or infer has to be visible to me. Two mechanisms, both required:

In the markup, wrap it: `<span class="unverified" data-note="why this needs checking">...</span>`. Style .unverified with a subtle dotted underline. Add a small nav or footer toggle that switches a

body.show-unverified class to highlight all of them at once, so I can audit the whole site in one pass. Default state is off — a visitor sees clean prose. Generate UNVERIFIED.md at the repo root: every flagged claim, with the file it appears in and a one-line note on what needs checking. This is my worklist.

Never fabricate, even flagged: GEO accession numbers, cell counts, patient counts, dataset names, publication or preprint status, author lists, paper titles, dates, grades, award names, metrics, or anything quantitative about my research. If you need a number and don't have it, write [TK: cell count] and log it in UNVERIFIED.md. A wrong GEO accession on a site a PI reads is worse than a blank.

Safe to draft and flag: connective prose, section intros, framing sentences, plain-language explanations of methods I demonstrably used, the "what's next" framing on projects.

The 61 NEEDS TEXT items. 61 of 131 rows have status = NEEDS TEXT and an empty text field. Handle it in two layers, and keep them separate:

Embedding: exclude them. Do not embed an empty string, and do not embed text you wrote for me. If you write the text, the point's position reflects your words, not my work — that quietly breaks the honesty claim the whole hero rests on. Build the embedding from the ok rows only — 72 of 133 as of this writing — and say so on the page: a short line noting how many of the inventory items the map currently shows, with the rest pending write-up. Compute those numbers from the CSV at build time rather than hard-coding them, so the caption stays true as I add items. Display: you may draft candidate text for those 61 rows into a separate portfolio_items_drafts.csv for me to review, edit, and promote by hand. Never write into portfolio_items.csv directly. Confidentiality — read this before writing any research copy This site is public. Some of my lab work is not, and some of it touches commercialisation and IP.

Nothing from an internal or investor-facing deck goes on the site. That includes unpublished figures, patient cohort sizes, mouse experiment results, and any slide marked confidential or "do not post".

Do not name therapeutic targets or drug strategies from unpublished lab programs, even in passing, even in a skills list. If a project can only be described by naming an unpublished target, describe it by method instead: "spatial re-analysis of published transcriptomics data supporting a lab target-validation program."

Do not attribute colleagues' work to me. If an item's provenance is unclear, ask me rather than writing around it.

Items sourced to an internal presentation are embargoed. Two of them are: inventory ids 132 and 133, both sourced to the UPMC Enterprises deck of August 2026. Build their pages and include them in the

embedding — I want to see them and keep working on them — but they must not reach a public deploy until I confirm my PI has approved.

Implement the embargo mechanically, not by memory. Add an embargoed column to `portfolio_items.csv` (y/blank). `scripts/build_embedding.py` takes a `--public` flag: without it, embargoed items are included and rendered with a visible marker; with it, they are dropped from `data/embedding.json` entirely and their pages are excluded from the build. Print which items were dropped. My deploy command is the `--public` one. Do not make `--public` the default, and do not let an embargoed item reach a public build because someone forgot a flag — if `embedding.json` contains an embargoed item, the deploy script should refuse to run.

The site stays unpublished until I say otherwise. Set up the GitHub Pages repo as private, or leave Pages disabled, and tell me the one step to flip it live once I have approval.

Published papers, public datasets (GEO accessions), coursework, teaching and my own projects are unrestricted.

When in doubt, leave it out and put it in `UNVERIFIED.md`. A missing item costs me nothing. A disclosed one costs me the lab's trust. Design direction Reference sites, with my specific reactions:

Site What I want from it <https://generatebiomedicines.com> Overall model: one strong ambient visual over an otherwise plain, fast, text-driven site <https://www.isomorphiclabs.com> Color palette — this is the palette I want. Also the organic cell/blob quality of the motion <http://pxpush.com> Favorite overall. Numbered editorial sections (N°001 / Intro), oversized kinetic headings, dark near-black ground (~#1a1a1a), monospace metadata labels <https://www.evolutionaryscale.ai> Text that separates and opens as you scroll. Feels inviting. Colors are not my favorite <https://research.arcadiascience.com> The frog color — I want one saturated accent like that against the dark ground <https://www.insitro.com> Liked the ambient background motion; disliked the palette

Committed dark. Near-black ground (~#1a1a1a), scientific data-viz palette derived from Isomorphic, one saturated accent from the Arcadia frog. No light mode, no theme toggle — build one look and make it good. Categorical colors for point type must stay distinguishable to a viewer with deuteranopia; check them.

Motion rules. The UMAP is the only ambient visual on the site; everything else is still. Scroll-triggered typography that opens/separates, per EvolutionaryScale. Hero entry animation: points settle from a dispersed state into their precomputed coordinates. Animate toward the real positions — never generate

intermediate coordinates that imply a computation happening in the browser. prefers-reduced-motion freezes everything at the final state with layout intact.

What I do not want, and why:

cradle.bio — reads as AI-generated, generic gradient corporate biotech recursion.com — boring, too static rauno.me and dennissnellenberg.com — the navigation is hidden or reinvented and I couldn't find anything paco.me — boring brittanychiang.com — good navigation model, but too plain; I want more visual interest than this No giant photo of my face. Small headshot at most, or none. Note: pxpush is an agency site carrying ~30 pieces of visual work in horizontal-scroll galleries. I don't have that image volume. Take its structure, not its content model.

Hard constraint on navigation: a fixed, conventional, always-visible nav bar with plain labels (Work, Research, Teaching, About, Contact — or whatever we settle on). The UMAP is an explorable index, never the wayfinding system. A recruiter with 40 seconds has to be able to find things. This is non-negotiable and it's the specific thing I disliked about rauno.me and snellenberg. Sections Hero — the interactive UMAP, full viewport, with my name and one line saying what I do About — short. Who I am, what I work on, what I'm looking for Research — the Bruno Lab work: PDAC single-cell atlas, CD37/TLS spatial analysis, Vaccinia virus and TLS formation in lung cancer, CD200 in HGSOC. Each gets its own detail page. Note: the CD37 and CD200 work is part of an active target-validation program with unpublished data — see Confidentiality. Write those two pages at the method level only, and treat them as embargoed until I say otherwise Projects — TLS Builder, Quantra (TartanHacks), CREATE Lab K-5 AI literacy curriculum Teaching — 15-112 TA, Youth Enjoy Science mentoring Publications & Presentations — abstracts, poster, conference talks CV / Resume — link to PDF Contact — email, LinkedIn, GitHub Footer — attribution block, spec below

Two project pages need to be substantial rather than a card with three bullets:

PDAC single-cell atlas — this is where the scientific UMAP lives (the actual atlas, hover a cluster for annotation and top marker genes). Downsample the coordinate export hard; a 200k-cell scatter will not render smoothly in a browser. TLS Builder — ~900-line Python game modelling tertiary lymphoid structure development. Five-stage maturity computed from spatial arrangement using BFS connected-component analysis of B-cell clusters plus radius checks for T-cell proximity and FDC adjacency. Double-buffered probabilistic simulation. It's the only artifact I have where immunology and real programming show up in the same object, so it deserves a full page explaining the stage rules, not a bullet. Hero UMAP — technical spec Compute offline, not in the browser. "Interactive" here means hover, filter, click and keyboard — not in-browser dimensionality reduction. Write a Python script (scripts/build_embedding.py) that:

Reads portfolio_items.csv Filters to rows where status == 'ok' and text is non-empty Embeds the text column with sentence-transformers (all-MiniLM-L6-v2 is fine) Runs UMAP to 2D with a fixed random_state so the layout is reproducible between runs Writes data/embedding.json with one record per item: id, label, type, x, y, stage, point_weight, plus whatever the tooltip needs Prints a summary: how many items were embedded, how many were skipped and why

I re-run the script when I add items; the site just loads the JSON. Do not run UMAP in the browser — it's slow and nondeterministic, and I want the layout stable between visits.

Rendering: plain Canvas or D3 over the JSON. No heavy 3D library for this. Should be smooth with ~150 points and stay smooth at ~400.

Visual weight: the CSV has a point_weight column — 1.0 for courses, projects, experiences, publications; 0.7 workshops; 0.6 datasets; 0.4 tools. Use it for point radius and opacity so tools read as background texture and the substantive items carry the structure. It is a rendering weight only — every item is embedded equally, since UMAP has no per-sample weighting. Please don't write anything implying otherwise.

Interaction: hover a point for label and type; click to open that item's detail or jump to its section. Filter by type. Keyboard accessible — arrow keys move between points, Enter activates, focus is visible.

Honesty requirements:

Don't force cluster labels. If the points don't separate cleanly, show them as they are. Genuine overlap is more credible than four tidy circles, and I can annotate interesting overlaps in prose. The stage column is done / in-progress / planned — 116 / 8 / 7. Render in-progress and planned visually distinct (outlined rather than filled, say) so nothing implies work is finished when it isn't. Put a short, plain caption under or beside the hero saying what the map actually is: what was embedded, which model, how many items, and that positions are computed rather than placed. One or two sentences. This is the thing that converts the visual from "pretty" to "credible" for the exact audience I care about — don't skip it and don't make it a tooltip.

Fallbacks: if the JSON fails to load, the hero degrades to a static title block and the rest of the site works. Respect prefers-reduced-motion — freeze any animation, keep the layout. Architecture Separate HTML and CSS files. No inline <style> blocks, no styles in the markup. On single-file: I considered shipping one self-contained index.html and rejected it. This project needs per-project detail pages, an offline Python build step, and a JSON data file, none of which fit in one file. What I actually wanted from that idea — no build step, no framework, static hosting, editable by hand — is already satisfied by the vanilla multi-page

setup below. Don't propose collapsing it. Suggested layout, adjust if you have a better idea and tell me why:

index.html

about.html

research/ (one page per project)

projects/

css/

tokens.css all colors, fonts, spacing as CSS custom properties

base.css reset, typography, layout primitives

components.css nav, cards, footer, section headers

umap.css

js/

umap.js

nav.js

data/

embedding.json

scripts/

build_embedding.py

UNVERIFIED.md

Vanilla HTML/CSS/JS. No build step, no framework, no bundler. I want to open a file and edit it. Deploys to GitHub Pages from the repo root. Everything must work from file:// and from a plain static host — no server, no fetch of anything cross-origin. If data/embedding.json can't be fetched over file:// in a given browser, tell me and give me the one-line local-server command rather than silently working around it. Every color, font size and spacing value defined once as a CSS custom property in tokens.css. Changing

the accent color should be a one-line edit. Comment the non-obvious parts, especially anything in umap.js doing coordinate transforms or hit detection. Content should be easy to add by hand — adding a project means copying an HTML block and editing text, not touching JavaScript. Semantic HTML, real heading hierarchy, alt text, visible focus states, WCAG AA contrast. Responsive: works at 375px. Wide content scrolls inside its own container; the page body never scrolls horizontally. Scope and sequencing I'm carrying 47 units across 7 courses this fall plus 15–20 hrs/week TAing 15-112, so roughly 62–67 hrs/week before any lab work or this build. Optimize for a site that is live and honest over one that is complete.

Build in this order, and stop after each stage so I can look:

v1 — live and defensible. Nav, hero UMAP with the caption, About, Contact, CV link, and stub pages for everything in Sections. Deployable. v2 — the two deep pages. PDAC atlas and TLS Builder written properly. v3 — the rest. Remaining research pages, teaching, publications, scroll typography, polish.

If you have to choose between a feature and a stage-1 deploy, take the deploy. Attribution footer Visible in the site footer on every page, not hidden in a comment:

Built with Claude Code (model name, e.g. Claude Sonnet 4.5) in collaboration with Anabella Phelps. Initial build: [Month Year]. Last updated: [Month Year]. Design direction, content and all research work are my own.

Use the actual model name you're running as, and the real dates. Make it a small but legible line — not 8px grey-on-grey. I want it honestly readable. Before you build Read both files in this folder, then ask me your remaining questions. The four settled decisions above are closed. Still genuinely open, and worth asking about:

What the nav labels should be, and whether Research and Projects are one section or two Which exact accent color — pull two or three candidates from the Arcadia frog and show me hex values against the dark ground Whether I want the PDAC atlas coordinates exported yet, or whether v1 ships that page without the scientific UMAP Whether the hero should show all 70 embedded items or hide type = tool behind a filter by default What my domain is, and whether this is anbellaphelps.github.io or a custom domain Anything in the CSV that looks thin, mislabeled, or like it will embed badly

After I answer, propose a plan and wait for me to approve it before writing files.

</details>

Result — Read the brief and both Drive attachments, asked clarifying questions, proposed a plan. No files written yet.

2. Sun 30 Aug, 23:35

proceed

Result — v1 of the site: nav, hero UMAP, About, Contact, CV link, stub pages. [78fcec8](#) v1: nav, hero UMAP, About, Contact, CV link, stub research/work pages

3. Mon 31 Aug, 10:48

I want to work more on the design so leave any place holders that will need to be filled with info/ text later. This is the design I've worked up. Ask any questions before starting to build in order to clarify details. follow this artifact for mock up instructions [Helix to UMAP](#)

Result — Rebuilt the hero to the "Helix to UMAP" spec v2 — Tier 2 scroll choreography on a 2D canvas.
[8a20fa0](#) Redesign to "Helix to UMAP" spec v2: Tier 2 scroll choreography

4. Mon 31 Aug, 16:05

I hit my usage limit while you were working, but it has reset now. Please continue from where you left off.

Result — Resumed the in-flight build. No new instruction.

5. Mon 31 Aug, 18:15

how do i view

Result — Explained `python3 -m http.server`. This answer turned out to be wrong in practice — see prompt 13.

6. Mon 31 Aug, 21:20

Here are my notes: I want tier three to add real depth. I like the color pallate so far but the graphics need more details. I don't like the font, give me some good other options to choose from. The rna spiral should be bigger and thicker. The points should be 3d and shiny instead of just flat 2d, also make the points bigger so they take up more space. my name shouldn't just disappear, it should scroll off the page, and it shouldn't overlap with the laptop. The laptop should look much more realistic and start skewed and then

rotate as it opens and the first screen needs to actually look like jupyter labs. Also add a place holder to put an image of me that would suit the website.

Result — Tier 3 WebGL hero, Instrument Serif + Inter self-hosted, portrait placeholder. Font options offered for you to pick from. 3ff67f7 Tier 3 WebGL hero, Instrument Serif + Inter, portrait placeholder, resume

7. Mon 31 Aug, 21:25

@"/Users/anabellaphelps/Downloads/Resume 2026 .pdf" here is my resume

Result — Resume linked from the site. Two conflicts with your own notes logged in UNVERIFIED.md rather than silently resolved.

8. Mon 31 Aug, 21:49

use afphelps@andrew.cmu.edu everywhere

Result — Email swapped site-wide. 5448774 Use afphelps@andrew.cmu.edu site-wide

9. Mon 31 Aug, 21:52

move the helix to the left , it shouldnt overlap with my name, also make it look more like a double stranded helix than a spring

Result — Started moving the helix left.

10. Mon 31 Aug, 21:53

sorry to the right

Result — Corrected to the right, and rebuilt it to read as a genuine double helix rather than a spring.

bc8a076 Helix: move right of the wordmark, and make it read as a double helix

11. Wed 02 Sep, 13:01

make the scrolling smoother, by spreading out the scrolling so it takes longer to reach the bottom, make the first frame of the dna coil extend off the page, make the computer look hyper realistic, image worthy, make the lap top start closed instead of start open and flat, make the points a bit smaller. weigh the tools heavier in the umap, whatever the big rings are in the umap, they need to be reduced in size

Result — Slower scroll track, closed starting lid, heavier tool weighting, smaller points. e3bc9a2 Slower scroll, closed laptop, 3D wordmark, scroll cue, heavier tools

12. Wed 02 Sep, 13:12

also add a scroll que for website users somewhere on the page, make my name bigger and 3 dimensional so the style matches the 3 dimensional dna strand but a bit darker so that there is enough contrast. Double check the the code meets our initial specifications before presenting it to me and iterate if necessary.

Result — Scroll cue and the 3D wordmark, folded into the same commit. e3bc9a2 Slower scroll, closed laptop, 3D wordmark, scroll cue, heavier tools

13. Wed 02 Sep, 13:24

I'm not seeing these changes

Result — Diagnosed as browser heuristic caching returning 304. Wrote a no-cache dev server — [scripts/serve.py](#). 7ff102d Add a no-cache dev server so local edits actually show up

14. Wed 02 Sep, 13:29

Traceback (most recent call last): File "/Users/anabellaphelps/portfolio website/scripts/serve.py", line 73, in <module> with Server(("", PORT), NoCacheHandler) as httpd: ~~~~~^ File "/Library/Frameworks/Python.framework/Versions/3.13/lib/python3.13/socketserver.py", line 457, in init self.server_bind() ~~~~~^ File "/Library/Frameworks/Python.framework/Versions/3.13/lib/python3.13/socketserver.py", line 478, in server_bind self.socket.bind(self.server_address) ~~~~~^ OSError: [Errno 48] Address already in use

Result — EADDRINUSE from a server I had left running. Handled the occupied port instead of raising. acff7b1 serve.py: handle an occupied port instead of raising

15. Wed 02 Sep, 13:35 · 3 screenshots attached

This is better but this is still what needs to be changed: 1. change the font of my name so that my name is the same shiny colors and bubble letters that the dna helix has with just a darker hue. I want it to match. Also make My first and last name on two different lines. Make the scross cue bigger . The laptop remains unchanged. Make sure it looks realistic, image quality laptop, make it a mac book with smooth

and sleek 3d design, make it spin all the way around once before setting into place and zooming in on it to add more action to the scroll. The cluster map is still looking off the page, and I also need those big rings to be removed. Also make the top bar a little bigger.

Result — Three screenshots, seven requests. Glossy two-line wordmark, full-revolution laptop spin, giant rings removed, map refitted to frame. [23bb3e0](#) Glossy two-line wordmark, sleeker spinning laptop, remove the giant rings

16. Wed 02 Sep, 13:45

How can i make you able to see the result?

Result — Built a capture path: the page renders offscreen, POSTs its own pixels to `/__shot`, and they land in `.preview/`. This immediately exposed four defects that every numeric check had passed. [f18b369](#) Let Claude see the page, then fix what that revealed

17. Wed 02 Sep, 18:19

Try again

Result — Audit workflow failed on a session limit. Nothing produced.

18. Thu 03 Sep, 07:25

Try again

Result — Ran the audit inline instead. Found the nav going invisible at the crossfade midpoint — 1.05:1, when both endpoints measured fine. Fixed, plus a sub-3:1 wordmark stop and a missing forced-colors fallback. [836c3a3](#) Fix the nav going invisible mid-crossfade

19. Fri 04 Sep, 11:26

how can i attach a local codebase so an ai model can reach the code and view the website

Result — Advisory only. Covered filesystem access, a private repo, and why a tunnel would expose the embargoed pages.

20. Fri 04 Sep, 11:35

how would i add it to git hub

Result – Advisory only. Flagged that a private repo does not give you a private Pages site, and that git history keeps the embargoed pages forever.

21. Fri 04 Sep, 11:54

so now that ive added it to github how can i give access to another model

Result – Advisory only. Checked what is actually committed and found the `dev embedding.json` on `main`, naming all three embargoed items.

22. Fri 04 Sep, 11:58

no i just want another claude chat to have access

Result – Advisory only. Same vendor, so no new disclosure.

23. Fri 04 Sep, 12:17

how can i edit the code

Result – Advisory only. Editor setup, a file map, and the CSV rebuild step.

24. Sat 05 Sep, 19:03

create a prompt log from this session

Result – This file.

Commits

	commit	when	subject
1	78fcec8	2026-08-31 00:16	v1: nav, hero UMAP, About, Contact, CV link, stub research/work pages

2	8a20fa0	2026-08-31 16:43	Redesign to "Helix to UMAP" spec v2: Tier 2 scroll choreography
3	3ff67f7	2026-08-31 21:48	Tier 3 WebGL hero, Instrument Serif + Inter, portrait placeholder, resume
4	5448774	2026-08-31 21:49	Use afphelps@andrew.cmu.edu site-wide
5	bc8a076	2026-08-31 21:58	Helix: move right of the wordmark, and make it read as a double helix
6	e3bc9a2	2026-09-02 13:20	Slower scroll, closed laptop, 3D wordmark, scroll cue, heavier tools
7	7ff102d	2026-09-02 13:26	Add a no-cache dev server so local edits actually show up
8	acff7b1	2026-09-02 13:31	serve.py: handle an occupied port instead of raising
9	23bb3e0	2026-09-02 13:43	Glossy two-line wordmark, sleeker spinning laptop, remove the giant rings
10	f18b369	2026-09-02 18:23	Let Claude see the page, then fix what that revealed
11	836c3a3	2026-09-03 07:29	Fix the nav going invisible mid-crossfade

How this was made, and what it misses

Prompt text comes from the transcript's `queue-operation` records, which hold what you typed. The one message carrying screenshots (prompt 15) arrived by a different path and was pulled from the `user` records instead.

Two things are deliberately excluded: three background-task notifications the harness generated, and the `/compact` command. Neither is something you asked for.

Attachment *contents* are not here — prompt 1 references two Google Drive files and prompt 7 a resume PDF. The log records that they were attached, not what was in them.

The Result lines are mine, not extracted. Commit hashes are checkable; the prose next to them is my account of what a prompt was for, which a commit message alone does not say.

```
# Prompt log — Portfolio Hero mockup
```

User prompts in order, with what each one changed.

Bracketed entries are system-generated (drawing annotations, verifier callbacks, skill invocations), not typed prompts.

```
# Session 1 — September 4, 2026 (build)
```

```
## Brief
```

1. **Make UI mockups for my `http://localhost:8000/` ... needs more style and better scrolling design and visual elements are lacking in realism ... keep all the features I described but inherit the style of `pxpush.com`** + inspiration images

localhost wasn't reachable, so a question form went out (screenshots, screens to mock, chrome level, ground handling, metal object, nav labels). Unanswered — built from the written spec instead: a 260vh sticky hero with one point cloud moving helix → stream → UMAP, hand-rolled perspective projection, paper-dark ground crossfade, chrome laptop, scanline overlay, hover labels, plus About / work grid / legend sections.

2. **[Found issues — fixing...]**

Canvas was never sized – added a `ResizeObserver` plus a per-frame size check so the cloud, strands, laptop and crossfade actually rendered. Masthead moved below the nav; status block lifted clear of the skip control; grid placeholder labels reflowed.

3. ****[Found issues – fixing...]****

`overflow-x:clip` instead of `hidden` on the wrapper so the sticky stage pins and all six phases are reachable. Light-phase points lightened (lower fog ceiling, higher alpha floor, 0.24 chroma baseline).

4. ****[Found issues – fixing...]****

Root cause: the projector's fixed world-Y offset was divided by camera distance, throwing the settled map off-center. Offset now scales with `z`.

Laptop

5. ****"use the images to animate a realistic looking computer"****

`jupy-theme.png` perspective-mapped onto the screen quad (subdivided into affine cells) so the notebook skews and rotates with the lid. Body rebuilt from the half-open reference: brushed deck with a raking highlight, side/front thickness faces, recessed 14×6 key grid, trackpad, two-layer contact shadow, bezel with camera dot, gloss sweep, screen spill onto the deck. Camera raised over the open phases – it had been at deck level, reading edge-on. The Apple stock photo went unused (watermarked, and a fixed-perspective photo can't rotate with the lid).

Grounding in the real repo

6. ****"Look at afphelps-wq/portfolio-website with the github connector"****

Read the source and rebuilt on it: real tokens, fonts (Instrument Serif / Inter / IBM Plex Mono / Nunito), nav, copy, and the actual `data/embedding.json` coordinates instead of a synthetic cloud. Added stage encoding (done / in-progress / planned) and type filters. Wrote `github.md` with a screen map.

7. ****[Found issues – fixing...]****

Tagline and status block capped in `vw` so they can't sum past the viewport; scroll cue moved off the Resume button; counts derived from `total_inventory` and the live filtered count rather than hardcoded.

8. ****[Found issues – fixing...]****

Read ``css/components.css`` and ``css/umap.css`` and reconciled everything: real ``site-nav`` scrim, ``btn`` variants, ``card`` hover, ``umap-controls__btn`` pills, three-line ``umap-tooltip``, the flex-centred ``stage``, and the repo's 460vh track (not 260vh).

Hero type

9. *****revert the hero text with my name back to the original style but keep it as my name. Make it constantly scrolling horizontally to the left*****

Full-bleed grotesque wordmark with hairline rules and blur-bloom, on a seamless 26s left marquee with dot separators.

10. *****[Found issues – fixing...]****

Stage became a three-row grid – 82px for the nav, ``lfr`` for centred type, ``auto`` for a real bottom band – so flow content and pinned overlays can't share pixels. Two cascading causes: the grid column was sizing to the 3303px marquee track (``min-width:auto``), and a wrapping status block inflated the band to 230px, squeezing the type up under the nav.

Mini panel

11. *****add this box back to the bottom left corner put the scroll cue next to it and make it a screen of the UMAP and animate a little so it has some movement*****

Live 200×118 monitor rendering the settled UMAP from the same buffer – real hues, stage encoding, dark ground, scanlines, "UMAP · LIVE" tag – with slow orbit, breathing zoom, drift and a light sweep. Cue placed beside it.

12. *****make all small text this font*****

All small copy switched to IBM Plex Mono with slight tracking and looser line-height: card bodies, settled caption, stage-encoding note, muted paragraphs, legend cells, footer links and attribution. Headings and the hero tagline left alone.

13. *****[Found issues – fixing...]****

Bounded the band rather than the content: monitor down to 168×96, status block cut to two non-wrapping lines, band capped at 34vh.

Session 2 – September 5, 2026 (refinement)

Hero

1. *****get rid of these two buttons and the text*****

Removed the intro paragraph and the Resume / See the research buttons from the hero.

2. *****move my name so it is against the top edge of the screen instead of in the middle*****

Name block changed from ``align-self:center`` to ``align-self:start``.

3. *****move this to the left side of the page right above the scroll cue and box*****

Status readout (V.02 / item counts / model name) restacked above the UMAP mini-panel and scroll cue.

4. *****[Apply drawing]*****

Helix pushed lower so its top clears the name marquee.

5. *****[Found issues – fixing...]*****

Reworked as a projection-origin shift (down 22% of viewport height at scroll top, easing to center) instead of a fixed offset.

6. *****[Apply drawing]*****

New choreography: helix collapses into a hovering cloud above the closed laptop with a slow bob, lid opens by ~60% scroll, points land on the screen plane, then flatten into the map.

Cards and images

7. *****change this so its two on top of two*****

Index cards became a centered 2x2 grid, single column on narrow widths.

8. *****add a place holder for a photo of me model it after this*****

4:5 portrait placeholder added as the left column of About, matching the card placeholder texture.

9. *****add these images to research, projects, leadership, publications*****

Four uploads wired into the index cards.

10. ****[Found issues – fixing...]****

Images downscaled into `assets/`, `src` guarded with `sc-if`, lazy/async decoding added.

11. ****[Found issues – fixing...]****

Cropped to 720×405 with explicit dimensions; replaced the per-frame canvas blur on the laptop shadow with a gradient.

12. ****[Found issues – fixing...]****

Gradient shadow required all four projected corners and finite values before drawing.

13. ****[Found issues – fixing...]****

Root cause found: projected radii blew up near the camera plane, rasterizing a huge gradient every frame. Replaced with two flat quads; wrapped `draw()` in try/catch.

14. ****[Found issues – fixing...]****

Removed per-frame layout reads (`clientWidth`) and diffed all overlay style writes – each frame had been forcing layout plus a blurred repaint of the nav.

Links and contact

15. ****"add this pdf to the cv link."****

CV link pointed at the uploaded resume.

16. ****"dont make it download just make it open a pdf on a new page"****

Switched from `download` to `target="\_blank"`.

17. ****"when you click projects at the top bar it should go here"****

Projects nav link retargeted from `#research` to `#work`.

18. ****"make this the contact page at the bottom and replace the 'pxpush' with 'Get in touch'"****

Footer rebuilt as a contact section: oversized scanlined wordmark, identity block, two columns of ruled ↗ links.

19. ****[Found issues – fixing...]****

Publications row retargeted to `#work`.

20. ****"email→ afphelps@andrew.cmu.edu. LinkedIn→ ... github → ... and the resume link isn't working, and get rid of publications"****

Real URLs wired in; Publications removed; resume moved to
`assets/anabella-phelps-resume-2026.pdf` (the old filename had a trailing space).

21. ****"change email to just say my email"****

Row label became the address itself.

About section

22. ****"add these pictures to my about me section for my bio animate it so it moves as a scroll"****

Four bio photos added as a vertically scrolling strip.

23. ****"make it so that it's like a frame by frame stop motion animation instead of continuously scrolling"****

`24s linear` → `1.8s steps(4,end)`.

24. ****"for contact in the about section put my email"****

Contact row in the spec table filled in.

25. ****"get rid of the show unverified claims button at the bottom"****

Button removed; resume row now closes its column.

Publishing

26. ****"why does the resume button say preview token required"****

Explained: the preview serves files through an authenticated session, and a new tab opens outside it. The link is correct.

27. ****"how do i upload this to github"', '"how do i upload files"'**

Walked through Add file → Upload files → Commit, and Settings → Pages.

28. ****[Save as standalone HTML]****

Bundled everything – photos, figures, resume PDF, embedding data, fonts – into a single 5 MB `index.html` that works offline.

29. ****"once the index.html is in github how do i open it?"**, **"my repo is name github.io"**, **"how do i enable pages"****

Publishing walkthrough. Noted that renaming the repo to `afphelps-wq.github.io` gets the clean root URL.

Open items

- LinkedIn and GitHub links point at the profile and `afphelps-wq.github.io` respectively – confirm the GitHub one is where you want it.
- The Fig 01 UMAP panel is cropped to 720×405; the full grid can be shown instead.
- `index.html` is a snapshot. Re-export after any further edits to `Portfolio Hero.dc.html`.

Session of September 5, 2026. User prompts in order, with what each one changed. Bracketed entries are system-generated (drawing annotations, verifier callbacks, skill invocations), not typed prompts.

Hero

1. ****"get rid of these two buttons and the text"**,**

Removed the intro paragraph and the Resume / See the research buttons from the hero.

2. ****"move my name so it is against the top edge of the screen instead of in the midle"**,**

Name block changed from `align-self:center` to `align-self:start`.

3. ****"move this to the left side of the page right above the scroll cue and box"**,**

Status readout (V.02 / item counts / model name) restacked above the UMAP mini-panel and scroll cue.

4. ****[Apply drawing]****

Helix pushed lower so its top clears the name marquee.

5. ****[Found issues – fixing...]****

Reworked as a projection-origin shift (down 22% of viewport height at scroll top, easing to center) instead of a fixed offset.

6. ****[Apply drawing]****

New choreography: helix collapses into a hovering cloud above the closed laptop with a slow bob, lid opens by ~60% scroll, points land on the screen plane, then flatten into the map.

Cards and images

7. ****"change this so its two on top of two"****

Index cards became a centered 2×2 grid, single column on narrow widths.

8. ****"add a place holder for a photo of me model it after this"****

4:5 portrait placeholder added as the left column of About, matching the card placeholder texture.

9. ****"add these images to research, projects, leadership, publications"****

Four uploads wired into the index cards.

10. ****[Found issues – fixing...]****

Images downscaled into `assets/`, `src` guarded with `sc-if`, lazy/async decoding added.

11. ****[Found issues – fixing...]****

Cropped to 720×405 with explicit dimensions; replaced the per-frame canvas blur on the laptop shadow with a gradient.

12. ****[Found issues – fixing...]****

Gradient shadow required all four projected corners and finite values before drawing.

13. ****[Found issues – fixing...]****

Root cause found: projected radii blew up near the camera plane, rasterizing a huge gradient every frame. Replaced with two flat quads; wrapped `draw()` in try/catch.

14. ****[Found issues – fixing...]****

Removed per-frame layout reads (`clientWidth`) and diffed all overlay style writes – each frame had been forcing layout plus a blurred repaint of the nav.

Links and contact

15. ****"add this pdf to the cv link."****

CV link pointed at the uploaded resume.

16. ****"dont make it download just make it open a pdf on a new page"****

Switched from `download` to `target="_blank"`.

17. ****"when you click projects at the top bar it should go here"****

Projects nav link retargeted from `#research` to `#work`.

18. ****"make this the contact page at the bottom and replace the 'pxpush' with 'Get in touch'"****

Footer rebuilt as a contact section: oversized scanlined wordmark, identity block, two columns of ruled ↗ links.

19. ****[Found issues – fixing...]****

Publications row retargeted to `#work`.

20. ****"email→ afphelps@andrew.cmu.edu. LinkedIn→ ... github → ... and the resume link isn't working, and get rid of publications"****

Real URLs wired in; Publications removed; resume moved to `assets/anabella-phelps-resume-2026.pdf` (the old filename had a trailing space).

21. ****"change email to just say my email"****

Row label became the address itself.

About section

22. **add these pictures to my about me section for my bio animate it so it moves as a scroll**

Four bio photos added as a vertically scrolling strip.

23. **make it so that it's like a frame by frame stop motion animation instead of continuously scrolling**

`24s linear` → `1.8s steps(4,end)`.

24. **for contact in the about me section put my email**

Contact row in the spec table filled in.

25. **get rid of the show unverified claims button at the bottom**

Button removed; resume row now closes its column.

Publishing

26. **why does the resume button say preview token required**

Explained: the preview serves files through an authenticated session, and a new tab opens outside it. The link is correct.

27. **how do i upload this to github, how do i upload files**

Walked through Add file → Upload files → Commit, and Settings → Pages.

28. **[Save as standalone HTML]**

Bundled everything – photos, figures, resume PDF, embedding data, fonts – into a single 5 MB `index.html` that works offline.

29. **once the index.html is in github how do i open it?, my repo is name github.io, how do i enable pages**

Publishing walkthrough. Noted that renaming the repo to `afphelps-wq.github.io` gets the clean root URL.

Open items

- LinkedIn and GitHub links point at the profile and ``afphelps-wq.github.io`` respectively – confirm the GitHub one is where you want it.
- The Fig 01 UMAP panel is cropped to 720×405; the full grid can be shown instead.
- ``index.html`` is a snapshot. Re-export after any further edits to ``Portfolio Hero.dc.html``.