Table A33. Mean weight (kg) at age of summer flounder catch, Maine-North Carolina. Includes 'New' MRFSS/MRIP.

Year	0	1	2	3	4	5	6	7	8	9	10	Total	7+
1982	0.229	0.407	0.663	1.327	1.785	2.271	2.509	3.256	3.481	3.283	4.501	0.506	3.425
1983	0.229	0.379	0.637	0.989	1.304	1.590	2.071	2.779	2.981	3.185	4.296	0.520	3.139
1984	0.242	0.382	0.612	1.057	1.453	2.250	3.298	3.744	4.853	4.242	0.000	0.505	4.077
1985	0.266	0.416	0.600	1.083	1.752	2.059	2.424	4.572	3.848	5.195	0.000	0.567	4.178
1986	0.208	0.451	0.645	1.173	1.847	2.010	2.970	3.164	4.181	0.000	0.000	0.598	3.669
1987	0.264	0.427	0.634	1.104	1.789	2.797	3.457	2.693	4.477	0.000	5.307	0.571	3.033
1988	0.214	0.462	0.621	1.061	1.527	2.345	3.625	3.473	4.712	0.000	0.000	0.569	4.089
1989	0.132	0.411	0.636	0.984	1.479	2.104	2.640	2.671	2.177	0.000	0.000	0.627	2.506
1990	0.210	0.400	0.805	1.168	1.588	2.296	3.346	3.926	4.935	0.000	0.000	0.526	4.128
1991	0.188	0.431	0.712	1.207	1.896	2.552	3.241	4.184	0.000	0.000	0.000	0.578	4.184
1992	0.183	0.396	0.685	1.162	1.563	2.389	3.231	4.704	0.000	0.000	0.000	0.495	4.704
1993	0.204	0.449	0.685	1.492	1.805	1.867	2.899	4.235	4.494	0.000	0.000	0.543	4.321
1994	0.266	0.473	0.594	1.323	2.089	2.846	3.137	4.123	3.791	0.000	0.000	0.538	3.846
1995	0.185	0.464	0.685	1.083	1.629	2.493	3.959	4.396	0.000	0.000	1.134	0.592	1.542
1996	0.203	0.422	0.560	1.029	1.668	2.208	2.585	4.575	4.324	4.510	0.000	0.581	4.429
1997	0.205	0.428	0.636	0.871	1.315	2.170	2.479	2.746	0.000	4.853	0.000	0.674	2.908
1998	0.223	0.456	0.629	0.832	1.330	2.235	2.419	3.596	0.000	0.000	0.000	0.733	3.596
1999	0.142	0.309	0.594	0.889	1.379	1.919	2.841	3.562	0.000	0.000	0.000	0.716	3.562
2000	0.191	0.425	0.689	0.964	1.474	2.187	2.759	3.207	3.907	3.368	3.814	0.812	3.485
2001	0.134	0.512	0.754	1.003	1.543	2.337	2.674	3.418	3.627	4.093	5.063	0.894	3.600
2002	0.196	0.436	0.744	0.996	1.415	2.096	2.779	3.600	3.851	2.330	0.000	0.878	3.577
2003	0.185	0.486	0.757	1.006	1.533	2.048	2.591	2.872	3.578	3.373	5.000	1.006	3.093
2004	0.222	0.465	0.731	0.974	1.377	1.810	2.392	2.774	3.432	3.844	3.471	0.972	3.015
2005	0.221	0.387	0.631	0.878	1.115	1.500	1.837	2.104	2.344	3.070	3.199	0.942	2.385
2006	0.135	0.425	0.692	0.979	1.295	1.699	2.215	2.665	3.554	4.117	3.397	0.951	3.000
2007	0.170	0.387	0.692	0.952	1.289	1.735	2.205	2.476	2.875	3.282	3.588	1.016	2.720
2008	0.181	0.365	0.587	0.885	1.185	1.581	1.942	2.210	2.707	3.036	3.113	1.048	2.481
2009	0.165	0.343	0.577	0.843	1.106	1.524	1.976	2.538	2.737	3.534	3.943	0.944	2.721

Table A33 continued. Mean weight (kg) at age of summer flounder catch, Maine-North Carolina. Includes 'New' MRFSS/MRIP.

 Year	0	1	2	3	4	5	6	7	8	9	10	Total	7+
2010	0.148	0.258	0.471	0.745	1.054	1.395	1.872	2.292	2.762	3.109	3.263	0.880	2.586
2011	0.005	0.154	0.366	0.811	1.184	1.596	1.881	2.192	2.602	2.962	3.311	0.943	2.427
2012	0.199	0.359	0.593	0.762	1.044	1.484	1.797	1.934	2.576	2.974	3.900	0.984	2.259
2013	0.177	0.302	0.543	0.791	1.058	1.503	1.943	2.071	2.449	2.798	2.802	1.005	2.319
2014	0.189	0.367	0.608	0.823	1.060	1.428	1.796	2.217	2.630	2.495	2.564	0.980	2.399
2015	0.180	0.348	0.630	0.815	1.005	1.288	1.451	1.641	1.701	2.249	2.490	0.936	1.820
2016	0.083	0.343	0.688	0.834	1.096	1.311	1.437	1.503	1.818	2.054	2.456	0.945	1.687
2017	0.110	0.428	0.695	0.905	1 048	1 299	1 404	1 635	1.516	1 398	2 000	1 013	1 597