# «enumeration» TUsrMgntType

umtUnknown umtLevel umtAuthorizationByUser umtAuthorizationByGroup umtAuthorizationByUserAndGroup

## TAuthorization

Create(aAuthID: Integer, aDescription: UTF8String


TObject


### ${\bf TUsr Level Mgnt Schema}$

+ Create(aMinLevel: Integer, aMaxLevel: Integer, aAdminLevel: Integer)

TUsrMgntSchema

- Destroy()
- UserList(): TUserLevelList





# TCustomUser + Create(aUID: Integer, aUserLogin: UTF8String, aUserDescription: UTF8String, aBlockedUser: Boolean) + Modified(1): Boolean ResetModified() # SetBlockedUser(AValue: Boolean) # SetUserDescription(AValue: UTF8String) TUserWithLevelAccess + Create(aUID: Integer, aUserLogin: UTF8String, aUserDescription: UTF8String, aBlockedUser: Boolean, aUserLevel: Interest Modified(): Boolean + ResetModified() # SetUserLevel(AValue: Integer)

### TAuthorizedUser

- AuthorizationList(): TAuthorizationList
- Create(aUID: Integer, aUserLogin: UTF8String, aUserDescription: UTF8String, aBlockedUser: Boolean)
- Destroy()

