

App.jsx

```
import { useState } from "react";
```

```
import Users from "./Users";
```

```
function App() {
```

```
  return (
```

```
    <div>
```

```
      <Users />
```

```
    </div>
```

```
  );
```

```
}
```

```
export default App;
```

Users.jsx

```
import { useState, useEffect, useCallback, useMemo } from "react";
```

```
function Users() {
```

```
  const [users, setUsers] = useState([]);
```

```
  const [search, setSearch] = useState("");
```

```
  // Fetch Function
```

```
  const fetchUsers = useCallback(
```

```
    async (controller) => {
```

```
      const response = await fetch( "https://jsonplaceholder.typicode.com/users",
```

```
      {
```

```
        signal: controller.signal,
    }
);

const data = await response.json();

const filtered = data.filter((user) =>
    user.name
        .toLowerCase()
        .includes(search.toLowerCase())
);

setUsers(filtered);
},
[search]
);

// useEffect
useEffect(() => {
    const controller = new AbortController();

    fetchUsers(controller);

    // Cleanup
    return () => {
        controller.abort();
        console.log("Cleanup Run");
    };
});
```

```
}, [fetchUsers]);
```

```
// useMemo
```

```
const totalUsers = useMemo(() => {  
  return users.length;  
}, [users]);
```

```
return (
```

```
  <div>
```

```
    <h1>User List</h1>
```

```
    <input type="text" placeholder="Search User" value={search}  
      onChange={(e) => setSearch(e.target.value)} />
```

```
    <button onClick={() => fetchUsers(new AbortController())} > Refresh </button>
```

```
    <h3>Total Users : {totalUsers}</h3>
```

```
    {users.map((user) => (
```

```
      <p key={user.id}>
```

```
        {user.name}
```

```
      </p>
```

```
    )}}
```

```
  </div>
```

```
);
```

```
}
```

```
export default Users;
```

Output:

