

App.jsx

```
import Navbar from "../Navbar";  
import Card from "../Card";  
import ButtonGroup from "../ButtonGroup";
```

```
function App() {  
  return (  
    <div>  
      <Navbar />  
  
      <div className="p-5">  
        <Card  
          title="React"  
          text="Tailwind Card Component"  
        />  
  
        <ButtonGroup />  
      </div>  
    </div>  
  );  
}
```

```
export default App;
```

Navbar.jsx

```
function Navbar() {  
  return (  

```

```
<div className="bg-blue-500 text-white p-4 flex flex-col md:flex-row justify-between items-center">
```

```
<h1 className="text-2xl font-bold">
```

```
  My App
```

```
</h1>
```

```
<div className="flex gap-4 mt-3 md:mt-0">
```

```
<a href="#">Home</a>
```

```
<a href="#">About</a>
```

```
<a href="#">Contact</a>
```

```
</div>
```

```
</div>
```

```
);
```

```
}
```

```
export default Navbar;
```

Card.jsx

```
function Card({ title, text }) {
```

```
  const cardStyle =
```

```
    "border rounded-lg p-5 shadow-md mt-5";
```

```
  return (
```

```
    <div className={cardStyle}>
```

```
<h2 className="text-xl font-bold mb-2">
  {title}
</h2>
```

```
<p className="text-gray-600">
  {text}
</p>
```

```
</div>

);
}
```

```
export default Card;
```

ButtonGroup.jsx

```
function ButtonGroup() {

  const btnStyle =

    "px-4 py-2 rounded bg-blue-500 text-white hover:bg-blue-700 focus:ring-2
    active:scale-95";

  return (

    <div className="flex gap-3 mt-5">

      <button className={btnStyle}>

        Save

      </button>
```

```
<button className={btnStyle}>
```

```
  Edit
```

```
</button>
```

```
<button className={btnStyle}>
```

```
  Delete
```

```
</button>
```

```
</div>
```

```
);
```

```
}
```

```
export default ButtonGroup;
```

Output:

