

Calculator.jsx

```
import { useState } from "react";

function Calculator() {

  const [input, setInput] = useState("");

  function handleClick(value) {

    setInput(input + value);

  }

  function calculate() {

    setInput(eval(input));

  }

  function clear() {

    setInput("");

  }

  return (

    <div>

      <h1>Calculator</h1>

      <input type="text" value={input} readOnly />

      <br /><br />

      <button onClick={() => handleClick("1")}>

        1

      </button>

    </div>

  );
}
```

```
<button onClick={() => handleClick("2")}>
```

2

```
</button>
```

```
<button onClick={() => handleClick("3")}>
```

3

```
</button>
```

```
<button onClick={() => handleClick("+")}>
```

+

```
</button>
```

```
<br /><br />
```

```
<button onClick={() => handleClick("4")}>
```

4

```
</button>
```

```
<button onClick={() => handleClick("5")}>
```

5

```
</button>
```

```
<button onClick={() => handleClick("6")}>
```

6

```
</button>
```

```
<button onClick={() => handleClick("-")}>
```

-

```
</button>
```

```
<br /><br />
```

```
<button onClick={calculate}>
```

```
=
```

```
</button>
```

```
<button onClick={clear}>
```

```
Clear
```

```
</button>
```

```
</div>
```

```
);
```

```
}
```

```
export default Calculator;
```

App.jsx:

```
import Calculator from "../Calculator";
```

```
function App() {
```

```
  return(
```

```
<>
```

```
  <Calculator/>
```


```
</>
```

```
)
```

```
}
```

```
export default App;
```

Output:



Weather.jsx:

```
import { useState } from "react";
```

```
function WeatherApp() {

  const [city, setCity] = useState("");

  const [weather, setWeather] = useState(null);

  async function getWeather() {

    const response = await fetch(
      `https://api.openweathermap.org/data/2.5/weather?q=${city}&WeatherAppid=YOUR_API_KEY&units=metric`
    );

    const data = await response.json();

    setWeather(data);
  }

  return (
    <div>

      <h1>Weather WeatherApp</h1>

      <input
        type="text"
        placeholder="Enter City"
        value={city}
        onChange={(e) =>
```

```
        setCity(e.target.value)
    }
/>
```

```
<button onClick={getWeather}>
    Search
</button>
```

```
{/* Show Weather After Click */}
{weather && (
    <div>
```

```
        <h2>
            City : {weather.name}
        </h2>
```

```
        <h3>
            Temperature :
            {weather.main.temp} °C
        </h3>
```

```
        <p>
            Weather :
            {weather.weather[0].main}
        </p>
```

```
        <p>
            Humidity :
```

```
        {weather.main.humidity}
      </p>

    </div>

  )}

</div>

);
}
```

```
export default WeatherApp;
```

App.jsx:

```
import WeatherApp from "./WeatherApp";

function App() {
  return(
    <>
      <Calculator/>
      {/* <WeatherApp/> */}
    </>
  )
}

export default App;
```

Output:

