# Introduction to Knative & Knative Pipelines

Andrea Frittoli Developer Advocate andrea.frittoli@uk.ibm.com @blackchip76

SRE Meetup Bristol

# A Bit of History

### Knative

- Beginning of 2018...
- Knative:
  - Build
  - Eventing
  - Serving
- Contributors:
  - Google
  - Pivotal
  - IBM
  - RedHat
  - Cloudbees
  - ...and others



~Sept 2018: Knative Pipelines



#### Latest news!

- Focus on CI/CD
- Deploy "anywhere"
- Compatible with Knative Build
- tektoncd/pipeline
  - New logo
  - @CD Foundation
  - Roadmap WIP
  - Alpha APIs




## Community

- Valid for Knative. Tekton TBD.
- Steering Commitee (SC)
- Technical Oversight Commitee (TOC)
- Various Contribution profiles
- Design, issues: on GitHub
- Communication:
  - Weekly video meetings, recorded, Build WG
  - Asynch: Knative Users / Developers ML
  - Sync: slack.knative.dev

March 21st 2019, Bristol, UK 5/30

# **Tekton Pipelines**

# **Cloud Native Pipelines**



March 21st 2019, Bristol, UK 7/30


## $\label{lem:continuous} \textbf{OpenStack Health} \ \ \text{is a dashboard for visualizing test results of OpenStack CI jobs.}$





## Inputs, Outputs & DAG

- Steps are sequential
- Tasks are a Directed Acyclic Graph
- Order defined by:
  - from: input from another task's output
  - runAfter: enforced task ordering



Git

Source to Image

Source to

Image

Git

Helm Deploy

Image

Image

Image

March 21st 2019, Bristol, UK 9/30

## Under the Hood

#### **Custom Resources**

CRDs: Task(Run), Pipeline(Run), PipelineResource

#### Services in the *tekton-pipelines* namespace:

- Webhook Service: resource validation
- Controller Service:
  - Handles inputs and outputs
  - Calculates the DAG
  - Provisions pods and containers

#### **Custom Resource Provisioning:**

- Via YAML
- Via Go API
- Labels!

# Pods, Entrypoints & Volumes

#### Steps (of a Task):

- Containers in one POD (single node)
- Any container image
- Entrypoint re-written
- Serial execution
- Resource allocation?

#### TaskRun:

- Provisions a POD
- Deployes entrypoint tool
- Input/output containers
- User containers (steps)

#### Volumes:

- EmptyDir for workspace/home
- Tools (entrypoint)
- Secrets
- Any user ConfigMap / Volume
- (Optionally) Pipeline Share

#### PipelineRun:

- Several PODs, different nodes
- Shared storage: PVC or GCS

# Source to Image to Deploy

### **IBM Cloud**

- Private Registry:
  - Tekon Images (push/pull)
  - User Images (push/pull)
- Service Accounts:
  - tekton-pipelines-controller
  - Pipeline/Task service account

- Knative @ IBM Cloud
  - Experimental Add-on
  - ibmcloud ks cluster-addon-enable knative



## CD Pipeline as code

- Pipeline and Tasks in git (YAML)
- Parameters for env/run specific
- Security?

```
apiVersion: tekton.dev/v1alpha1
kind: PipelineResource
metadata:
   name: health-helm-git-knative
   labels:
   tag: agreatrelease
spec:
   type: git
   params:
        - name: revision
        value: knative
        - name: url
        value: https://github.com/afrittoli/health-helm
```

```
metadata:
  name: mycluster
spec:
  type: cluster
  params:
    - name: name
      value: mvcluster
    - name: url
      value: https://mycluster.containers.cloud.ibm.com
    - name: username
      value: admin
  secrets:
    - fieldName: token
      secretKev: tokenKev
      secretName: cluster-secrets
    - fieldName: cadata
      secretKev: cadataKev
      secretName: cluster-secrets
metadata:
  name: health-api-image
spec:
  type: image
  params:
    - name: url
      value: registry.ng.bluemix.net/andreaf/health-api
```

March 21st 2019, Bristol, UK

## **Using Kaniko**

- Features:
  - Build from Context and Dockerfile
  - Unpriviledged
  - Reproducible
  - Remote caching of layers
  - Base images caching (warmer)

#### - Dockefile?

- Most common changes last
- Careful with COPY/ADD
- Remove what you don't need



## **Using Kaniko**

March 21st 2019, Bristol, UK


```
Source to Image (spec only):
                                                                     args:
  inputs:
                                                                       - --cache=${inputs.params.useImageCache}
                                                                       - --cache-dir=/cache
    resources:
      - name: workspace
                                                                       - --dockerfile=${inputs.params.pathToDockerFile}
        type: git
                                                                       - --reproducible
                                                                       - --destination=$foutputs.resources.builtImage.url}:
    params:
      - name: pathToDockerFile
                                                                     ${inputs.params.imageTag}
        default: Dockerfile
                                                                       - --context=/workspace/workspace/${inputs.params.
      - name: pathToContext
                                                                     pathToContext?
        default: .
                                                                     volumeMounts:
      - name: useImageCache
                                                                       - name: kaniko-base-image-cache
        default: "true"
                                                                         mountPath: /cache
      - name: imageTag
        default: "default"
                                                               Cache Warmer (spec only):
  outputs:
                                                                 volumes:
    resources:
                                                                   - name: kaniko-base-image-cache
      - name: builtImage
                                                                     persistentVolumeClaim:
        type: image
                                                                       claimName: kaniko-base-image-cache
  volumes:
                                                                 steps:
    - name: kaniko-base-image-cache
                                                                   - name: prepare-cache
      persistentVolumeClaim:
                                                                     image: gcr.io/kaniko-project/warmer
        claimName: kaniko-base-image-cache
                                                                     args:
  stens:
                                                                       - --cache-dir=/cache
    - name: build-and-push
                                                                       - --image=pvthon:3.6-slim-stretch
      image: gcr.io/kaniko-project/executor
                                                                       - --image=postgres:alpine
      command:
                                                                       - --image=nginx:latest
        - /kaniko/executor
                                                                     volumeMounts:
                                                                       - name: kaniko-base-image-cache
```

mountPath: /cache

17/30

## **Tekton and Knative**

# **Knative Serving**



March 21st 2019, Bristol, UK 19/30

# Pipelines and Knative Build



March 21st 2019, Bristol, UK 20/30


# CI with Tekton Pipelines You need a "CI" application:

- Prow, JenkinsX, Zuul...
- Pipelines triggered by a CI app
- ...or by a developer

Tekton to CI for Tekton (AKA Dogfooding) \o/

#### What about security?

- Malicious users
- Running a pipeline from a PR
- Access to secrets




#### KService for Health Frontend

```
apiVersion: serving.knative.dev/v1alpha1
kind. Service
metadata:
  name: health-frontend
  labels:
    app: health
    component: frontend
    tag: "__TAG__"
spec:
  runlatest:
    configuration:
      build:
        apiVersion: tekton.dev/v1alpha1
        kind: PipelineRun
        metadata:
          lahels:
            app: health
            component: frontend
            tag: "__TAG___'
        spec:
          pipelineRef:
            name: dev-test-build-frontend
          params:
            - name: imageTag
              value: " TAG "
            - name: nodeTestImage
              value: NODE IMAGE NAME
```

```
trigger:
      type: manual
    resources:
      - name: src
        resourceRef:
          name: GIT RESOURCE NAME
      - name: builtImage
        resourceRef:
          name: IMAGE RESOURCE NAME
revisionTemplate: # template for building Revision
  spec:
    container:
      image: us.icr.io/andreaf/health-frontend: TAG
      imagePullPolicy: Always
      env:
        - name: API URL
          value: http://health-api.containers.domain
      ports:
        - name: http1
          containerPort: 80
          protocol: TCP
      livenessProbe:
        httpGet:
          path: /
      readinessProbe:
        httpGet:
          path: /
```

# **Asynchronous Pipelines**


# **Knative Eventing**



March 21st 2019, Bristol, UK 24/30

## Triggering and Knative Eventing

- Manual trigger for PipelineRun
- Native Eventing triggers TBD
- What about async pipelines?
  - GitHub Source
  - Container Source
  - Pipeline Output as a Source



Event: GitHub Comment

Prepare Release

Rollout to Prod

March 21st 2019, Bristol, UK 25/30

→ Deploy to Staging

Test and Deploy

Pipeline

## Tekton and Development

- It depends.
- What can go wrong?
  - Building the container image
  - Provisioning and I/O of shared storage
  - Pipeline Output as a Source
- What do I gain?
  - Same building blocks used in CI/CD
  - Run in containers from the start
  - Parallel execution

March 21st 2019, Bristol, UK

## Conclusions

## Roadmap

- Conditional Execution
- Build Results and Logs
- Pluggable Tasks
- Triggering
- Community Library

#### References

- This Talk: https://github.com/afrittoli/tekton\_pipelines\_knative\_intro
- https://tekton.dev/, https://cd.foundation/
- https://github.com/tektoncd/pipeline
- https://github.com/knative/docs/tree/master/community
- https://github.com/tektoncd/pipeline
- https://github.com/tektoncd/pipeline/blob/master/api\_compatibility\_policy.md
- https://github.com/tektoncd/pipeline/blob/master/roadmap-2019.md
- https://github.com/GoogleContainerTools/kaniko
- https://github.com/afrittoli/health-helm/tree/knative
- https://github.com/afrittoli/openstack-health/tree/knative-eventing
- https://andreafrittoli.me
- https://cloud.ibm.com

March 21st 2019, Bristol, UK 29/30

Q&A