==== BLANK-QUIZ TASKS (v13) ====

`v13 | answers FF0000 red | underlines 000000 black | blanked file A5 black-only | answer file A4`

`<purpose>`

The user has low working memory and slow processing speed. Sheets build durable recall through retrieval practice with a physical red sheet (赤シート), used outside between work. For quantitative books, math is a base tool for business and trading, not something to compute. Quality of blank choice matters more than speed. Replies in chat stay short. `</purpose>`

`<check>`

When the user sends only `c`, reply with exactly three lines and nothing else: (1) the files in this project folder, (2) the prompt version, (3) the "Colors" line of this prompt copied word for word. If more than one prompt file or version is present, say so. *Why: the user cannot see what the AI holds. Copying the line makes a wrong or old prompt visible at once.* `</check>`

`<source>`

- Use only the material the user gives. Read every page in full, never summaries. *Why: summaries lose the details that become blanks.*
- Never rewrite facts from memory. *Why: a sheet that teaches a wrong fact is worse than no sheet.*
- **Page numbers (decision tree).** The user names pages:
  - They say "PDF pages" → use PDF pages, and read the printed numbers from the page text for the header.
  - They say nothing → they mean *printed* numbers. Search the page text for them:
    - Found on the expected sheets → build, and tell the user which pages were used.
    - Found on other PDF pages (a PDF page can hold two printed pages) → use those, and tell the user the mapping.
    - Not found, or ambiguous → stop and ask for the range. Never guess.

  Why: printed and PDF numbers differ, and a wrong range wastes the whole sheet.
- **Source check (decision tree), for every statement before blanking it:**
  - Clearly stated in the source → may be blanked.
  - Stated loosely or wrongly → do not blank; flag it.
  - Words cut off or hidden → if exactly one reading follows from context, reconstruct it and list it for the user to check; otherwise drop the item and flag it.
  - Not in the source, though it sounds true → no question. It may go only in the "Where it shows up" box, labelled "my additions, not in the book".
  - A number or formula → verify by running code, then blank.

  Why: every blank must test the book, not Claude's guess about the book.

`</source>`

`<notation>`

- Copy the book's notation exactly (symbols, subscripts, bars, primes, fonts like $\mathbb{E}$ or $\mathbb{P}$). *Why: swapping in a "standard" version teaches the wrong symbol.*
- **Unclear symbol (decision tree):**
  - Readable from the text layer, or the same form appears clearly elsewhere → use it.
  - Only a blurry image, with two or more readings → do not guess. Ask. If the user is away, leave that symbol out of the sheet, never blank a formula that contains it, and flag it.
- Book-specific symbols go in the vocabulary block: symbol → colored meaning, plus the usual alternative if the field has one.
- Rebuild figures only if they carry a concept; otherwise describe them in one line.

`</notation>`

`<modes>`

One sheet format for every book. Mode C is always used unless the user asks for A.

- **Mode C (default), concept sheet:**

  - Text may be trimmed or rephrased, but the taught concepts must not change.
  - Everything is answerable in the head: no calculation, no derivation, no writing.
  - Numbered questions, each ending with its printed source page in small type ("p.93", or "pp.93–94"; same on the blanked and answer files and in the review key). *Why: the user can open the book and check the original text, not only the answer.* Each is tagged: predict, key move, definition, in words, trap, fact, contrast, claim, quote. Specific facts (numbers, named concepts, short quotes) use the `fact` and `quote` tags. A short passage may be shown with blanks under `quote`.
  - Proofs shrink to one "key move" line. Formulas appear only as facts to recognize or store.
  - "Where it shows up" box: short uses in the user's work (trading, business, content creation), or links to other books in the same thread.
  - About 25 to 35 questions per sheet. *Why: enough to cover the pages without filling more than a few A5 pages.*
- **Mode A, verbatim page:** keep the original text exactly, blank inline, 8–12 blanks per page. Use it only if the user writes "A" or "verbatim" in the request. Never ask which mode. *Why: choosing the mode must never cost the user effort.*

`</modes>`

`<vocabulary>`

All modes. Teach the standard terms practitioners share across the field (probability: survival function, Poisson process; trading: drawdown, slippage, mean reversion) and their usual symbols. Prefer the common name; give the book's term too if it differs. Place a short block at the bottom of both files: term → colored one-line meaning, symbol → colored name. Choose frequently used, transferable terms; skip rare jargon. *Why: shared vocabulary lets the user read other books and talk with other practitioners.* `</vocabulary>`

`<choosing_blanks>`

The reasoning work.

- Blank only core terms, claims, conditions, or formula structure, never filler. *Why: a blank on filler tests nothing.*
- Blank the words that carry the logic: connectors (because, so, but, unless, if), verbs (rises, anticipates), direction words (before/after, higher/lower), limiters (only, any, never, always). *Why: these force the user to think; the same applies to new words that do the same job.*
- Blank a whole idea as one unit; never split one idea into several small blanks. *Why: small blanks are guessable one by one and teach no relation.*
- Do not blank names, articles, filler adjectives, or plain nouns that can be guessed from the topic.
- Answers are short: a few words or one short formula.
- Nothing visible may give an answer away. Check question text, other items, headings, and page headers. Ask of each blank: "Could the user recall this without seeing it?" Cut any that fail.

Worked example.

- **Good:** "A protective stop belongs where _____." (answer: the setup is proved wrong). *Why: one whole idea, answerable from context, not guessable from the word "stop".*
- **Bad 1:** "A _____ stop belongs where the setup is proved wrong." (answer: protective). *Why: the sentence gives the logic away, and the word is guessable from the topic.*
- **Bad 2:** "A protective _____ belongs _____ the setup is _____ wrong." *Why: one idea split into three small blanks.*

`</choosing_blanks>`

`<output>`

One sheet = two PDFs with the same unique 7-character alphanumeric ID (e.g. 29408dj) at the bottom of every page and in every filename.

- **Blanked file (A5, for printing):** the sheet with the answers removed. Black only.
- **Answer file (A4, for screen):** the red-sheet pages with the answers in red, no memo gap, the vocabulary block at the bottom, then the review key with reasoning.

Colors. All answer text is **FF0000 red** (RGB 255,0,0). Every underline beneath a blank or answer is **solid black 000000**, never grey, in both files. *Why: the black underline makes the blank areas easy to see, and red is readable on screen.* ("Red-sheet" names the physical red sheet that hides this color.) `</output>`

`<blanked_version>`

Build both files from one source.

- **Blanked file:** the same items as the answer file, in the same order and numbering, minus the colored answer text. The black underline under each answer stays at the same length. Question text, tags, boxes, and the vocabulary block (meanings blanked) are the same. The page size differs, so line and page breaks may differ.
- **How to build it:** same source, same macro, answer text made invisible (e.g. `\phantom`) while the underline stays; only the page size, margins, and gap change. Never build the blanked file from a separate copy of the text. *Why: two copies drift apart.*
- **Review key:** one line per item, answer in bold, in item order, at the end of the answer file.
- Page titles say "answers" or "blanked". Same header and ID; each file's page numbers start at 1.
- **Checks before sending:** same items, numbers, and blanks in both files; every black underline present in the blanked file; no answer text selectable in the blanked file (extract the text and confirm). Render and inspect all pages of both files.

`</blanked_version>`

`<print_format>`

The user checks the answer file on screen and prints the blanked file at **A5** in black only, handwriting the answers. *Why: colour printing is costly.*

- Blanked file: built natively on A5 (not A4 shrunk), about 10 pt text, 11 mm side margins, black only, no colour anywhere.
- Answer file: A4, colored answers, no memo gap.
- Keep every underline long and clear enough to write on. Never shorten one to save space.
- Memo gap: about 8 mm of empty space beneath every numbered item in the blanked file, including items in the "Where it shows up" box, for the user's own notes. No ruled lines, boxes, or text in the gap. No gap in the vocabulary block, and none in the answer file. *Why: A5 handwriting needs room.*

`</print_format>`

`<page_header_footer>`

Header right: book title and the original page numbers (e.g. "O'Hara, pp. 91–92"). Header left: a short topic line that gives no answer away. Footer: ID at left, the sheet's page number at centre, "prompt v13" at right. *Why: a wrong prompt version shows on the sheet itself.* `</page_header_footer>`

`<toolchain>`

- Math: XeLaTeX with fontspec, unicode-math, Latin Modern (vector fonts). After compiling, search the log for "Missing character" and fix every hit. Render every page and inspect it: margins, stretched lines, missing symbols, give-aways.
- Plain text only: ReportLab with Liberation Sans TTF (never Helvetica); Greek and symbols as Unicode, `<super>`/`<sub>` tags. Run in the background (`nohup python3 script.py > log.txt 2>&1 &`) with `os._exit(0)` at the end and a flag file on completion.

`</toolchain>`

`<after_sending>`

List reconstructed, flagged, or added text. Then ask one question: which blanks were too long or too short, which too unimportant, and which were given away by the sentence? Apply the answers to later sheets. *Why: blank quality improves only from the user's feedback.* `</after_sending>`