

1. WHO — 0:00–0:45(45 Second)

SCENE 1 — 0:00–0:13 | ARTEMIS II

Voice:

A heartbeat changes in deep space. Who notices? (Pause)
April 1st, 2026. More than half a century after Apollo, humanity journeyed back toward the Moon. Four astronauts left Earth aboard Artemis II.

Clip:

Black screen → date/location → ignition → SLS engines → liftoff → rocket climbing.
Sample→

Screen Text:

LAUNCH COMPLEX 39B
KENNEDY SPACE CENTER, FLORIDA
APRIL 1, 2026

SCENE 2 — 0:13–0:28 | THE HUMAN QUESTION

Visual:

SLS → Orion separation → Orion traveling through darkness → Earth slowly shrinking → astronaut inside spacecraft.

On-screen:

DISTANCE. CHANGE. UNCERTAINTY.

Voice:

As Orion traveled deeper into space, Earth grew smaller behind them. And hundreds of thousands of kilometers from home, the human body begins to change. But who recognizes it?

Who is watching?
Who recognizes the symptoms?
And most importantly—
Who tells the astronaut what to do next?

CUT TO BLACK. (2s)

First 30 second Sample:

<https://drive.google.com/file/d/1mc48l6WTOYLsdAYSaQ7tBeKZrgUj7cML/view?usp=sharing>

SCENE 3 — 0:30–0:45 | WHO WE ARE

Visual:

Team photo → individual members appearing quickly → role underneath each person.

On-screen:

Sample→

https://drive.google.com/file/d/1hZBvbTf8oPR8u9LdpJRjXEaG_xLTInff/view?usp=sharing

Actual→

<https://drive.google.com/file/d/1iT57U1-AKOqxy3kSe3A5RQKBv7r4ILEP/view?usp=sharing>

Voice:

We are Team Cosmic Plus—researchers, developers, designers and storytellers united and dedicated to taking care of human health in deep space, far from home.

Our team consists of:

Team Leader— Mohammad Raisul

Developer— Mohammad Zihaduzzaman

Researcher — Ashfia Tasnim

Video Editor— Mohammad Sabbir

CyberSecurity Architect— Mohammed Meraj

2. WHY — 0:45–1:45(60 Second)

SCENE 4 — 0:45–1:05 | WHY WE CHOSE THIS CHALLENGE

Voice-1:

For more than six decades, astronauts have pushed human exploration farther from Earth. But spaceflight also places the human body under continuous stress.

Clip-1: Historic human spaceflight clips → astronaut floating inside spacecraft → radiation/zero-gravity imagery

Voice-2:

NASA research shows that in microgravity, astronauts can lose approximately **1 to 1.5% of bone mineral density every month** during spaceflight.

Clip-2:

Screen record and animated view of this webpage :

<https://www.nasa.gov/hrp/hazard-gravity-fields/>

Highlight the texts

<https://drive.google.com/file/d/1eBut7IezUXnYPIUwWhmupxY96dAi7qWK/view?usp=sharing>

Screen Text-2:

BONE LOSS

Source: NASA — Human Research Program / Hazard: Gravity Fields

<https://www.nasa.gov/hrp/hazard-gravity-fields/>

<https://drive.google.com/file/d/1DwUG-UsxN-230fKKp0qzMukJ7D6IETMN/view?usp=sharing>

Voice-3:

2 liters of body fluid can shift from the lower body toward the head when astronauts enter weightlessness.

Clip-3:

Screen record and animated view of this webpage:

<https://www.nasa.gov/directorates/esdmd/hhp/cardiovascular-and-vision/>

Highlight the article

Screen Text-3

FLUID SHIFT

Source: NASA — Cardiovascular and Vision / Fluid Shifts Study

<https://www.nasa.gov/directorates/esdmd/hhp/cardiovascular-and-vision/>

Voice-4:

NASA also reports that **“70% of astronauts on long-duration Space missions experience signs of Spaceflight-Associated Neuro-ocular Syndrome, or SANS**, involving swelling to the eyes and changes to the brain.

Clip-4:

Screen record and animated view of this webpage:

<https://www.nasa.gov/reference/risk-of-spaceflight-associated-neuro-ocular-syndrome-sans/>

Highlight the statement

Screen Text-4

SPACEFLIGHT-ASSOCIATED NEURO-OCULAR SYNDROME (SANS)

Source: NASA — Human Research Program /

Risk of Spaceflight Associated Neuro-Ocular Syndrome (SANS)

<https://www.nasa.gov/directorates/esdmd/hhp/cardiovascular-and-vision/>

Voice-5:

This concern lead us to embrace the challenge **“Create Health Monitoring Software for Astronauts on Space Missions”** in Nasa Space Apps Challenge,2026

Clip-5:

Sample→<https://drive.google.com/file/d/1rZIHvohyL6Mk2vqb9I3Xo5jqtLCpusQk/view?usp=sharing>

Actual→https://drive.google.com/file/d/1IIR9--d7FbzO_OszpnJ7671iSj8bvbpbw/view?usp=sharing

Screen Text:-5

Challenge: “Create Health Monitoring Software for Astronauts on Space Missions”

SCENE 5 — 1:05–1:20 | THE HUMAN PROBLEM

Voice:

In deep space, distance changes everything. An astronaut’s body is constantly adapting, and every heartbeat, every change, every warning matters.

On long-duration missions, astronauts may be the first to notice that something is changing, understand what it means, and decide what to do next.

And a missed warning can affect not only one astronaut, but the safety and success of the entire mission.

Clip:

Astronauts working normally → subtle health indicators begin appearing around them: heart rate, oxygen, radiation, fatigue, ECG → astronaut looking at different screens/devices → Mission Control far away.

SCENE 6 — 1:20–1:35 | THE OPPORTUNITY

Voice:

But health information shouldn’t be scattered or hard to access when an astronaut needs it most. On Earth, mission control needs the full picture. In the spacecraft, the astronaut needs their own information. And outside the spacecraft, they may have only their helmet and their voice.

Visual:

Astronaut helmet → multiple data points → Mission Control screens → astronaut moving through the spacecraft.

Screen Text:

DATA IS NOT ENOUGH.
ASTRONAUTS NEED UNDERSTANDING.

SCENE 7 — 1:35–1:45 | THE QUESTION

Voice:

So we asked a simple question: What if an astronaut’s health could follow them—wherever they are? Not just monitored from Earth. Not just stored in a system. But available to the person who needs it, exactly when they need it?

Visual:

Screen goes dark → one heartbeat line → astronaut silhouette → HELIOS logo begins to appear.

Screen text:

WHAT IF HEALTH COULD FOLLOW THE ASTRONAUT?

2. WHAT — 1:45–2:45(60 Second)**SCENE 8 — 1:45–1:51 | THE ANSWER — HELIOS****Voice:**

And our answer is HELIOS.

A unified platform designed to help astronauts monitor, understand, and respond to their health throughout a mission.

Clip:

Black screen from the ending of the WHY section → heartbeat line continues → HELIOS logo appears → quick cinematic reveal of the full system. (logo animation apnk banate hbe)

Screen Text:

H.E.L.I.O.S

Health Evaluation & Logistics Intelligence Onboard System

MONITOR. UNDERSTAND. ACT.

SCENE 9 — 1:51–2:00 | NASA DATA FOUNDATION**Voice:**

HELIOS combines **NASA Open Science Data Repository** data from the **SpaceX Inspiration4** mission with simulated real-time mission telemetry.

We use **OSD-569** for whole-blood and complete blood count measurements, and **OSD-575** for metabolic, cardiovascular and immune biomarkers.

Clip-1:

<https://drive.google.com/file/d/1TrePvim-psux5iYtwB4r33tS133m7x54/view?usp=sharing>

Screen Text-1:

POWERED BY NASA OPEN DATA

SpaceX Inspiration4 Mission

OSD-569 — Whole Blood • Complete Blood Count

Source: NASA — Open Science Data Repository(OSDR)

<https://osdr.nasa.gov/bio/repo/data/studies/OSD-569>

Clip-2:

<https://drive.google.com/file/d/1FkxZvfMGOu7cHokVQxSldGN0mMSH5UAb/view?usp=sharing>

Screen Text-2:

POWERED BY NASA OPEN DATA

SpaceX Inspiration4 Mission

OSD-575 — Metabolic • Cardiovascular • Immune Biomarkers

Source: NASA — Open Science Data Repository(OSDR)

<https://osdr.nasa.gov/bio/repo/data/studies/OSD-575>

SCENE 10 — 2:00–2:10 | UNIFIED MONITORING DASHBOARD

Voice:

The **Dashboard** brings the mission's health picture into one place—crew vitals, health scores and physiological waveforms alongside cabin pressure, oxygen, carbon dioxide, radiation, temperature and airflow.

Clip:https://drive.google.com/file/d/1B5ridix9qBAAtOPgxFst_JpGYnr0c_59B/view?usp=sharing

Animation:

Zoom into crew cards & elements while the narration names them.

Screen Text:

CREW HEALTH + SPACECRAFT ENVIRONMENT

Small labels appearing on right side of the interface:

HEART RATE
SpO₂
ECG
BLOOD PRESSURE
RADIATION
O₂ / CO₂
CABIN PRESSURE

SCENE 11 — 2:10–2:21 | ASTRONAUT HEALTH TELEMETRY SYSTEM

Voice:

Our **Astronaut Health Telemetry System**, goes deeper—organizing health measurements for each crew member into ten health categories and linking each metric to its simulated wearable, environmental, diagnostic, performance or research devices. Since we don't have access to the physical spaceflight hardware, AHTS simulates how these devices would continuously or periodically collect health measurements during a real mission, allowing us to demonstrate the complete flow from sensor, to telemetry, to health insight.

Clip:

https://drive.google.com/file/d/19EVRDBS1QrqmQ13gb_XQcbGPZRtWC0hL/view?usp=sharing

Screen Text:

AHTS

ASTRONAUT HEALTH TELEMETRY SYSTEM

Then animate:

10 HEALTH CATEGORIES

METRIC → SENSOR → TELEMETRY → INSIGHT

Small label:

CONTINUOUS • PERIODIC • ON-DEMAND

SCENE 12 — 2:21–2:34 | REAL-TIME SCENARIO SIMULATION + AI FLIGHT SURGEON

Voice:

But HELIOS is more than a static dashboard.

“To demonstrate how HELIOS would respond in real time during actual spaceflight conditions, we integrated a scenario-based simulation system. Scenarios are categorized as universal mission events or individual crew health events, with each scenario defining its possible causes and symptoms. When a scenario is triggered, the entire system responds simultaneously—vitals, physiological waveforms, health scores, and detailed telemetry change in real time. At the same time, our AI Flight Surgeon identifies the threat, generates voice alerts, and recommends appropriate actions.”

Clip:

https://drive.google.com/file/d/1UfTm_z2uZQ3aNGnaljmWWrCe2CAdKU3q/view?usp=sharing

Screen Text:

MISSION SCENARIO DETECTED
SOLAR RADIATION STORM

SCENE 13 — 2:34–2:40 | EARTH MISSION CONTROL CENTER

Voice:

At **Earth Mission Control**, flight teams receive the same crew picture for health evaluation, trend analysis and mission reporting.

Clip:

https://drive.google.com/file/d/1uILTauApxH6w36ivjzER0HHt-euht_CS/view?usp=sharing

Screen Text:

MISSION CONTROL CENTER
CREW-WIDE SITUATIONAL AWARENESS
MONITOR • EVALUATE • ANALYZE • REPORT

SCENE 14 — 2:40–2:45 | SUIT HUD — THE INNOVATION

Voice:

During an Extravehicular Activity, astronauts operate outside the spacecraft, where they cannot depend on a traditional screen or handheld monitor. But they still need constant awareness of their health, suit condition and potential threats.

Our innovation is the HELIOS Suit HUD—a simulated suit-integrated display that keeps health scores, vitals, warnings, recommended actions, navigation and communication directly in the astronaut's field of view. Hands-free, immediate, and always available.

Even outside the spacecraft, HELIOS follows the astronaut.”

Clip:

https://drive.google.com/file/d/19iJqSJ3DAzMuuodQLxLz_Ejup0PXukL1/view?usp=sharing

Rapidly show:

Heart Rate
SpO₂
Health Score
O₂ reserve
CO₂ status
Suit pressure
Temperature
Battery
Navigation/waypoint
Warning indicator

Finish with astronaut looking toward the Moon/deep space.

Screen Text:

HELIOS // SUIT HUD

HEALTH FOLLOWS THE ASTRONAUT.

Then underneath:

HEALTH • LIFE SUPPORT • ALERTS • NAVIGATION • COMMUNICATION

End frame:

WHEREVER THEY GO.

3. IMPACT & FUTURE — 2:45–3:30

SCENE 15 — 2:45–3:00 | EARTH IMPACT

VOICEOVER

“But HELIOS was never only about space.

Its real power is the architecture: collecting fragmented health and environmental data, detecting meaningful changes, and turning them into clear actions.

On Earth, the same intelligence layer can work with whatever sensors are available—from firefighter wearables to affordable medical devices in remote communities.”

VISUAL DIRECTION

SHOT 15A — 2:45–2:49 | SPACE → EARTH TRANSITION

Start with the existing HELIOS astronaut dashboard.

Show several telemetry streams entering the system:

- Heart rate
- Oxygen saturation
- Temperature
- Respiratory rate
- Environmental conditions

The data flows into a central **HELIOS Intelligence** processing layer.

Then smoothly zoom into the architecture.

The spacecraft environment fades away.

The same central intelligence layer remains on screen.

Important visual message:

The hardware changes. The intelligence layer stays.

SHOT 15B — 2:49–2:53 | FIREFIGHTER

Transition from the astronaut interface into a realistic firefighter operating inside a smoke-filled building.

Do NOT show futuristic NASA-grade equipment.

Show practical wearable/environmental inputs such as:

- Heart rate from a wearable
- Body temperature

- Ambient temperature
- Smoke/air-quality reading
- Location

On the right side, show a simplified HELIOS interface receiving those signals.

One metric changes from normal to abnormal.

HELIOS identifies the change and produces a clear alert.

Example UI:

HELIOS DETECTION

HEART RATE ↑

ENVIRONMENTAL HEAT ↑

RISK PATTERN DETECTED

Then:

ACTION: CHECK CREW MEMBER

Keep the interface visually consistent with your existing HELIOS dashboard.

SHOT 15C — 2:53–2:57 | REMOTE COMMUNITY

Cut to a realistic rural healthcare setting.

Avoid showing expensive medical equipment.

Show a healthcare worker using a **simple tablet or smartphone** beside a patient.

The devices should look affordable and commercially realistic:

- Finger pulse oximeter
- Digital thermometer
- Basic blood-pressure monitor

The devices send a few measurements to the HELIOS interface.

The tablet displays:

PATIENT STATUS

SpO₂ ↓

HEART RATE ↑

TEMPERATURE – NORMAL

TREND: REQUIRES ATTENTION

Then show a simple recommendation/alert.

Do not imply that HELIOS replaces a doctor.

The visual should communicate:

HELIOS helps organize and interpret available measurements so a healthcare worker can recognize concerning trends earlier.

SHOT 15D — 2:57–3:00 | THE ARCHITECTURE

Create a clean three-panel composition:

SPACE

Astronaut telemetry



HELIOS INTELLIGENCE



Mission decision

EARTH — HAZARDOUS

Wearable + environmental data



HELIOS INTELLIGENCE



Safety alert

EARTH — REMOTE

Affordable medical devices



HELIOS INTELLIGENCE



Healthcare decision support

The three panels should visually merge into one central HELIOS architecture.

SCREEN TEXT

ONE ARCHITECTURE.

MANY ENVIRONMENTS.

Do not use excessive text.

SCENE 16 — 3:00–3:15 | SCALABILITY

VOICEOVER

“We don't need to replicate spacecraft hardware to scale HELIOS.

We scale the intelligence.

New sensors. New environments. Larger crews. Different missions.

From commercial spaceflight to lunar habitats and eventually Mars, HELIOS can evolve without rebuilding its core.”

VISUAL DIRECTION

SHOT 16A — 3:00–3:04 | MODULAR SENSOR ARCHITECTURE

Show a clean technical animation of HELIOS as a central platform.

At the center:

HELIOS CORE

Around it, separate modular sensor blocks connect through clean data lines:

HEART RATE

SpO₂

TEMPERATURE

RESPIRATION

ENVIRONMENT

LOCATION

Then one sensor block changes.

Show:

NEW SENSOR

connecting into the same HELIOS Core.

The core architecture does not change.

This visually demonstrates your scalability claim.

SHOT 16B — 3:04–3:08 | COMMERCIAL SPACEFLIGHT

Transition into a realistic future commercial orbital spacecraft.

Show several crew members.

HELIOS dashboard expands from:

CREW 01

to:

CREW 01 | CREW 02 | CREW 03 | CREW 04

Each crew member has a compact telemetry card.

Do not make the interface unnecessarily complicated.

The point is simply:

one astronaut → multiple crew members.

SHOT 16C — 3:08–3:12 | LUNAR HABITAT / GATEWAY

Transition to a realistic lunar-orbit/lunar-habitat environment.

Show HELIOS monitoring:

- Crew health
- Habitat environment
- Oxygen
- Temperature
- Radiation/environmental indicators
- Equipment status

The architecture visually expands rather than being rebuilt.

A subtle label appears:

LUNAR OPERATIONS

Then:

HELIOS CORE

at the center of the interface.

SHOT 16D — 3:12–3:15 | FUTURE

Very brief cinematic progression:

COMMERCIAL ORBIT

→

LUNAR HABITAT

→

MARS HABITAT

Each environment appears for less than a second.

The HELIOS interface remains visually consistent throughout.

SCREEN TEXT

ADAPTABLE.

SCALABLE.

MISSION-READY.

SCENE 17 — 3:15–3:30 | CALLBACK + FINAL CLOSE

VOICEOVER

“Because in the end, a heartbeat is just data—until someone understands what it means.

HELIOS turns that signal into awareness, understanding, and action.

Monitor. Understand. Act.

We are Team Cosmic Plus.”

VISUAL DIRECTION

SHOT 17A — 3:15–3:19 | RETURN TO THE HOOK

Hard cut back to the visual language of your opening scene.

A single heartbeat waveform appears against a dark background.

Initially:

NORMAL

The waveform suddenly changes.

Do NOT immediately explain it.

Hold the frame for approximately one second.

This mirrors the opening hook.

SHOT 17B — 3:19–3:23 | HELIOS INTERPRETS

The heartbeat signal enters the HELIOS system.

Visual flow:

HEARTBEAT

↓

HELIOS

↓

ANALYSIS

↓

CHANGE DETECTED

↓

CONTEXT

↓

ACTION

The important visual idea is that HELIOS doesn't merely display the heartbeat.

It interprets the change in context.

SHOT 17C — 3:23–3:26 | THE ANSWER

The interface becomes clear and stable.

Show:

HEART RATE CHANGE DETECTED

CONTEXT ANALYZED

RISK ASSESSMENT COMPLETE

ACTION RECOMMENDED

Then transition the interface into the HELIOS logo.

SHOT 17D — 3:26–3:30 | FINAL FRAME

Clean black/dark background.

Center:

HELIOS

Underneath:

MONITOR. UNDERSTAND. ACT.

Then fade in:

TEAM COSMIC PLUS

Finally show the NASA Space Apps Challenge branding according to the competition's required branding rules.

Hold the final frame long enough to be readable.

FINAL SCREEN

HELIOS

MONITOR. UNDERSTAND. ACT.

TEAM COSMIC PLUS