```
mysql> CREATE DATABASE company;
Query OK, 1 row affected (0.02 sec)

mysql> USE company;
Database changed
mysql> CREATE TABLE EMPLOYEE (
    ->     Emp_ID INT PRIMARY KEY,
    ->     Emp_Name VARCHAR(30),
    ->     Dept_ID INT
    -> );
Query OK, 0 rows affected (0.02 sec)

mysql> CREATE TABLE DEPARTMENT (
    ->     Dept_ID INT PRIMARY KEY,
    ->     Dept_Name VARCHAR(30)
    -> );
Query OK, 0 rows affected (0.02 sec)

mysql> INSERT INTO EMPLOYEE VALUES
    -> (1, 'Arun', 10),
    -> (2, 'Priya', 20),
    -> (3, 'Ravi', 30),
    -> (4, 'Anu', NULL);
Query OK, 4 rows affected (0.01 sec)
Records: 4  Duplicates: 0  Warnings: 0

mysql> INSERT INTO DEPARTMENT VALUES
    -> (10, 'HR'),
    -> (20, 'IT'),
    -> (40, 'Sales');
Query OK, 3 rows affected (0.00 sec)
Records: 3  Duplicates: 0  Warnings: 0

mysql> SELECT * FROM EMPLOYEE;
+--------+----------+---------+
| Emp_ID | Emp_Name | Dept_ID |
+--------+----------+---------+
|      1 | Arun     |      10 |
|      2 | Priya    |      20 |
|      3 | Ravi     |      30 |
|      4 | Anu      |    NULL |
+--------+----------+---------+
4 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM DEPARTMENT;
+---------+-----------+
| Dept_ID | Dept_Name |
+---------+-----------+
|      10 | HR        |
|      20 | IT        |
|      40 | Sales     |
+---------+-----------+
3 rows in set (0.00 sec)

mysql> SELECT EMPLOYEE.Emp_ID, EMPLOYEE.Emp_Name,
    ->        DEPARTMENT.Dept_Name
    -> FROM EMPLOYEE, DEPARTMENT
    -> WHERE EMPLOYEE.Dept_ID = DEPARTMENT.Dept_ID;
+--------+----------+-----------+
| Emp_ID | Emp_Name | Dept_Name |
+--------+----------+-----------+
|      1 | Arun     | HR        |
|      2 | Priya    | IT        |
+--------+----------+-----------+
2 rows in set (0.00 sec)

mysql> SELECT E.Emp_ID, E.Emp_Name, D.Dept_Name
    -> FROM EMPLOYEE E
    -> INNER JOIN DEPARTMENT D
    -> ON E.Dept_ID = D.Dept_ID;
+--------+----------+-----------+
| Emp_ID | Emp_Name | Dept_Name |
+--------+----------+-----------+
|      1 | Arun     | HR        |
|      2 | Priya    | IT        |
+--------+----------+-----------+
2 rows in set (0.00 sec)
```

```
mysql> SELECT E.Emp_ID, E.Emp_Name, D.Dept_Name
    -> FROM EMPLOYEE E
    -> LEFT OUTER JOIN DEPARTMENT D
    -> ON E.Dept_ID = D.Dept_ID;
+--------+----------+-----------+
| Emp_ID | Emp_Name | Dept_Name |
+--------+----------+-----------+
|      1 | Arun     | HR        |
|      2 | Priya    | IT        |
|      3 | Ravi     | NULL      |
|      4 | Anu      | NULL      |
+--------+----------+-----------+
4 rows in set (0.00 sec)

mysql> SELECT E.Emp_ID, E.Emp_Name, D.Dept_Name
    -> FROM EMPLOYEE E
    -> RIGHT OUTER JOIN DEPARTMENT D
    -> ON E.Dept_ID = D.Dept_ID;
+--------+----------+-----------+
| Emp_ID | Emp_Name | Dept_Name |
+--------+----------+-----------+
|      1 | Arun     | HR        |
|      2 | Priya    | IT        |
|   NULL | NULL     | Sales     |
+--------+----------+-----------+
3 rows in set (0.00 sec)
```

```
mysql> SELECT E.Emp_ID, E.Emp_Name, D.Dept_Name
    -> FROM EMPLOYEE E
    -> LEFT JOIN DEPARTMENT D
    -> ON E.Dept_ID = D.Dept_ID
    ->
    -> UNION
    ->
    -> SELECT E.Emp_ID, E.Emp_Name, D.Dept_Name
    -> FROM EMPLOYEE E
    -> RIGHT JOIN DEPARTMENT D
    -> ON E.Dept_ID = D.Dept_ID;
+--------+----------+-----------+
| Emp_ID | Emp_Name | Dept_Name |
+--------+----------+-----------+
|      1 | Arun     | HR        |
|      2 | Priya    | IT        |
|      3 | Ravi     | NULL      |
|      4 | Anu      | NULL      |
|   NULL | NULL     | Sales     |
+--------+----------+-----------+
5 rows in set (0.00 sec)
```