```
mysql> CREATE DATABASE College;
ERROR 1007 (HY000): Can't create database 'college'; database exists
mysql> USE College;
Database changed
mysql> CREATE TABLE Student (
    ->     Student_ID INT PRIMARY KEY,
    ->     Name VARCHAR(50),
    ->     Department VARCHAR(50),
    ->     Age INT,
    ->     Mark INT
    -> );
Query OK, 0 rows affected (0.02 sec)

mysql> INSERT INTO Student VALUES
    -> (1, 'Arun', 'CSE', 20, 85),
    -> (2, 'Bala', 'ECE', 21, 90),
    -> (3, 'Kumar', 'IT', 20, 75),
    -> (4, 'Priya', 'CSE', 19, 95),
    -> (5, 'Divya', 'IT', 21, 80);
Query OK, 5 rows affected (0.01 sec)
Records: 5  Duplicates: 0  Warnings: 0

mysql> CREATE VIEW Student_View AS
    -> SELECT Student_ID, Name, Department
    -> FROM Student;
Query OK, 0 rows affected (0.01 sec)
```

```
mysql> SELECT * FROM Student_View;
+------------+-------+------------+
| Student_ID | Name  | Department |
+------------+-------+------------+
|          1 | Arun  | CSE        |
|          2 | Bala  | ECE        |
|          3 | Kumar | IT         |
|          4 | Priya | CSE        |
|          5 | Divya | IT         |
+------------+-------+------------+
5 rows in set (0.02 sec)

mysql> CREATE INDEX idx_name
    -> ON Student(Name);
Query OK, 0 rows affected (0.04 sec)
Records: 0  Duplicates: 0  Warnings: 0

mysql> SHOW INDEX FROM Student;
+---------+------------+----------+--------------+-------------+-----------+-------------+----------+--------+------+------------+---------+---------------
-------+---------+------------+
| Table   | Non_unique | Key_name | Seq_in_index | Column_name | Collation | Cardinality | Sub_part | Packed | Null | Index_type | Comment | Index_c
omment | Visible | Expression |
+---------+------------+----------+--------------+-------------+-----------+-------------+----------+--------+------+------------+---------+---------------
-------+---------+------------+
| student |          0 | PRIMARY  |            1 | Student_ID  | A         |           5 |     NULL |   NULL |      | BTREE      |         |
       | YES     | NULL       |
| student |          1 | idx_name |            1 | Name        | A         |           5 |     NULL |   NULL | YES  | BTREE      |         |
       | YES     | NULL       |
+---------+------------+----------+--------------+-------------+-----------+-------------+----------+--------+------+------------+---------+---------------
-------+---------+------------+
2 rows in set (0.01 sec)
```

```
mysql> SELECT * FROM Student
    -> WHERE Name = 'Arun';
+------------+------+------------+------+------+
| Student_ID | Name | Department | Age  | Mark |
+------------+------+------------+------+------+
|          1 | Arun | CSE        |   20 |   85 |
+------------+------+------------+------+------+
1 row in set (0.00 sec)

mysql> ^C
mysql> DROP VIEW Student_View;
Query OK, 0 rows affected (0.01 sec)

mysql> DROP INDEX idx_name ON Student;
Query OK, 0 rows affected (0.01 sec)
Records: 0  Duplicates: 0  Warnings: 0
```