NIM : 222212738 Kelas / No : 2KS1 / 25

# MODUL 11 PEMROGRAMAN BERBASIS WEB PENGENALAN AJAX DAN JSON

Source code: https://github.com/afrzl/Pemrograman-Berbasis-

Web/blob/679b7769f7643be352912b492e5b2a1030cd5b14/P11

### 1. Membuat Aplikasi AJAX Sederhana

### Source Code:

a. showtime.html

```
<!DOCTYPE html>
<html lang="en-ID">
  <head>
    <title>Ajax Demonstration</title>
    <meta charset="utf-8" />
  </head>
  <style>
    .displaybox {
      display: table-cell;
      vertical-align: middle;
      width: 250px;
      height: 40px;
      background-color: #ffffff;
      border: 2px solid #000000;
      padding: 10px;
      font: 1.5em normal verdana, helvetica, arial, sans-
serif;
  </style>
  <script>
    var ajaxRequest
    function ajaxResponse() {
      if (ajaxRequest.readyState != 4) {
       return
      } else {
        // check to see if successful
        if (ajaxRequest.status == 200) {
          var plholder = document.getElementById('showtime')
          plholder.innerHTML = ajaxRequest.responseText
        } else {
          alert('Request failed: ' + ajaxRequest.statusText)
    function getServerTime() {
     ajaxRequest = new XMLHttpRequest()
```

NIM : 222212738 Kelas / No : 2KS1 / 25

```
var svcUrl = 'telltime.php'
      ajaxRequest.onreadystatechange = ajaxResponse
      ajaxRequest.open('GET', svcUrl)
      ajaxRequest.send(null)
    // Write a function to auto-update the time
    function autoUpdateTime() {
      setInterval(getServerTime, 1000)
  </script>
  <body onload="autoUpdateTime()">
    <h1>Ajax Demonstration</h1>
    <h2>Getting the server time without refreshing the
page</h2>
      <input type="button" value="Get Server Time"</pre>
onclick="getServerTime()" />
    </form>
    <div id="showtime" class="displaybox"></div>
  </body>
</html>
```

## b. telltime.php

```
<?php
date_default_timezone_set('Asia/Jakarta');
echo date('Y-m-d H:i:s');</pre>
```

### Output:

# Ajax Demonstration Getting the server time without refreshing the page Get Server Time 2024-05-27 15:24:26

### 2. Memproses data JSON dari API

### Source Code:

```
<?php
//menggunakan file get contents
$data = file_get_contents('https://reqres.in/api/users?page=1');
var_dump($data);

//menggunakan curl
echo '<br/>>br/><br/>Menggunakan cURL<br/>;
$ch = curl_init();
```

NIM : 222212738 Kelas / No : 2KS1 / 25

```
curl_setopt($ch, CURLOPT_URL,
'https://regres.in/api/users?page=1');
curl_setopt($ch, CURLOPT_RETURNTRANSFER, true);
$output = curl_exec($ch);
curl_close($ch);
echo $output;
// $data = json_decode($output, true);
// echo '<br/>';
// var_dump($data);
$parse_data = json_decode($data, true);
echo '<br/>';
var_dump($parse_data);
echo '<br/>';
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
   <meta http-equiv="X-UA-Compatible" content="ie=edge">
   <title>php11A</title>
   <style>
   table,
   td {
       padding: 10px;
       border: 1px solid black;
       border-collapse: collapse;
   </style>
</head>
<body>
   <thead>
           ID
               Email
               First Name
               Last Name
               Avatar
           </thead>
       <?php foreach ($parse_data['data'] as $value) {                               ?>
           <?= $value['id'] ?>
               <?= $value['email'] ?>
               <?= $value['first_name'] ?>
```

NIM : 222212738

Kelas / No : 2KS1 / 25

```
<?= $value['last_name'] ?>
           <img src="<?= $value['avatar'] ?>"
alt="">
        <?php } ?>
     </body>
</html>
```

### Output:

string(996) "|"page",1."per\_page"6. "total";12."total\_page";2."data" ["id":1."email" "george bluth@reorges in","first\_name","George","last\_name","Bluth","avatar","https://reorges in'img/faces/1-image.jpg"],

["id":2."email" "janet.weaver@reorges in","first\_name","Janet","last\_name","Worde,",avatar","https://reorges in/img/faces/2-image.jpg"],

["id":3."email" "emana wong@reorges in","first\_name","Emana", last\_name","Worde,",avatar","https://reorges in/img/faces/3-image.jpg"],

["id":3."email" "evel bold@reorges in","first\_name","Isst\_name","Isst\_name","Isst\_name","Worde,",avatar","https://reorges.in/img/faces/3-image.jpg"],

["id":3."email","Isst\_name","Isst\_name","Isst\_name","Norriv,"avatar","https://reorges.in/img/faces/3-image.jpg"],

["id":3."email","Isst\_name,"Inst\_name","Isst\_name","Isst\_name,""Norriv,"avatar","https://reorges.in/img/faces/3-image.jpg"],

["id":3."email","Isst\_name,"Inst\_name,"Isst\_name,""Isst\_name,""Norriv,"avatar","https://reorges.in/img/faces/3-image.jpg"],

["id":3."email","inst\_name,"Isst\_name,"Isst\_name,""Norriv,"avatar","https://reorges.in/img/faces/3-image.jpg"],

["id":3."email","inst\_name,"Isst\_name,"Isst\_name,"Norriv,"avatar","https://reorges.in/img/faces/3-image.jpg"],

["id":3."email","inst\_name,"Isst\_name,"Isst\_name,"Norriv,"avatar","https://reorges.in/img/faces/3-image.jpg"],

["id":3."email","inst\_name,"Isst\_name,"Isst\_name,"Norriv,"avatar,"https://reorges.in/img/faces/3-image.jpg"],

["id":3."email","inst\_name,"Isst\_name,"Isst\_name,"Norriv,"avatar,"https://reorges.in/img/faces/3-image.jpg"],

["id":3."email","inst\_name,"Isst\_name,"Isst\_name,"Norriv,"avatar,"https://reorges.in/img/faces/3-image.jpg"],

["id":3."email","inst\_name,"Isst\_name,"Isst\_name,"Norriv,"avatar,"https://reorges.in/img/faces/3-image.jpg"],

["id":3."email","inst\_name,"Isst\_name,"Isst\_name,"Norriv,"avatar,"https://reorges.in/img/faces/3-image.jpg"],

["id":3."email","inst\_name,"Isst\_name,"Isst\_name,"Isst\_name,"Isst\_name,"Isst\_name,"Isst\_name,"Isst\_name,"Isst\_name,"Isst\_name,"Isst\_name,"Isst\_name,"Isst\_n

Menggunakan cUR.

["page"1," per page"6, "total"12," total\_pages"2," data", ["id"1," email", "george bluth@reepes in", "first\_name", "George", "last\_name", "Bluth", "avatar", "https://reepes in 'img/faces/-image\_jpg"),

["id"2," remail" junct weaved/freepes in, "first\_name", "bland", "last\_name", "watar", "https://reepes in 'img faces/-image\_jpg"),

["id"3," remail" "eve boldsgreeps in, "first\_name", "bland", "last\_name", "watar", "https://reepes in 'img faces/-image\_jpg"),

["id"3," remail" "eve boldsgreeps in, "first\_name", "bland", "avatar", "https://reepes img faces/-image\_jpg"),

["id"3," remail" "eve boldsgreeps in, "first\_name", "bland", "avatar", "https://reepes img faces/-image\_jpg"),

["id"4," semail" "eve boldsgreeps in, "first\_name", "bland", "avatar", "https://reepes im 'img faces/-image\_jpg'],

["id"5," remail" "eventure semail", "https://reepes in, "first\_name", "bland", "avatar", "https://reepes im 'img faces/-image\_jpg'],

["id"6," semail" "texecy ramos/greepes in, "first\_name", "last\_name", "Ramos", "avatar", "https://reepes im 'img faces/-image\_jpg'],

["id"6," semail" "texecy ramos/greepes in, "first\_name", "last\_name", "Ramos", "avatar", "https://reepes im 'img faces/-image\_jpg'],

["id"6," semail" "texecy ramos/greepes in, "first\_name", "last\_name", "Ramos", "avatar", "https://reepes im 'img faces/-image\_jpg'],

["id"6," semail" "texecy ramos/greepes in, "first\_name", "last\_name", "last\_name", "last\_name, "last\_n

array(s) { ["page"]=> int(1) ["per\_page"]=> int(6) ["total"]=> int(12) ["total pages"]=> int(2) ["data"]=> array(s) { ["d"]=> int(1) ["email"]=> string(2) "george-bluth@eqres.in" ["first\_name"]=> string(5) "George" ["last\_name"]=> string(5) "Bluth" ["avatar"]=> string(3) "https://recqes.in.img/faces/-image.jpg" } [1]=> array(5) ["id"]=> int(2) ["email"]=> string(2) "janet-weaver@eqres.in" ["first\_name"]=> string(5) "Janet" ["last\_name"]=> string(5) "Bluth" ["avatar"]=> string(3) "https://recqes.in' ["first\_name"]=> string(3) "lanet" ["last\_name"]=> string(4) "first\_name"]=> string(3) "lanet" ["last\_name"]=> string(4) "first\_name"]=> string(3) "lanet" ["last\_name"]=> string(4) "first\_name"]=> string(3) "lanet" ["last\_name"]=> string(3) "lanet" [

ID	Email	First Name	Last Name	Avatar
1	george.bluth@reqres.in	George	Bluth	
2	janet.weaver@reqres.in	Janet	Weaver	1
3	emma.wong@reqres.in	Emma	Wong	
4	eve.holt@reqres.in	Eve	Holt	
5	charles.morris@reqres.in	Charles	Morris	
6	tracey.ramos@reqres.in	Tracey	Ramos	9

### 3. Membuat Aplikasi AJAX untuk Pencarian

## Source Code:

a. php11F.php

```
<!DOCTYPE html>
<html lang='en-GB'>
<head>
    <title>PHP11 F</title>
```

NIM : 222212738 Kelas / No : 2KS1 / 25

```
<style>
    table,
   th,
td {
        border: 1px solid black;
        border-collapse: collapse;
        padding: 5px;
        background-color: #010417;
        overflow: hidden;
    nav ul {
        list-style: none;
        width: 100%;
        margin: 0;
    nav li {
       float: left;
        margin: 0;
        display: flex;
        height: 30px;
        padding: 5px 1.5em;
        color: white !important;
        text-decoration: none !important;
    }
    .active,
    nav a:hover {
        background-color: #c74451;
    </style>
</head>
<body>
    <h1>PHP and Databases</h1>
   <?php include 'php11F_header.php'; ?>
    session_start();
    if (!isset($_SESSION['username'])) {
        header('Location: php11D.php');
    require '../DB_CON.php';
```

NIM : 222212738 Kelas / No : 2KS1 / 25

```
$pdo = new PDO($dsn, $db_username, $db_password,
$opt);
       $stmt = $pdo->query('select * from meetings order by
slot');
       $pdo = null;
   } catch (PDOException $e) {
       exit('PDO Error: ' . $e->getMessage() . '<br>');
   <h2>Data in meeting table</h2>
   <?php if (isset($_GET['msg'])) {</pre>
       echo "<p style='color: " .
           $_GET['color'] .
           11 > 11
           $_GET['msg'] .
           '';
   Rows retrieved: <?= $stmt->rowCount() ?><br>>
   <a href='php09E.php'><button style="margin-bottom:</pre>
10px">Tambah Data</button></a>
   <form action="">
       Cari Nama: <input type="text" id="txt1"</pre>
onkeyup="showHint(this.value)">
   </form>
   Suggestions: <span id="txtHint"></span>
   <thead>
           Slot
               Name
               Email
               </thead>
       <?php while ($row = $stmt->fetch()) { ?>
               <?= $row['slot'] ?><?= $row['name'] ?>
               <?= $row['email'] ?>
               <a style="margin-right: 15px"
href="php09G.php?slot=<?= $row[</pre>
                   'slot'
               ] ?>"><img src="edit.svg" style="width: 30px;</pre>
height: 30px" > </img> </a>
                   <a onclick="return confirm(`Apakah kamu</pre>
yakin akan menghapus data?`)" href="php09H.php?slot=<?= $row[</pre>
                       'slot'
```

NIM : 222212738 Kelas / No : 2KS1 / 25

b. php11\_header.php

c. php11\_logout.php

```
<?php
session_start();
session_unset();
session_destroy();
header('Location: php11D.php');</pre>
```

d. php11D.php

NIM : 222212738 Kelas / No : 2KS1 / 25

```
echo '' . $message . '';
  <form action="php11D_action.php" method="post">
     <label>Username:</label>
          <input type="text" name="username">
        <label>Password:</label>
          <input type="password"
name="password">
        <input type="submit" value="Login">
          </form>
</body>
</html>
```

### e. php11D\_action.php

```
require '../DB_CON.php';
$username = $_POST['username'];
$password = $_POST['password'];
$pdo = new PDO($dsn, $db_username, $db_password, $opt);
$query = 'SELECT * FROM users WHERE username = :username LIMIT
1';
$stmt = $pdo->prepare($query);
$stmt->bindparam(':username', $username, PDO::PARAM_STR);
$stmt->execute();
if ($stmt->rowCount() > 0) {
    $user = $stmt->fetch(PDO::FETCH_ASSOC);
    if (password_verify($password, $user['password'])) {
        session_start();
        $_SESSION['username'] = $_POST['username'];
        header('Location: php11F.php');
    } else {
        $message = urlencode('Password salah');
        header('Location: php11D.php?msg=' . $message);
} else {
    $message = urlencode('Akun tidak ditemukan');
    header('Location: php11D.php?msg=' . $message);
```

NIM : 222212738 Kelas / No : 2KS1 / 25

### \$pdo = null;

f. page11B\_gethint.php

```
include '../DB_CON.php';
try {
    //Code 6
    $keyword = '%' . $_GET['keyword'] . '%';
        $pdo = new PDO($dsn, $db_username, $db_password,
$opt);
        $query = 'SELECT * FROM meetings WHERE name LIKE
:keyword';
        $stmt = $pdo->prepare($query);
        $stmt->bindparam(':keyword', $keyword,
PDO::PARAM_STR);
        $stmt->execute();
        $stmt = $stmt->fetchAll();
        $pdo = null;
    } catch (PDOException $e) {
        exit('PDO Error: ' . $e->getMessage() . '<br>');
    // lookup all hints if query result is not empty
    if ($stmt) {
        echo json_encode($stmt);
    } else {
        // Output "no suggestion" if no hint was found or
output correct values
        $response[] = [
            'name' => 'no suggestion',
        ];
        echo json_encode($response);
    pdo = null;
} catch (PDOException $e) {
    exit('PDO Error: ' . $e->getMessage() . '<br>');
```

g. page11A suggestion.js

```
function showHint(str) {
  let text = document.getElementById("txtHint");
  if (str.length == 0) {
    text.innerText = "";
    return;
  }
```

NIM : 222212738 Kelas / No : 2KS1 / 25

```
xhttp = new XMLHttpRequest();
  //Code 4b
  xhttp.onreadystatechange = function () {
    if (this.readyState == 4 && this.status == 200) {
          Typical action to be performed when the document is
ready:
      let res = JSON.parse(xhttp.responseText);
      let output = res
        .map(function (e) {
          return e.name;
        .join(", ");
      text.innerText = output;
  };
  xhttp.open("GET", "page11B_gethint.php?keyword=" + str,
true);
  xhttp.send();
```

### Output:

