INSPIRE AI

STAND-UP

Standup Meeting



© 2026 Inspire | Confidential

One Experience from Yesterday

Objective	What happened? What did you observe?
Reflective	How did you feel?
Interpretive	What did it help you understand?
Decisional	What will you try today?

Share one real experience. Choose how much personal feeling to share. Complete today's debugging tasks without AI.

© 2026 Inspire | Confidential

YOUR TURN

What Will You Try Today?

Share within your group. Your coach helps everyone use the available time.

Use one event from yesterday to explain your next action.

© 2026 Inspire | Confidential

REVIEW

Review Homework Evidence and Prepare the Practice Copy



© 2026 Inspire | Confidential

Your Responsibility Change and Its Evidence

Responsibility	What knowledge or decision moved?
Collaboration	Which callers use the new responsibility?
Evidence	Which saved test or result supports the guarantee?

Every member presents their graded submission. Divide the 20-minute round equally, including feedback.

© 2026 Inspire | Confidential

YOUR TURN

What Supports This Design Claim?

Give one specific comment. Keep the submitted version and its score.

Point to the submitted code, actual diff or saved test result.

Which caller uses the change?

Which assertion checks the guarantee?

© 2026 Inspire | Confidential

Prepare Your Separate Practice Copy

Keep	Your graded Day 4 project and score.
Open	The separate supplied faulty copy in your IDE.
Check	JDK 21, Maven import, version and test entry point.

Record setup blockers for coach support. The defect report comes in the demonstration.

© 2026 Inspire | Confidential

BREAK

Take a Break



© 2026 Inspire | Confidential

LECTURE

Defect Investigation



© 2026 Inspire | Confidential

Customer Voice

A customer contacts support about a VIP discount.

What is still missing?

The applicable specification

A traceable basis for the actual result

A complaint is a lead. It does not establish the cause.

© 2026 Inspire | Confidential

Compare with Specification

Eligible VIP goods receive a 10% discount.

Compare with the rule

A: suspected deviation → Verify Actual.

B: conforms → Explain / assess a change.

C: insufficient information → Clarify further.

© 2026 Inspire | Confidential

Failure



System behavior deviates from the applicable specification.

© 2026 Inspire | Confidential

Describe the Failure: GWTA

Given · VIP customer; **$100** eligible goods.

When · Calculate the discount.

Then · Expected discount

$10

Actual · Observed discount

$5

GWT (expected) ∪ GWT (actual) = GWTA

© 2026 Inspire | Confidential

Three Possible Explanations

Confirmed GWTA Expected discount: **$10** Observed discount: **$5**

Static reading summary

Hypothesis 1 · Wrong active VIP rate

Hypothesis 2 · Wrong membership tier

Hypothesis 3 · Incorrect calculation

All can fit **$5** instead of **$10**; evidence must distinguish them.

© 2026 Inspire | Confidential

Fact vs. Hypothesis

Static reading summary

- **Fact** · The screen is not lit.
- **Hypothesis** · The battery is empty.

Other hypotheses can explain the same fact: the screen is not lit.

How do I know? What else could explain it? What would change my mind?

© 2026 Inspire | Confidential

What Counts as Evidence?

Confirmed failure · expected $10; observed $5.

Hypothesis 1 · Wrong active rate

Hypothesis 2 · Wrong tier

Hypothesis 3 · Incorrect calculation

Static reading summary

Known rule: VIP discount is **10%**; failure confirmed, cause still unknown.

Local **0.05** file; does not prove runtime use.

Membership trace: tier=VIP challenges Hypothesis 2 for this request.

Rate trace: rate=**0.05** supports use of **5%**; source/path still need checking.

Fact and Evidence can overlap; evidence can support or challenge.

© 2026 Inspire | Confidential

Check the Evidence

Hypothesis 1 · Active VIP rate is wrong

A local file contains vipRate = **0.05**

Change only the active rate

Same environment, build, VIP/**$100** input and other settings.

Only effective rate: **0.05** → **0.10**.

Repeat the calculation: rate = **0.10**; discount = **$10**.

Stronger causal evidence for this path; not a deployed, fully verified repair.

© 2026 Inspire | Confidential

A Repeatable Investigation Method

Method

Finding	→	Hypothesis	→	Evidence	→	Finding

Static reading summary

Method · Finding → Hypothesis → Evidence → Finding

Artifact · I know → I suspect → I found → I know

The initial I know is the confirmed GWTA.

Enter evidence and conclusions only after the checks.

An optional prediction can explain why a check is useful.

© 2026 Inspire | Confidential

From Evidence to Finding

I know · Confirmed GWTA: $5 instead of $10.

I suspect · The active VIP rate is wrong.

YOUR TURN

What makes this final I know different from I suspect?

- **I know** · GWTA confirms **$5** instead of **$10**.
- **I suspect** · The active VIP rate is wrong.
- **I found** · This run used **5%**; changing only the rate restores **$10**.
- **I know** · The wrong active rate explains this scenario/path.

© 2026 Inspire | Confidential

A Different Failure

Case B · Independent free-shipping example

Eligible goods subtotal ≥ **$200** → free shipping.

Otherwise shipping = **$10**. No tax, discounts or other fees.

YOUR TURN

What might explain the missing $10?

- **Given** · Eligible goods subtotal = **$199**
- **When** · Generate a quote
- **Then** · The quote should be **$209**.
- **Actual** · The returned quote is **$199**.

© 2026 Inspire | Confidential

Test the Shipping Hypothesis

I know · Quote is $199 instead of $209.

I suspect · The total calculation omitted shipping.

Update the finding

I know · This calculation did not omit shipping.

The incorrect zero fee explains the wrong total.

Why was the fee zero? We do not know yet.

© 2026 Inspire | Confidential

Investigate Deeper

I know · The shipping fee was incorrectly zero.

The previous finding starts the next investigation.

Evidence → Finding

- **I found** · Active 199 made this order eligible; changing only the threshold restored the expected path/output.
- **I know** · The wrong active threshold caused this **$199** order to receive free shipping.

Other paths and the setting’s origin remain open.

© 2026 Inspire | Confidential

From Discovery to Explanation

Discovery order




Keep both views

Investigate backward. Explain forward.

© 2026 Inspire | Confidential

Reconstructed Causal Chain



Defect → Error* → Failure

Error means an erroneous system state, not a human mistake.

Defect is a software/configuration fault.

* = 0–N explicitly shown states; omission is an abstraction.

Investigation cycles do not correspond one-to-one to Error nodes.

© 2026 Inspire | Confidential

Plan Verification from the Cause

Identified defect · Wrong active threshold

Proposed repair · Restore the effective threshold to **$200**.

Permanent repair is not yet claimed as deployed.

Pending Verification Plan

The controlled threshold change provides diagnostic evidence.

It does not prove the permanent repair was deployed.

Original-scenario and boundary regression checks remain pending.

© 2026 Inspire | Confidential

Your Turn: Investigate, Don't Guess

An accepted eligible promotion reduces the total by $10.

No other promotions, tax, fees or minimum amount.

Evaluate the reasoning

1 · I know uses the Spec and verified external deviation.

1 · I suspect is a testable explanation.

1 · The proposed evidence distinguishes explanations; explain how.

Example: trace how the discount reaches the final calculation.

Other valid paths are welcome. Do not invent I found before checking.

© 2026 Inspire | Confidential

Complete the Knowledge Map

Feedback after the answers

Complaint needs a verified deviation before causal investigation.


Evidence can challenge a hypothesis or remain insufficient.

Investigation explains how we know; causality explains how the system failed.

© 2026 Inspire | Confidential

The Complete Defect Investigation Map

Connect the dots



GWTA · What went wrong?

Notes · Why do we believe this explanation?

Causal chain · How did the failure happen?

Verification plan · How will we check the repair?


Describe what went wrong. Investigate why. Explain how. Verify the repair.

© 2026 Inspire | Confidential

INSPIRE AI

DEMO

Investigate a Defect, Repair It, and Verify the Result



© 2026 Inspire | Confidential

A Complete Investigation Demonstration

Watch the instructor investigate, repair and verify in a fresh teaching copy.

Watch the choices	Why this check? What does the observation support?
Watch the record	README changes as evidence changes the judgment.
Your turn follows	Keep your faulty copy ready for the guided repeat.

© 2026 Inspire | Confidential

The Stock Failure Report

Stock before: A: 5, B: 1. Request: A × 2, B × 2.

Field	Expected	Reported
Accepted	false	false
Stock after	A: 5, B: 1	A: 3, B: 1

US-02-E02. Report from the selected guide. Your own run: not recorded.

Reported results. Reproduce the failure in this demonstration before treating it as a new observation.

© 2026 Inspire | Confidential

The Existing Test Checks Only the Return

ReservationBasicsTest.java java · feature/reserve-stock · lines 16–20

```
16      @Test void rejectsRequestWithShortItem() {
17          Inventory stock = new Inventory(Map.of("A", 5, "B", 1));
18          assertFalse(new ReservationService().reserve(List.of(
19              new RequestLine("A", 2), new RequestLine("B", 2)), stock));
20      }
```

src/test/java/training/stock/ReservationBasicsTest.java

Reuse this same-input test. Keep its return assertion and add the missing after-call stock check.

© 2026 Inspire | Confidential

The Before-Fix Failure Comes from a Real Run

```
./mvnw test
```

Check the assertion	It must expose the broken stock guarantee.
Save the result	Keep the version, command, actual failure and test diff.

Run from the folder containing pom.xml. Windows: mvnw.cmd test. Live result: Not recorded. Setup or compilation errors need separate diagnosis.

© 2026 Inspire | Confidential

The Current Explanation Points to Write Timing

Inventory.java java · feature/reserve-stock · lines 26–34

```
26      public boolean reserveAll(StockRequest request) {
27          for (RequestLine requirement : request.requirements()) {
28              if (requirement.quantity() > available(requirement.item())) {
29                  return false;
30              }
31              stock.put(requirement.item(), available(requirement.item()) -
    requirement.quantity());
32          }
33          return true;
34      }
```

src/main/java/training/stock/Inventory.java

Proposed explanation: a write happens before every condition is confirmed, and a later rejection retains that change.

© 2026 Inspire | Confidential

The Prediction Determines the Observation Points

At the write	Which stock changes, and when?
At rejection	Which condition ends the call?
At call end	Does that earlier change remain?

Record the prediction before observing. Say why the final value alone leaves a gap.

© 2026 Inspire | Confidential

Source Code and Runtime Evidence

Inventory.java java · feature/reserve-stock · lines 26–34

```
26      public boolean reserveAll(StockRequest request) {
27          for (RequestLine requirement : request.requirements()) {
28              if (requirement.quantity() > available(requirement.item())) {
29                  return false;
30              }
31              stock.put(requirement.item(), available(requirement.item()) -
    requirement.quantity());
32          }
33          return true;
34      }
```

src/main/java/training/stock/Inventory.java

Observe the write, rejection branch and call end. Record your live values.

© 2026 Inspire | Confidential

YOUR TURN

What Would the Call Boundary Leave Unchecked?

Point to the internal observation that supports the order of events.

Before-and-after snapshots show whether this call changed the inventory.

© 2026 Inspire | Confidential

The Explanation Connects the Mechanism to the Failure



Support each link with this run’s state, path and relevant source. Label any unobserved link.

© 2026 Inspire | Confidential

The Guarantee Applies at the Relevant Boundary

Fault	An early write survives a later rejection.
Erroneous state	The rejected operation leaves a partial deduction.
External failure	The service breaks its unchanged-stock guarantee.

An intermediate change alone does not establish a defect. Check the state after the whole request is rejected.

© 2026 Inspire | Confidential

The Existing Whole-Request Check Supports the Repair

Inventory.java java · feature/reserve-stock · lines 17–24

```
17      public boolean canFulfil(StockRequest request) {
18          for (RequestLine requirement : request.requirements()) {
19              if (requirement.quantity() > available(requirement.item())) {
20                  return false;
21              }
22          }
23          return true;
24      }
```

src/main/java/training/stock/Inventory.java

Live repair in Inventory.reserveAll: confirm the entire request before applying deductions. Keep the agreed rules.

© 2026 Inspire | Confidential

The Diff Must Address the Confirmed Mechanism

The inventory object must keep its whole-request guarantee.

Changed mechanism	All checks complete before any deduction.
Scope	The current single-threaded, in-memory case.

Save the focused diff and the reason for it. Retain the failure assertions and business expectations.

© 2026 Inspire | Confidential

The Original Rejection Must Preserve All Stock

Given	Stock before **A: 5, B: 1**	Request in order **A × 2, B × 2**
When	Reserve the request when the second item has insufficient stock.	
Then Expected result	Accepted **false**	Stock after **A: 5, B: 1**

Observation: Not recorded

Source example: US-02-E02

Run the original reproduction after the repair. Use a fresh inventory. Live result: Not recorded.

© 2026 Inspire | Confidential

Success and Reordered Rejection Need Checks Too

Request in order	Stock before	Accepted	Stock after
A × 1, B × 2, A × 1	A: 5, B: 3	true	A: 3, B: 1
B × 2, A × 2	A: 5, B: 1	false	A: 5, B: 1

US-02-E01, US-02-E03. Expected results. Personal observations: not recorded.

Use fresh inventory for each check. Also preserve equal-stock boundaries, repeated-item totals and read-only queries. Live results: Not recorded.

© 2026 Inspire | Confidential

The Record Says What Actually Passed

Original failure	Which command and result check the repaired guarantee?
Related behavior	Which paths and boundaries have actual support?
Remaining limits	Which relevant checks have not run or still fail?

A passing focused test supports its assertions. Keep unresolved results visible.

© 2026 Inspire | Confidential

Stock: GWTA and Investigation Round 1

GWTA · Describe the failure

Given Fresh stock: A5 / B1.

When Reserve A2, then B2.

Then `false`; stock stays A5 / B1.

Actual `false`; stock is A3 / B1.

Round 1 · Check the early deduction

I know: rejection reduces A by 2, breaking the unchanged-stock guarantee.

I suspect: A is deducted before the whole request has been checked.

I found: at A's write, stock was A5 / B1. Stepping over the write changed it to A3 / B1.

I know: This run confirms A's early write; the rejection path still needs direct evidence.

Guided rehearsal · 30 Oct 2026 · RESERVE-START · Instructor-reported observations; repair checks pending. Record your own run.

© 2026 Inspire | Confidential

Stock: Investigation Round 2

I know	This run confirms A’s early write; the rejection path still needs direct evidence.
I suspect	B’s shortage ends the call without undoing A’s deduction.
I found	B requested 2 with only 1 available. Execution reached `return false` with A3 / B1. After the call, `assertFalse` passed and stock remained A3 / B1. Source has no restoration.
I know	A’s early deduction survives rejection. Source and this run explain the broken guarantee for this input; repair remains unverified.

The previous round’s closing I know starts this round. The final stock value was already known; this check supplies the missing path evidence.

© 2026 Inspire | Confidential

Stock: Causal Chain and Repair Plan

Causal Chain · How it failed

A passes its check → deduct A from 5 to 3 → B2 exceeds B1 → return `false` without restoring A → call ends with A3 / B1.

Defect: write before the whole-request check, without restoring earlier deductions on rejection.

Error: A3 / B1 remains after rejection.
Failure: a rejected request changes stock.

An intermediate deduction alone does not establish the failure. The rejected call must leave all stock unchanged.

Proposed repair · Not applied

In `Inventory.reserveAll`, call the read-only `canFulfil(request)` before any write. Reject shortages first; deduct only when the whole request fits.

Verification Plan · Pending

Preserve the original failure. Check the original and reversed rejection, successful deduction, equal-stock boundaries, repeated-item totals and read-only queries.

Use fresh inventory for each check. Assert the return value and the complete final stock, then run the full suite.

Scope: this single-threaded, in-memory case. Repair and regression have not been verified.

Reconstruct the cause after the two investigation rounds. Rehearsal observations support this path; planned repair checks are not passing results.

© 2026 Inspire | Confidential

YOUR TURN

Why This Check, and What Changed?

After the break, repeat the process in your faulty copy. You may refer to the demonstration.

Review the instructor’s README and actual results.

The reason for one check

The evidence that changed a judgment

The mechanism changed by the repair

© 2026 Inspire | Confidential

BREAK

Take a Break



© 2026 Inspire | Confidential

COACHING

Repeat an Investigation and Repair with Support



© 2026 Inspire | Confidential

Repeat the Investigation in Your Own Copy

Repeat the demonstrated investigation with personal execution evidence and explain a key check.

1. Reproduce the Failure in Your Own Copy
2. Repeat a Key Observation and Explain It
3. Repair and Verify the Original and an Adjacent Scenario
4. Complete the Record and Answer a Follow-up

Produce

personal guided-repeat evidence, repair, adjacent verification, and feedback

20 minutes · whole activity

Source activity: d05-s04

The complete demonstration is available as a reference. Work without AI. Keep your Day 4 project separate.

© 2026 Inspire | Confidential

Your Own Before-Fix Failure

Keep the return assertion. Add or reuse the after-call stock check.

Actual failure	Save your result, version and command.
Still green or blocked	Check the start, assertions and runtime setup. Ask about a specific blocker.

Use equivalent saved evidence when you already have it. A reference result is not your own run.

© 2026 Inspire | Confidential

YOUR TURN

Why Did You Choose This Observation Point?

Write the prediction, actual state or path, and the claim it supports.

Repeat a key check in your own running copy.

What does it support?

What remains unchecked?

© 2026 Inspire | Confidential

The Repair and an Adjacent Scenario

Repair	Address the mechanism supported by your evidence.
Verify	Rerun the original failure and the existing tests.
Choose one adjacent check	Success, reordered rejection, an equal-stock boundary or repeated items.

Explain why the adjacent scenario challenges your repair. Keep the diff and actual results.

© 2026 Inspire | Confidential

A Short Record and One Evidence Question

Finish the README entry with the changed mechanism, actual checks, help and remaining work.

> Ask a peer or coach one question about the evidence.

You can continue when the evidence is sufficient. A specific unfinished check is useful feedback.

© 2026 Inspire | Confidential

Keep the Attempt and the Help Visible

Setup blocker	Save the concrete runtime or dependency problem.
Recovery copy	Preserve your attempt first. Label recovery use.
Completion claim	Distinguish your repair from a repair supplied to you.

This is a guided repeat. Use your actual execution and explanation to show understanding.

© 2026 Inspire | Confidential

The Next Investigation Uses a New Business Context

Keep the investigation loop and the same README structure.

> You will choose where to observe and how to accept the repair.

The next task checks independent transfer of the method. Save your repaired stock project and its evidence.

© 2026 Inspire | Confidential

INSPIRE AI

PRACTICE

Diagnose and Repair a Defect Independently



© 2026 Inspire | Confidential

A New Investigation, the Same Record

Reproduce a new failure, explain its cause, and verify a repair with personal evidence.

1. Read the Loading Rules and Check One Box Specification
2. Reproduce the Loading Report
3. Trace the Result and Test a Cause
4. Repair and Run Related Checks
5. Explain the Evidence and Its Limits

Produce

README: GWTA; Investigation Chain (I know → I suspect → I found → I know); Causal Chain

README: repair, verification plan and actual results, including evidence limits, help and unfinished work

120 minutes · whole activity

Source activity: d05-s05

Work individually without AI. Open your separate loading project and keep earlier work.

© 2026 Inspire | Confidential

The Request Defines the Loading Rows

US-01-AC01	Keep every requested box specification and its total box count. Do not replace one specification with another for the same product.
US-01-AC02	Combine repeated lines for the same box specification into one loading row. Row order is not specified.
US-01-AC03	Multiply each loading row's box count by its gross weight per box, then add the row weights to get the total weight.

Open the task page for the box specification catalog. Product, box specification and box count describe different things.

© 2026 Inspire | Confidential

The Total Weight Determines the Cart

Available carts: 40 kg and 60 kg. Both sizes are available.

US-01-AC04	Choose the smallest available cart whose capacity is at least the total weight.
US-01-AC05	When no available cart can carry the load, report that no cart fits. Keep the loading rows and total weight in the result.

Gross weight is already the weight of one complete box. The catalog also lists units per box.

© 2026 Inspire | Confidential

One Box Specification: a Shared Baseline

Given	Request in order **M6 × 1**		
When	Plan one box using the stated specification.		
Then Expected result	Loading list **M6: 1**	Total weight **12 kg**	Smallest cart **40 kg**

Observation: Not recorded

Source example: US-01-E08

Explain where each expected value comes from in the request, catalog and cart rule.

© 2026 Inspire | Confidential

Your First Run Checks the Baseline

In the project folder that contains pom.xml:

```
./mvnw -Dtest=LoadingBasicsTest#oneBoxSpecUsesItsWeight test
```

Expected	The single-specification baseline passes.
Your evidence	Record your actual result and any setup help.

Use mvnw.cmd on Windows. Dependency, JDK or compilation errors need separate diagnosis.

© 2026 Inspire | Confidential

The Report Describes a Cart Difference

Request: M6 × 2, M10 × 1.

Field	Expected	Reported
Cart	60 kg	40 kg

US-01-E01. Report from the selected guide. Your own run: not recorded.

The report describes a failure. Your own reproduction still needs an actual result.

© 2026 Inspire | Confidential

Your Test Fixes the Report in Place

1. Record the start version and run the existing tests.
2. Derive expectations from the request and rules.
3. Check box specifications and counts, total weight and cart.
4. Run before changing production code. Save the actual failure.

A build error is a blocker. A passing subset leaves checks to complete. Keep evidence in README.

© 2026 Inspire | Confidential

A Saved State Makes the Investigation Resumable

Save	Current code, the latest test result and the start version.
Next check	Write the specific action that would move your investigation forward.
Resume	Continue from your own evidence. Ask about a concrete blocker.

Continue when your evidence is sufficient. The optional game supplies no required investigation input.

© 2026 Inspire | Confidential

BREAK

Lunch Break



© 2026 Inspire | Confidential

MINI-GAME

Optional Mini-game



© 2026 Inspire | Confidential

Resume Your Saved Investigation

- Open your saved code and last result.
- Continue reproduction or ask for help with a specific blocker.
- If you have reproduced the failure, continue your diagnosis.

© 2026 Inspire | Confidential

YOUR TURN

Which Observation Would Test Your Explanation?

Use tests, source reading or the debugger. Record help and any claim that still lacks evidence.

Use the rules and your current result to choose the next useful check.

What do you predict?

What do you actually observe?

How does that affect your explanation?

© 2026 Inspire | Confidential

BREAK

Take a Break



© 2026 Inspire | Confidential

The Repair Changes a Supported Mechanism

1. Connect a focused change to your cause evidence.
2. Rerun the original reproduction.
3. Check complete results for related valid inputs and run the full suite.

> Which guarantee does each regression check challenge?

Preserve the original failure. Record a recovery copy separately from your own repair.

© 2026 Inspire | Confidential

Your README Makes the Investigation Reviewable

GWTA	Given, When, Then and Actual; rule, version and run entry.
Investigation Chain	I know → I suspect → I found → I know. Distinguish evidence from the conclusion it supports.
Cause and repair	Causal Chain, focused diff, verification plan and actual results; evidence limits, help and unfinished work.

Use your existing README, code, diffs and real output. Leave unexecuted checks pending. No extra report or presentation deck.

© 2026 Inspire | Confidential

INSPIRE AI

SHOWCASE

Show the Diagnosis and Check Your Evidence



© 2026 Inspire | Confidential

One Investigation, Its Claims and Evidence

1. Show the original failing check.
2. Choose an observation that affected your judgment.
3. Connect it to the change and actual regression results.

> Which claim does each piece of evidence support?

Show your own progress, including help and remaining work. A representative result cannot establish everyone's completion.

© 2026 Inspire | Confidential

The Expected Plan Includes Every Result

Given	Request in order **M6 × 2, M10 × 1**		
When	Plan the requested load.		
Then Expected result	Loading list **M6: 2, M10: 1**	Total weight **44 kg**	Smallest cart **60 kg**

Observation: Not recorded

Source example: US-01-E01

Compare this rule-based expectation with the evidence from your own run. No new execution is recorded on this page.

© 2026 Inspire | Confidential

Loading: GWTA and Investigation Round 1

GWTA · Describe the failure

Given	M6: 12 kg/box; M10: 20 kg/box. Carts: 40 kg and 60 kg, both available.
When	Plan M6 × 2, then M10 × 1.
Then	Rows M6 × 2, M10 × 1; 44 kg; 60 kg cart.
Actual	Row M6 × 3; 36 kg; 40 kg cart.

Rule: keep each box specification and its total count; calculate weight; choose the smallest cart that fits.

Round 1 · Locate the wrong result

I know: the result loses M10: M6 × 3, 36 kg and a 40 kg cart.

I suspect: M10's box count is merged into the M6 row during manifest construction.

I found: build received M6 × 2, M10 × 1 and returned only M6 × 3.

I know: build returns the wrong manifest; its merging rule is still unknown.

Guided rehearsal · 30 Oct 2026 · LOADING-START / main · Instructor-reported observations; repair unverified. Use your own evidence.

© 2026 Inspire | Confidential

Loading: Investigation Rounds 2–3

Round 2 · Explain the merge

I know: build returns the wrong manifest; its merging rule is still unknown.

I suspect: M10 finds an existing M6 row and adds its box count to that row.

I found: for M10, product and group were M; existing was M6 × 2. Stepping over the merge gave M6 × 3. Source uses `spec.productId()` and retains the existing box specification.

I know: product grouping merges M10 into M6 and keeps M6, creating M6 × 3.

Round 3 · Trace the propagation

I know: product grouping merges M10 into M6 and keeps M6, creating M6 × 3.

I suspect: this wrong manifest drives the weight calculation and the cart choice.

I found: weight changed from 0 to 36. The selector received 36 and matched capacity 40. The reproduction test also reported 36 kg and a 40 kg cart.

I know: the error propagates from grouping through weight to cart choice. For this 36 kg input, 40 kg follows the rule; repair remains unverified.

Carry each closing I know into the next round. These connected rounds reconstruct the guided rehearsal; three rounds are not a required count.

© 2026 Inspire | Confidential

Loading: Cause and Repair Plan

Causal Chain · How it failed

Product M → M10 joins M6 → M6 × 3 → 36 kg → 40 kg cart.

Defect: group by product.
Error: M6 × 3, then 36 kg.
Failure: wrong rows and weight; a 40 kg cart cannot carry the required 44 kg.

Proposed repair · Not applied

`ManifestBuilder.build`:
`spec.productId()` → `spec.specId()`

Different specifications stay separate; repeated specifications still combine.

Verification Plan · Pending

Original: M6 × 2, M10 × 1.
Reverse: M10 × 1, M6 × 2.
Split: M6 × 1, M10 × 1, M6 × 1.

All three expect: rows M6 × 2, M10 × 1; 44 kg; 60 kg cart. Compare row contents, not row order. Each box specification has one row.

Existing regression: single specification, different products, repeated specification, exact capacity and no cart fits.

Preserve the original Red. After repair, rerun it, add reverse and split checks, then run the full suite with JDK 21: `./mvnw -o test`.

Rehearsal plan, not passing results. Repair and regression were pending. Use -o only with cached dependencies; use mvnw.cmd on Windows.

© 2026 Inspire | Confidential

Related Requests Challenge the Same Guarantee

Request in order	Expected list	Weight	Cart
M10 × 1, M6 × 2	M6: 2, M10: 1	44 kg	60 kg
M6 × 1, M10 × 1, M6 × 1	M6: 2, M10: 1	44 kg	60 kg

US-01-E02, US-01-E03. Expected results. Personal observations: not recorded.

Expected results. A cart result alone leaves questions about the loading rows and weight.

© 2026 Inspire | Confidential

Feedback Returns to Your Own Evidence

- Correct a claim or rerun a check when the feedback reveals a real gap.
- Keep supported conclusions and their evidence.
- Save help, recovery use and a precise next check for unfinished work.

The reference on screen is separate from a check you personally executed. Tonight's assignment is the concept map.

© 2026 Inspire | Confidential

BREAK

Take a Break



© 2026 Inspire | Confidential

Evidence Helps You Choose an Action

Action	Purpose	State its limits
Protect	Limit further harm	Impact, business cost and evidence to preserve
Recover or work around	Restore acceptable service	Conditions, restrictions and when to remove it
Repair	Change a confirmed faulty mechanism	Cause evidence, change scope and verification
Prevent or diagnose better	Reduce recurrence or make failures easier to investigate	The role of tests, contracts, logs or design

Impact and urgency also matter. Keep investigation records across these actions. Source: Google SRE.

© 2026 Inspire | Confidential

The Situation Affects How We Respond

Domain	Situation	Action sequence
Clear	A verified rule applies	Sense, categorize, respond
Complicated	Analysis can reveal the mechanism	Sense, analyze, respond
Complex	Interactions make outcomes hard to predict	Probe with controlled impact, sense, respond
Chaotic	Effective constraints are missing	Act to establish stability, sense, respond
Confusion	The situation is not yet clear	Clarify boundaries, observe and separate problems

Cynefin considers the situation and our understanding. Current domains. Kurtz and Snowden, 2003.

© 2026 Inspire | Confidential

YOUR TURN

Does a Rare Failure Establish the Domain?

Discuss briefly. Consider inputs, state, timing and shared resources before choosing the next action.

One run fails in 1,000. After parallel work stops, you have not seen another failure.

What can you conclude?

What remains unknown?

What evidence would help?

© 2026 Inspire | Confidential

INSPIRE AI

PRACTICE

Plan a 20-Minute Group Explanation for Day 10



© 2026 Inspire | Confidential

Day 10: Team Competition

24 minutes per group	20 minutes to explain and 4 minutes for audience judgment and discussion.
At least 10 slides	The problem to solve, the supporting theory, the chosen viewpoint and an example.
Every member	Explains part of the content or answers a question.

Up to four groups, according to the actual class. The final shared feedback has its own 10-minute budget.

© 2026 Inspire | Confidential

Topics and Short Readings: To Be Confirmed

No.	Topic	In one line
01	**Waterfall, Agile, SDD: why coding is no longer the bottleneck**	Three assumptions about the bottleneck; cheap code moves it to spec, verification and decisions.
02	**What does a spec need to look like to be good enough?**	Goal, scope, change type, AC, DoD and evidence plan.
03	**Why trust what AI writes?**	Four evidences, not a verdict on AI: requirement, behaviour, scope and runtime. Then one release ticket.
04	**People and AI: where do the roles go?**	Execution gets cheap, judgement gets expensive, so every traditional role moves up.

One topic per group; short readings and source passages are still to be confirmed.

© 2026 Inspire | Confidential

YOUR TURN

Can Every Person Begin Tonight?

7 minutes. Resolve missing, inaccessible or unsuitable reading with the instructor before the Homework briefing.

Open your assigned passage on your own device.

My focused question

The relation I need to understand

How my part supports the group

© 2026 Inspire | Confidential

INSPIRE AI

RETRO

Learn and Practice a Group Retrospective



© 2026 Inspire | Confidential

The Retrospective Prime Directive

> Regardless of what we discover, considering what was known at the time, each person's skills and abilities, the resources available and the situation at hand, we understand and truly believe:

Everyone did the best job they could.

Say it before the group looks back, so the discussion stays on the work instead of on the people.

© 2026 Inspire | Confidential

Retrospective Process

1 Review	Previous actions, a safe room, and the iteration goal when the group set one.
2 Identify	5 minutes of sticky notes, 8 minutes to agree and cluster, 2 minutes to vote.
3 Solve	Diverge on solutions, converge one issue at a time, and close with an owner and a due date.

Review and solve stay open-ended; only identify carries fixed minutes.

© 2026 Inspire | Confidential

Capture What Happened, Then Act

Well	What helped the work.
Less well	What got in the way.
Puzzle	What the group does not understand yet.

> Sticky notes, then shared meaning, then a vote.

© 2026 Inspire | Confidential

Next Week: Seats and Mentors Rotate

> Have a great weekend.

Bring your action and reminder owner to the next group activity.

© 2026 Inspire | Confidential