Perfect direction. You can keep both flows in one app:

1. Manual entry flow (already exists)
2. JIRA story flow (new): pick a story, auto-fill title/description/acceptance criteria, then generate and download test cases

Below is a clean approval-based implementation plan.

Step 1: Confirm JIRA Data Contract (No code yet)

1. Decide which issue types to pull: Story only, or Story + Task + Bug.
2. Confirm where acceptance criteria lives in your JIRA:
    - Standard field
    - Description section
    - Custom field (common in many JIRA setups)
3. Confirm scope of fetch:
    - By project only
    - By project + status
    - By sprint
4. Confirm volume:
    - first 50 stories with pagination, or full list

Approval output for Step 1:

- Final field mapping and JQL filter we will use.

Step 2: Backend API to Fetch Stories from JIRA

1. Add endpoint to fetch stories dynamically from JIRA using JQL.
2. Return normalized story objects to frontend:
    - storyKey
    - title
    - description
    - acceptanceCriteria
    - status
    - assignee
3. Add pagination support:
    - startAt
    - maxResults

4. Add search text support for title/key filtering.
5. Add robust error mapping for auth, permission, and rate-limit failures.

Approval output for Step 2:

- Working API returning normalized stories.

Step 3: Acceptance Criteria Extraction Logic

1. Implement parser for JIRA field variations:
    - Custom acceptance field if present
    - Description fallback if acceptance section exists
    - Empty fallback with warning
2. Handle Atlassian rich text document format safely (ADF to plain text).
3. Add telemetry logs for extraction source (custom field vs fallback) for debugging.

Approval output for Step 3:

- Reliable acceptanceCriteria value for each story.

Step 4: Frontend Dual Input Mode

1. Add mode switch at top:
    - Manual Entry
    - Import from JIRA
2. If Manual Entry:
    - keep current form unchanged.
3. If Import from JIRA:
    - show project selector + story list/search.
4. Keep ability to edit imported fields before generating tests.

Approval output for Step 4:

- User can choose manual or JIRA mode without losing current functionality.

Step 5: Story Picker UI + Prefill

1. Show story table/dropdown with key, title, status.
2. On story selection:
    - auto-fill title, description, acceptance criteria fields.
3. Show source badge: Imported from JIRA + story key.
4. Allow manual edits before generation.

Approval output for Step 5:

- Selecting a JIRA story fills the generate form instantly.

Step 6: Generate + Download Flow Unification

1. Reuse existing generate-tests API and output display.
2. Keep existing download actions:
    - JSON
    - Excel
3. Ensure both manual and JIRA-imported stories use the same generation pipeline.

Approval output for Step 6:

- Both input modes produce downloadable test cases identically.

Step 7: Validation, Security, and UX Hardening

1. Validate required fields before generate.
2. Add friendly empty-state and auth-expired messages.
3. Add loading and retry states for JIRA fetch.
4. Rotate exposed API tokens and move to secure env handling immediately.

Approval output for Step 7:

- Production-safe behavior for common failure scenarios.

Step 8: End-to-End Testing and Go-Live Checklist

1. Test matrix:
    - manual mode success/fail
    - JIRA mode success/fail
    - missing acceptance criteria
    - no stories found
2. Confirm downloads for generated cases (JSON/Excel).
3. Verify no regression in existing Groq generation flow.

Approval output for Step 8:

- Ready-for-release checklist passed.

If this plan looks good, reply with:

1. Step 1 approved

Then I'll execute only Step 1 and return results for your next approval.


localhost:5173
QA Engineering Command Center
Requirement-to-test traceability workspace for test engineers, QA leads, and automation architects.
TRACEABLE TESTS 20
FAILED 0
NOT RUN 20
Story Intake
Manual
JIRA Import
Project Key
Optional (defaults from backend)
Search Story
Search by key/title
Fetch Stories
DCSSTM-5 To Do Set and update spending limit for child account Use
DCSSTM-4 To Do Parent dashboard – child account overview Use
DCSSTM-3 To Do Enforce age-based RBAC for child accounts Use
DCSSTM-2 To Do Create co-applicant account for minor aged 15-18 Use
DCSSTM-1 To Do Create custodial account for minor under 15 Use
Requirement Authoring
Imported DCSSTM-3
Story Title
Enforce age-based RBAC for child accounts
Description
As a bank system I want to enforce role-based access control based on the minor's age so that correct permissions are applied automatically at account creation and on birthday transitions.
Acceptance Criteria
2. Age 15–18 role grants child read-only access to balance and transactions.
3. Role transitions on detected birthday with automated job.
4. No manual role override allowed below compliance officer level.
5. All role change events are written to audit log.
Additional Engineering Context
Dependencies, environments, known risks
Generate Test Cases
Clear


Traceability & Review Workspace
JIRA Source DCSSTM-3
Total 20
Passed 0
Failed 0
Blocked 0
Not Run 20
Search ID, title, defect, requirement
All
All
All
0 selected
Not Run
Apply
CASE ID | TITLE / REQUIREMENT | CATEGORY | PRIORITY | EXECUTION | DEFECT | EXPECTED RESULT
> TC-001 | Child account creation with age < 15 AC-01 | Positive | High | Not Run | e.g. DEF-221 | Child account has zero direct access and parent-only visibility
> TC-002 | Child account creation with age 15-18 AC-02 | Positive | High | Not Run | e.g. DEF-221 | Child account has read-only access to balance and transactions
> TC-003 | Role transition on birthday AC-03 | Positive | High | Not Run | e.g. DEF-221 | Child's role transitions to read-only access on birthday
> TC-004 | Audit log for role change events AC-04 | Positive | High | Not Run | e.g. DEF-221 | Role change event is written to the audit log
> TC-005 | Manual role override attempt below compliance officer level AC-05 | Negative | High | Not Run | e.g. DEF-221 | Manual role override attempt is blocked below compliance officer level
> TC-006 | Child account access with age < 15 AC-01 | Negative | High | Not Run | e.g. DEF-221 | Access is denied for child account with age < 15
> TC-007 | Child account access with age 15-18 AC-02 | Negative | High | Not Run | e.g. DEF-221 | Modification attempt is blocked for child account with age 15-18
> TC-008 | Role transition with invalid age AC-03 | Negative | High | Not Run | e.g. DEF-221 | No role transition occurs for invalid age
> TC-009 | Edge case: Child account creation with age = 15 AC-04 | Edge | Medium | Not Run | e.g. DEF-221 | Child account has read-only access
> TC-010 | Edge case: Child account creation with age = 18 | Edge | Medium | | | Child account has read-only access
> TC-012 | Edge case: Manual role override attempt by compliance officer AC-02 | Edge | Medium | Not Run | e.g. DEF-221 | Manual role override attempt is allowed for compliance officer
> TC-013 | Multiple role transitions AC-03 | Positive | Medium | Not Run | e.g. DEF-221 | Multiple role transitions are successful
> TC-014 | Role transition with concurrent birthday detection AC-04 | Positive | Medium | Not Run | e.g. DEF-221 | Concurrent role transitions occur successfully
> TC-015 | Audit log for multiple role change events AC-05 | Positive | Medium | Not Run | e.g. DEF-221 | Multiple role change events are written to the audit log
> TC-016 | Child account access after role transition AC-01 | Positive | Medium | Not Run | e.g. DEF-221 | Child account has read-only access after role transition
> TC-017 | Role transition failure AC-02 | Negative | Medium | Not Run | e.g. DEF-221 | Role transition failure is logged and handled
> TC-018 | Invalid age input AC-03 | Negative | Medium | Not Run | e.g. DEF-221 | Account creation fails with invalid age
> TC-019 | Birthday simulation failure AC-04 | Negative | Medium | Not Run | e.g. DEF-221 | Birthday simulation failure is logged and handled
> TC-020 | Compliance officer role override AC-05 | Positive | Medium | Not Run | e.g. DEF-221 | Compliance officer role override is successful
Showing 1-20 of 20
Previous
Next
Export Test Cases
JSON
CSV
Excel
Files will be downloaded with today's date in the filename
Push to JIRA
Connected as Afsar Ali