Package 'pushoveR'

December 28, 2024

Type Package

Title Pushover API Wrapper

Version 0.1

Maintainer Afsar Chowdhury <afsarchowdhury@proton.me>

Description An R API wrapper for Pushover.

License GPL-3

URL <https://github.com/afsarchowdhury/pushoveR>

BugReports <https://github.com/afsarchowdhury/pushoveR/issues>

Encoding UTF-8

LazyData true

Imports checkmate,
  httr2,
  jsonlite

RoxygenNote 7.2.3

Roxygen list(markdown = TRUE)

Suggests testthat,
  knitr,
  rmarkdown

VignetteBuilder knitr

R topics documented:

---

send_push   *Send push.*

Description

Push a message through Pushover.

Usage

```
send_push(
  token,
  user,
  title,
  message,
  url = NULL,
  url_title = NULL,
  device = NULL,
  priority = 0,
  sound = NULL,
  timestamp = NULL,
  ttl = NULL,
  attachment_base64 = NULL,
  attachment_type = NULL,
  retry = NULL,
  expire = NULL
)
```

Arguments

token	application API token (required) as string.
user	user key or group key (required) as string.
title	message title as string.
message	message (required) as string.
url	URL to show with your message as string.
url_title	title for the url as string.
device	name of device as string.
priority	value of -2, -1, 0 (default), 1, or 2.
sound	name of a supported sound (see https://pushover.net/api#sounds) as string.
timestamp	Unix timestamp of a time to display instead of when the API received it.
ttl	number of seconds that the message will live, before being deleted automatically, as integer.
attachment_base64	
	base64-encoded image attachment to send with the message.
attachment_type	
	MIME type of the attachment_base64. Usually, "image/jpeg".
retry	how often in seconds to retry.
expire	how many seconds to retry.

Examples

```
send_push(
title = "Hello", message = "Hello from pushoveR.",
token = Sys.getenv("PO_R_KEY"), user = Sys.getenv("PO_U_KEY")
)
```

Index