

Jason Byrne <jbyrne6@gmail.com>

## Surface to 1AU STEREO CME paper

2 messages

## Shaun Bloomfield <shaun.bloomfield@tcd.ie>

27 March 2009 09:42

To: Jason Byrne <jbyrne6@gmail.com>

Cc: Shane Maloney <shane.maloney98@gmail.com>, James McAteer <james.mcateer@tcd.ie>, Peter Gallagher <peter.gallagher@tcd.ie>

Hi guys,

Just caught sight of this paper by Wood et al. in the newest ApJ Table of Contents. I haven't read it yet, but it looks pretty thorough, even making use of the particle detectors on one of the STEREO spacecraft.

http://www.iop.org/EJ/article/-alert=42400/0004-637X/694/2/707/apj 694 2 707.html

Shaun.

D. Shaun Bloomfield, PhD

Astrophysics Research Group School of Physics 3.03a SNIAM Building Trinity College Dublin Dublin 2 Ireland

Phone: +353 1 896 3257 Skype: d.shaun.bloomfield

## Jason Byrne <jbyrne6@gmail.com>

30 March 2009 14:57

To: Shaun Bloomfield <shaun.bloomfield@tcd.ie>

Cc: Shane Maloney <shane.maloney98@gmail.com>, James McAteer <james.mcateer@tcd.ie>, Peter Gallagher cpeter.gallagher@tcd.ie>, David Long <long.daithi@gmail.com>

Hey,

In this paper they say under Figure 8 that in their velocity analysis they skip data points in order to minimise the resultant error bars to within a threshold they deem appropriate. This is something I had come across in deriv when I used the higher cadence COR1 data and saw my errors increase as delta\_t decreased, but I would never have thought skipping data points to be warranted. Though they also don't seem to be using deriv since their velocity points lie at the intervals...

1 of 2 18/11/2010 12:23

2009/3/27 Shaun Bloomfield <<u>shaun.bloomfield@tcd.ie</u>>
[Quoted text hidden]

2 of 2