

# Investigating the Robustness of the CORIMP CME Catalog Against Other Automated Catalogs and Manual Case Studies

J. P. Byrne<sup>1,2</sup> et al

<sup>1</sup>*Rutherford Appleton Laboratory, STFC: RAL Space, Harwell Oxford, OX11 0QX, UK.*

<sup>2</sup>*Institute for Astronomy, University of Hawai'i, 2680 Woodlawn Drive, Honolulu, HI 96822, USA.*

## ABSTRACT

CMEs are long known to be significant drivers of adverse space weather at Earth, but the physics governing their propagation is not fully understood.

*Subject headings:* Sun: coronal mass ejections (CMEs) — Methods: miscellaneous — Techniques: image processing

## 1. Introduction

## 2. Events

This work is supported by SHINE grant 0962716 and NASA grant NNX08AJ07G to the Institute for Astronomy. The *STEREO*/SECCHI project is an international consortium of the Naval Research Laboratory (USA), Lockheed Martin Solar and Astrophysics Lab (USA), NASA Goddard Space Flight Center (USA), Rutherford Appleton Laboratory (UK), University of Birmingham (UK), Max-Planck-Institut für Sonnen-systemforschung (Germany), Centre Spatial de Liege (Belgium), Institut d'Optique Théorique et Appliquée (France), and Institut d'Astrophysique Spatiale (France).




Fig. 3.— CORIMP linear.




Fig. 1.— .

Comparison for LASCO CME on 2000 Apr. 18 from  $\sim 15:00$  UT

Catalog	CPA [deg.]	AW [deg.]	Linear Speed [ $km\ s^{-1}$ ]	Accel. [ $m\ s^{-2}$ ]
CDAW	195	105	668	23.1
CORIMP	210	98	431	19
CACTUS	198	102	463	—
SEEDS	195	108	338	17.7




Fig. 2.— .




Fig. 4.— CDAW quadratic.




Fig. 5.— SEEDS quadratic.




Fig. 6.— CACTus linear.