

Target: https://ipwija.ac.id/

All scanned sites: https://pmb.ipwija.ac.id http://repository.ipwija.ac.id https://afiliasi.ipwija.ac.id https://ipwija.ac.id

Javascript included from: https://code.jquery.com https://cdnjs.cloudflare.com https://cdn.jsdelivr.net https://pmb.ipwija.ac.id http://repository.ipwija.ac.id https://afiliasi.ipwija.ac.id https://ipwija.ac.id

Generated on Tue, 18 Nov 2025 01:46:41

ZAP Version: 2.16.1

Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	9
Low	9
Informational	7

Alerts

Name	Risk Level	Number of Instances
Absence of Anti-CSRF Tokens	Medium	96
CSP: Failure to Define Directive with No Fallback	Medium	26
CSP: Wildcard Directive	Medium	26
CSP: script-src unsafe-inline	Medium	26
CSP: style-src unsafe-inline	Medium	26
Content Security Policy (CSP) Header Not Set	Medium	103
Missing Anti-clickjacking Header	Medium	103
Vulnerable JS Library	Medium	1
Weak Authentication Method	Medium	3
Big Redirect Detected (Potential Sensitive Information Leak)	Low	5
Cookie No HttpOnly Flag	Low	8
Cookie Without Secure Flag	Low	1
Cookie without SameSite Attribute	Low	2
Cross-Domain JavaScript Source File Inclusion	Low	186
Server Leaks Information via "X-Powered-By" HTTP Response Header Field(s)	Low	102
Server Leaks Version Information via "Server" HTTP Response Header Field	Low	102
Strict-Transport-Security Header Not Set	Low	102
X-Content-Type-Options Header Missing	Low	102
Authentication Request Identified	Informational	2
Charset Mismatch	Informational	58
Content-Type Header Missing	Informational	1
Re-examine Cache-control Directives	Informational	102
Retrieved from Cache	Informational	102
Session Management Response Identified	Informational	9
User Controllable HTML Element Attribute (Potential XSS)	Informational	61

Passing Rules

Name	Rule Type	Threshold	Strength
Verification Request Identified	Passive	MEDIUM	-
Private IP Disclosure	Passive	MEDIUM	-
Session ID in URL Rewrite	Passive	MEDIUM	-
Script Served From Malicious Domain (polyfill)	Passive	MEDIUM	-
ZAP is Out of Date	Passive	MEDIUM	-
Insecure JSF ViewState	Passive	MEDIUM	-
Application Error Disclosure	Passive	MEDIUM	-
Information Disclosure - Debug Error Messages	Passive	MEDIUM	-
Information Disclosure - Sensitive Information in URL	Passive	MEDIUM	-
Information Disclosure - Sensitive Information in HTTP Referrer Header	Passive	MEDIUM	-
Information Disclosure - Suspicious Comments	Passive	MEDIUM	-

Off-site Redirect	Passive	MEDIUM	-
Cookie Poisoning	Passive	MEDIUM	-
User Controllable Charset	Passive	MEDIUM	-
WSDL File Detection	Passive	MEDIUM	-
Loosely Scoped Cookie	Passive	MEDIUM	-
Viewstate	Passive	MEDIUM	-
Directory Browsing	Passive	MEDIUM	-
Heartbleed OpenSSL Vulnerability (Indicative)	Passive	MEDIUM	-
X-Backend-Server Header Information Leak	Passive	MEDIUM	-
Secure Pages Include Mixed Content	Passive	MEDIUM	-
HTTP to HTTPS Insecure Transition in Form Post	Passive	MEDIUM	-
HTTPS to HTTP Insecure Transition in Form Post	Passive	MEDIUM	-
User Controllable JavaScript Event (XSS)	Passive	MEDIUM	-
X-ChromeLogger-Data (XCOLD) Header Information Leak	Passive	MEDIUM	-
X-Debug-Token Information Leak	Passive	MEDIUM	-
Username Hash Found	Passive	MEDIUM	-
X-AspNet-Version Response Header	Passive	MEDIUM	-
PII Disclosure	Passive	MEDIUM	-
Script Passive Scan Rules	Passive	MEDIUM	-
Stats Passive Scan Rule	Passive	MEDIUM	-
Timestamp Disclosure	Passive	MEDIUM	-
Hash Disclosure	Passive	MEDIUM	-
Cross-Domain Misconfiguration	Passive	MEDIUM	-
Reverse Tabnabbing	Passive	MEDIUM	-
Modern Web Application	Passive	MEDIUM	-

Alert Detail

Medium	Absence of Anti-CSRF Tokens
Description	No Anti-CSRF tokens were found in a HTML submission form. A cross-site request forgery is an attack that involves forcing a victim to send an HTTP request to a target destination without their knowledge or intent in order to perform an action as the victim. The underlying cause is application functionality using predictable URL/form actions in a repeatable way. The nature of the attack is that CSRF exploits the trust that a web site has for a user. By contrast, cross-site scripting (XSS) exploits the trust that a user has for a web site. Like XSS, CSRF attacks are not necessarily cross-site, but they can be. Cross-site request forgery is also known as CSRF, XSRF, one-click attack, session riding, confused deputy, and sea surf. CSRF attacks are effective in a number of situations, including: * The victim has an active session on the target site. * The victim is authenticated via HTTP auth on the target site. * The victim is on the same local network as the target site. CSRF has primarily been used to perform an action against a target site using the victim's privileges, but recent techniques have been discovered to disclose information by gaining access to the response. The risk of information disclosure is dramatically increased when the target site is vulnerable to XSS, because XSS can be used as a platform for CSRF, allowing the attack to operate within the bounds of the same-origin policy.
URL	http://repository.ipwija.ac.id/cgi/register
Method	GET
Parameter	
Attack	
Evidence	<form method="post" accept-charset="utf-8" action="/cgi/register" enctype="multipart/form-data">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 2: "_action_register" "_default_action" "c1_name_family" "c1_name_given" "c1_name_honourific" "c1_newemail" "c1_newpassword" "c1_username" "screen"].
Request Header	GET http://repository.ipwija.ac.id/cgi/register HTTP/1.1 host: repository.ipwija.ac.id user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Safari/537.36 pragma: no-cache cache-control: no-cache referrer: http://repository.ipwija.ac.id/
Request Body	
Response Header	HTTP/1.1 200 OK Date: Tue, 18 Nov 2025 01:41:09 GMT Server: Apache/2.4.29 (Ubuntu) Cache-Control: no-store, no-cache, must-revalidate Vary: Accept-Encoding Content-Type: text/html; charset=utf-8 content-length: 9656
Response Body (excerpt)	irmation email will be sent to you. You need to activate your account using the link in the email.</p><p>If you have already registered but have forgotten your username or password, click here to set a new password.</p><form method="post" accept-charset="utf-8" action="/cgi/register" enctype="multipart/form-data"><input name="screen" id="screen" value="Register::Internal" type="hidden" /><div class="ep_form_field_input"><div class="ep_sr_none"><table cl
URL	http://repository.ipwija.ac.id/cgi/reset_password

Method	GET
Parameter	
Attack	
Evidence	<form method="post" accept-charset="utf-8" action="reset_password" enctype="multipart/form-data">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 2: " _action_submit" " _default" " _default_action" "email" "newpassword"].
URL	http://repository.ipwija.ac.id/policies.html
Method	GET
Parameter	
Attack	
Evidence	<form method="post" action="http://www.opendoar.org/tools/policytool.php">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 2: "la" "rOaiBaseUrl" "rUrl"].
URL	https://ipwija.ac.id/account/
Method	GET
Parameter	
Attack	
Evidence	<form name="loginform" action="https://ipwija.ac.id/wp-login.php" method="post" novalidate>
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "eduma_login_user" "g-recaptcha-response" "log" "pwd" "redirect_to" "rememberMe" "testcookie" "wp-submit"].
URL	https://ipwija.ac.id/account/?action=lostpassword
Method	GET
Parameter	
Attack	
Evidence	<form name="lostpasswordform" id="lostpasswordform" action="https://ipwija.ac.id/wp-login.php?action=lostpassword" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "eduma_lostpass" "g-recaptcha-response" "redirect_to" "user_login" "wp-submit"].
URL	https://ipwija.ac.id/contact/
Method	GET
Parameter	
Attack	
Evidence	<form action="/contact/#wpcf7-f16730-p87-o1" method="post" class="wpcf7-form init" aria-label="Contact form" novalidate="novalidate" data-status="init">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: " _wpcf7" " _wpcf7_container_post" " _wpcf7_locale" " _wpcf7_posted_data_hash" " _wpcf7_unit_tag" " _wpcf7_version" "your-email" "your-name" "your-subject"].
URL	https://ipwija.ac.id/events/elegant-light-box-paper-cut-dioramas-1/
Method	GET
Parameter	
Attack	
Evidence	<form action="https://ipwija.ac.id/wp-comments-post.php" method="post" id="commentform" class="comment-form" novalidate>
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "author" "comment_parent" "comment_post_ID" "email" "g-recaptcha-response" "submit" "url"].
URL	https://ipwija.ac.id/events/elegant-light-box-paper-cut-dioramas-1/embed/
Method	GET
Parameter	
Attack	
Evidence	<form action="https://ipwija.ac.id/wp-comments-post.php" method="post" id="commentform" class="comment-form" novalidate>
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "author" "comment_parent" "comment_post_ID" "email" "g-recaptcha-response" "submit" "url"].
URL	https://ipwija.ac.id/events/pentas-seni-universitas-ipwija-youthfull-rhapsody-2025/
Method	GET
Parameter	
Attack	
Evidence	<form action="https://ipwija.ac.id/wp-comments-post.php" method="post" id="commentform" class="comment-form" novalidate>
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "author" "comment_parent" "comment_post_ID" "email" "g-recaptcha-response" "submit" "url"].
URL	https://ipwija.ac.id/events/tiba-tiba-bazaar-vol-3/
Method	GET

Parameter	
Attack	
Evidence	<form action="https://ipwija.ac.id/wp-comments-post.php" method="post" id="commentform" class="comment-form" novalidate>
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "author" "comment_parent" "comment_post_ID" "email" "g-recaptcha-response" "submit" "url"].
URL	https://ipwija.ac.id/events/tiba-tiba-bazaar-vol-3/embed/
Method	GET
Parameter	
Attack	
Evidence	<form action="https://ipwija.ac.id/wp-comments-post.php" method="post" id="commentform" class="comment-form" novalidate>
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "author" "comment_parent" "comment_post_ID" "email" "g-recaptcha-response" "submit" "url"].
URL	https://ipwija.ac.id/events/ujian-akhir-semester-genap/
Method	GET
Parameter	
Attack	
Evidence	<form action="https://ipwija.ac.id/wp-comments-post.php" method="post" id="commentform" class="comment-form" novalidate>
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "author" "comment_parent" "comment_post_ID" "email" "g-recaptcha-response" "submit" "url"].
URL	https://ipwija.ac.id/events/ujian-akhir-semester-genap/embed/
Method	GET
Parameter	
Attack	
Evidence	<form action="https://ipwija.ac.id/wp-comments-post.php" method="post" id="commentform" class="comment-form" novalidate>
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "author" "comment_parent" "comment_post_ID" "email" "g-recaptcha-response" "submit" "url"].
URL	https://ipwija.ac.id/events/ujian-tengah-semester-ganjil/
Method	GET
Parameter	
Attack	
Evidence	<form action="https://ipwija.ac.id/wp-comments-post.php" method="post" id="commentform" class="comment-form" novalidate>
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "author" "comment_parent" "comment_post_ID" "email" "g-recaptcha-response" "submit" "url"].
URL	https://ipwija.ac.id/events/ujian-tengah-semester-ganjil/embed/
Method	GET
Parameter	
Attack	
Evidence	<form action="https://ipwija.ac.id/wp-comments-post.php" method="post" id="commentform" class="comment-form" novalidate>
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "author" "comment_parent" "comment_post_ID" "email" "g-recaptcha-response" "submit" "url"].
URL	https://ipwija.ac.id/events/ujian-tengah-semester-genap/
Method	GET
Parameter	
Attack	
Evidence	<form action="https://ipwija.ac.id/wp-comments-post.php" method="post" id="commentform" class="comment-form" novalidate>
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "author" "comment_parent" "comment_post_ID" "email" "g-recaptcha-response" "submit" "url"].
URL	https://ipwija.ac.id/events/ujian-tengah-semester-genap/embed/
Method	GET
Parameter	
Attack	
Evidence	<form action="https://ipwija.ac.id/wp-comments-post.php" method="post" id="commentform" class="comment-form" novalidate>
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "author" "comment_parent" "comment_post_ID" "email" "g-recaptcha-response" "submit" "url"].
URL	https://ipwija.ac.id/events/workshop-digitalisasi-umkm-langkah-mudah-menuju-pemasaran-online/
Method	GET
Parameter	
Attack	
Evidence	<form action="https://ipwija.ac.id/wp-comments-post.php" method="post" id="commentform" class="comment-form" novalidate>
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "author" "comment_parent" "comment_post_ID" "email" "g-recaptcha-response" "submit" "url"].
URL	https://ipwija.ac.id/events/workshop-digitalisasi-umkm-langkah-mudah-menuju-pemasaran-online/embed/
Method	GET
Parameter	

Attack	
Evidence	<form action="https://ipwija.ac.id/wp-comments-post.php" method="post" id="commentform" class="comment-form" novalidate>
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "author" "comment_parent" "comment_post_ID" "email" "g-recaptcha-response" "submit" "url"].
URL	https://ipwija.ac.id/faqs/
Method	GET
Parameter	
Attack	
Evidence	<form action="/faqs/#wpcf7-f16730-p91-o1" method="post" class="wpcf7-form init" aria-label="Contact form" novalidate="novalidate" data-status="init">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: " " _wpcf7 " " _wpcf7_container_post " " _wpcf7_locale " " _wpcf7_posted_data_hash " " _wpcf7_unit_tag " " _wpcf7_version " "your-email" "your-name" "your-subject"].
URL	https://ipwija.ac.id/info-webinar-vjf-kg-baru/
Method	GET
Parameter	
Attack	
Evidence	<form action="https://ipwija.ac.id/wp-comments-post.php" method="post" id="commentform" class="comment-form" novalidate>
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "author" "comment_parent" "comment_post_ID" "email" "g-recaptcha-response" "submit" "url"].
URL	https://pmb.ipwija.ac.id/
Method	GET
Parameter	
Attack	
Evidence	<form id="form_filter" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "act"].
URL	https://pmb.ipwija.ac.id/?lang=en
Method	GET
Parameter	
Attack	
Evidence	<form id="form_filter" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "act"].
URL	https://pmb.ipwija.ac.id/?lang=id
Method	GET
Parameter	
Attack	
Evidence	<form id="form_filter" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "act"].
URL	https://pmb.ipwija.ac.id/home
Method	GET
Parameter	
Attack	
Evidence	<form id="form_filter" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "act"].
URL	https://pmb.ipwija.ac.id/home?lang=en
Method	GET
Parameter	
Attack	
Evidence	<form id="form_filter" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "act"].
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	
Attack	

Evidence	<form method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 10: ""].
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	
Attack	
Evidence	<form method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: ""].
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	
Attack	
Evidence	<form method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 2: "act" "kampus" "key" "key_unit"].
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	
Attack	
Evidence	<form method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 3: "act" "kampus" "key" "key_unit"].
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	
Attack	
Evidence	<form method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 4: "act" "kampus" "key" "key_unit"].
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	
Attack	
Evidence	<form method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 5: "act" "kampus" "key" "key_unit"].
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	
Attack	
Evidence	<form method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 6: "act" "kampus" "key" "key_unit"].
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	
Attack	
Evidence	<form method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 7: "act" "kampus" "key" "key_unit"].
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	
Attack	
Evidence	<form method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 8: "act" "kampus" "key" "key_unit"].
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	
Attack	
Evidence	<form method="post">

Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token]][key], _wpnonce] was found in the following HTML form: [Form 9: "act"].
URL	https://pmb.ipwija.ac.id/jalur-seleksi?lang=en
Method	GET
Parameter	
Attack	
Evidence	<form method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token]][key], _wpnonce] was found in the following HTML form: [Form 1: ""].
URL	https://pmb.ipwija.ac.id/jalur-seleksi?lang=en
Method	GET
Parameter	
Attack	
Evidence	<form method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token]][key], _wpnonce] was found in the following HTML form: [Form 2: "act" "kampus" "key" "key_unit"].
URL	https://pmb.ipwija.ac.id/jalur-seleksi?lang=en
Method	GET
Parameter	
Attack	
Evidence	<form method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token]][key], _wpnonce] was found in the following HTML form: [Form 3: "act"].
URL	https://pmb.ipwija.ac.id/jalur-seleksi?lang=en
Method	GET
Parameter	
Attack	
Evidence	<form method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token]][key], _wpnonce] was found in the following HTML form: [Form 4: ""].
URL	https://pmb.ipwija.ac.id/jalur-seleksi?lang=id
Method	GET
Parameter	
Attack	
Evidence	<form method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token]][key], _wpnonce] was found in the following HTML form: [Form 1: ""].
URL	https://pmb.ipwija.ac.id/jalur-seleksi?lang=id
Method	GET
Parameter	
Attack	
Evidence	<form method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token]][key], _wpnonce] was found in the following HTML form: [Form 2: "act" "kampus" "key" "key_unit"].
URL	https://pmb.ipwija.ac.id/jalur-seleksi?lang=id
Method	GET
Parameter	
Attack	
Evidence	<form method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token]][key], _wpnonce] was found in the following HTML form: [Form 3: "act"].
URL	https://pmb.ipwija.ac.id/jalur-seleksi?lang=id
Method	GET
Parameter	
Attack	
Evidence	<form method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token]][key], _wpnonce] was found in the following HTML form: [Form 4: ""].
URL	https://pmb.ipwija.ac.id/lupa-id-pjn
Method	GET
Parameter	
Attack	
Evidence	<form method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token]][key], _wpnonce] was found in the following HTML form: [Form 1: "act" "email"].

URL	https://pmb.ipwija.ac.id/pengumuman
Method	GET
Parameter	
Attack	
Evidence	<form name="pageform" id="pageform" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "act" "page"].
URL	https://pmb.ipwija.ac.id/pengumuman?lang=en
Method	GET
Parameter	
Attack	
Evidence	<form name="pageform" id="pageform" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "act" "page"].
URL	https://pmb.ipwija.ac.id/pengumuman?lang=id
Method	GET
Parameter	
Attack	
Evidence	<form name="pageform" id="pageform" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "act" "page"].
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/15401
Method	GET
Parameter	
Attack	
Evidence	<form action="/jalur-seleksi" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "act" "key" "prodipilihan"].
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/15401
Method	GET
Parameter	
Attack	
Evidence	<form action="/jalur-seleksi" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 2: "act" "key" "prodipilihan"].
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/15401
Method	GET
Parameter	
Attack	
Evidence	<form action="/jalur-seleksi" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 3: "act" "key" "prodipilihan"].
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/15401?lang=en
Method	GET
Parameter	
Attack	
Evidence	<form action="/jalur-seleksi" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "act" "key" "prodipilihan"].
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/15401?lang=en
Method	GET
Parameter	
Attack	
Evidence	<form action="/jalur-seleksi" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 2: "act" "key" "prodipilihan"].
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/15401?lang=en
Method	GET
Parameter	
Attack	
Evidence	<form action="/jalur-seleksi" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 3: "act" "key" "prodipilihan"].
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/15401?lang=id

Method	GET
Parameter	
Attack	
Evidence	<form action="/jalur-seleksi" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "act" "key" "prodipilihan"].
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/15401?lang=id
Method	GET
Parameter	
Attack	
Evidence	<form action="/jalur-seleksi" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 2: "act" "key" "prodipilihan"].
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/15401?lang=id
Method	GET
Parameter	
Attack	
Evidence	<form action="/jalur-seleksi" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 3: "act" "key" "prodipilihan"].
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/61101
Method	GET
Parameter	
Attack	
Evidence	<form action="/jalur-seleksi" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "act" "key" "prodipilihan"].
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/61101
Method	GET
Parameter	
Attack	
Evidence	<form action="/jalur-seleksi" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 2: "act" "key" "prodipilihan"].
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/61101
Method	GET
Parameter	
Attack	
Evidence	<form action="/jalur-seleksi" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 3: "act" "key" "prodipilihan"].
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/61101
Method	GET
Parameter	
Attack	
Evidence	<form action="/jalur-seleksi" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 4: "act" "key" "prodipilihan"].
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/61101?lang=en
Method	GET
Parameter	
Attack	
Evidence	<form action="/jalur-seleksi" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "act" "key" "prodipilihan"].
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/61101?lang=en
Method	GET
Parameter	
Attack	
Evidence	<form action="/jalur-seleksi" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 2: "act" "key" "prodipilihan"].
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/61101?lang=en
Method	GET

Parameter	
Attack	
Evidence	<form action="/jalur-seleksi" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 3: "act" "key" "prodipilihan"].
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/61101?lang=en
Method	GET
Parameter	
Attack	
Evidence	<form action="/jalur-seleksi" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 4: "act" "key" "prodipilihan"].
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/61101?lang=id
Method	GET
Parameter	
Attack	
Evidence	<form action="/jalur-seleksi" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "act" "key" "prodipilihan"].
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/61101?lang=id
Method	GET
Parameter	
Attack	
Evidence	<form action="/jalur-seleksi" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 2: "act" "key" "prodipilihan"].
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/61101?lang=id
Method	GET
Parameter	
Attack	
Evidence	<form action="/jalur-seleksi" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 3: "act" "key" "prodipilihan"].
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/61101?lang=id
Method	GET
Parameter	
Attack	
Evidence	<form action="/jalur-seleksi" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 4: "act" "key" "prodipilihan"].
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/61201
Method	GET
Parameter	
Attack	
Evidence	<form action="/jalur-seleksi" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "act" "key" "prodipilihan"].
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/61201
Method	GET
Parameter	
Attack	
Evidence	<form action="/jalur-seleksi" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 2: "act" "key" "prodipilihan"].
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/61201
Method	GET
Parameter	
Attack	
Evidence	<form action="/jalur-seleksi" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 3: "act" "key" "prodipilihan"].
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/61201?lang=en
Method	GET
Parameter	

Attack	
Evidence	<form action="/jalur-seleksi" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "act" "key" "prodipilihan"].
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/61201?lang=en
Method	GET
Parameter	
Attack	
Evidence	<form action="/jalur-seleksi" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 2: "act" "key" "prodipilihan"].
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/61201?lang=en
Method	GET
Parameter	
Attack	
Evidence	<form action="/jalur-seleksi" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 3: "act" "key" "prodipilihan"].
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/61201?lang=id
Method	GET
Parameter	
Attack	
Evidence	<form action="/jalur-seleksi" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "act" "key" "prodipilihan"].
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/61201?lang=id
Method	GET
Parameter	
Attack	
Evidence	<form action="/jalur-seleksi" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 2: "act" "key" "prodipilihan"].
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/61201?lang=id
Method	GET
Parameter	
Attack	
Evidence	<form action="/jalur-seleksi" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 3: "act" "key" "prodipilihan"].
URL	http://repository.ipwija.ac.id/cgi/register
Method	POST
Parameter	
Attack	
Evidence	<form method="post" accept-charset="utf-8" action="/cgi/register" enctype="multipart/form-data">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 2: " _action_register" " _default_action" "c1_name_family" "c1_name_given" "c1_name_honourific" "c1_newemail" "c1_newpassword" "c1_username" "screen"].
URL	https://ipwija.ac.id/contact/
Method	POST
Parameter	
Attack	
Evidence	<form action="/contact/#wpcf7-f16730-p87-o1" method="post" class="wpcf7-form sent" aria-label="Contact form" novalidate="novalidate" data-status="sent">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: " _wpcf7" " _wpcf7_container_post" " _wpcf7_locale" " _wpcf7_posted_data_hash" " _wpcf7_unit_tag" " _wpcf7_version" "your-email" "your-name" "your-subject"].
URL	https://ipwija.ac.id/faqs/
Method	POST
Parameter	
Attack	
Evidence	<form action="/faqs/#wpcf7-f16730-p91-o1" method="post" class="wpcf7-form sent" aria-label="Contact form" novalidate="novalidate" data-status="sent">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: " _wpcf7" " _wpcf7_container_post" " _wpcf7_locale" " _wpcf7_posted_data_hash" " _wpcf7_unit_tag" " _wpcf7_version" "your-email" "your-name" "your-subject"].
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	POST
Parameter	
Attack	

Evidence	<form method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token]][key], _wpnonce] was found in the following HTML form: [Form 10: ""].
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	POST
Parameter	
Attack	
Evidence	<form method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token]][key], _wpnonce] was found in the following HTML form: [Form 1: ""].
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	POST
Parameter	
Attack	
Evidence	<form method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token]][key], _wpnonce] was found in the following HTML form: [Form 2: "act" "kampus" "key" "key_unit"].
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	POST
Parameter	
Attack	
Evidence	<form method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token]][key], _wpnonce] was found in the following HTML form: [Form 3: "act" "kampus" "key" "key_unit"].
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	POST
Parameter	
Attack	
Evidence	<form method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token]][key], _wpnonce] was found in the following HTML form: [Form 3: "act"].
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	POST
Parameter	
Attack	
Evidence	<form method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token]][key], _wpnonce] was found in the following HTML form: [Form 4: ""].
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	POST
Parameter	
Attack	
Evidence	<form method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token]][key], _wpnonce] was found in the following HTML form: [Form 4: "act" "kampus" "key" "key_unit"].
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	POST
Parameter	
Attack	
Evidence	<form method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token]][key], _wpnonce] was found in the following HTML form: [Form 5: "act" "kampus" "key" "key_unit"].
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	POST
Parameter	
Attack	
Evidence	<form method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token]][key], _wpnonce] was found in the following HTML form: [Form 6: "act" "kampus" "key" "key_unit"].
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	POST
Parameter	
Attack	
Evidence	<form method="post">

Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 7: "act" "kampus" "key" "key_unit"].
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	POST
Parameter	
Attack	
Evidence	<form method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 8: "act" "kampus" "key" "key_unit"].
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	POST
Parameter	
Attack	
Evidence	<form method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 9: "act"].
URL	https://pmb.ipwija.ac.id/pengumuman
Method	POST
Parameter	
Attack	
Evidence	<form name="pageform" id="pageform" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken, data[_Token][key], _wpnonce] was found in the following HTML form: [Form 1: "act" "page"].
Instances	96
Solution	Phase: Architecture and Design
	Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid.
	For example, use anti-CSRF packages such as the OWASP CSRFGuard.
	Phase: Implementation
	Ensure that your application is free of cross-site scripting issues, because most CSRF defenses can be bypassed using attacker-controlled script.
	Phase: Architecture and Design
	Generate a unique nonce for each form, place the nonce into the form, and verify the nonce upon receipt of the form. Be sure that the nonce is not predictable (CWE-330).
	Note that this can be bypassed using XSS.
	Identify especially dangerous operations. When the user performs a dangerous operation, send a separate confirmation request to ensure that the user intended to perform that operation.
	Note that this can be bypassed using XSS.
	Use the ESAPI Session Management control.
	This control includes a component for CSRF.
	Do not use the GET method for any request that triggers a state change.
	Phase: Implementation
	Check the HTTP Referer header to see if the request originated from an expected page. This could break legitimate functionality, because users or proxies may have disabled sending the Referer for privacy reasons.
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Cross-Site_Request_Forgery_Prevention_Cheat_Sheet.html https://cwe.mitre.org/data/definitions/352.html
CWE Id	352
WASC Id	9
Plugin Id	10202
Medium	CSP: Failure to Define Directive with No Fallback
Description	The Content Security Policy fails to define one of the directives that has no fallback. Missing/excluding them is the same as allowing anything.
URL	https://ipwija.ac.id/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
Request Header	GET https://ipwija.ac.id/ HTTP/1.1 host: ipwija.ac.id user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Safari/537.36 pragma: no-cache cache-control: no-cache
Request Body	
Response Header	HTTP/1.1 200 OK Date: Tue, 18 Nov 2025 01:39:47 GMT

	Content-Type: text/html; charset=UTF-8 Connection: keep-alive Vary: Accept-Encoding X-Powered-By: PHP/8.2.28 Link: <https://ipwija.ac.id/wp-json/>; rel="https://api.w.org/" Link: <https://ipwija.ac.id/wp-json/wp/v2/pages/15509>; rel="alternate"; title="JSON"; type="application/json" Link: <https://ipwija.ac.id/>; rel=shortlink Etag: W/"99-1762975106;gz" X-LiteSpeed-Cache: hit platform: hostinger panel: hpanel Content-Security-Policy: upgrade-insecure-requests Age: 748 Server: hcdn alt-svc: h3=":443"; ma=86400 x-hcdn-request-id: 67567de4d7e13da7d211d4f7a7702a92-bos-edge3 x-hcdn-cache-status: HIT content-length: 415329
Response Body (truncated)	<!DOCTYPE html> <html itemscope itemtype="http://schema.org/WebPage" lang="en-US"> <head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1"> <link rel="profile" href="http://gmpg.org/xfn/11"> <link rel="pingback" href="https://ipwija.ac.id/xmlrpc.php"> <title>Universitas IPWIJA – Universitas IPWIJA</title> <style> #wpadminbar #wp-admin-bar-wsm_free_top_button .ab-icon:before { content: "\f239"; color: #FF9800; top: 3px; } </style><meta name=...(truncated)
URL	https://ipwija.ac.id/3d-flip-book/20461/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	https://ipwija.ac.id/3d-flip-book/buku-panduan-perpustakaan/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	https://ipwija.ac.id/3d-flip-book/sk-unit-pengelola-ppks-universitas-ipwija/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	https://ipwija.ac.id/?thim_elementor_kit=footer
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	https://ipwija.ac.id/?thim_elementor_kit=footer-new
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	https://ipwija.ac.id/?thim_elementor_kit=menu-right-university
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	https://ipwija.ac.id/?thim_elementor_kit=topbar-university
Method	GET
Parameter	Content-Security-Policy

Attack	
Evidence	upgrade-insecure-requests
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	https://ipwija.ac.id/category/berita-kampus/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	https://ipwija.ac.id/category/berita-pusat-karir/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	https://ipwija.ac.id/category/karir-lowongan/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	https://ipwija.ac.id/category/kegiatan-mahasiswa/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	https://ipwija.ac.id/contact/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	https://ipwija.ac.id/events/applying-natural-laws-to-technology-and-society/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	https://ipwija.ac.id/events/elegant-light-box-paper-cut-dioramas-1/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	https://ipwija.ac.id/home/u329130267/domains/ipwija.ac.id/public_html/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	https://ipwija.ac.id/maintenance/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	https://ipwija.ac.id/portfolio/design-cover/
Method	GET
Parameter	Content-Security-Policy

Attack	
Evidence	upgrade-insecure-requests
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	https://ipwija.ac.id/portfolio/library/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	https://ipwija.ac.id/portfolio/reading-glasses/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	https://ipwija.ac.id/portfolio_category/books/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	https://ipwija.ac.id/portfolio_category/courses/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	https://ipwija.ac.id/portfolio_category/presentations/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	https://ipwija.ac.id/sitemap.xml
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	https://ipwija.ac.id/tp-event-category/acara/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	https://ipwija.ac.id/tp-event-category/kalender-akademik/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
Instances	26
Solution	Ensure that your web server, application server, load balancer, etc. is properly configured to set the Content-Security-Policy header.
Reference	https://www.w3.org/TR/CSP/ https://caniuse.com/#search=content+security+policy https://content-security-policy.com/ https://github.com/HtmlUnit/htmlunit-csp https://web.dev/articles/csp#resource-options
CWE Id	693
WASC Id	15
Plugin Id	10055
Medium	CSP: Wildcard Directive

Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks. Including (but not limited to) Cross Site Scripting (XSS), and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	https://ipwija.ac.id/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: script-src, style-src, img-src, connect-src, frame-src, font-src, media-src, object-src, manifest-src, worker-src
Request Header	GET https://ipwija.ac.id/ HTTP/1.1 host: ipwija.ac.id user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Safari/537.36 pragma: no-cache cache-control: no-cache
Request Body	
Response Header	HTTP/1.1 200 OK Date: Tue, 18 Nov 2025 01:39:47 GMT Content-Type: text/html; charset=UTF-8 Connection: keep-alive Vary: Accept-Encoding X-Powered-By: PHP/8.2.28 Link: <https://ipwija.ac.id/wp-json/>; rel="https://api.w.org/" Link: <https://ipwija.ac.id/wp-json/wp/v2/pages/15509>; rel="alternate"; title="JSON"; type="application/json" Link: <https://ipwija.ac.id/>; rel=shortlink Etag: W/"99-1762975106;gz" X-LiteSpeed-Cache: hit platform: hostinger panel: hpanel Content-Security-Policy: upgrade-insecure-requests Age: 748 Server: hcdn alt-svc: h3=":443"; ma=86400 x-hcdn-request-id: 67567de4d7e13da7d211d4f7a7702a92-bos-edge3 x-hcdn-cache-status: HIT content-length: 415329
Response Body (truncated)	<!DOCTYPE html> <html itemscope itemtype="http://schema.org/WebPage" lang="en-US"> <head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1"> <link rel="profile" href="http://gmpg.org/xfn/11"> <link rel="pingback" href="https://ipwija.ac.id/xmlrpc.php"> <title>Universitas IPWIJA – Universitas IPWIJA</title> <style> #wpadminbar #wp-admin-bar-wsm_free_top_button .ab-icon:before { content: "\f239"; color: #FF9800; top: 3px; } </style><meta name=...(truncated)
URL	https://ipwija.ac.id/3d-flip-book/20461/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: script-src, style-src, img-src, connect-src, frame-src, font-src, media-src, object-src, manifest-src, worker-src
URL	https://ipwija.ac.id/3d-flip-book/buku-panduan-perpustakaan/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: script-src, style-src, img-src, connect-src, frame-src, font-src, media-src, object-src, manifest-src, worker-src
URL	https://ipwija.ac.id/3d-flip-book/sk-unit-pengelola-ppts-universitas-ipwija/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: script-src, style-src, img-src, connect-src, frame-src, font-src, media-src, object-src, manifest-src, worker-src
URL	https://ipwija.ac.id/?thim_elementor_kit=footer
Method	GET
Parameter	Content-Security-Policy
Attack	

Evidence	upgrade-insecure-requests
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: script-src, style-src, img-src, connect-src, frame-src, font-src, media-src, object-src, manifest-src, worker-src
URL	https://ipwija.ac.id/?thim_elementor_kit=footer-new
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: script-src, style-src, img-src, connect-src, frame-src, font-src, media-src, object-src, manifest-src, worker-src
URL	https://ipwija.ac.id/?thim_elementor_kit=menu-right-university
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: script-src, style-src, img-src, connect-src, frame-src, font-src, media-src, object-src, manifest-src, worker-src
URL	https://ipwija.ac.id/?thim_elementor_kit=topbar-university
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: script-src, style-src, img-src, connect-src, frame-src, font-src, media-src, object-src, manifest-src, worker-src
URL	https://ipwija.ac.id/category/berita-kampus/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: script-src, style-src, img-src, connect-src, frame-src, font-src, media-src, object-src, manifest-src, worker-src
URL	https://ipwija.ac.id/category/berita-pusat-karir/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: script-src, style-src, img-src, connect-src, frame-src, font-src, media-src, object-src, manifest-src, worker-src
URL	https://ipwija.ac.id/category/karir-lowongan/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: script-src, style-src, img-src, connect-src, frame-src, font-src, media-src, object-src, manifest-src, worker-src
URL	https://ipwija.ac.id/category/kegiatan-mahasiswa/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: script-src, style-src, img-src, connect-src, frame-src, font-src, media-src, object-src, manifest-src, worker-src
URL	https://ipwija.ac.id/contact/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: script-src, style-src, img-src, connect-src, frame-src, font-src, media-src, object-src, manifest-src, worker-src
URL	https://ipwija.ac.id/events/applying-natural-laws-to-technology-and-society/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: script-src, style-src, img-src, connect-src, frame-src, font-src, media-src, object-src, manifest-src, worker-src
URL	https://ipwija.ac.id/events/elegant-light-box-paper-cut-dioramas-1/
Method	GET
Parameter	Content-Security-Policy
Attack	

Evidence	upgrade-insecure-requests
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: script-src, style-src, img-src, connect-src, frame-src, font-src, media-src, object-src, manifest-src, worker-src
URL	https://ipwija.ac.id/home/u329130267/domains/ipwija.ac.id/public_html/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: script-src, style-src, img-src, connect-src, frame-src, font-src, media-src, object-src, manifest-src, worker-src
URL	https://ipwija.ac.id/maintenance/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: script-src, style-src, img-src, connect-src, frame-src, font-src, media-src, object-src, manifest-src, worker-src
URL	https://ipwija.ac.id/portfolio/design-cover/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: script-src, style-src, img-src, connect-src, frame-src, font-src, media-src, object-src, manifest-src, worker-src
URL	https://ipwija.ac.id/portfolio/library/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: script-src, style-src, img-src, connect-src, frame-src, font-src, media-src, object-src, manifest-src, worker-src
URL	https://ipwija.ac.id/portfolio/reading-glasses/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: script-src, style-src, img-src, connect-src, frame-src, font-src, media-src, object-src, manifest-src, worker-src
URL	https://ipwija.ac.id/portfolio_category/books/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: script-src, style-src, img-src, connect-src, frame-src, font-src, media-src, object-src, manifest-src, worker-src
URL	https://ipwija.ac.id/portfolio_category/courses/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: script-src, style-src, img-src, connect-src, frame-src, font-src, media-src, object-src, manifest-src, worker-src
URL	https://ipwija.ac.id/portfolio_category/presentations/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: script-src, style-src, img-src, connect-src, frame-src, font-src, media-src, object-src, manifest-src, worker-src
URL	https://ipwija.ac.id/sitemap.xml
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: script-src, style-src, img-src, connect-src, frame-src, font-src, media-src, object-src, manifest-src, worker-src
URL	https://ipwija.ac.id/tp-event-category/acara/
Method	GET
Parameter	Content-Security-Policy
Attack	

Evidence	upgrade-insecure-requests
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: script-src, style-src, img-src, connect-src, frame-src, font-src, media-src, object-src, manifest-src, worker-src
URL	https://ipwija.ac.id/tp-event-category/kalender-akademik/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: script-src, style-src, img-src, connect-src, frame-src, font-src, media-src, object-src, manifest-src, worker-src
Instances	26
Solution	Ensure that your web server, application server, load balancer, etc. is properly configured to set the Content-Security-Policy header.
Reference	https://www.w3.org/TR/CSP/ https://caniuse.com/#search=content+security+policy https://content-security-policy.com/ https://github.com/HtmlUnit/htmlunit-csp https://web.dev/articles/csp#resource-options
CWE Id	693
WASC Id	15
Plugin Id	10055
Medium	CSP: script-src unsafe-inline
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks. Including (but not limited to) Cross Site Scripting (XSS), and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	https://ipwija.ac.id/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	script-src includes unsafe-inline.
Request Header	GET https://ipwija.ac.id/ HTTP/1.1 host: ipwija.ac.id user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Safari/537.36 pragma: no-cache cache-control: no-cache
Request Body	
Response Header	HTTP/1.1 200 OK Date: Tue, 18 Nov 2025 01:39:47 GMT Content-Type: text/html; charset=UTF-8 Connection: keep-alive Vary: Accept-Encoding X-Powered-By: PHP/8.2.28 Link: <https://ipwija.ac.id/wp-json/>; rel="https://api.w.org/" Link: <https://ipwija.ac.id/wp-json/wp/v2/pages/15509>; rel="alternate"; title="JSON"; type="application/json" Link: <https://ipwija.ac.id/>; rel=shortlink Etag: W/"99-1762975106;gz" X-LiteSpeed-Cache: hit platform: hostinger panel: hpanel Content-Security-Policy: upgrade-insecure-requests Age: 748 Server: hcdn alt-svc: h3=":443"; ma=86400 x-hcdn-request-id: 67567de4d7e13da7d211d4f7a7702a92-bos-edge3 x-hcdn-cache-status: HIT content-length: 415329
Response Body (truncated)	<!DOCTYPE html> <html itemscope itemtype="http://schema.org/WebPage" lang="en-US"> <head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1"> <link rel="profile" href="http://gmpg.org/xfn/11"> <link rel="pingback" href="https://ipwija.ac.id/xmlrpc.php"> <title>Universitas IPWIJA – Universitas IPWIJA</title> <style> #wpadminbar #wp-admin-bar-wsm_free_top_button .ab-icon:before { content: "\f239"; color: #FF9800; top: 3px; } </style><meta name=...(truncated)
URL	https://ipwija.ac.id/3d-flip-book/20461/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests

Other Info	script-src includes unsafe-inline.
URL	https://ipwija.ac.id/3d-flip-book/buku-panduan-perpustakaan/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	script-src includes unsafe-inline.
URL	https://ipwija.ac.id/3d-flip-book/sk-unit-pengelola-ppks-universitas-ipwija/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	script-src includes unsafe-inline.
URL	https://ipwija.ac.id/?thim_elementor_kit=footer
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	script-src includes unsafe-inline.
URL	https://ipwija.ac.id/?thim_elementor_kit=footer-new
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	script-src includes unsafe-inline.
URL	https://ipwija.ac.id/?thim_elementor_kit=menu-right-university
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	script-src includes unsafe-inline.
URL	https://ipwija.ac.id/?thim_elementor_kit=topbar-university
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	script-src includes unsafe-inline.
URL	https://ipwija.ac.id/category/berita-kampus/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	script-src includes unsafe-inline.
URL	https://ipwija.ac.id/category/berita-pusat-karir/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	script-src includes unsafe-inline.
URL	https://ipwija.ac.id/category/karir-lowongan/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	script-src includes unsafe-inline.
URL	https://ipwija.ac.id/category/kegiatan-mahasiswa/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests

Other Info	script-src includes unsafe-inline.
URL	https://ipwija.ac.id/contact/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	script-src includes unsafe-inline.
URL	https://ipwija.ac.id/events/applying-natural-laws-to-technology-and-society/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	script-src includes unsafe-inline.
URL	https://ipwija.ac.id/events/elegant-light-box-paper-cut-dioramas-1/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	script-src includes unsafe-inline.
URL	https://ipwija.ac.id/home/u329130267/domains/ipwija.ac.id/public_html/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	script-src includes unsafe-inline.
URL	https://ipwija.ac.id/maintenance/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	script-src includes unsafe-inline.
URL	https://ipwija.ac.id/portfolio/design-cover/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	script-src includes unsafe-inline.
URL	https://ipwija.ac.id/portfolio/library/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	script-src includes unsafe-inline.
URL	https://ipwija.ac.id/portfolio/reading-glasses/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	script-src includes unsafe-inline.
URL	https://ipwija.ac.id/portfolio_category/books/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	script-src includes unsafe-inline.
URL	https://ipwija.ac.id/portfolio_category/courses/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests

Other Info	script-src includes unsafe-inline.
URL	https://ipwija.ac.id/portfolio_category/presentations/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	script-src includes unsafe-inline.
URL	https://ipwija.ac.id/sitemap.xml
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	script-src includes unsafe-inline.
URL	https://ipwija.ac.id/tp-event-category/acara/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	script-src includes unsafe-inline.
URL	https://ipwija.ac.id/tp-event-category/kalender-akademik/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	script-src includes unsafe-inline.
Instances	26
Solution	Ensure that your web server, application server, load balancer, etc. is properly configured to set the Content-Security-Policy header.
Reference	https://www.w3.org/TR/CSP/ https://caniuse.com/#search=content+security+policy https://content-security-policy.com/ https://github.com/HtmlUnit/htmlunit-csp https://web.dev/articles/csp#resource-options
CWE Id	693
WASC Id	15
Plugin Id	10055
Medium	CSP: style-src unsafe-inline
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks. Including (but not limited to) Cross Site Scripting (XSS), and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	https://ipwija.ac.id/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	style-src includes unsafe-inline.
Request Header	GET https://ipwija.ac.id/ HTTP/1.1 host: ipwija.ac.id user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Safari/537.36 pragma: no-cache cache-control: no-cache
Request Body	
Response Header	HTTP/1.1 200 OK Date: Tue, 18 Nov 2025 01:39:47 GMT Content-Type: text/html; charset=UTF-8 Connection: keep-alive Vary: Accept-Encoding X-Powered-By: PHP/8.2.28 Link: <https://ipwija.ac.id/wp-json/>; rel="https://api.w.org/" Link: <https://ipwija.ac.id/wp-json/wp/v2/pages/15509>; rel="alternate"; title="JSON"; type="application/json" Link: <https://ipwija.ac.id/>; rel=shortlink Etag: W/"99-1762975106;gz" X-LiteSpeed-Cache: hit platform: hostinger panel: hpanel Content-Security-Policy: upgrade-insecure-requests Age: 748 Server: hcdn alt-svc: h3=":443"; ma=86400 x-hcdn-request-id: 67567de4d7e13da7d211d4f7a7702a92-bos-edge3

	x-hcdn-cache-status: HIT content-length: 415329
Response Body (truncated)	<!DOCTYPE html> <html itemscope itemtype="http://schema.org/WebPage" lang="en-US"> <head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1"> <link rel="profile" href="http://gmpg.org/xfn/11"> <link rel="pingback" href="https://ipwija.ac.id/xmlrpc.php"> <title>Universitas IPWIJA – Universitas IPWIJA</title> <style> #wpadminbar #wp-admin-bar-wsm_free_top_button .ab-icon:before { content: "\f239"; color: #FF9800; top: 3px; } </style><meta name=...(truncated)>
URL	https://ipwija.ac.id/3d-flip-book/20461/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	style-src includes unsafe-inline.
URL	https://ipwija.ac.id/3d-flip-book/buku-panduan-perpustakaan/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	style-src includes unsafe-inline.
URL	https://ipwija.ac.id/3d-flip-book/sk-unit-pengelola-ppts-universitas-ipwija/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	style-src includes unsafe-inline.
URL	https://ipwija.ac.id/?thim_elementor_kit=footer
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	style-src includes unsafe-inline.
URL	https://ipwija.ac.id/?thim_elementor_kit=footer-new
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	style-src includes unsafe-inline.
URL	https://ipwija.ac.id/?thim_elementor_kit=menu-right-university
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	style-src includes unsafe-inline.
URL	https://ipwija.ac.id/?thim_elementor_kit=topbar-university
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	style-src includes unsafe-inline.
URL	https://ipwija.ac.id/category/berita-kampus/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	style-src includes unsafe-inline.

URL	https://ipwija.ac.id/category/berita-pusat-karir/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	style-src includes unsafe-inline.
URL	https://ipwija.ac.id/category/karir-lowongan/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	style-src includes unsafe-inline.
URL	https://ipwija.ac.id/category/kegiatan-mahasiswa/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	style-src includes unsafe-inline.
URL	https://ipwija.ac.id/contact/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	style-src includes unsafe-inline.
URL	https://ipwija.ac.id/events/applying-natural-laws-to-technology-and-society/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	style-src includes unsafe-inline.
URL	https://ipwija.ac.id/events/elegant-light-box-paper-cut-dioramas-1/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	style-src includes unsafe-inline.
URL	https://ipwija.ac.id/home/u329130267/domains/ipwija.ac.id/public_html/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	style-src includes unsafe-inline.
URL	https://ipwija.ac.id/maintenance/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	style-src includes unsafe-inline.
URL	https://ipwija.ac.id/portfolio/design-cover/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	style-src includes unsafe-inline.
URL	https://ipwija.ac.id/portfolio/library/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	style-src includes unsafe-inline.

URL	https://ipwija.ac.id/portfolio/reading-glasses/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	style-src includes unsafe-inline.
URL	https://ipwija.ac.id/portfolio_category/books/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	style-src includes unsafe-inline.
URL	https://ipwija.ac.id/portfolio_category/courses/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	style-src includes unsafe-inline.
URL	https://ipwija.ac.id/portfolio_category/presentations/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	style-src includes unsafe-inline.
URL	https://ipwija.ac.id/sitemap.xml
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	style-src includes unsafe-inline.
URL	https://ipwija.ac.id/tp-event-category/acara/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	style-src includes unsafe-inline.
URL	https://ipwija.ac.id/tp-event-category/kalender-akademik/
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	upgrade-insecure-requests
Other Info	style-src includes unsafe-inline.
Instances	26
Solution	Ensure that your web server, application server, load balancer, etc. is properly configured to set the Content-Security-Policy header.
Reference	https://www.w3.org/TR/CSP/ https://caniuse.com/#search=content+security+policy https://content-security-policy.com/ https://github.com/HtmlUnit/htmlunit-csp https://web.dev/articles/csp#resource-options
CWE Id	693
WASC Id	15
Plugin Id	10055

Medium	Content Security Policy (CSP) Header Not Set
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	http://repository.ipwija.ac.id/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	

Request Header	GET http://repository.ipwija.ac.id/ HTTP/1.1 host: repository.ipwija.ac.id user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Safari/537.36 pragma: no-cache cache-control: no-cache referer: https://ipwija.ac.id/
Request Body	
Response Header	HTTP/1.1 200 OK Date: Tue, 18 Nov 2025 01:39:55 GMT Server: Apache/2.4.29 (Ubuntu) Expires: Thu, 18 Dec 2025 01:39:55 GMT Cache-Control: no-store, no-cache, must-revalidate Vary: Accept-Encoding Content-Type: text/html; charset=utf-8 content-length: 8178
Response Body (truncated)	<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> <html xmlns="http://www.w3.org/1999/xhtml"> <head> <meta http-equiv="X-UA-Compatible" content="IE=edge" /> <title>Welcome to UNIVERSITAS IPWIJA Repository - UNIVERSITAS IPWIJA REPOSITORY</title> <link rel="icon" href="/favicon.ico" type="image/x-icon" /> <link rel="shortcut icon" href="/favicon.ico" type="image/x-icon" /> <link rel="alternate" type="...(truncated)>
URL	http://repository.ipwija.ac.id/cgi/latest
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/cgi/register
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/cgi/search/advanced
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/cgi/users/home
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/eprints/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/id/contents
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/information.html
Method	GET
Parameter	
Attack	
Evidence	

Other Info	
URL	http://repository.ipwija.ac.id/policies.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/sword-app/servicedocument
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/creators/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/creators/index.B.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/creators/index.C.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/creators/index.F-G.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/creators/index.H.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/creators/index.K.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/creators/index.L.html
Method	GET
Parameter	
Attack	
Evidence	

Other Info	
URL	http://repository.ipwija.ac.id/view/divisions/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/divisions/divisions/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/divisions/fac=5Feng/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/divisions/fac=5Flaw/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/divisions/fac=5Fmed/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/divisions/sch=5Fart/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/divisions/sch=5Fecs/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/divisions/sch=5Fedu/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/divisions/sch=5Fman/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/divisions/sch=5Fmat/
Method	GET
Parameter	
Attack	
Evidence	

Other Info	
URL	http://repository.ipwija.ac.id/view/divisions/sch=5Fmed/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/divisions/sch=5Fsoc/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/A.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/AC.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/AI.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/AS.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/B.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/BF.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/H.html
Method	GET
Parameter	
Attack	
Evidence	

Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/HB.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/HC.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/HD.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/HD28.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/HD61.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/HG.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/HJ.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/HN.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/HV.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/L.html
Method	GET
Parameter	
Attack	
Evidence	

Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/LB.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/LB2361.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/Q.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/Q1.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/subjects.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/year/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/year/0031.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/year/1998.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/year/1999.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2001.html
Method	GET
Parameter	
Attack	
Evidence	

Other Info	
URL	http://repository.ipwija.ac.id/view/year/2004.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2005.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2006.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2008.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2009.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2010.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2011.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2012.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2013.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2014.html
Method	GET
Parameter	
Attack	
Evidence	

Other Info	
URL	http://repository.ipwija.ac.id/view/year/2015.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2016.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2017.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2018.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2019.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2020.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2021.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2022.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2023.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2024.html
Method	GET
Parameter	
Attack	
Evidence	

Other Info	
URL	http://repository.ipwija.ac.id/view/year/2025.html
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://afiliasi.ipwija.ac.id/assets/assetsHomePage/assets/img/logo-gia.png
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-content/uploads/2022/02/edu_black.png
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-content/uploads/2025/05/WhatsApp-Image-2025-05-07-at-08.38.46_71d38632-240x300.jpg
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-content/uploads/2025/05/WhatsApp-Image-2025-05-07-at-08.38.46_71d38632-600x750.jpg
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-content/uploads/2025/05/WhatsApp-Image-2025-05-07-at-08.38.46_71d38632-768x960.jpg
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-content/uploads/2025/05/WhatsApp-Image-2025-05-07-at-08.38.46_71d38632-819x1024.jpg
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-content/uploads/2025/05/WhatsApp-Image-2025-05-07-at-08.38.46_71d38632.jpg
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://pmb.ipwija.ac.id/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=en
Method	GET
Parameter	
Attack	
Evidence	

Other Info	
URL	https://pmb.ipwija.ac.id/?lang=id
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://pmb.ipwija.ac.id/detail-pengumuman/3/brosur-pmb-20252026
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://pmb.ipwija.ac.id/home
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://pmb.ipwija.ac.id/login
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://pmb.ipwija.ac.id/pengumuman
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://pmb.ipwija.ac.id/program-studi
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/15401
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/55201
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/57201
Method	GET
Parameter	
Attack	
Evidence	

Other Info	
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/59202
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/61101
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/61201
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/94202
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://pmb.ipwija.ac.id/user-guide
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
Instances	103
Solution	Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header.
Reference	https://developer.mozilla.org/en-US/docs/Web/HTTP/Guides/CSP https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html https://www.w3.org/TR/CSP/ https://w3c.github.io/webappsec-csp/ https://web.dev/articles/csp https://caniuse.com/#feat=contentsecuritypolicy https://content-security-policy.com/
CWE Id	693
WASC Id	15
Plugin Id	10038
Medium	Missing Anti-clickjacking Header
Description	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
URL	https://ipwija.ac.id/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
Request Header	GET https://ipwija.ac.id/ HTTP/1.1 host: ipwija.ac.id user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Safari/537.36 pragma: no-cache cache-control: no-cache
Request Body	
Response Header	HTTP/1.1 200 OK Date: Tue, 18 Nov 2025 01:39:47 GMT Content-Type: text/html; charset=UTF-8 Connection: keep-alive Vary: Accept-Encoding X-Powered-By: PHP/8.2.28 Link: <https://ipwija.ac.id/wp-json/>; rel="https://api.w.org/" Link: <https://ipwija.ac.id/wp-json/wp/v2/pages/15509>; rel="alternate"; title="JSON"; type="application/json" Link: <https://ipwija.ac.id/>; rel=shortlink

	Etag: W/"99-1762975106;gz" X-LiteSpeed-Cache: hit platform: hostinger panel: hpanel Content-Security-Policy: upgrade-insecure-requests Age: 748 Server: hcdn alt-svc: h3=":443"; ma=86400 x-hcdn-request-id: 67567de4d7e13da7d211d4f7a7702a92-bos-edge3 x-hcdn-cache-status: HIT content-length: 415329
Response Body (truncated)	<!DOCTYPE html> <html itemscope itemtype="http://schema.org/WebPage" lang="en-US"> <head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1"> <link rel="profile" href="http://gmpg.org/xfn/11"> <link rel="pingback" href="https://ipwija.ac.id/xmlrpc.php"> <title>Universitas IPWIJA – Universitas IPWIJA</title> <style> #wpadminbar #wp-admin-bar-wsm_free_top_button .ab-icon:before { content: "\f239"; color: #FF9800; top: 3px; } </style><meta name=...(truncated)
URL	https://ipwija.ac.id/3d-flip-book/20461/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/3d-flip-book/buku-panduan-perpustakaan/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/3d-flip-book/sk-unit-pengelola-ppks-universitas-ipwija/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/?thim_elementor_kit=footer
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/?thim_elementor_kit=footer-new
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/?thim_elementor_kit=menu-right-university
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/?thim_elementor_kit=rpl
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	

URL	https://ipwija.ac.id/?thim_elementor_kit=topbar-university
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/about-us/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/about/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/academics-detail/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/academics/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/account/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/admission/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/aktivitas/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/alumni/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/apa-kabar-ipwija/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	

URL	https://ipwija.ac.id/arsip/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/become-a-teacher/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/berita/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/biaya-kuliah-universitas-ipwija/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/campus-life/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/category/berita-kampus/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/category/berita-pusat-karir/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/category/karir-lowongan/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/category/kegiatan-mahasiswa/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/community/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	

URL	https://ipwija.ac.id/contact/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/applying-natural-laws-to-technology-and-society/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/daftar-ulang-pengisian-krs-penggantian-mata-kuliah-pada-krs/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/elegant-light-box-paper-cut-dioramas-1/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/menyiapkan-sdm-unggul-menyongsong-indonesia-emas-tahun-2045/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/pengisian-krs-genap-2025-2026/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/pengumuman-khs-semester-ganjil/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/pentas-seni-universitas-ipwija-youthfull-rhapsody-2025/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/perkuliahan-semester-ganjil-2025-2026/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/tiba-tiba-bazaar-vol-3/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	

URL	https://ipwija.ac.id/events/uji-kompetensi-lsp/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/ujian-akhir-semester-ganjil-uas/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/ujian-akhir-semester-genap/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/ujian-tengah-semester-ganjil/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/ujian-tengah-semester-genap/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/wisuda/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/workshop-digitalisasi-umkm-langkah-mudah-menuju-pemasaran-online/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/yudisium/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/faculty-detail/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/faculty/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	

URL	https://ipwija.ac.id/faqs/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/fasilitas/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/gallery/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/hubungi-kami/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/informasi-beasiswa/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/informasi-tes-seleksi/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/kabar-terbaru/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/kebijakan-dan-pengumuman/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/kemahasiswaan/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/keseharian-di-kampus/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	

URL	https://ipwija.ac.id/klinik/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/ip-become-a-teacher/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/magister-manajemen/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/maintenance/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/major-program/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/mengapa-ipwija/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/my-calendar/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/pendaftaran-mahasiswa-baru/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/pendaftaran/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/pengumuman-penerimaan/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	

URL	https://ipwija.ac.id/portfolio-masonry-2/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio-masonry/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/about-soft-skills/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/design-cover/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/electronic-book/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/fighting/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/home-work/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/keeping-smile/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/library/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/opened-book/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	

URL	https://ipwija.ac.id/portfolio/reading-book/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/reading-glasses/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/startup-team/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/up-your-skill/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio_category/books/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio_category/courses/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio_category/presentations/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/program-studi-informatika/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/program-studi-kebidanan/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/program-studi-kewirausahaan/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	

URL	https://ipwija.ac.id/program-studi-rekayasa-perangkat-lunak/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/program-studi-sarajana-manajemen/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/program-studi-sistem-informasi/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/pusat-karir/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/pusat-teknologi-informasi/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/research/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/sekilas-ipwija/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/simulasi-rapor/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/sorotan/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/tanggal-penting-pendaftaran/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	

URL	https://ipwija.ac.id/tanggal-penting/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/tentang-universitas-ipwija/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/tp-event-category/acara/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/tp-event-category/kalender-akademik/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/video/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
Instances	103
Solution	Modern Web browsers support the Content-Security-Policy and X-Frame-Options HTTP headers. Ensure one of them is set on all web pages returned by your site/app. If you expect the page to be framed only by pages on your server (e.g. it's part of a FRAMESET) then you'll want to use SAMEORIGIN, otherwise if you never expect the page to be framed, you should use DENY. Alternatively consider implementing Content Security Policy's "frame-ancestors" directive.
Reference	https://developer.mozilla.org/en-US/docs/Web/HTTP/Reference/Headers/X-Frame-Options
CWE Id	1021
WASC Id	15
Plugin Id	10020

Medium	Vulnerable JS Library
Description	The identified library appears to be vulnerable.
URL	https://ipwija.ac.id/wp-content/themes/eduma/assets/js/main.min.js?ver=5.6.6
Method	GET
Parameter	
Attack	
Evidence	* Bootstrap v3.2.0
Other Info	The identified library bootstrap, version 3.2.0 is vulnerable. CVE-2018-14041 CVE-2019-8331 CVE-2018-20677 CVE-2018-20676 CVE-2018-14042 CVE-2016-10735 CVE-2024-6485 https://nvd.nist.gov/vuln/detail/CVE-2024-6485 https://github.com/twbs/bootstrap/issues/28236 https://www.herodevs.com/vulnerability-directory/cve-2024-6485 https://github.com/advisories/GHSA-pj7m-g53m-7638 https://github.com/twbs/bootstrap/issues/20184 https://github.com/advisories/GHSA-vxmc-5x29-h64v https://github.com/advisories/GHSA-ph58-4vrj-w6hr https://github.com/twbs/bootstrap https://github.com/twbs/bootstrap/issues/20631 https://github.com/advisories/GHSA-4p24-vmcr-4gcj https://github.com/advisories/GHSA-9v3m-8fp8-mj99 https://nvd.nist.gov/vuln/detail/CVE-2018-20676
Request Header	GET https://ipwija.ac.id/wp-content/themes/eduma/assets/js/main.min.js?ver=5.6.6 HTTP/1.1 host: ipwija.ac.id user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Safari/537.36 pragma: no-cache cache-control: no-cache referrer: https://ipwija.ac.id/category/kegiatan-mahasiswa/
Request Body	
Response Header	HTTP/1.1 200 OK Date: Tue, 18 Nov 2025 01:39:58 GMT Content-Type: application/x-javascript Connection: keep-alive Vary: Accept-Encoding Cache-Control: public, max-age=604800 Expires: Tue, 25 Nov 2025 01:36:14 GMT Last-Modified: Fri, 14 Mar 2025 15:38:09 GMT Etag: W/"13a3a-67d44d61-c4223ab12e0473e8;gz" platform: hostinger

	panel: hpanel Content-Security-Policy: upgrade-insecure-requests Age: 224 Server: hcdn alt-svc: h3=":443"; ma=86400 x-hcdn-request-id: 669756ffe7266412a0fb26106bd212b7-bos-edge1 x-hcdn-cache-status: HIT content-length: 80442
Response Body (excerpt)	<pre>/* CONTENT: - bootstrap from thimframework - Owl carousel - jQuery Cookie - theia-sticky-sidebar */ /** * Bootstrap v3.2.0 (http://getbootstrap.com) - Copy from thim-framework * Copyright 2011-2014 Twitter, Inc. * Licensed under MIT (https://github.com/twbs/bootstrap/blob/master/LICENSE) */ if("undefined"==typeof jQuery)throw new Error("Bootstrap's JavaScript require</pre>
Instances	1
Solution	Upgrade to the latest version of the affected library.
Reference	https://owasp.org/Top10/A06_2021-Vulnerable_and_Outdated_Components/
CWE Id	1395
WASC Id	
Plugin Id	10003
Medium	Weak Authentication Method
Description	HTTP basic or digest authentication has been used over an unsecured connection. The credentials can be read and then reused by someone with access to the network.
URL	http://repository.ipwija.ac.id/cgi/users/home
Method	GET
Parameter	
Attack	
Evidence	www-authenticate: Basic realm="UNIVERSITAS IPWIJA REPOSITORY"
Other Info	
Request Header	GET http://repository.ipwija.ac.id/cgi/users/home HTTP/1.1 host: repository.ipwija.ac.id user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Safari/537.36 pragma: no-cache cache-control: no-cache referer: http://repository.ipwija.ac.id/
Request Body	
Response Header	HTTP/1.1 401 Unauthorized Date: Tue, 18 Nov 2025 01:41:09 GMT Server: Apache/2.4.29 (Ubuntu) WWW-Authenticate: Basic realm="UNIVERSITAS IPWIJA REPOSITORY" Content-Length: 470 Content-Type: text/html; charset=iso-8859-1
Response Body	<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN"> <html><head> <title>401 Unauthorized</title> </head><body> Unauthorized This server could not verify that you are authorized to access the document requested. Either you supplied the wrong credentials (e.g., bad password), or your browser doesn't understand how to supply the credentials required. <hr> <address>Apache/2.4.29 (Ubuntu) Server at repository.ipwija.ac.id Port 80</address> </body></html>
URL	http://repository.ipwija.ac.id/id/contents
Method	GET
Parameter	
Attack	
Evidence	www-authenticate: Basic realm="UNIVERSITAS IPWIJA REPOSITORY"
Other Info	
URL	http://repository.ipwija.ac.id/sword-app/servicedocument
Method	GET
Parameter	
Attack	

Evidence	www-authenticate: Basic realm="UNIVERSITAS IPWIJA REPOSITORY"
Other Info	
Instances	3
Solution	Protect the connection using HTTPS or use a stronger authentication mechanism.
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Authentication_Cheat_Sheet.html
CWE Id	326
WASC Id	4
Plugin Id	10105

Low	Big Redirect Detected (Potential Sensitive Information Leak)
Description	The server has responded with a redirect that seems to provide a large response. This may indicate that although the server sent a redirect it also responded with body content (which may include sensitive details, PII, etc.).
URL	http://repository.ipwija.ac.id/cgi/search/advanced?_action_newsearch=Reset+the+form&abstract=ZAP&abstract_merge=ALL&creators_name=ZAP&creators_name_merge=ALL&dataset=archive&date=ZAP&department=ZAP&department_merge=ALL&documents=ZAP&documents.format=text&documents_merge=ALL&date%2Fcreators_name%2Ftitle&publication=ZAP&publication_merge=ALL&refereed=EITHER&satisfyall=ALL&screen=Search&subjects=AC&subjects_merge=ANY&title=ZAP&title_merge=ALL&type=article
Method	GET
Parameter	
Attack	
Evidence	
Other Info	Location header URI length: 529 [/cgi/search/archive/advanced?_action_newsearch=Reset+the+form&abstract=ZAP&abstract_merge=ALL&creators_name=ZAP&creators_name_merge=ALL&dataset=archive&date=ZAP&department=ZAP&department_merge=ALL&documents=ZAP&documents.format=text&documents_merge=ALL&date%2Fcreators_name%2Ftitle&publication=ZAP&publication_merge=ALL&refereed=EITHER&satisfyall=ALL&screen=Search&subjects=AC&subjects_merge=ANY&title=ZAP&title_merge=ALL&type=article]. Predicted response size: 829. Response Body Length: 910
Request Header	GET http://repository.ipwija.ac.id/cgi/search/advanced?_action_newsearch=Reset+the+form&abstract=ZAP&abstract_merge=ALL&creators_name=ZAP&creators_name_merge=ALL&dataset=archive&date=ZAP&department=ZAP&department_merge=ALL&documents=ZAP&documents.format=text&documents_merge=ALL&date%2Fcreators_name%2Ftitle&publication=ZAP&publication_merge=ALL&refereed=EITHER&satisfyall=ALL&screen=Search&subjects=AC&subjects_merge=ANY&title=ZAP&title_merge=ALL&type=article host: repository.ipwija.ac.id user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Safari/537.36 pragma: no-cache cache-control: no-cache referer: http://repository.ipwija.ac.id/cgi/search/advanced
Request Body	
Response Header	HTTP/1.1 302 Found Date: Tue, 18 Nov 2025 01:41:45 GMT Server: Apache/2.4.29 (Ubuntu) Location: /cgi/search/archive/advanced?_action_newsearch=Reset+the+form&abstract=ZAP&abstract_merge=ALL&creators_name=ZAP&creators_name_merge=ALL&dataset=archive&date=ZAP&department=ZAP&department_merge=ALL&documents=ZAP&documents.format=text&documents_merge=ALL&date%2Fcreators_name%2Ftitle&publication=ZAP&publication_merge=ALL&refereed=EITHER&satisfyall=ALL&screen=Search&subjects=AC&subjects_merge=ANY&title=ZAP&title_merge=ALL&type=article Content-Length: 910 Content-Type: text/html; charset=iso-8859-1
Response Body (truncated)	<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN"> <html><head> <title>302 Found</title> </head><body> Found The document has moved here. </body></html>
URL	http://repository.ipwija.ac.id/cgi/search/advanced?_action_search=Search&abstract=ZAP&abstract_merge=ALL&creators_name=ZAP&creators_name_merge=ALL&dataset=archive&date=ZAP&department=ZAP&department_merge=ALL&documents=ZAP&documents.format=text&documents_merge=ALL&date%2Fcreators_name%2Ftitle&publication=ZAP&publication_merge=ALL&refereed=EITHER&satisfyall=ALL&screen=Search&subjects=AC&subjects_merge=ANY&title=ZAP&title_merge=ALL&type=article
Method	GET
Parameter	
Attack	
Evidence	
Other Info	Location header URI length: 518 [/cgi/search/archive/advanced?_action_search=Search&abstract=ZAP&abstract_merge=ALL&creators_name=ZAP&creators_name_merge=ALL&dataset=archive&date=ZAP&department=ZAP&department_merge=ALL&documents=ZAP&documents.format=text&documents_merge=ALL&date%2Fcreators_name%2Ftitle&publication=ZAP&publication_merge=ALL&refereed=EITHER&satisfyall=ALL&screen=Search&subjects=AC&subjects_merge=ANY&title=ZAP&title_merge=ALL&type=article]. Predicted response size: 818. Response Body Length: 899
URL	https://afiliasi.ipwija.ac.id/send-otp
Method	POST
Parameter	
Attack	
Evidence	
Other Info	Location header URI length: 45 [https://afiliasi.ipwija.ac.id/verify-otp-form]. Predicted response size: 345. Response Body Length: 426.
URL	https://afiliasi.ipwija.ac.id/storeRegister
Method	POST
Parameter	
Attack	
Evidence	
Other Info	Location header URI length: 38 [https://afiliasi.ipwija.ac.id/register]. Predicted response size: 338. Response Body Length: 398.
URL	https://afiliasi.ipwija.ac.id/validateLogin
Method	POST
Parameter	
Attack	

Evidence	
Other Info	Location header URI length: 35 [https://afiliasi.ipwija.ac.id/login]. Predicted response size: 335. Response Body Length: 386.
Instances	5
Solution	Ensure that no sensitive information is leaked via redirect responses. Redirect responses should have almost no content.
Reference	
CWE Id	201
WASC Id	13
Plugin Id	10044

Low	Cookie No HttpOnly Flag
Description	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
URL	https://afiliasi.ipwija.ac.id/
Method	GET
Parameter	XSRF-TOKEN
Attack	
Evidence	set-cookie: XSRF-TOKEN
Other Info	
Request Header	GET https://afiliasi.ipwija.ac.id/ HTTP/1.1 host: afiliasi.ipwija.ac.id user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Safari/537.36 pragma: no-cache cache-control: no-cache referer: https://ipwija.ac.id/
Request Body	
Response Header	HTTP/1.1 200 OK Date: Tue, 18 Nov 2025 01:39:55 GMT Content-Type: text/html; charset=UTF-8 Connection: keep-alive Vary: Accept-Encoding X-Powered-By: PHP/8.2.28 Cache-Control: no-cache, private set-cookie: XSRF-TOKEN =eyJpdii6ImFJdkYwVndmcDh6aTY4U1FaUGNjNGc9PSIsInZhbnVlIjoiiNWdxeTI5YzAzK1NnYkNoSgI MeXmreXl5LzVrVTU0dU5EeXZ2RHRHU1RsT2RjdnJ4OFZ4SDRuS1VZM2MrcHB0TjBZaG9wcllQ0GxYcFz3MFkyT2JnUkJKwW5Ra0tXMytyQ2J0K1RybEt1V3pnSlJVMWsxWWlRVktDdkQxRnU3NEMiLCJtYWMiOiI1ODAA2ZWU4ZjdkMTcwOWFjOGI2ODFkYmZjOTIwMDQ2YTk5YmNkMzA4NTU3NTZhMDViNGY5ZTA1YmM0ODRjNDAAzIiwidGFnIjoii n0%3D; expires=Tue, 18 Nov 2025 03:39:55 GMT; Max-Age=7200; path=/; secure; samesite=lax set-cookie: laravel_session=eyJpdii6IjdVMEhUaWRyTFlsdTdVZ1NuTHdoc0E9PSIsInZhbnVlIjoiiidjZob3NJcC81VmJGS1VyV1NJOGdKRTV3eE4xRjJmQS9qcXhRcTlCaEF0QkdhT0hXQUY4aE5ZRis1SX1SZXYyeTRvT3pnMmtkZXo4MjRsS2JYV0lyQitrM0F0WpDK2FoK3hscUx4dTBO50L6U1dJREdjV0hmbHVvNzR6WnLVUnAiLCJtYWMiOiI2YjgxM2UzZTlhMjk3MmVjNGU3ODk5YzAwN2U5MjUzOWUxNWMM0NTAzYjU4YjRmZGZjMWU2OTJhODQ0YjZmZWU0IiwidGFnIjoiiIn0%3D; expires=Tue, 18 Nov 2025 03:39:55 GMT; Max-Age=7200; path=/; secure; httponly; samesite=lax platform: hostinger panel: hpanel Content-Security-Policy: upgrade-insecure-requests Server: hcdn alt-svc: h3=":443"; ma=86400 x-hcdn-request-id: b8662948041194601975f6a97f9a6fe1-bos-edge4 x-hcdn-cache-status: DYNAMIC x-hcdn-upstream-rt: 0.793 content-length: 32839
Response Body (truncated)	<!DOCTYPE html> <html lang="en"> <head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1.0"> <title>Program Afiliasi IPWIJA</title> <!-- Bootstrap CSS --> <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet"> <link rel="preconnect" href="https://fonts.googleapis.com"> <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin> <link href="https://fonts.go...(truncated)>
URL	https://afiliasi.ipwija.ac.id/forgot-password
Method	GET
Parameter	XSRF-TOKEN
Attack	
Evidence	set-cookie: XSRF-TOKEN
Other Info	
URL	https://afiliasi.ipwija.ac.id/login
Method	GET
Parameter	XSRF-TOKEN
Attack	
Evidence	set-cookie: XSRF-TOKEN
Other Info	
URL	https://afiliasi.ipwija.ac.id/register
Method	GET

Parameter	XSRF-TOKEN
Attack	
Evidence	set-cookie: XSRF-TOKEN
Other Info	
URL	https://pmb.ipwija.ac.id/
Method	GET
Parameter	SIAKAD_CLOUD_FRONT_ACCESS
Attack	
Evidence	Set-Cookie: SIAKAD_CLOUD_FRONT_ACCESS
Other Info	
URL	https://afiliasi.ipwija.ac.id/send-otp
Method	POST
Parameter	XSRF-TOKEN
Attack	
Evidence	set-cookie: XSRF-TOKEN
Other Info	
URL	https://afiliasi.ipwija.ac.id/storeRegister
Method	POST
Parameter	XSRF-TOKEN
Attack	
Evidence	set-cookie: XSRF-TOKEN
Other Info	
URL	https://afiliasi.ipwija.ac.id/validateLogin
Method	POST
Parameter	XSRF-TOKEN
Attack	
Evidence	set-cookie: XSRF-TOKEN
Other Info	
Instances	8
Solution	Ensure that the HttpOnly flag is set for all cookies.
Reference	https://owasp.org/www-community/HttpOnly
CWE Id	1004
WASC Id	13
Plugin Id	10010

Low	Cookie Without Secure Flag
Description	A cookie has been set without the secure flag, which means that the cookie can be accessed via unencrypted connections.
URL	https://pmb.ipwija.ac.id/
Method	GET
Parameter	SIAKAD_CLOUD_FRONT_ACCESS
Attack	
Evidence	Set-Cookie: SIAKAD_CLOUD_FRONT_ACCESS
Other Info	
Request Header	GET https://pmb.ipwija.ac.id/ HTTP/1.1 host: pmb.ipwija.ac.id user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Safari/537.36 pragma: no-cache cache-control: no-cache referer: https://ipwija.ac.id/
Request Body	

Response Header	HTTP/1.1 200 OK Date: Tue, 18 Nov 2025 01:39:55 GMT Content-Type: text/html; charset=UTF-8 Connection: keep-alive Server: Apache Set-Cookie: SIAKAD_CLOUD_FRONT_ACCESS=f227psjbqp0jnb64sbe7vbfvej; path= Expires: Thu, 19 Nov 1981 08:52:00 GMT Cache-Control: no-store, no-cache, must-revalidate Pragma: no-cache SX-Kode-PT: 1519 SX-Role: Peminat SX-User: SX-Session: f227psjbqp0jnb64sbe7vbfvej SX-Action: view Beranda SX-Action-Result: 1 SX-Message: SX-Referer: https://ipwija.ac.id/ Vary: Accept-Encoding content-length: 36463
Response Body (truncated)	<!DOCTYPE html> <html lang="en"> <head> <meta charset="UTF-8"> <meta http-equiv="X-UA-Compatible" content="IE=edge"> <meta name="viewport" content="width=device-width, initial-scale=1.0"> <!-- Load Base CSS --> <link rel="stylesheet" href="https://assets.siakadcloud.com/spmbfront/assets/v4/external/dist/css/bootstrap.min.css" /> <!-- Material Icons --> <link href="https://fonts.googleapis.com/css2?family=Material+Icons+Round" rel="stylesheet" /> <link href="ht...(truncated)" />
Instances	1
Solution	Whenever a cookie contains sensitive information or is a session token, then it should always be passed using an encrypted channel. Ensure that the secure flag is set for cookies containing such sensitive information.
Reference	https://owasp.org/www-project-web-security-testing-guide/v41/4-Web_Application_Security_Testing/06-Session_Management_Testing/02-Testing_for_Cookies_Attributes.html
CWE Id	614
WASC Id	13
Plugin Id	10011
Low	Cookie without SameSite Attribute
Description	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
URL	https://pmb.ipwija.ac.id/
Method	GET
Parameter	SIAKAD_CLOUD_FRONT_ACCESS
Attack	
Evidence	Set-Cookie: SIAKAD_CLOUD_FRONT_ACCESS
Other Info	
Request Header	GET https://pmb.ipwija.ac.id/ HTTP/1.1 host: pmb.ipwija.ac.id user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Safari/537.36 pragma: no-cache cache-control: no-cache referer: https://ipwija.ac.id/
Request Body	
Response Header	HTTP/1.1 200 OK Date: Tue, 18 Nov 2025 01:39:55 GMT Content-Type: text/html; charset=UTF-8 Connection: keep-alive Server: Apache Set-Cookie: SIAKAD_CLOUD_FRONT_ACCESS=f227psjbqp0jnb64sbe7vbfvej; path= Expires: Thu, 19 Nov 1981 08:52:00 GMT Cache-Control: no-store, no-cache, must-revalidate Pragma: no-cache SX-Kode-PT: 1519 SX-Role: Peminat SX-User: SX-Session: f227psjbqp0jnb64sbe7vbfvej SX-Action: view Beranda SX-Action-Result: 1 SX-Message: SX-Referer: https://ipwija.ac.id/ Vary: Accept-Encoding content-length: 36463
Response Body (truncated)	<!DOCTYPE html> <html lang="en"> <head> <meta charset="UTF-8"> <meta http-equiv="X-UA-Compatible" content="IE=edge">

Attack	
Evidence	<script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
Other Info	
URL	https://afiliasi.ipwija.ac.id/login
Method	GET
Parameter	//cdn.jsdelivr.net/npm/sweetalert2@11
Attack	
Evidence	<script src="//cdn.jsdelivr.net/npm/sweetalert2@11"></script>
Other Info	
URL	https://afiliasi.ipwija.ac.id/login
Method	GET
Parameter	https://cdn.datatables.net/1.13.4/js/jquery.dataTables.min.js
Attack	
Evidence	<script src="https://cdn.datatables.net/1.13.4/js/jquery.dataTables.min.js"></script>
Other Info	
URL	https://afiliasi.ipwija.ac.id/login
Method	GET
Parameter	https://cdn.jsdelivr.net/npm/chart.js@3.7.0/dist/chart.min.js
Attack	
Evidence	<script src="https://cdn.jsdelivr.net/npm/chart.js@3.7.0/dist/chart.min.js"></script>
Other Info	
URL	https://afiliasi.ipwija.ac.id/login
Method	GET
Parameter	https://cdn.jsdelivr.net/npm/intro.js/minified/intro.min.js
Attack	
Evidence	<script src="https://cdn.jsdelivr.net/npm/intro.js/minified/intro.min.js"></script>
Other Info	
URL	https://afiliasi.ipwija.ac.id/login
Method	GET
Parameter	https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist/js/select2.min.js
Attack	
Evidence	<script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist/js/select2.min.js"></script>
Other Info	
URL	https://afiliasi.ipwija.ac.id/login
Method	GET
Parameter	https://cdn.jsdelivr.net/npm/signature_pad@2.3.2/dist/signature_pad.min.js
Attack	
Evidence	<script src="https://cdn.jsdelivr.net/npm/signature_pad@2.3.2/dist/signature_pad.min.js"></script>
Other Info	
URL	https://afiliasi.ipwija.ac.id/login
Method	GET
Parameter	https://cdnjs.cloudflare.com/ajax/libs/intro.js/5.0.0/intro.min.js
Attack	
Evidence	<script src="https://cdnjs.cloudflare.com/ajax/libs/intro.js/5.0.0/intro.min.js"></script>
Other Info	
URL	https://afiliasi.ipwija.ac.id/login
Method	GET
Parameter	https://cdnjs.cloudflare.com/ajax/libs/jquery.maskedinput/1.4.1/jquery.maskedinput.min.js
Attack	
Evidence	<script src="https://cdnjs.cloudflare.com/ajax/libs/jquery.maskedinput/1.4.1/jquery.maskedinput.min.js"></script>
Other Info	
URL	https://afiliasi.ipwija.ac.id/login
Method	GET
Parameter	https://code.jquery.com/jquery-3.6.0.min.js
Attack	
Evidence	<script src="https://code.jquery.com/jquery-3.6.0.min.js" crossorigin="anonymous"></script>
Other Info	
URL	https://afiliasi.ipwija.ac.id/login
Method	GET
Parameter	https://unpkg.com/shepherd.js/dist/js/shepherd.min.js

Attack	
Evidence	<script src="https://unpkg.com/shepherd.js/dist/js/shepherd.min.js"></script>
Other Info	
URL	https://afiliasi.ipwija.ac.id/register
Method	GET
Parameter	//cdn.jsdelivr.net/npm/sweetalert2@11
Attack	
Evidence	<script src="//cdn.jsdelivr.net/npm/sweetalert2@11"></script>
Other Info	
URL	https://afiliasi.ipwija.ac.id/register
Method	GET
Parameter	https://cdn.datatables.net/1.13.4/js/jquery.dataTables.min.js
Attack	
Evidence	<script src="https://cdn.datatables.net/1.13.4/js/jquery.dataTables.min.js"></script>
Other Info	
URL	https://afiliasi.ipwija.ac.id/register
Method	GET
Parameter	https://cdn.jsdelivr.net/npm/chart.js@3.7.0/dist/chart.min.js
Attack	
Evidence	<script src="https://cdn.jsdelivr.net/npm/chart.js@3.7.0/dist/chart.min.js"></script>
Other Info	
URL	https://afiliasi.ipwija.ac.id/register
Method	GET
Parameter	https://cdn.jsdelivr.net/npm/intro.js/minified/intro.min.js
Attack	
Evidence	<script src="https://cdn.jsdelivr.net/npm/intro.js/minified/intro.min.js"></script>
Other Info	
URL	https://afiliasi.ipwija.ac.id/register
Method	GET
Parameter	https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist/js/select2.min.js
Attack	
Evidence	<script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist/js/select2.min.js"></script>
Other Info	
URL	https://afiliasi.ipwija.ac.id/register
Method	GET
Parameter	https://cdn.jsdelivr.net/npm/signature_pad@2.3.2/dist/signature_pad.min.js
Attack	
Evidence	<script src="https://cdn.jsdelivr.net/npm/signature_pad@2.3.2/dist/signature_pad.min.js"></script>
Other Info	
URL	https://afiliasi.ipwija.ac.id/register
Method	GET
Parameter	https://cdnjs.cloudflare.com/ajax/libs/intro.js/5.0.0/intro.min.js
Attack	
Evidence	<script src="https://cdnjs.cloudflare.com/ajax/libs/intro.js/5.0.0/intro.min.js"></script>
Other Info	
URL	https://afiliasi.ipwija.ac.id/register
Method	GET
Parameter	https://cdnjs.cloudflare.com/ajax/libs/jquery.maskedinput/1.4.1/jquery.maskedinput.min.js
Attack	
Evidence	<script src="https://cdnjs.cloudflare.com/ajax/libs/jquery.maskedinput/1.4.1/jquery.maskedinput.min.js"></script>
Other Info	
URL	https://afiliasi.ipwija.ac.id/register
Method	GET
Parameter	https://code.jquery.com/jquery-3.6.0.min.js
Attack	
Evidence	<script src="https://code.jquery.com/jquery-3.6.0.min.js" crossorigin="anonymous"></script>
Other Info	
URL	https://afiliasi.ipwija.ac.id/register
Method	GET
Parameter	https://unpkg.com/shepherd.js/dist/js/shepherd.min.js

Attack	
Evidence	<script src="https://unpkg.com/shepherd.js/dist/js/shepherd.min.js"></script>
Other Info	
URL	https://ipwija.ac.id/account/
Method	GET
Parameter	https://www.google.com/recaptcha/api.js?onload=wpcaptcha_captcha&render=6Lfus-opAAAAABAkxx5SugKdcFocOz3GjJVJ3y5a&ver=1.30
Attack	
Evidence	<script type="text/javascript" src="https://www.google.com/recaptcha/api.js?onload=wpcaptcha_captcha&render=6Lfus-opAAAAABAkxx5SugKdcFocOz3GjJVJ3y5a&ver=1.30" id="wpcaptcha-recaptcha-js"></script>
Other Info	
URL	https://ipwija.ac.id/events/elegant-light-box-paper-cut-dioramas-1/
Method	GET
Parameter	https://www.google.com/recaptcha/api.js?onload=wpcaptcha_captcha&render=6Lfus-opAAAAABAkxx5SugKdcFocOz3GjJVJ3y5a&ver=1.30
Attack	
Evidence	<script src='https://www.google.com/recaptcha/api.js?onload=wpcaptcha_captcha&render=6Lfus-opAAAAABAkxx5SugKdcFocOz3GjJVJ3y5a&ver=1.30' id='wpcaptcha-recaptcha-js'></script>
Other Info	
URL	https://ipwija.ac.id/events/pentas-seni-universitas-ipwija-youthfull-rhapsody-2025/
Method	GET
Parameter	https://www.google.com/recaptcha/api.js?onload=wpcaptcha_captcha&render=6Lfus-opAAAAABAkxx5SugKdcFocOz3GjJVJ3y5a&ver=1.30
Attack	
Evidence	<script src='https://www.google.com/recaptcha/api.js?onload=wpcaptcha_captcha&render=6Lfus-opAAAAABAkxx5SugKdcFocOz3GjJVJ3y5a&ver=1.30' id='wpcaptcha-recaptcha-js'></script>
Other Info	
URL	https://ipwija.ac.id/events/tiba-tiba-bazaar-vol-3/
Method	GET
Parameter	https://www.google.com/recaptcha/api.js?onload=wpcaptcha_captcha&render=6Lfus-opAAAAABAkxx5SugKdcFocOz3GjJVJ3y5a&ver=1.30
Attack	
Evidence	<script src='https://www.google.com/recaptcha/api.js?onload=wpcaptcha_captcha&render=6Lfus-opAAAAABAkxx5SugKdcFocOz3GjJVJ3y5a&ver=1.30' id='wpcaptcha-recaptcha-js'></script>
Other Info	
URL	https://ipwija.ac.id/events/ujian-akhir-semester-genap/
Method	GET
Parameter	https://www.google.com/recaptcha/api.js?onload=wpcaptcha_captcha&render=6Lfus-opAAAAABAkxx5SugKdcFocOz3GjJVJ3y5a&ver=1.30
Attack	
Evidence	<script src='https://www.google.com/recaptcha/api.js?onload=wpcaptcha_captcha&render=6Lfus-opAAAAABAkxx5SugKdcFocOz3GjJVJ3y5a&ver=1.30' id='wpcaptcha-recaptcha-js'></script>
Other Info	
URL	https://ipwija.ac.id/events/ujian-tengah-semester-ganjil/
Method	GET
Parameter	https://www.google.com/recaptcha/api.js?onload=wpcaptcha_captcha&render=6Lfus-opAAAAABAkxx5SugKdcFocOz3GjJVJ3y5a&ver=1.30
Attack	
Evidence	<script src='https://www.google.com/recaptcha/api.js?onload=wpcaptcha_captcha&render=6Lfus-opAAAAABAkxx5SugKdcFocOz3GjJVJ3y5a&ver=1.30' id='wpcaptcha-recaptcha-js'></script>
Other Info	
URL	https://ipwija.ac.id/events/ujian-tengah-semester-genap/
Method	GET
Parameter	https://www.google.com/recaptcha/api.js?onload=wpcaptcha_captcha&render=6Lfus-opAAAAABAkxx5SugKdcFocOz3GjJVJ3y5a&ver=1.30
Attack	
Evidence	<script src='https://www.google.com/recaptcha/api.js?onload=wpcaptcha_captcha&render=6Lfus-opAAAAABAkxx5SugKdcFocOz3GjJVJ3y5a&ver=1.30' id='wpcaptcha-recaptcha-js'></script>
Other Info	
URL	https://ipwija.ac.id/events/workshop-digitalisasi-umkm-langkah-mudah-menuju-pemasaran-online/
Method	GET
Parameter	https://www.google.com/recaptcha/api.js?onload=wpcaptcha_captcha&render=6Lfus-opAAAAABAkxx5SugKdcFocOz3GjJVJ3y5a&ver=1.30
Attack	
Evidence	<script src='https://www.google.com/recaptcha/api.js?onload=wpcaptcha_captcha&render=6Lfus-opAAAAABAkxx5SugKdcFocOz3GjJVJ3y5a&ver=1.30' id='wpcaptcha-recaptcha-js'></script>
Other Info	
URL	https://ipwija.ac.id/info-webinar-vjf-kg-baru/
Method	GET
Parameter	https://www.google.com/recaptcha/api.js?onload=wpcaptcha_captcha&render=6Lfus-opAAAAABAkxx5SugKdcFocOz3GjJVJ3y5a&ver=1.30
Attack	
Evidence	<script src='https://www.google.com/recaptcha/api.js?onload=wpcaptcha_captcha&render=6Lfus-opAAAAABAkxx5SugKdcFocOz3GjJVJ3y5a&ver=1.30' id='wpcaptcha-recaptcha-js'></script>
Other Info	
URL	https://pmb.ipwija.ac.id/
Method	GET
Parameter	https://ajax.googleapis.com/ajax/libs/jquery/3.6.0/jquery.min.js

Attack	
Evidence	<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.0/jquery.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/bootstrap-datetimepicker.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/bootstrap-datetimepicker.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/bootstrap.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/bootstrap.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/custom.js?210729
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/custom.js?210729"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/forhtml.js?250217
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/forhtml.js?250217"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/id.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/id.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery-migrate-1.2.1.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery-migrate-1.2.1.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery-ui-1.10.3.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery-ui-1.10.3.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery.ajax.js?210916
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery.ajax.js?210916"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/moment.js

Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/moment.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/typeahead.jquery.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/typeahead.jquery.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/external/air-datepicker/js/datepicker.id.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/external/air-datepicker/js/datepicker.id.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/external/air-datepicker/js/datepicker.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/external/air-datepicker/js/datepicker.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/external/dist/js/bootstrap.bundle.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/external/dist/js/bootstrap.bundle.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/js/background-dim.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/js/background-dim.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/js/select2.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/js/select2.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/
Method	GET
Parameter	https://cdnjs.cloudflare.com/ajax/libs/bootbox.js/6.0.0/bootbox.js
Attack	
Evidence	<script src="https://cdnjs.cloudflare.com/ajax/libs/bootbox.js/6.0.0/bootbox.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/
Method	GET
Parameter	https://fastly.jsdelivrivr.net/npm/lightgallery@1.10.0/dist/js/lightgallery-all.min.js
Attack	
Evidence	<script src="https://fastly.jsdelivrivr.net/npm/lightgallery@1.10.0/dist/js/lightgallery-all.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/
Method	GET
Parameter	https://www.googletagmanager.com/gtag/js?id=UA-91361426-5
Attack	
Evidence	<script async src="https://www.googletagmanager.com/gtag/js?id=UA-91361426-5"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/
Method	GET
Parameter	https://www.gstatic.com/firebasejs/7.14.1/firebase-analytics.js

Attack	
Evidence	<script src="https://www.gstatic.com/firebasejs/7.14.1/firebase-analytics.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/
Method	GET
Parameter	https://www.gstatic.com/firebasejs/7.14.1/firebase-app.js
Attack	
Evidence	<script src="https://www.gstatic.com/firebasejs/7.14.1/firebase-app.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=en
Method	GET
Parameter	//translate.google.com/translate_a/element.js?cb=googleTranslateElementInit
Attack	
Evidence	<script type="text/javascript" src="//translate.google.com/translate_a/element.js?cb=googleTranslateElementInit"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=en
Method	GET
Parameter	https://ajax.googleapis.com/ajax/libs/jquery/3.6.0/jquery.min.js
Attack	
Evidence	<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.0/jquery.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=en
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/bootstrap-datetimepicker.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/bootstrap-datetimepicker.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=en
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/bootstrap.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/bootstrap.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=en
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/custom.js?210729
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/custom.js?210729"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=en
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/forhtml.js?250217
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/forhtml.js?250217"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=en
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/id.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/id.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=en
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery-migrate-1.2.1.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery-migrate-1.2.1.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=en
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery-ui-1.10.3.min.js

Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery-ui-1.10.3.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=en
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery.ajax.js?210916
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery.ajax.js?210916"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=en
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=en
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/moment.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/moment.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=en
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/typeahead.jquery.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/typeahead.jquery.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=en
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/external/air-datepicker/js/datepicker.id.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/external/air-datepicker/js/datepicker.id.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=en
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/external/air-datepicker/js/datepicker.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/external/air-datepicker/js/datepicker.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=en
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/external/dist/js/bootstrap.bundle.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/external/dist/js/bootstrap.bundle.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=en
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/js/background-dim.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/js/background-dim.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=en
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/js/select2.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/js/select2.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=en
Method	GET
Parameter	https://cdnjs.cloudflare.com/ajax/libs/bootbox.js/6.0.0/bootbox.js

Attack	
Evidence	<script src="https://cdnjs.cloudflare.com/ajax/libs/bootbox.js/6.0.0/bootbox.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=en
Method	GET
Parameter	https://fastly.jsdelivrivr.net/npm/lightgallery@1.10.0/dist/js/lightgallery-all.min.js
Attack	
Evidence	<script src="https://fastly.jsdelivrivr.net/npm/lightgallery@1.10.0/dist/js/lightgallery-all.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=en
Method	GET
Parameter	https://www.googletagmanager.com/gtag/js?id=UA-91361426-5
Attack	
Evidence	<script async src="https://www.googletagmanager.com/gtag/js?id=UA-91361426-5"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=en
Method	GET
Parameter	https://www.gstatic.com/firebasejs/7.14.1/firebase-analytics.js
Attack	
Evidence	<script src="https://www.gstatic.com/firebasejs/7.14.1/firebase-analytics.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=en
Method	GET
Parameter	https://www.gstatic.com/firebasejs/7.14.1/firebase-app.js
Attack	
Evidence	<script src="https://www.gstatic.com/firebasejs/7.14.1/firebase-app.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=id
Method	GET
Parameter	https://ajax.googleapis.com/ajax/libs/jquery/3.6.0/jquery.min.js
Attack	
Evidence	<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.0/jquery.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=id
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/bootstrap-datetimepicker.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/bootstrap-datetimepicker.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=id
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/bootstrap.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/bootstrap.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=id
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/custom.js?210729
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/custom.js?210729"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=id
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/forhtml.js?250217
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/forhtml.js?250217"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=id
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/id.js

Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/id.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=id
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery-migrate-1.2.1.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery-migrate-1.2.1.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=id
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery-ui-1.10.3.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery-ui-1.10.3.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=id
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery.ajax.js?210916
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery.ajax.js?210916"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=id
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=id
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/moment.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/moment.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=id
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/typeahead.jquery.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/typeahead.jquery.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=id
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/external/air-datepicker/js/datepicker.id.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/external/air-datepicker/js/datepicker.id.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=id
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/external/air-datepicker/js/datepicker.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/external/air-datepicker/js/datepicker.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=id
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/external/dist/js/bootstrap.bundle.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/external/dist/js/bootstrap.bundle.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=id
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/js/background-dim.js

Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/js/background-dim.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=id
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/js/select2.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/js/select2.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=id
Method	GET
Parameter	https://cdnjs.cloudflare.com/ajax/libs/bootbox.js/6.0.0/bootbox.js
Attack	
Evidence	<script src="https://cdnjs.cloudflare.com/ajax/libs/bootbox.js/6.0.0/bootbox.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=id
Method	GET
Parameter	https://fastly.jsdelivrivr.net/npm/lightgallery@1.10.0/dist/js/lightgallery-all.min.js
Attack	
Evidence	<script src="https://fastly.jsdelivrivr.net/npm/lightgallery@1.10.0/dist/js/lightgallery-all.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=id
Method	GET
Parameter	https://www.googletagmanager.com/gtag/js?id=UA-91361426-5
Attack	
Evidence	<script async src="https://www.googletagmanager.com/gtag/js?id=UA-91361426-5"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=id
Method	GET
Parameter	https://www.gstatic.com/firebasejs/7.14.1/firebase-analytics.js
Attack	
Evidence	<script src="https://www.gstatic.com/firebasejs/7.14.1/firebase-analytics.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/?lang=id
Method	GET
Parameter	https://www.gstatic.com/firebasejs/7.14.1/firebase-app.js
Attack	
Evidence	<script src="https://www.gstatic.com/firebasejs/7.14.1/firebase-app.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/home
Method	GET
Parameter	https://ajax.googleapis.com/ajax/libs/jquery/3.6.0/jquery.min.js
Attack	
Evidence	<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.0/jquery.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/home
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/bootstrap-datetimepicker.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/bootstrap-datetimepicker.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/home
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/bootstrap.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/bootstrap.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/home
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/custom.js?210729

Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/custom.js?210729"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/home
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/forhtml.js?250217
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/forhtml.js?250217"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/home
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/id.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/id.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/home
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery-migrate-1.2.1.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery-migrate-1.2.1.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/home
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery-ui-1.10.3.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery-ui-1.10.3.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/home
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery.ajax.js?210916
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery.ajax.js?210916"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/home
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/home
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/moment.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/moment.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/home
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/typeahead.jquery.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/typeahead.jquery.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/home
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/external/air-datepicker/js/datepicker.id.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/external/air-datepicker/js/datepicker.id.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/home
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/external/air-datepicker/js/datepicker.min.js

Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/external/air-datepicker/js/datepicker.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/home
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/external/dist/js/bootstrap.bundle.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/external/dist/js/bootstrap.bundle.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/home
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/js/background-dim.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/js/background-dim.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/home
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/js/select2.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/js/select2.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/home
Method	GET
Parameter	https://cdnjs.cloudflare.com/ajax/libs/bootbox.js/6.0.0/bootbox.js
Attack	
Evidence	<script src="https://cdnjs.cloudflare.com/ajax/libs/bootbox.js/6.0.0/bootbox.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/home
Method	GET
Parameter	https://fastly.jsdelivrivr.net/npm/lightgallery@1.10.0/dist/js/lightgallery-all.min.js
Attack	
Evidence	<script src="https://fastly.jsdelivrivr.net/npm/lightgallery@1.10.0/dist/js/lightgallery-all.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/home
Method	GET
Parameter	https://www.googletagmanager.com/gtag/js?id=UA-91361426-5
Attack	
Evidence	<script async src="https://www.googletagmanager.com/gtag/js?id=UA-91361426-5"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/home
Method	GET
Parameter	https://www.gstatic.com/firebasejs/7.14.1/firebase-analytics.js
Attack	
Evidence	<script src="https://www.gstatic.com/firebasejs/7.14.1/firebase-analytics.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/home
Method	GET
Parameter	https://www.gstatic.com/firebasejs/7.14.1/firebase-app.js
Attack	
Evidence	<script src="https://www.gstatic.com/firebasejs/7.14.1/firebase-app.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	https://ajax.googleapis.com/ajax/libs/jquery/3.6.0/jquery.min.js
Attack	
Evidence	<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.0/jquery.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/bootstrap-datetimepicker.js

Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/bootstrap-datetimepicker.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/bootstrap.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/bootstrap.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/custom.js?210729
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/custom.js?210729"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/forhtml.js?250217
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/forhtml.js?250217"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/id.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/id.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery-migrate-1.2.1.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery-migrate-1.2.1.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery-ui-1.10.3.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery-ui-1.10.3.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery.ajax.js?210916
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery.ajax.js?210916"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/moment.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/moment.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/typeahead.jquery.js

Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/typeahead.jquery.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/external/air-datepicker/js/datepicker.id.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/external/air-datepicker/js/datepicker.id.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/external/air-datepicker/js/datepicker.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/external/air-datepicker/js/datepicker.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/external/dist/js/bootstrap.bundle.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/external/dist/js/bootstrap.bundle.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/js/background-dim.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/js/background-dim.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/js/select2.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/js/select2.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	https://cdnjs.cloudflare.com/ajax/libs/bootbox.js/6.0.0/bootbox.js
Attack	
Evidence	<script src="https://cdnjs.cloudflare.com/ajax/libs/bootbox.js/6.0.0/bootbox.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	https://fastly.jsdelivrivr.net/npm/lightgallery@1.10.0/dist/js/lightgallery-all.min.js
Attack	
Evidence	<script src="https://fastly.jsdelivrivr.net/npm/lightgallery@1.10.0/dist/js/lightgallery-all.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	https://www.googletagmanager.com/gtag/js?id=UA-91361426-5
Attack	
Evidence	<script async src="https://www.googletagmanager.com/gtag/js?id=UA-91361426-5"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	https://www.gstatic.com/firebasejs/7.14.1/firebase-analytics.js
Attack	
Evidence	<script src="https://www.gstatic.com/firebasejs/7.14.1/firebase-analytics.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	GET
Parameter	https://www.gstatic.com/firebasejs/7.14.1/firebase-app.js

Attack	
Evidence	<script src="https://www.gstatic.com/firebasejs/7.14.1/firebase-app.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/pengumuman
Method	GET
Parameter	https://ajax.googleapis.com/ajax/libs/jquery/3.6.0/jquery.min.js
Attack	
Evidence	<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.0/jquery.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/pengumuman
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/bootstrap-datetimepicker.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/bootstrap-datetimepicker.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/pengumuman
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/bootstrap.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/bootstrap.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/pengumuman
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/custom.js?210729
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/custom.js?210729"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/pengumuman
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/forhtml.js?250217
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/forhtml.js?250217"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/pengumuman
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/id.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/id.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/pengumuman
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery-migrate-1.2.1.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery-migrate-1.2.1.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/pengumuman
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery-ui-1.10.3.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery-ui-1.10.3.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/pengumuman
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery.ajax.js?210916
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery.ajax.js?210916"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/pengumuman
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery.min.js

Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/pengumuman
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/moment.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/moment.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/pengumuman
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/typeahead.jquery.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/typeahead.jquery.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/pengumuman
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/external/air-datepicker/js/datepicker.id.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/external/air-datepicker/js/datepicker.id.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/pengumuman
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/external/air-datepicker/js/datepicker.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/external/air-datepicker/js/datepicker.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/pengumuman
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/external/dist/js/bootstrap.bundle.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/external/dist/js/bootstrap.bundle.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/pengumuman
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/js/background-dim.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/js/background-dim.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/pengumuman
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/js/select2.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/js/select2.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/pengumuman
Method	GET
Parameter	https://cdnjs.cloudflare.com/ajax/libs/bootbox.js/6.0.0/bootbox.js
Attack	
Evidence	<script src="https://cdnjs.cloudflare.com/ajax/libs/bootbox.js/6.0.0/bootbox.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/pengumuman
Method	GET
Parameter	https://fastly.jsdelivrivr.net/npm/lightgallery@1.10.0/dist/js/lightgallery-all.min.js
Attack	
Evidence	<script src="https://fastly.jsdelivrivr.net/npm/lightgallery@1.10.0/dist/js/lightgallery-all.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/pengumuman
Method	GET
Parameter	https://www.googletagmanager.com/gtag/js?id=UA-91361426-5

Attack	
Evidence	<script async src="https://www.googletagmanager.com/gtag/js?id=UA-91361426-5"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/pengumuman
Method	GET
Parameter	https://www.gstatic.com/firebasejs/7.14.1/firebase-analytics.js
Attack	
Evidence	<script src="https://www.gstatic.com/firebasejs/7.14.1/firebase-analytics.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/pengumuman
Method	GET
Parameter	https://www.gstatic.com/firebasejs/7.14.1/firebase-app.js
Attack	
Evidence	<script src="https://www.gstatic.com/firebasejs/7.14.1/firebase-app.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/program-studi
Method	GET
Parameter	https://ajax.googleapis.com/ajax/libs/jquery/3.6.0/jquery.min.js
Attack	
Evidence	<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.0/jquery.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/program-studi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/bootstrap-datetimepicker.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/bootstrap-datetimepicker.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/program-studi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/bootstrap.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/bootstrap.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/program-studi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/custom.js?210729
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/custom.js?210729"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/program-studi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/forhtml.js?250217
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/forhtml.js?250217"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/program-studi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/id.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/id.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/program-studi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery-migrate-1.2.1.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery-migrate-1.2.1.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/program-studi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery-ui-1.10.3.min.js

Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery-ui-1.10.3.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/program-studi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery.ajax.js?210916
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery.ajax.js?210916"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/program-studi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/jquery.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/program-studi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/moment.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/moment.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/program-studi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/typeahead.jquery.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/./default/js/typeahead.jquery.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/program-studi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/external/air-datepicker/js/datepicker.id.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/external/air-datepicker/js/datepicker.id.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/program-studi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/external/air-datepicker/js/datepicker.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/external/air-datepicker/js/datepicker.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/program-studi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/external/dist/js/bootstrap.bundle.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/external/dist/js/bootstrap.bundle.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/program-studi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/js/background-dim.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/js/background-dim.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/program-studi
Method	GET
Parameter	https://assets.siakadcloud.com/spmbfront/assets/v4/js/select2.min.js
Attack	
Evidence	<script src="https://assets.siakadcloud.com/spmbfront/assets/v4/js/select2.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/program-studi
Method	GET
Parameter	https://cdnjs.cloudflare.com/ajax/libs/bootbox.js/6.0.0/bootbox.js

Attack	
Evidence	<script src="https://cdnjs.cloudflare.com/ajax/libs/bootbox.js/6.0.0/bootbox.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/program-studi
Method	GET
Parameter	https://fastly.jsdelivrivr.net/npm/lightgallery@1.10.0/dist/js/lightgallery-all.min.js
Attack	
Evidence	<script src="https://fastly.jsdelivrivr.net/npm/lightgallery@1.10.0/dist/js/lightgallery-all.min.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/program-studi
Method	GET
Parameter	https://www.googletagmanager.com/gtag/js?id=UA-91361426-5
Attack	
Evidence	<script async src="https://www.googletagmanager.com/gtag/js?id=UA-91361426-5"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/program-studi
Method	GET
Parameter	https://www.gstatic.com/firebasejs/7.14.1/firebase-analytics.js
Attack	
Evidence	<script src="https://www.gstatic.com/firebasejs/7.14.1/firebase-analytics.js"></script>
Other Info	
URL	https://pmb.ipwija.ac.id/program-studi
Method	GET
Parameter	https://www.gstatic.com/firebasejs/7.14.1/firebase-app.js
Attack	
Evidence	<script src="https://www.gstatic.com/firebasejs/7.14.1/firebase-app.js"></script>
Other Info	
Instances	186
Solution	Ensure JavaScript source files are loaded from only trusted sources, and the sources can't be controlled by end users of the application.
Reference	
CWE Id	829
WASC Id	15
Plugin Id	10017
Low	Server Leaks Information via "X-Powered-By" HTTP Response Header Field(s)
Description	The web/application server is leaking information via one or more "X-Powered-By" HTTP response headers. Access to such information may facilitate attackers identifying other frameworks/components your web application is reliant upon and the vulnerabilities such components may be subject to.
URL	https://ipwija.ac.id/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
Request Header	GET https://ipwija.ac.id/ HTTP/1.1 host: ipwija.ac.id user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Safari/537.36 pragma: no-cache cache-control: no-cache
Request Body	
Response Header	HTTP/1.1 200 OK Date: Tue, 18 Nov 2025 01:39:47 GMT Content-Type: text/html; charset=UTF-8 Connection: keep-alive Vary: Accept-Encoding X-Powered-By: PHP/8.2.28 Link: <https://ipwija.ac.id/wp-json/>; rel="https://api.w.org/" Link: <https://ipwija.ac.id/wp-json/wp/v2/pages/15509>; rel="alternate"; title="JSON"; type="application/json" Link: <https://ipwija.ac.id/>; rel=shortlink Etag: W/"99-1762975106;gz" X-LiteSpeed-Cache: hit platform: hostinger panel: hpanel Content-Security-Policy: upgrade-insecure-requests Age: 748 Server: hcdn alt-svc: h3=":443"; ma=86400 x-hcdn-request-id: 67567de4d7e13da7d211d4f7a7702a92-bos-edge3

	x-hcdn-cache-status: HIT content-length: 415329
Response Body (truncated)	<!DOCTYPE html> <html itemscope itemtype="http://schema.org/WebPage" lang="en-US"> <head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1"> <link rel="profile" href="http://gmpg.org/xfn/11"> <link rel="pingback" href="https://ipwija.ac.id/xmlrpc.php"> <title>Universitas IPWIJA – Universitas IPWIJA</title> <style> #wpadminbar #wp-admin-bar-wsm_free_top_button .ab-icon:before { content: "\f239"; color: #FF9800; top: 3px; } </style><meta name=...(truncated)>
URL	https://ipwija.ac.id/3d-flip-book/20461/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/3d-flip-book/buku-panduan-perpustakaan/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/3d-flip-book/sk-unit-pengelola-ppks-universitas-ipwija/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/?thim_elementor_kit=footer
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/?thim_elementor_kit=footer-new
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/?thim_elementor_kit=menu-right-university
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/?thim_elementor_kit=rppl
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/?thim_elementor_kit=topbar-university
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	

URL	https://ipwija.ac.id/about-us/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/about/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/academics-detail/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/academics/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/account/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/admission/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/aktivitas/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/alumni/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/become-a-teacher/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/berita/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	

URL	https://ipwija.ac.id/biaya-kuliah-universitas-ipwija/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/campus-life/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/category/berita-kampus/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/category/berita-pusat-karir/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/category/karir-lowongan/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/category/kegiatan-mahasiswa/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/community/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/contact/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/events/applying-natural-laws-to-technology-and-society/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/events/daftar-ulang-pengisian-krs-penggantian-mata-kuliah-pada-krs/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	

URL	https://ipwija.ac.id/events/elegant-light-box-paper-cut-dioramas-1/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/events/menyiapkan-sdm-unggul-menyongsong-indonesia-emas-tahun-2045/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/events/pengisian-krs-genap-2025-2026/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/events/pengumuman-khs-semester-ganjil/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/events/pentas-seni-universitas-ipwija-youthfull-rhapsody-2025/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/events/perkuliahan-semester-ganjil-2025-2026/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/events/tiba-tiba-bazaar-vol-3/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/events/uji-kompetensi-lsp/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/events/ujian-akhir-semester-ganjil-uas/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/events/ujian-akhir-semester-genap/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	

URL	https://ipwija.ac.id/events/ujian-tengah-semester-ganjil/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/events/ujian-tengah-semester-genap/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/events/wisuda/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/events/workshop-digitalisasi-umkm-langkah-mudah-menuju-pemasaran-online/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/events/yudisium/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/faculty-detail/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/faculty/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/faqs/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/fasilitas/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/gallery/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	

URL	https://ipwija.ac.id/home/u329130267/domains/ipwija.ac.id/public_html/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/hubungi-kami/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/keseharian-di-kampus/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/p-become-a-teacher/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/maintenance/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/major-program/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/mengapa-ipwija/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/my-calendar/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/pendaftaran-mahasiswa-baru/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/pendaftaran/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	

URL	https://ipwija.ac.id/pengumuman-penerimaan/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/portfolio-masonry-2/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/portfolio-masonry/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/portfolio/about-soft-skills/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/portfolio/design-cover/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/portfolio/electronic-book/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/portfolio/fighting/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/portfolio/home-work/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/portfolio/keeping-smile/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/portfolio/library/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	

URL	https://ipwija.ac.id/portfolio/opened-book/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/portfolio/reading-book/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/portfolio/reading-glasses/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/portfolio/startup-team/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/portfolio/up-your-skill/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/portfolio_category/books/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/portfolio_category/courses/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/portfolio_category/presentations/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/program-studi-informatika/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/program-studi-kebidanan/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	

URL	https://ipwija.ac.id/program-studi-kewirausahaan/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/program-studi-rekayasa-perangkat-lunak/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/program-studi-sarajana-manajemen/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/program-studi-sistem-informasi/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/research/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/simulasi-rapor/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/sitemap.xml
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/tentang-universitas-ipwija/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/tp-event-category/acara/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/tp-event-category/kalender-akademik/
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	

URL	https://ipwija.ac.id/wp-sitemap-index.xml
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/wp-sitemap-posts-3d-flip-book-1.xml
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/wp-sitemap-posts-page-1.xml
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/wp-sitemap-posts-portfolio-1.xml
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/wp-sitemap-posts-post-1.xml
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/wp-sitemap-posts-thim_elementor_kit-1.xml
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/wp-sitemap-posts-tp_event-1.xml
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/wp-sitemap-taxonomies-category-1.xml
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/wp-sitemap-taxonomies-portfolio_category-1.xml
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/wp-sitemap-taxonomies-tp_event_category-1.xml
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	

URL	https://ipwija.ac.id/wp-sitemap-users-1.xml
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/wp-sitemap.xml
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
URL	https://ipwija.ac.id/wp-sitemap.xsl
Method	GET
Parameter	
Attack	
Evidence	X-Powered-By: PHP/8.2.28
Other Info	
Instances	102
Solution	Ensure that your web server, application server, load balancer, etc. is configured to suppress "X-Powered-By" headers.
Reference	https://owasp.org/www-project-web-security-testing-guide/v42/4-Web_Application_Security_Testing/01-Information_Gathering/08-Fingerprint_Web_Application_Framework https://www.troyhunt.com/shhh-dont-let-your-response-headers/
CWE Id	497
WASC Id	13
Plugin Id	10037

Low	Server Leaks Version Information via "Server" HTTP Response Header Field
Description	The web/application server is leaking version information via the "Server" HTTP response header. Access to such information may facilitate attackers identifying other vulnerabilities your web/application server is subject to.
URL	http://repository.ipwija.ac.id/
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
Request Header	GET http://repository.ipwija.ac.id/ HTTP/1.1 host: repository.ipwija.ac.id user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Safari/537.36 pragma: no-cache cache-control: no-cache referer: https://ipwija.ac.id/
Request Body	
Response Header	HTTP/1.1 200 OK Date: Tue, 18 Nov 2025 01:39:55 GMT Server: Apache/2.4.29 (Ubuntu) Expires: Thu, 18 Dec 2025 01:39:55 GMT Cache-Control: no-store, no-cache, must-revalidate Vary: Accept-Encoding Content-Type: text/html; charset=utf-8 content-length: 8178
Response Body (truncated)	<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> <html xmlns="http://www.w3.org/1999/xhtml"> <head> <meta http-equiv="X-UA-Compatible" content="IE=edge" /> <title>Welcome to UNIVERSITAS IPWIJA Repository - UNIVERSITAS IPWIJA REPOSITORY</title> <link rel="icon" href="/favicon.ico" type="image/x-icon" /> <link rel="shortcut icon" href="/favicon.ico" type="image/x-icon" /> <link rel="alternate" type="...(truncated)>
URL	http://repository.ipwija.ac.id/cgi/export/repository/RDFN3/devel.n3
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/cgi/export/repository/RDFXML/devel.rdf
Method	GET

Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/cgi/latest
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/cgi/latest_tool?output=Atom
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/cgi/latest_tool?output=RSS
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/cgi/latest_tool?output=RSS2
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/cgi/oi2
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/cgi/opensearchdescription
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/cgi/register
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/cgi/search
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/cgi/search/advanced
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/cgi/search?_action_search=Search&_order=bytitle&_satisfyall=ALL&basic_srctype=ALL&q=ZAP
Method	GET

Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/cgi/users/home
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/eprints/
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/favicon.ico
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/id/contents
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/images/eprintslogo.gif
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/images/sitelogopwija.png
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/information.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/javascript/auto-3.3.16.js
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/policies.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/style/auto-3.3.16.css
Method	GET

Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/style/ie6.css
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/style/images/feed-icon-14x14.png
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/style/images/message.png
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/sword-app/servicedocument
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/creators/
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/creators/index.B.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/creators/index.C.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/creators/index.E.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/creators/index.F-G.html
Method	GET

Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/creators/index.H.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/creators/index.I.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/creators/index.K.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/creators/index.L.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/creators/index.N.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/creators/index.O.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/divisions/
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/divisions/divisions/
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/divisions/fac=5Feng/
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/divisions/fac=5Flaw/
Method	GET

Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/divisions/fac=5Fmed/
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/divisions/sch=5Fart/
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/divisions/sch=5Fecs/
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/divisions/sch=5Fedu/
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/divisions/sch=5Fman/
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/divisions/sch=5Fmat/
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/divisions/sch=5Fmed/
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/divisions/sch=5Fsoc/
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/A.html
Method	GET

Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/AC.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/AI.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/AS.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/B.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/BF.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/H.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/HB.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/HC.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/HD.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/HD28.html
Method	GET

Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/HD61.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/HG.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/HJ.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/HN.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/HV.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/L.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/LB.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/LB2361.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/Q.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/Q1.html
Method	GET

Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/QA.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/QA75.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/subjects/subjects.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/year/
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/year/0031.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/year/1998.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/year/1999.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2001.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2004.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2005.html
Method	GET

Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2006.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2008.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2009.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2010.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2011.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2012.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2013.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2014.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2015.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2016.html
Method	GET

Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2017.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2018.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2019.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2020.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2021.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2022.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2023.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2024.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
URL	http://repository.ipwija.ac.id/view/year/2025.html
Method	GET
Parameter	
Attack	
Evidence	Apache/2.4.29 (Ubuntu)
Other Info	
Instances	102
Solution	Ensure that your web server, application server, load balancer, etc. is configured to suppress the "Server" header or provide generic details.

Reference	https://httpd.apache.org/docs/current/mod/core.html#servertokens https://learn.microsoft.com/en-us/previous-versions/msp-n-p/ff648552(v=pandp.10) https://www.troyhunt.com/shhh-dont-let-your-response-headers/
CWE Id	497
WASC Id	13
Plugin Id	10036
Low	Strict-Transport-Security Header Not Set
Description	HTTP Strict Transport Security (HSTS) is a web security policy mechanism whereby a web server declares that complying user agents (such as a web browser) are to interact with it using only secure HTTPS connections (i.e. HTTP layered over TLS/SSL). HSTS is an IETF standards track protocol and is specified in RFC 6797.
URL	https://ipwija.ac.id/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
Request Header	GET https://ipwija.ac.id/ HTTP/1.1 host: ipwija.ac.id user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Safari/537.36 pragma: no-cache cache-control: no-cache
Request Body	
Response Header	HTTP/1.1 200 OK Date: Tue, 18 Nov 2025 01:39:47 GMT Content-Type: text/html; charset=UTF-8 Connection: keep-alive Vary: Accept-Encoding X-Powered-By: PHP/8.2.28 Link: <https://ipwija.ac.id/wp-json/>; rel="https://api.w.org/" Link: <https://ipwija.ac.id/wp-json/wp/v2/pages/15509>; rel="alternate"; title="JSON"; type="application/json" Link: <https://ipwija.ac.id/>; rel=shortlink Etag: W/"99-1762975106;gz" X-LiteSpeed-Cache: hit platform: hostinger panel: hpanel Content-Security-Policy: upgrade-insecure-requests Age: 748 Server: hcdn alt-svc: h3=":443"; ma=86400 x-hcdn-request-id: 67567de4d7e13da7d211d4f7a7702a92-bos-edge3 x-hcdn-cache-status: HIT content-length: 415329
Response Body (truncated)	<!DOCTYPE html> <html itemscope itemtype="http://schema.org/WebPage" lang="en-US"> <head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1"> <link rel="profile" href="http://gmpg.org/xfn/11"> <link rel="pingback" href="https://ipwija.ac.id/xmlrpc.php"> <title>Universitas IPWIJA – Universitas IPWIJA</title> <style> #wpadminbar #wp-admin-bar-wsm_free_top_button .ab-icon:before { content: "\f239"; color: #FF9800; top: 3px; } </style><meta name=...(truncated)
URL	https://ipwija.ac.id/3d-flip-book/20461/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/3d-flip-book/buku-panduan-perpustakaan/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/3d-flip-book/sk-unit-pengelola-ppks-universitas-ipwija/
Method	GET
Parameter	
Attack	
Evidence	

Other Info	
URL	https://ipwija.ac.id/?thim_elementor_kit=footer
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/?thim_elementor_kit=footer-new
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/?thim_elementor_kit=menu-right-university
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/?thim_elementor_kit=rpl
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/?thim_elementor_kit=topbar-university
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/about-us/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/about/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/academics-detail/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/academics/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/account/
Method	GET
Parameter	
Attack	
Evidence	

Other Info	
URL	https://ipwija.ac.id/admission/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/aktivitas/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/alumni/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/become-a-teacher/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/berita/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/biaya-kuliah-universitas-ipwija/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/campus-life/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/category/berita-kampus/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/category/berita-pusat-karir/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/category/karir-lowongan/
Method	GET
Parameter	
Attack	
Evidence	

Other Info	
URL	https://ipwija.ac.id/category/kegiatan-mahasiswa/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/community/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/contact/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/applying-natural-laws-to-technology-and-society/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/daftar-ulang-pengisian-krs-penggantian-mata-kuliah-pada-krs/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/elegant-light-box-paper-cut-dioramas-1/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/menyiapkan-sdm-unggul-menyongsong-indonesia-emas-tahun-2045/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/pengisian-krs-genap-2025-2026/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/pengumuman-khs-semester-ganjil/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/pentas-seni-universitas-ipwija-youthfull-rhapsody-2025/
Method	GET
Parameter	
Attack	
Evidence	

Other Info	
URL	https://ipwija.ac.id/events/perkuliah-an-semester-ganjil-2025-2026/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/tiba-tiba-bazaar-vol-3/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/uji-kompetensi-lsp/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/ujian-akhir-semester-ganjil-uas/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/ujian-akhir-semester-genap/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/ujian-tengah-semester-ganjil/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/ujian-tengah-semester-genap/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/wisuda/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/workshop-digitalisasi-umkm-langkah-mudah-menuju-pemasaran-online/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/yudisium/
Method	GET
Parameter	
Attack	
Evidence	

Other Info	
URL	https://ipwija.ac.id/faculty-detail/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/faculty/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/faqs/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/fasilitas/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/gallery/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/home/u329130267/domains/ipwija.ac.id/public_html/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/hubungi-kami/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/keseharian-di-kampus/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/ip-become-a-teacher/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/maintenance/
Method	GET
Parameter	
Attack	
Evidence	

Other Info	
URL	https://ipwija.ac.id/major-program/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/mengapa-ipwija/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/my-calendar/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/pendaftaran-mahasiswa-baru/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/pendaftaran/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/pengumuman-penerimaan/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio-masonry-2/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio-masonry/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/about-soft-skills/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/design-cover/
Method	GET
Parameter	
Attack	
Evidence	

Other Info	
URL	https://ipwija.ac.id/portfolio/electronic-book/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/fighting/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/home-work/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/keeping-smile/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/library/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/opened-book/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/reading-book/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/reading-glasses/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/startup-team/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/up-your-skill/
Method	GET
Parameter	
Attack	
Evidence	

Other Info	
URL	https://ipwija.ac.id/portfolio_category/books/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio_category/courses/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio_category/presentations/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/program-studi-informatika/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/program-studi-kebidanan/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/program-studi-kewirausahaan/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/program-studi-rekayasa-perangkat-lunak/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/program-studi-sarajana-manajemen/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/program-studi-sistem-informasi/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/research/
Method	GET
Parameter	
Attack	
Evidence	

Other Info	
URL	https://ipwija.ac.id/robots.txt
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/simulasi-rapor/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/tentang-universitas-ipwija/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/tp-event-category/acara/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/tp-event-category/kalender-akademik/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-sitemap-index.xml
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-sitemap-posts-3d-flip-book-1.xml
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-sitemap-posts-page-1.xml
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-sitemap-posts-portfolio-1.xml
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-sitemap-posts-post-1.xml
Method	GET
Parameter	
Attack	
Evidence	

Other Info	
URL	https://ipwija.ac.id/wp-sitemap-posts-thim_elementor_kit-1.xml
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-sitemap-posts-tp_event-1.xml
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-sitemap-taxonomies-category-1.xml
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-sitemap-taxonomies-portfolio_category-1.xml
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-sitemap-taxonomies-tp_event_category-1.xml
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-sitemap-users-1.xml
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-sitemap.xml
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-sitemap.xsl
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
Instances	102
Solution	Ensure that your web server, application server, load balancer, etc. is configured to enforce Strict-Transport-Security.
Reference	https://cheatsheetseries.owasp.org/cheatsheets/HTTP_Strict_Transport_Security_Cheat_Sheet.html https://owasp.org/www-community/Security_Headers https://en.wikipedia.org/wiki/HTTP_Strict_Transport_Security https://caniuse.com/stricttransportsecurity https://datatracker.ietf.org/doc/html/rfc6797
CWE Id	319
WASC Id	15
Plugin Id	10035
Low	X-Content-Type-Options Header Missing
Description	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

URL	https://ipwija.ac.id/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
Request Header	GET https://ipwija.ac.id/ HTTP/1.1 host: ipwija.ac.id user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Safari/537.36 pragma: no-cache cache-control: no-cache
Request Body	
Response Header	HTTP/1.1 200 OK Date: Tue, 18 Nov 2025 01:39:47 GMT Content-Type: text/html; charset=UTF-8 Connection: keep-alive Vary: Accept-Encoding X-Powered-By: PHP/8.2.28 Link: <https://ipwija.ac.id/wp-json/>; rel="https://api.w.org/" Link: <https://ipwija.ac.id/wp-json/wp/v2/pages/15509>; rel="alternate"; title="JSON"; type="application/json" Link: <https://ipwija.ac.id/>; rel=shortlink Etag: W/"99-1762975106;gz" X-LiteSpeed-Cache: hit platform: hostinger panel: hpanel Content-Security-Policy: upgrade-insecure-requests Age: 748 Server: hcdn alt-svc: h3=":443"; ma=86400 x-hcdn-request-id: 67567de4d7e13da7d211d4f7a7702a92-bos-edge3 x-hcdn-cache-status: HIT content-length: 415329
Response Body (truncated)	<!DOCTYPE html> <html itemscope itemtype="http://schema.org/WebPage" lang="en-US"> <head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1"> <link rel="profile" href="http://gmpg.org/xfn/11"> <link rel="pingback" href="https://ipwija.ac.id/xmlrpc.php"> <title>Universitas IPWIJA – Universitas IPWIJA</title> <style> #wpadminbar #wp-admin-bar-wsm_free_top_button .ab-icon:before { content: "\f239"; color: #FF9800; top: 3px; } </style><meta name=...(truncated)
URL	https://ipwija.ac.id/3d-flip-book/20461/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/3d-flip-book/buku-panduan-perpustakaan/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/3d-flip-book/sk-unit-pengelola-ppks-universitas-ipwija/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/2thim_elementor_kit/footer
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/?thim_elementor_kit=footer-new
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/?thim_elementor_kit=menu-right-university
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/?thim_elementor_kit=rpl
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/?thim_elementor_kit=topbar-university
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/about-us/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/about/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/academics-detail/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/academics/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/account/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	https://ipwija.ac.id/admission/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/aktivitas/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/alumni/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/become-a-teacher/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/berita/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/biaya-kuliah-universitas-ipwija/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/campus-life/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/category/berita-kampus/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/category/berita-pusat-karir/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/category/karir-lowongan/

Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/category/kegiatan-mahasiswa/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/community/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/contact/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/events/applying-natural-laws-to-technology-and-society/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/events/daftar-ulang-pengisian-krs-penggantian-mata-kuliah-pada-krs/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/events/elegant-light-box-paper-cut-dioramas-1/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/events/menyiapkan-sdm-unggul-menyongsong-indonesia-emas-tahun-2045/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/events/pengisian-krs-genap-2025-2026/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/events/pengumuman-khs-semester-ganjil/
Method	GET

Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/events/pentas-seni-universitas-ipwija-youthfull-rhapsody-2025/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/events/perkuliah-an-semester-ganjil-2025-2026/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/events/tiba-tiba-bazaar-vol-3/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/events/uji-kompetensi-lsp/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/events/ujian-akhir-semester-ganjil-uas/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/events/ujian-akhir-semester-genap/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/events/ujian-tengah-semester-ganjil/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/events/ujian-tengah-semester-genap/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/events/wisuda/
Method	GET
Parameter	x-content-type-options

Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/events/workshop-digitalisasi-umkm-langkah-mudah-menuju-pemasaran-online/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/events/yudisium/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/faculty-detail/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/faculty/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/faqs/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/fasilitas/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/gallery/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/hubungi-kami/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/keseharian-di-kampus/
Method	GET
Parameter	x-content-type-options
Attack	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/ip-become-a-teacher/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/maintenance/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/major-program/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/mengapa-ipwija/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/my-calendar/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/pendaftaran-mahasiswa-baru/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/pendaftaran/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/pengumuman-penerimaan/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/portfolio-masonry-2/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/portfolio-masonry/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/portfolio/about-soft-skills/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/portfolio/design-cover/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/portfolio/electronic-book/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/portfolio/fighting/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/portfolio/home-work/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/portfolio/keeping-smile/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/portfolio/library/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/portfolio/opened-book/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	https://ipwija.ac.id/portfolio/reading-book/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/portfolio/reading-glasses/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/portfolio/startup-team/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/portfolio/up-your-skill/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/portfolio_category/books/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/portfolio_category/courses/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/portfolio_category/presentations/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/program-studi-informatika/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/program-studi-kebidanan/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/program-studi-kewirausahaan/

Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/program-studi-rekayasa-perangkat-lunak/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/program-studi-sarajana-manajemen/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/program-studi-sistem-informasi/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/research/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/robots.txt
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/simulasi-rapor/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/tanggal-penting-pendaftaran/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/tentang-universitas-ipwija/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/tp-event-category/acara/
Method	GET

Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/tp-event-category/kalender-akademik/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/wp-sitemap-index.xml
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/wp-sitemap-posts-3d-flip-book-1.xml
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/wp-sitemap-posts-page-1.xml
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/wp-sitemap-posts-portfolio-1.xml
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/wp-sitemap-posts-post-1.xml
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/wp-sitemap-posts-thim_elementor_kit-1.xml
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/wp-sitemap-posts-tp_event-1.xml
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/wp-sitemap-taxonomies-category-1.xml
Method	GET
Parameter	x-content-type-options

Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/wp-sitemap-taxonomies-portfolio_category-1.xml
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/wp-sitemap-taxonomies-tp_event_category-1.xml
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/wp-sitemap-users-1.xml
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/wp-sitemap.xml
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://ipwija.ac.id/wp-sitemap.xsl
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
Instances	102
Solution	Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages. If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application/web server to not perform MIME-sniffing.
Reference	https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/compatibility/gg622941(v=vs.85) https://owasp.org/www-community/Security_Headers
CWE Id	693
WASC Id	15
Plugin Id	10021

	2VWS0ljR2dkcEQ2b1FBNzYyRGZDNFRnZ2lLamhAU2d0a25XeGxrYmRKNHhUcHZtSDiILCJtYWMiOiIzMWVlYzM0MTY0NjQwMWUyMWJKNzk1M2Y1YzQ5ZjBjODAz0WU0Y2NlYTg4NDU0ZmYzMGQ0MDhmNTc2YWMlNDgyIiwidGFnIjoiIn0%3D
Request Body	_token=sDQRGHhb0c5q8xzPGWsPKSfIvuaD0rgncd6ENrUF&email=zaproxy%40example.com&password=ZAP
Response Header	HTTP/1.1 302 Found Date: Tue, 18 Nov 2025 01:41:25 GMT Content-Type: text/html; charset=utf-8 Connection: keep-alive Vary: Accept-Encoding X-Powered-By: PHP/8.2.28 Cache-Control: no-cache, no-store, must-revalidate, max-age=0 Location: https://afiliasi.ipwija.ac.id/login set-cookie: XSRF-TOKEN=eyJpdiI6IkIqZ2FsaVc3MHg5aWNZQVlLYzI0MFE9PSIsInZhbnVlIjoiRnFDeDcrVHMzTXlEWnJMMEZqMmg0YVZpTWxCUGJVTktXbLI2TXVETmpLQUNERVFsTCTnYUN0NDNLamozcUZlQmdraUhvL2J0eFVFdGJlRnZ3TWNNR20rZHpCbnZnTVFCQlZQS3RlVTUydE52dVBURWlLNm02eFpQa2tMeDUzMVAiLCJtYWMiOiIxOGMyY2QzZWZzMDIyODVmM2FjYTkxMmI3MTI2ZDA0NWl4Mzk2M2QwMzhmZWEzNzkzMzVhZDQ4ODU0OTNlOTU2IiwidGFnIjoiIn0%3D; expires=Tue, 18 Nov 2025 03:41:25 GMT; Max-Age=7200; path=/; secure; samesite=lax set-cookie: laravel_session=eyJpdiI6IjZ6WUVPZk1pZmUyWnFBa3lpQ3FkL3c9PSIsInZhbnVlIjoiYmRYbnpSaHE4TTNnbFZjTVVhZ3F3WWMyTWN0b2liZXBwdElmdXBVZzJ4c3UvRmtKekhrZUUVsUQ4UmdGN21mRFRzWmRBM3JocjV2VnZXc1dDZzhrSW9DdWNWeW9QUmLZbXVKY0dQRmpCa3V5d3o0TEExRUhJ4b1lFem1tZ0V3WDAiLCJtYWMiOiJmNGEyYjVhZDQ4ODU0OTNlOTU2IiwidGFnIjoiIn0%3D; expires=Tue, 18 Nov 2025 03:41:25 GMT; Max-Age=7200; path=/; secure; httponly; samesite=lax platform: hostinger panel: hpanel Content-Security-Policy: upgrade-insecure-requests Server: hcdn alt-svc: h3=":443"; ma=86400 x-hcdn-request-id: 5cccd808219f5a39740529deca10cac9-bos-edge2 x-hcdn-cache-status: DYNAMIC x-hcdn-upstream-rt: 0.756 content-length: 386
Response Body	<!DOCTYPE html> <html> <head> <meta charset="UTF-8" /> <meta http-equiv="refresh" content="0;url='https://afiliasi.ipwija.ac.id/login'" /> <title>Redirecting to https://afiliasi.ipwija.ac.id/login</title> </head> <body> Redirecting to https://afiliasi.ipwija.ac.id/login. </body> </html>
URL	https://ipwija.ac.id/wp-login.php
Method	POST
Parameter	eduma_login_user
Attack	
Evidence	pwd
Other Info	userParam=eduma_login_user userValue= passwordParam=pwd referer=https://ipwija.ac.id/account/
Instances	2
Solution	This is an informational alert rather than a vulnerability and so there is nothing to fix.
Reference	https://www.zaproxy.org/docs/desktop/addons/authentication-helper/auth-reg-id/
CWE Id	
WASC Id	
Plugin Id	10111
Informational	Charset Mismatch
Description	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
Request Header	GET https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2F HTTP/1.1 host: ipwija.ac.id user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Safari/537.36 pragma: no-cache cache-control: no-cache referer: https://ipwija.ac.id/
Request Body	
Response Header	HTTP/1.1 200 OK Date: Tue, 18 Nov 2025 01:39:56 GMT Content-Type: text/xml; charset=UTF-8 Connection: keep-alive Vary: Accept-Encoding X-Powered-By: PHP/8.2.28

	X-Robots-Tag: noindex Link: <https://ipwija.ac.id/wp-json/>; rel="https://api.w.org/" X-Content-Type-Options: nosniff Access-Control-Expose-Headers: X-WP-Total, X-WP-TotalPages, Link Access-Control-Allow-Headers: Authorization, X-WP-Nonce, Content-Disposition, Content-MD5, Content-Type Allow: GET Etag: W/"2814-1763429665;gz" X-LiteSpeed-Cache: hit platform: hostinger panel: hpanel Content-Security-Policy: upgrade-insecure-requests Age: 224 Server: hcdn alt-svc: h3=":443"; ma=86400 x-hcdn-request-id: 5bee2fe1a624a01e196a1588aalc9e50-bos-edge5 x-hcdn-cache-status: HIT content-length: 2267
Response Body (truncated)	<?xml version="1.0"?> <embed><version>1.0</version><provider_name>Universitas IPWIJA</provider_name><provider_url>https://ipwija.ac.id</provider_url><author_name>Humas IPWIJA</author_name><author_url>https://ipwija.ac.id/author/uipwija</author_url><title>University</title><type>rich</type><width>600</width><height>338</height><html><blockquote class="wp-embedded-content" data-secret="kCilaRnNQa">University</blockquote><iframe sandbox...(truncated)
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2F%3Fthim_elementor_kit%3Dfooter
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2F%3Fthim_elementor_kit%3Dfooter-new
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2F%3Fthim_elementor_kit%3Dmenu-right-university
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2F%3Fthim_elementor_kit%3Drpl
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2F%3Fthim_elementor_kit%3Dtopbar-university
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2F3d-flip-book%2F20461%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2F3d-flip-book%2Fbuku-panduan-perpustakaan%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2F3d-flip-book%2Fsk-unit-pengelola-ppks-universitas-ipwija%2F
Method	GET
Parameter	
Attack	

Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fabout%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fabout-us%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Faccount%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fadmission%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Falumni%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fbecome-a-teacher%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fcampus-life%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fcommunity%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fcontact%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fevents%2Fapplying-natural-laws-to-technology-and-society%2F
Method	GET
Parameter	
Attack	

Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fevents%2Fdaftar-ulang-pengisian-krs-penggantian-mata-kuliah-pada-krs%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fevents%2Felegant-light-box-paper-cut-dioramas-1%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fevents%2Fmenyiapkan-sdm-unggul-menyongsong-indonesia-emas-tahun-2045%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fevents%2Fpengisian-krs-genap-2025-2026%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fevents%2Fpengumuman-khs-semester-ganjil%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fevents%2Fpentas-seni-universitas-ipwija-youthfull-rhapsody-2025%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fevents%2Fperkuliahan-semester-ganjil-2025-2026%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fevents%2Ftiba-tiba-bazaar-vol-3%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fevents%2Fuji-kompetensi-lsp%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fevents%2Fujian-akhir-semester-ganjil-uas%2F
Method	GET
Parameter	
Attack	

Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fevents%2Fujian-akhir-semester-genap%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fevents%2Fujian-tengah-semester-ganji%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fevents%2Fujian-tengah-semester-genap%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fevents%2Fwisuda%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fevents%2Fworkshop-digitalisasi-umkm-langkah-mudah-menuju-pemasaran-online%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fevents%2Fyudisium%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Ffaculty%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fags%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fgallery%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fip-become-a-teacher%2F
Method	GET
Parameter	
Attack	

Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fmaintenance%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fpendaftaran-mahasiswa-baru%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fportfolio%2Fabout-soft-skills%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fportfolio%2Fdesign-cover%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fportfolio%2Felectronic-book%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fportfolio%2Ffighting%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fportfolio%2Fhome-work%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fportfolio%2Fkeeping-smile%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fportfolio%2Flibrary%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fportfolio%2Fopened-book%2F
Method	GET
Parameter	
Attack	

Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fportfolio%2Freading-book%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fportfolio%2Freading-glasses%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fportfolio%2Fstartup-team%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fportfolio%2Fup-your-skill%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fportfolio-masonry%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fportfolio-masonry-2%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fprogram-studi-rekayasa-perangkat-lunak%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fprogram-studi-sarajana-manajemen%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://ipwija.ac.id/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fipwija.ac.id%2Fresearch%2F
Method	GET
Parameter	
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
Instances	58
Solution	Force UTF-8 for all text content in both the HTTP header and meta tags in HTML or encoding declarations in XML.
Reference	https://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection
CWE Id	436

	platform: hostinger panel: hpanel Content-Security-Policy: upgrade-insecure-requests Age: 748 Server: hcdn alt-svc: h3=":443"; ma=86400 x-hcdn-request-id: 67567de4d7e13da7d211d4f7a7702a92-bos-edge3 x-hcdn-cache-status: HIT content-length: 415329
Response Body (truncated)	<!DOCTYPE html> <html itemscope itemtype="http://schema.org/WebPage" lang="en-US"> <head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1"> <link rel="profile" href="http://gmpg.org/xfn/11"> <link rel="pingback" href="https://ipwija.ac.id/xmlrpc.php"> <title>Universitas IPWIJA – Universitas IPWIJA</title> <style> #wpadminbar #wp-admin-bar-wsm_free_top_button .ab-icon:before { content: "\f239"; color: #FF9800; top: 3px; } </style><meta name=...(truncated)
URL	https://ipwija.ac.id/3d-flip-book/20461/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/3d-flip-book/buku-panduan-perpustakaan/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/3d-flip-book/sk-unit-pengelola-ppts-universitas-ipwija/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/?thim_elementor_kit=footer
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/?thim_elementor_kit=footer-new
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/?thim_elementor_kit=menu-right-university
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/?thim_elementor_kit=rpl
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/?thim_elementor_kit=topbar-university
Method	GET

Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/about-us/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/about/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/academics-detail/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/academics/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/account/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/admission/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/aktivitas/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/alumni/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/become-a-teacher/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/berita/
Method	GET

Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/biaya-kuliah-universitas-ipwija/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/campus-life/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/category/berita-kampus/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/category/berita-pusat-karir/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/category/karir-lowongan/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/category/kegiatan-mahasiswa/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/community/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/contact/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/applying-natural-laws-to-technology-and-society/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/daftar-ulang-pengisian-krs-penggantian-mata-kuliah-pada-krs/
Method	GET

Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/elegant-light-box-paper-cut-dioramas-1/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/menyiapkan-sdm-unggul-menyongsong-indonesia-emas-tahun-2045/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/pengisian-krs-genap-2025-2026/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/pengumuman-khs-semester-ganjil/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/pentas-seni-universitas-ipwija-youthfull-rhapsody-2025/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/perkuliahan-semester-ganjil-2025-2026/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/tiba-tiba-bazaar-vol-3/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/uji-kompetensi-lsp/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/ujian-akhir-semester-ganjil-uas/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/ujian-akhir-semester-genap/
Method	GET

Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/ujian-tengah-semester-ganjil/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/ujian-tengah-semester-genap/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/wisuda/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/workshop-digitalisasi-umkm-langkah-mudah-menuju-pemasaran-online/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/events/yudisium/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/faculty-detail/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/faculty/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/faqs/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/fasilitas/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/gallery/
Method	GET

Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/hubungi-kami/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/informasi-tes-seleksi/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/keseharian-di-kampus/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/p-become-a-teacher/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/maintenance/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/major-program/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/mengapa-ipwija/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/my-calendar/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/pendaftaran-mahasiswa-baru/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/pendaftaran/
Method	GET

Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/pengumuman-penerimaan/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio-masonry-2/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio-masonry/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/about-soft-skills/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/design-cover/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/electronic-book/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/fighting/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/home-work/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/keeping-smile/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/library/
Method	GET

Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/opened-book/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/reading-book/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/reading-glasses/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/startup-team/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio/un-your-skill/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio_category/books/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio_category/courses/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/portfolio_category/presentations/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/program-studi-informatika/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/program-studi-kebidanan/
Method	GET

Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/program-studi-kewirausahaan/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/program-studi-rekayasa-perangkat-lunak/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/program-studi-sarajana-manajemen/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/program-studi-sistem-informasi/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/research/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/robots.txt
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/simulasi-rapor/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/tentang-universitas-ipwija/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/tp-event-category/acara/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/tp-event-category/kalender-akademik/
Method	GET

Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-sitemap-index.xsl
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-sitemap-posts-3d-flip-book-1.xml
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-sitemap-posts-page-1.xml
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-sitemap-posts-portfolio-1.xml
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-sitemap-posts-post-1.xml
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-sitemap-posts-thim_elementor_kit-1.xml
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-sitemap-posts-tp_event-1.xml
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-sitemap-taxonomies-category-1.xml
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-sitemap-taxonomies-portfolio_category-1.xml
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-sitemap-taxonomies-tp_event_category-1.xml
Method	GET

Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-sitemap-users-1.xml
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-sitemap.xml
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://ipwija.ac.id/wp-sitemap.xsl
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
Instances	102
Solution	For secure content, ensure the cache-control HTTP header is set with "no-cache, no-store, must-revalidate". If an asset should be cached consider setting the directives "public, max-age, immutable".
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Session_Management_Cheat_Sheet.html#web-content-caching https://developer.mozilla.org/en-US/docs/Web/HTTP/Reference/Headers/Cache-Control https://grayduck.mn/2021/09/13/cache-control-recommendations/
CWE Id	525
WASC Id	13
Plugin Id	10015
Informational	Retrieved from Cache
Description	The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.
URL	https://ipwija.ac.id/
Method	GET
Parameter	
Attack	
Evidence	Age: 748
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
Request Header	GET https://ipwija.ac.id/ HTTP/1.1 host: ipwija.ac.id user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Safari/537.36 pragma: no-cache cache-control: no-cache
Request Body	
Response Header	HTTP/1.1 200 OK Date: Tue, 18 Nov 2025 01:39:47 GMT Content-Type: text/html; charset=UTF-8 Connection: keep-alive Vary: Accept-Encoding X-Powered-By: PHP/8.2.28 Link: <https://ipwija.ac.id/wp-json/>; rel="https://api.w.org/" Link: <https://ipwija.ac.id/wp-json/wp/v2/pages/15509>; rel="alternate"; title="JSON"; type="application/json" Link: <https://ipwija.ac.id/>; rel=shortlink Etag: W/"99-1762975106;gz" X-LiteSpeed-Cache: hit platform: hostinger panel: hpanel Content-Security-Policy: upgrade-insecure-requests Age: 748 Server: hcdn alt-svc: h3=":443"; ma=86400 x-hcdn-request-id: 67567de4d7e13da7d211d4f7a7702a92-bos-edge3 x-hcdn-cache-status: HIT content-length: 415329
Response Body (truncated)	<!DOCTYPE html> <html itemscope itemtype="http://schema.org/WebPage" lang="en-US"> <head>

	<pre><meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1"> <link rel="profile" href="http://gmpg.org/xfn/11"> <link rel="pingback" href="https://ipwija.ac.id/xmlrpc.php"> <title>Universitas IPWIJA &#8211; Universitas IPWIJA</title> <style> #wpadminbar #wp-admin-bar-wsm_free_top_button .ab-icon:before { content: "\f239"; color: #FF9800; top: 3px; } </style><meta name=...(truncated)</pre>
URL	https://ipwija.ac.id/3d-flip-book/20461/
Method	GET
Parameter	
Attack	
Evidence	Age: 92
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/3d-flip-book/buku-panduan-perpustakaan/
Method	GET
Parameter	
Attack	
Evidence	Age: 91
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/?thim_elementor_kit=footer-new
Method	GET
Parameter	
Attack	
Evidence	Age: 86
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/?thim_elementor_kit=menu-right-university
Method	GET
Parameter	
Attack	
Evidence	Age: 86
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/about-us/
Method	GET
Parameter	
Attack	
Evidence	Age: 92
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/about/
Method	GET
Parameter	
Attack	
Evidence	Age: 92
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/aktivitas/
Method	GET
Parameter	
Attack	
Evidence	Age: 154
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/alumni/
Method	GET
Parameter	
Attack	
Evidence	Age: 92
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/apa-kabar-ipwija/
Method	GET
Parameter	
Attack	
Evidence	Age: 92

Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/arsip/
Method	GET
Parameter	
Attack	
Evidence	Age: 332
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/author/uipwija-2/
Method	GET
Parameter	
Attack	
Evidence	Age: 132
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/author/uipwija/
Method	GET
Parameter	
Attack	
Evidence	Age: 76
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/become-a-teacher/
Method	GET
Parameter	
Attack	
Evidence	Age: 91
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/berita/
Method	GET
Parameter	
Attack	
Evidence	Age: 59
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/biaya-kuliah-universitas-ipwija/
Method	GET
Parameter	
Attack	
Evidence	Age: 66680
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/category/berita-kampus/
Method	GET
Parameter	
Attack	
Evidence	Age: 139
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/category/berita-pusat-karir/
Method	GET
Parameter	
Attack	
Evidence	Age: 85
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/category/karir-lowongan/
Method	GET
Parameter	
Attack	
Evidence	Age: 111
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/category/kegiatan-mahasiswa/
Method	GET
Parameter	
Attack	
Evidence	Age: 86

Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/community/
Method	GET
Parameter	
Attack	
Evidence	Age: 359
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/events/
Method	GET
Parameter	
Attack	
Evidence	Age: 286
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/events/daftar-ulang-pengisian-krs-penggantian-mata-kuliah-pada-krs/
Method	GET
Parameter	
Attack	
Evidence	Age: 125
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/events/pengisian-krs-genap-2025-2026/
Method	GET
Parameter	
Attack	
Evidence	Age: 296
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/events/pengumuman-khs-semester-ganjil/
Method	GET
Parameter	
Attack	
Evidence	Age: 245
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/events/perkuliah-an-semester-ganjil-2025-2026/
Method	GET
Parameter	
Attack	
Evidence	Age: 86
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/events/uji-kompetensi-lsp/
Method	GET
Parameter	
Attack	
Evidence	Age: 87
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/events/ujian-akhir-semester-ganjil-uas/
Method	GET
Parameter	
Attack	
Evidence	Age: 81
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/events/ujian-akhir-semester-genap/
Method	GET
Parameter	
Attack	
Evidence	Age: 30964
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/events/wisuda/
Method	GET
Parameter	
Attack	
Evidence	Age: 297

Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/events/yudisium/
Method	GET
Parameter	
Attack	
Evidence	Age: 296
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/faqs/
Method	GET
Parameter	
Attack	
Evidence	Age: 91
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/fasilitas/
Method	GET
Parameter	
Attack	
Evidence	Age: 335
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/feed/
Method	GET
Parameter	
Attack	
Evidence	Age: 159
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/hubungi-kami/
Method	GET
Parameter	
Attack	
Evidence	Age: 43841
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/informasi-beasiswa/
Method	GET
Parameter	
Attack	
Evidence	Age: 226
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/informasi-tes-seleksi/
Method	GET
Parameter	
Attack	
Evidence	Age: 155
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/kabar-terbaru/
Method	GET
Parameter	
Attack	
Evidence	Age: 110
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/kebijakan-dan-pengumuman/
Method	GET
Parameter	
Attack	
Evidence	Age: 283
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/kemahasiswaan/
Method	GET
Parameter	
Attack	
Evidence	Age: 334

Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/keseharian-di-kampus/
Method	GET
Parameter	
Attack	
Evidence	Age: 168
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/klinik/
Method	GET
Parameter	
Attack	
Evidence	Age: 66384
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/lembaga-sertifikasi-profesi
Method	GET
Parameter	
Attack	
Evidence	Age: 334
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/lembaga-sertifikasi-profesi/
Method	GET
Parameter	
Attack	
Evidence	Age: 81
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/marina-goes-to-school-campus-di-universitas-ipwija-no-limit-under-the-sun/
Method	GET
Parameter	
Attack	
Evidence	Age: 160
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/mengapa-ipwija/
Method	GET
Parameter	
Attack	
Evidence	Age: 160
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/pendaftaran-mahasiswa-baru/
Method	GET
Parameter	
Attack	
Evidence	Age: 91
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/pendaftaran/
Method	GET
Parameter	
Attack	
Evidence	Age: 154
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/pengumuman-penerimaan/
Method	GET
Parameter	
Attack	
Evidence	Age: 226
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/pentas-seni-universitas-ipwija-2025-youthful-rhapsody-kebebasan-berekspresi/
Method	GET
Parameter	
Attack	
Evidence	Age: 166

Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/portfolio/design-cover/
Method	GET
Parameter	
Attack	
Evidence	Age: 91
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/portfolio/home-work/
Method	GET
Parameter	
Attack	
Evidence	Age: 93
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/portfolio/library/
Method	GET
Parameter	
Attack	
Evidence	Age: 92
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/portfolio_category/books/
Method	GET
Parameter	
Attack	
Evidence	Age: 104
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/portfolio_category/courses/
Method	GET
Parameter	
Attack	
Evidence	Age: 104
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/portfolio_category/presentations/
Method	GET
Parameter	
Attack	
Evidence	Age: 104
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/program-studi-informatika/
Method	GET
Parameter	
Attack	
Evidence	Age: 14966
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/program-studi-kebidanan/
Method	GET
Parameter	
Attack	
Evidence	Age: 223
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/program-studi-kewirausahaan/
Method	GET
Parameter	
Attack	
Evidence	Age: 152
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/program-studi-rekayasa-perangkat-lunak/
Method	GET
Parameter	
Attack	
Evidence	Age: 51499

Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/program-studi-sarajana-manajemen/
Method	GET
Parameter	
Attack	
Evidence	Age: 224
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/program-studi-sistem-informasi/
Method	GET
Parameter	
Attack	
Evidence	Age: 152
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/pusat-karir/
Method	GET
Parameter	
Attack	
Evidence	Age: 334
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/pusat-teknologi-informasi/
Method	GET
Parameter	
Attack	
Evidence	Age: 334
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/robots.txt
Method	GET
Parameter	
Attack	
Evidence	Age: 6925
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/sekilas-ipwija/
Method	GET
Parameter	
Attack	
Evidence	Age: 110
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/simulasi-rapor/
Method	GET
Parameter	
Attack	
Evidence	Age: 117
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/sitemap.xml
Method	GET
Parameter	
Attack	
Evidence	Age: 154
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/sorotan/
Method	GET
Parameter	
Attack	
Evidence	Age: 284
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/sosialisasi-p2mw-2025-di-universitas-ipwija-mahasiswa-didorong-jadi-wirausahawan-muda/
Method	GET
Parameter	
Attack	
Evidence	Age: 282

Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/tanggal-penting-pendaftaran/
Method	GET
Parameter	
Attack	
Evidence	Age: 78010
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/tanggal-penting/
Method	GET
Parameter	
Attack	
Evidence	Age: 168
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/tentang-universitas-ipwija/
Method	GET
Parameter	
Attack	
Evidence	Age: 169
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/tp-event-category/kalender-akademik/
Method	GET
Parameter	
Attack	
Evidence	Age: 84
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/video/
Method	GET
Parameter	
Attack	
Evidence	Age: 110
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/wp-content/plugins/chaty/css/chaty-front.min.css?ver=3.4.11742195845
Method	GET
Parameter	
Attack	
Evidence	Age: 331
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/wp-content/plugins/contact-form-7/includes/css/styles.css?ver=6.0.6
Method	GET
Parameter	
Attack	
Evidence	Age: 110
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/wp-content/plugins/elementor/assets/css/conditionals/e-swiper.min.css?ver=3.28.4
Method	GET
Parameter	
Attack	
Evidence	Age: 332
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/wp-content/plugins/elementor/assets/css/frontend.min.css?ver=3.28.4
Method	GET
Parameter	
Attack	
Evidence	Age: 93
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/wp-content/plugins/elementor/assets/css/widget-heading.min.css?ver=3.28.4
Method	GET
Parameter	
Attack	
Evidence	Age: 332

Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/wp-content/plugins/elementor/assets/css/widget-image.min.css?ver=3.28.4
Method	GET
Parameter	
Attack	
Evidence	Age: 116
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/wp-content/plugins/elementor/assets/css/widget-spacer.min.css?ver=3.28.4
Method	GET
Parameter	
Attack	
Evidence	Age: 165
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/wp-content/plugins/elementor/assets/css/widget-video.min.css?ver=3.28.4
Method	GET
Parameter	
Attack	
Evidence	Age: 224
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/wp-content/plugins/h5p/h5p-php-library/styles/h5p.css?ver=1.16.0
Method	GET
Parameter	
Attack	
Evidence	Age: 109
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/wp-content/plugins/insta-gallery/assets/frontend/swiper/swiper.min.css?ver=4.6.1
Method	GET
Parameter	
Attack	
Evidence	Age: 110
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/wp-content/plugins/insta-gallery/build/frontend/css/style.css?ver=4.6.1
Method	GET
Parameter	
Attack	
Evidence	Age: 159
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/wp-content/plugins/instagram-feed/css/sbi-styles.min.css?ver=6.9.0
Method	GET
Parameter	
Attack	
Evidence	Age: 332
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/wp-content/plugins/popup-maker/assets/css/pum-site.min.css?ver=1.20.3
Method	GET
Parameter	
Attack	
Evidence	Age: 110
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/wp-content/plugins/revslider/public/css/sr7.css?ver=6.7.23
Method	GET
Parameter	
Attack	
Evidence	Age: 331
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/wp-content/plugins/thim-elementor-kit/build/frontend.css?ver=1.3.2
Method	GET
Parameter	
Attack	
Evidence	Age: 165

Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/wp-content/plugins/wp-stats-manager/css/style.css?ver=1.2
Method	GET
Parameter	
Attack	
Evidence	Age: 331
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/wp-json/
Method	GET
Parameter	
Attack	
Evidence	Age: 336
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/wp-sitemap-posts-3d-flip-book-1.xml
Method	GET
Parameter	
Attack	
Evidence	Age: 93
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/wp-sitemap-posts-page-1.xml
Method	GET
Parameter	
Attack	
Evidence	Age: 142
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/wp-sitemap-posts-portfolio-1.xml
Method	GET
Parameter	
Attack	
Evidence	Age: 142
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/wp-sitemap-posts-thim_elementor_kit-1.xml
Method	GET
Parameter	
Attack	
Evidence	Age: 105
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/wp-sitemap-posts-tp_event-1.xml
Method	GET
Parameter	
Attack	
Evidence	Age: 142
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/wp-sitemap-taxonomies-category-1.xml
Method	GET
Parameter	
Attack	
Evidence	Age: 105
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/wp-sitemap-taxonomies-portfolio_category-1.xml
Method	GET
Parameter	
Attack	
Evidence	Age: 141
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/wp-sitemap-taxonomies-tp_event_category-1.xml
Method	GET
Parameter	
Attack	
Evidence	Age: 141

Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/wp-sitemap-users-1.xml
Method	GET
Parameter	
Attack	
Evidence	Age: 141
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://ipwija.ac.id/wp-sitemap.xml
Method	GET
Parameter	
Attack	
Evidence	Age: 132
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
Instances	102
Solution	Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:
	Cache-Control: no-cache, no-store, must-revalidate, private
	Pragma: no-cache
	Expires: 0
This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.	
Reference	https://datatracker.ietf.org/doc/html/rfc7234 https://datatracker.ietf.org/doc/html/rfc7231 https://www.rfc-editor.org/rfc/rfc9110.html
CWE Id	525
WASC Id	
Plugin Id	10050
Informational	Session Management Response Identified
Description	The given response has been identified as containing a session management token. The 'Other Info' field contains a set of header tokens that can be used in the Header Based Session Management Method. If the request is in a context which has a Session Management Method set to "Auto-Detect" then this rule will change the session management to use the tokens identified.
URL	https://afiliasi.ipwija.ac.id/
Method	GET
Parameter	laravel_session
Attack	
Evidence	laravel_session
Other Info	cookie:laravel_session cookie:XSRF-TOKEN
Request Header	GET https://afiliasi.ipwija.ac.id/ HTTP/1.1 host: afiliasi.ipwija.ac.id user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Safari/537.36 pragma: no-cache cache-control: no-cache referer: https://ipwija.ac.id/
Request Body	
Response Header	HTTP/1.1 200 OK Date: Tue, 18 Nov 2025 01:39:55 GMT Content-Type: text/html; charset=UTF-8 Connection: keep-alive Vary: Accept-Encoding X-Powered-By: PHP/8.2.28 Cache-Control: no-cache, private set-cookie: XSRF-TOKEN=eyJpdiI6ImFjdWYwVndmcDh6aTY4U1FaUGNjNGc9PSIsInZhbnVlIjoIiWdxexTI5YzAzK1NnYkNoSGlMeXMrX15LzVrVTU0dU5EeXZ2RHRHU1Rst2RjdnJ40FZ4SDRuS1VZM2MrcHB0TjBZaG9wcllQ0GxYcFZ3MFkyT2JnUkJKwW5Ra0tXMytyQ2J0K1RybEt1V3pnSlJVMWsxWW1RVktDdkQxRnU3NEMiLCJtYWMiOiI10DA2ZWU4ZjdkMTcwOWFjOGI2ODFkYmZjOTIwMDQ2YTk5YmNkMzA4NTU3NTZhMDVhNGY5ZTA1YmM0ODRjNDZAzIiwidGFnIjoIIn0%3D; expires=Tue, 18 Nov 2025 03:39:55 GMT; Max-Age=7200; path=/; secure; samesite=lax set-cookie: laravel_session =eyJpdiI6IjdVMEhuUaWRyTFIsdDdVZ1NuTHdoc0E9PSIsInZhbnVlIjoIidjZob3NJcC81VmJGS1VvV1NJOGdKRTV3eE4xRjJmQS9qcXhRcTlCaEF0QkdhT0hXQUY4aE5ZRis1SXLsZXYYeTRvT3pnMmtkZXo4MjRsSzJYV0lyQitrM0F0WwpDK2FoK3hscUx4dTBOs0l6UldJREdjV0hmbHVvNzR6WnLVUnAiLCJtYWMiOiI2YjgxM2UzZTlhMjk3MmVjNGU3ODk5YzAwN2U5MjUzOWUxNWw0NTAzYjU4YjRmZGZjMWU2OTJhODQ4YjZmZWU0IiwidGFnIjoIIn0%3D; expires=Tue, 18 Nov 2025 03:39:55 GMT; Max-Age=7200; path=/; secure; httponly; samesite=lax platform: hostinger panel: hpanel Content-Security-Policy: upgrade-insecure-requests Server: hcdn alt-svc: h3=":443"; ma=86400 x-hcdn-request-id: b8662948041194601975f6a97f9a6fe1-bos-edge4 x-hcdn-cache-status: DYNAMIC x-hcdn-upstream-rt: 0.793 content-length: 32839
Response Body (truncated)	<!DOCTYPE html> <html lang="en"> <head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1.0"> <title>Program Afiliasi IPWIJA</title>

	<!-- Bootstrap CSS --> <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet"> <link rel="preconnect" href="https://fonts.googleapis.com"> <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin> <link href="https://fonts.go...(truncated)
URL	https://afiliasi.ipwija.ac.id/forgot-password
Method	GET
Parameter	laravel_session
Attack	
Evidence	laravel_session
Other Info	cookie:laravel_session cookie:XSRF-TOKEN
URL	https://afiliasi.ipwija.ac.id/login
Method	GET
Parameter	laravel_session
Attack	
Evidence	laravel_session
Other Info	cookie:laravel_session cookie:XSRF-TOKEN
URL	https://afiliasi.ipwija.ac.id/register
Method	GET
Parameter	laravel_session
Attack	
Evidence	laravel_session
Other Info	cookie:laravel_session cookie:XSRF-TOKEN
URL	https://pmb.ipwija.ac.id/
Method	GET
Parameter	SIAKAD_CLOUD_FRONT_ACCESS
Attack	
Evidence	SIAKAD_CLOUD_FRONT_ACCESS
Other Info	cookie:SIAKAD_CLOUD_FRONT_ACCESS
URL	https://afiliasi.ipwija.ac.id/send-otp
Method	POST
Parameter	laravel_session
Attack	
Evidence	laravel_session
Other Info	cookie:laravel_session cookie:XSRF-TOKEN
URL	https://afiliasi.ipwija.ac.id/storeRegister
Method	POST
Parameter	laravel_session
Attack	
Evidence	laravel_session
Other Info	cookie:laravel_session cookie:XSRF-TOKEN
URL	https://afiliasi.ipwija.ac.id/validateLogin
Method	POST
Parameter	laravel_session
Attack	
Evidence	laravel_session
Other Info	cookie:laravel_session cookie:XSRF-TOKEN
URL	https://ipwija.ac.id/wp-login.php
Method	POST
Parameter	wordpress_test_cookie
Attack	
Evidence	wordpress_test_cookie
Other Info	cookie:wordpress_test_cookie
Instances	9
Solution	This is an informational alert rather than a vulnerability and so there is nothing to fix.
Reference	https://www.zaproxy.org/docs/desktop/addons/authentication-helper/session-mgmt-id/
CWE Id	
WASC Id	
Plugin Id	10112
Informational	User Controllable HTML Element Attribute (Potential XSS)
Description	This check looks at user-supplied input in query string parameters and POST data to identify where certain HTML attribute values might be controlled. This provides hot-spot detection for XSS (cross-site scripting) that will require further review by a security analyst to determine exploitability.

URL	http://repository.ipwija.ac.id/cgi/search/simple?_action_search=Search&_order=bytitle&_satisfyall=ALL&basic_srctype=ALL&q=ZAP
Method	GET
Parameter	_action_search
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://repository.ipwija.ac.id/cgi/search/simple?_action_search=Search&_order=bytitle&_satisfyall=ALL&basic_srctype=ALL&q=ZAP appears to include user input in: a(n) [input] tag [value] attribute The user input found was: _action_search=Search The user-controlled value was: search
Request Header	GET http://repository.ipwija.ac.id/cgi/search/simple?_action_search=Search&_order=bytitle&_satisfyall=ALL&basic_srctype=ALL&q=ZAP HTTP/1.1 host: repository.ipwija.ac.id user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Safari/537.36 pragma: no-cache cache-control: no-cache referer: http://repository.ipwija.ac.id/cgi/search?_action_search=Search&_order=bytitle&_satisfyall=ALL&basic_srctype=ALL&q=ZAP
Request Body	
Response Header	HTTP/1.1 200 OK Date: Tue, 18 Nov 2025 01:41:40 GMT Server: Apache/2.4.29 (Ubuntu) Cache-Control: no-store, no-cache, must-revalidate Vary: Accept-Encoding Content-Type: text/html; charset=utf-8 content-length: 17330
Response Body (truncated)	<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> <html xmlns="http://www.w3.org/1999/xhtml"> <head> <meta http-equiv="X-UA-Compatible" content="IE=edge" /> <title>Search results for ZAP - UNIVERSITAS IPWIJA REPOSITORY</title> <link rel="icon" href="/favicon.ico" type="image/x-icon" /> <link rel="shortcut icon" href="/favicon.ico" type="image/x-icon" /> <script type="text/javascript"> // <![CDATA[var e...(truncated)
URL	http://repository.ipwija.ac.id/cgi/search/simple?_action_search=Search&_order=bytitle&_satisfyall=ALL&basic_srctype=ALL&q=ZAP
Method	GET
Parameter	_action_search
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://repository.ipwija.ac.id/cgi/search/simple?_action_search=Search&_order=bytitle&_satisfyall=ALL&basic_srctype=ALL&q=ZAP appears to include user input in: a(n) [link] tag [rel] attribute The user input found was: _action_search=Search The user-controlled value was: search
URL	http://repository.ipwija.ac.id/cgi/search/simple?_action_search=Search&_order=bytitle&_satisfyall=ALL&basic_srctype=ALL&q=ZAP
Method	GET
Parameter	_action_search
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://repository.ipwija.ac.id/cgi/search/simple?_action_search=Search&_order=bytitle&_satisfyall=ALL&basic_srctype=ALL&q=ZAP appears to include user input in: a(n) [span] tag [class] attribute The user input found was: _action_search=Search The user-controlled value was: search_desc
URL	http://repository.ipwija.ac.id/cgi/search/simple?_action_search=Search&_order=bytitle&_satisfyall=ALL&basic_srctype=ALL&q=ZAP
Method	GET
Parameter	_order
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://repository.ipwija.ac.id/cgi/search/simple?_action_search=Search&_order=bytitle&_satisfyall=ALL&basic_srctype=ALL&q=ZAP appears to include user input in: a(n) [input] tag [value] attribute The user input found was: _order=bytitle The user-controlled value was: bytitle
URL	http://repository.ipwija.ac.id/cgi/search/simple?_action_search=Search&_order=bytitle&_satisfyall=ALL&basic_srctype=ALL&q=ZAP
Method	GET
Parameter	_satisfyall
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://repository.ipwija.ac.id/cgi/search/simple?_action_search=Search&_order=bytitle&_satisfyall=ALL&basic_srctype=ALL&q=ZAP appears to include user input in: a(n) [input] tag [value] attribute The user input found was: _satisfyall=ALL The user-controlled value was: all
URL	http://repository.ipwija.ac.id/cgi/search/simple?_action_search=Search&_order=bytitle&_satisfyall=ALL&basic_srctype=ALL&q=ZAP
Method	GET
Parameter	basic_srctype
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://repository.ipwija.ac.id/cgi/search/simple?_action_search=Search&_order=bytitle&_satisfyall=ALL&basic_srctype=ALL&q=ZAP appears to include user input in: a(n) [input] tag [value] attribute The user input found was: basic_srctype=ALL The user-controlled value was: all
URL	https://ipwija.ac.id/?thim_elementor_kit=footer
Method	GET

Parameter	thim_elementor_kit
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://ipwija.ac.id/?thim_elementor_kit=footer appears to include user input in: a(n) [footer] tag [class] attribute The user input found was: thim_elementor_kit=footer The user-controlled value was: footer clearfix
URL	https://ipwija.ac.id/?thim_elementor_kit=footer
Method	GET
Parameter	thim_elementor_kit
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://ipwija.ac.id/?thim_elementor_kit=footer appears to include user input in: a(n) [footer] tag [id] attribute The user input found was: thim_elementor_kit=footer The user-controlled value was: footer
URL	https://ipwija.ac.id/account/?action=lostpassword
Method	GET
Parameter	action
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://ipwija.ac.id/account/?action=lostpassword appears to include user input in: a(n) [form] tag [id] attribute The user input found was: action=lostpassword The user-controlled value was: lostpasswordform
URL	https://ipwija.ac.id/account/?action=lostpassword
Method	GET
Parameter	action
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://ipwija.ac.id/account/?action=lostpassword appears to include user input in: a(n) [form] tag [name] attribute The user input found was: action=lostpassword The user-controlled value was: lostpasswordform
URL	https://pmb.ipwija.ac.id/?lang=en
Method	GET
Parameter	lang
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://pmb.ipwija.ac.id/?lang=en appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	https://pmb.ipwija.ac.id/detail-pengumuman/3/brosur-pmb-20252026?lang=en
Method	GET
Parameter	lang
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://pmb.ipwija.ac.id/detail-pengumuman/3/brosur-pmb-20252026?lang=en appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	https://pmb.ipwija.ac.id/home?lang=en
Method	GET
Parameter	lang
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://pmb.ipwija.ac.id/home?lang=en appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	https://pmb.ipwija.ac.id/jalur-seleksi?lang=en
Method	GET
Parameter	lang
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://pmb.ipwija.ac.id/jalur-seleksi?lang=en appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	https://pmb.ipwija.ac.id/login?lang=en
Method	GET
Parameter	lang
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://pmb.ipwija.ac.id/login?lang=en appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	https://pmb.ipwija.ac.id/login?lang=id
Method	GET
Parameter	lang

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://pmb.ipwija.ac.id/login?lang=id appears to include user input in: a(n) [input] tag [id] attribute The user input found was: lang=id The user-controlled value was: idpendaftar
URL	https://pmb.ipwija.ac.id/login?lang=id
Method	GET
Parameter	lang
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://pmb.ipwija.ac.id/login?lang=id appears to include user input in: a(n) [input] tag [name] attribute The user input found was: lang=id The user-controlled value was: idpendaftar
URL	https://pmb.ipwija.ac.id/login?lang=id
Method	GET
Parameter	lang
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://pmb.ipwija.ac.id/login?lang=id appears to include user input in: a(n) [label] tag [for] attribute The user input found was: lang=id The user-controlled value was: idpendaftar
URL	https://pmb.ipwija.ac.id/pengumuman?lang=en
Method	GET
Parameter	lang
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://pmb.ipwija.ac.id/pengumuman?lang=en appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/15401?lang=en
Method	GET
Parameter	lang
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://pmb.ipwija.ac.id/program-studi-detail/detail/15401?lang=en appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/55201?lang=en
Method	GET
Parameter	lang
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://pmb.ipwija.ac.id/program-studi-detail/detail/55201?lang=en appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/57201?lang=en
Method	GET
Parameter	lang
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://pmb.ipwija.ac.id/program-studi-detail/detail/57201?lang=en appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/59202?lang=en
Method	GET
Parameter	lang
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://pmb.ipwija.ac.id/program-studi-detail/detail/59202?lang=en appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/61101?lang=en
Method	GET
Parameter	lang
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://pmb.ipwija.ac.id/program-studi-detail/detail/61101?lang=en appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/61201?lang=en
Method	GET
Parameter	lang
Attack	

Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://pmb.ipwija.ac.id/program-studi-detail/detail/61201?lang=en appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	https://pmb.ipwija.ac.id/program-studi-detail/detail/94202?lang=en
Method	GET
Parameter	lang
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://pmb.ipwija.ac.id/program-studi-detail/detail/94202?lang=en appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	https://pmb.ipwija.ac.id/program-studi?lang=en
Method	GET
Parameter	lang
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://pmb.ipwija.ac.id/program-studi?lang=en appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	https://pmb.ipwija.ac.id/user-guide?lang=en
Method	GET
Parameter	lang
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://pmb.ipwija.ac.id/user-guide?lang=en appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	http://repository.ipwija.ac.id/cgi/register
Method	POST
Parameter	_action_register
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://repository.ipwija.ac.id/cgi/register appears to include user input in: a(n) [input] tag [value] attribute The user input found was: _action_register=Register The user-controlled value was: register
URL	http://repository.ipwija.ac.id/cgi/register
Method	POST
Parameter	_action_register
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://repository.ipwija.ac.id/cgi/register appears to include user input in: a(n) [input] tag [value] attribute The user input found was: _action_register=Register The user-controlled value was: register::internal
URL	http://repository.ipwija.ac.id/cgi/register
Method	POST
Parameter	_default_action
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://repository.ipwija.ac.id/cgi/register appears to include user input in: a(n) [input] tag [value] attribute The user input found was: _default_action=register The user-controlled value was: register
URL	http://repository.ipwija.ac.id/cgi/register
Method	POST
Parameter	_default_action
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://repository.ipwija.ac.id/cgi/register appears to include user input in: a(n) [input] tag [value] attribute The user input found was: _default_action=register The user-controlled value was: register::internal
URL	http://repository.ipwija.ac.id/cgi/register
Method	POST
Parameter	c1_name_family
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://repository.ipwija.ac.id/cgi/register appears to include user input in: a(n) [input] tag [value] attribute The user input found was: c1_name_family=ZAP The user-controlled value was: zap
URL	http://repository.ipwija.ac.id/cgi/register
Method	POST
Parameter	c1_name_given
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://repository.ipwija.ac.id/cgi/register appears to include user input in: a(n) [input] tag [value] attribute The user input found was: c1_name_given=ZAP The user-controlled value was: zap
URL	http://repository.ipwija.ac.id/cgi/register
Method	POST
Parameter	c1_name_honourific
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://repository.ipwija.ac.id/cgi/register appears to include user input in: a(n) [input] tag [value] attribute The user input found was: c1_name_honourific=ZAP The user-controlled value was: zap
URL	http://repository.ipwija.ac.id/cgi/register
Method	POST
Parameter	c1_newemail
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://repository.ipwija.ac.id/cgi/register appears to include user input in: a(n) [input] tag [value] attribute The user input found was: c1_newemail=ZAP The user-controlled value was: zap
URL	http://repository.ipwija.ac.id/cgi/register
Method	POST
Parameter	c1_newpassword
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://repository.ipwija.ac.id/cgi/register appears to include user input in: a(n) [input] tag [value] attribute The user input found was: c1_newpassword=ZAP The user-controlled value was: zap
URL	http://repository.ipwija.ac.id/cgi/register
Method	POST
Parameter	c1_username
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://repository.ipwija.ac.id/cgi/register appears to include user input in: a(n) [input] tag [value] attribute The user input found was: c1_username=ZAP The user-controlled value was: zap
URL	http://repository.ipwija.ac.id/cgi/register
Method	POST
Parameter	screen
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://repository.ipwija.ac.id/cgi/register appears to include user input in: a(n) [input] tag [value] attribute The user input found was: screen=Register::Internal The user-controlled value was: register::internal
URL	https://ipwija.ac.id/contact/
Method	POST
Parameter	_wpcf7
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://ipwija.ac.id/contact/ appears to include user input in: a(n) [div] tag [data-wpcf7-id] attribute The user input found was: _wpcf7=16730 The user-controlled value was: 16730
URL	https://ipwija.ac.id/contact/
Method	POST
Parameter	_wpcf7
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://ipwija.ac.id/contact/ appears to include user input in: a(n) [input] tag [value] attribute The user input found was: _wpcf7=16730 The user-controlled value was: 16730
URL	https://ipwija.ac.id/contact/
Method	POST
Parameter	_wpcf7_container_post
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://ipwija.ac.id/contact/ appears to include user input in: a(n) [div] tag [data-elementor-id] attribute The user input found was: _wpcf7_container_post=87 The user-controlled value was: 87
URL	https://ipwija.ac.id/contact/
Method	POST
Parameter	_wpcf7_container_post
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://ipwija.ac.id/contact/ appears to include user input in: a(n) [input] tag [value] attribute The user input found was: _wpcf7_container_post=87 The user-controlled value was: 87

URL	https://ipwija.ac.id/contact/
Method	POST
Parameter	_wpcf7_locale
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://ipwija.ac.id/contact/ appears to include user input in: a(n) [input] tag [value] attribute The user input found was: _wpcf7_locale=en_US The user-controlled value was: en_us
URL	https://ipwija.ac.id/contact/
Method	POST
Parameter	_wpcf7_unit_tag
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://ipwija.ac.id/contact/ appears to include user input in: a(n) [div] tag [id] attribute The user input found was: _wpcf7_unit_tag=wpcf7-f16730-p87-o1 The user-controlled value was: wpcf7-f16730-p87-o1
URL	https://ipwija.ac.id/contact/
Method	POST
Parameter	_wpcf7_unit_tag
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://ipwija.ac.id/contact/ appears to include user input in: a(n) [input] tag [value] attribute The user input found was: _wpcf7_unit_tag=wpcf7-f16730-p87-o1 The user-controlled value was: wpcf7-f16730-p87-o1
URL	https://ipwija.ac.id/contact/
Method	POST
Parameter	_wpcf7_version
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://ipwija.ac.id/contact/ appears to include user input in: a(n) [input] tag [value] attribute The user input found was: _wpcf7_version=6.0.6 The user-controlled value was: 6.0.6
URL	https://ipwija.ac.id/faqs/
Method	POST
Parameter	_wpcf7
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://ipwija.ac.id/faqs/ appears to include user input in: a(n) [div] tag [data-wpcf7-id] attribute The user input found was: _wpcf7=16730 The user-controlled value was: 16730
URL	https://ipwija.ac.id/faqs/
Method	POST
Parameter	_wpcf7
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://ipwija.ac.id/faqs/ appears to include user input in: a(n) [input] tag [value] attribute The user input found was: _wpcf7=16730 The user-controlled value was: 16730
URL	https://ipwija.ac.id/faqs/
Method	POST
Parameter	_wpcf7_container_post
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://ipwija.ac.id/faqs/ appears to include user input in: a(n) [div] tag [data-elementor-id] attribute The user input found was: _wpcf7_container_post=91 The user-controlled value was: 91
URL	https://ipwija.ac.id/faqs/
Method	POST
Parameter	_wpcf7_container_post
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://ipwija.ac.id/faqs/ appears to include user input in: a(n) [div] tag [data-id] attribute The user input found was: _wpcf7_container_post=91 The user-controlled value was: 914fa6e
URL	https://ipwija.ac.id/faqs/
Method	POST
Parameter	_wpcf7_container_post
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://ipwija.ac.id/faqs/ appears to include user input in: a(n) [input] tag [value] attribute The user input found was: _wpcf7_container_post=91 The user-controlled value was: 91
URL	https://ipwija.ac.id/faqs/

Method	POST
Parameter	_wpcf7_locale
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://ipwija.ac.id/faqs/ appears to include user input in: a(n) [input] tag [value] attribute The user input found was: _wpcf7_locale=en_US The user-controlled value was: en_us
URL	https://ipwija.ac.id/faqs/
Method	POST
Parameter	_wpcf7_unit_tag
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://ipwija.ac.id/faqs/ appears to include user input in: a(n) [div] tag [id] attribute The user input found was: _wpcf7_unit_tag=wpcf7-f16730-p91-o1 The user-controlled value was: wpcf7-f16730-p91-o1
URL	https://ipwija.ac.id/faqs/
Method	POST
Parameter	_wpcf7_unit_tag
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://ipwija.ac.id/faqs/ appears to include user input in: a(n) [input] tag [value] attribute The user input found was: _wpcf7_unit_tag=wpcf7-f16730-p91-o1 The user-controlled value was: wpcf7-f16730-p91-o1
URL	https://ipwija.ac.id/faqs/
Method	POST
Parameter	_wpcf7_version
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://ipwija.ac.id/faqs/ appears to include user input in: a(n) [input] tag [value] attribute The user input found was: _wpcf7_version=6.0.6 The user-controlled value was: 6.0.6
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	POST
Parameter	act
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://pmb.ipwija.ac.id/jalur-seleksi appears to include user input in: a(n) [input] tag [value] attribute The user input found was: act=reset The user-controlled value was: reset
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	POST
Parameter	jenjang
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://pmb.ipwija.ac.id/jalur-seleksi appears to include user input in: a(n) [option] tag [value] attribute The user input found was: jenjang=D3 The user-controlled value was: d3
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	POST
Parameter	unit
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://pmb.ipwija.ac.id/jalur-seleksi appears to include user input in: a(n) [input] tag [value] attribute The user input found was: unit=15401 The user-controlled value was: 15401
URL	https://pmb.ipwija.ac.id/jalur-seleksi
Method	POST
Parameter	unit
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://pmb.ipwija.ac.id/jalur-seleksi appears to include user input in: a(n) [option] tag [value] attribute The user input found was: unit=15401 The user-controlled value was: 15401
URL	https://pmb.ipwija.ac.id/login
Method	POST
Parameter	_token
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://pmb.ipwija.ac.id/login appears to include user input in: a(n) [input] tag [value] attribute The user input found was: _token=YTNkZTYyN2YxYzY0ZmFhMzFmNDg4YTBkNmFIYmJiMjE= The user-controlled value was: ytnkztyyn2yxyzy0zmfhmzfmndg4ytbknmflymjimje=
Instances	61
Solution	Validate all input and sanitize output it before writing to any HTML attributes.
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Input_Validation_Cheat_Sheet.html

CWE Id	20
WASC Id	20
Plugin Id	10031