

API Functional Test Scope

Login-App

Generated: 2026-07-14 07:30:58 UTC

Testing Tool: PLAYWRIGHT, SELENIUM

Controllers: 2

12
API Endpoints to Test
5
GET Requests
7
POST Requests
0
PUT/PATCH Requests
0
DELETE Requests

Project-Specific API Validation Scope

- All 12 API endpoints respond with correct HTTP status codes for happy-path requests
- POST endpoints validate required fields and return 201 Created with proper Location headers
- Response payloads conform to expected JSON schemas with correct data types
- Error scenarios return appropriate 4xx/5xx status codes with descriptive error messages

Test Case Details

#	Method	Endpoint Path	Business Test Scenario	Validation Assertions	Source
1	GET	/login	Verify that the login page is accessible to unauthenticated users.	Assert 200 OK status code. Assert content type is HTML.	AuthController
2	GET	/register	Verify that the registration page is accessible to unauthenticated users.	Assert 200 OK status code. Assert content type is HTML.	AuthController
3	POST	/register	Verify successful user registration with valid credentials.	Assert 302 Found status code. Assert 'Location' header is '/login'. Assert success flash attribute is set (implicitly via redirect).	AuthController

4	POST	/register	Verify user registration fails with an existing username.	Assert 302 Found status code. Assert 'Location' header is '/register'. Assert error flash attribute is set (implicitly via redirect) with a message indicating the username already exists.	AuthController
5	POST	/register	Verify user registration fails with a missing username parameter.	Assert 400 Bad Request status code (due to @RequestParam).	AuthController
6	POST	/register	Verify user registration fails with a missing password parameter.	Assert 400 Bad Request status code (due to @RequestParam).	AuthController
7	POST	/register	Verify user registration fails with empty username and password.	Assert 302 Found status code. Assert 'Location' header is '/register'. Assert error flash attribute is set (implicitly via redirect) with an appropriate validation message (assuming UserService handles this).	AuthController
8	POST	/register	Security: Attempt to register with potential SQL injection in username.	Assert 302 Found status code. Assert 'Location' header is '/register' or '/login' based on UserService behavior. Verify no unexpected server errors or data corruption.	AuthController

9	POST	/register	Security: Attempt to register with potential XSS in username.	Assert 302 Found status code. Assert 'Location' header is '/register' or '/login'. Verify the input is sanitized or rejected, and no script execution occurs on subsequent page loads.	AuthController
10	GET	/	Verify access to the home page for an unauthenticated user.	Assert 200 OK status code. Assert content type is HTML. Verify no username is displayed.	HomeController
11	GET	/	Verify access to the home page for an authenticated user.	Assert 200 OK status code. Assert content type is HTML. Verify the authenticated username is displayed in the response.	HomeController
12	GET	/	Security: Verify home page access with an invalid or expired authentication token.	Assert 302 Found status code (redirect to login) or 401 Unauthorized/403 Forbidden, depending on Spring Security configuration. If redirected, assert 'Location' header points to login.	HomeController