



API Documentation - Job Board Importer

Complete API reference for the Job Board Importer system. All endpoints use JSON for requests and responses.

Base URLs

- Development: `http://localhost:8889/{your_port_number}/api`
- Production: `https://your-domain.com/api`

Response Format

Success Response

```
json
{
  "success": true,
  "message": "Operation successful",
  "data": { /* response data */ }
}
```

Error Response

```
json
{
  "success": false,
  "message": "Error description"
}
```

HTTP Status Codes

Code	Description
200	Success
201	Created
400	Bad Request
404	Not Found
500	Internal Server Error

Import Endpoints

1. Trigger Import

Manually trigger a job import from an external XML API.

Endpoint: `POST /imports/trigger`

Request Body:

```
json

{
  "url": "https://jobicy.com/?feed=job_feed&job_categories=dev"
}
```

Success Response (201):

json

```
{
  "success": true,
  "message": "Import started",
  "logId": "67abc123def456789"
}
```

Error Response (400):

json

```
{
  "success": false,
  "message": "URL is required"
}
```

Example (cURL):

bash

```
curl -X POST
http://localhost:8889/{your_port_number}/api/imports/trigger \
-H "Content-Type: application/json" \
-d
'{"url":"https://jobicy.com/?feed=job_feed&job_categories=dev"}'
```

Example (JavaScript):

javascript

```
const response = await
axios.post('http://localhost:8889/{your_port_number}/api/imports
/trigger', {
  url: 'https://jobicy.com/?feed=job_feed&job_categories=dev'
});
```

```
console.log('Import triggered:', response.data.logId);
```

2. Get Import History

Retrieve paginated list of all import operations.

Endpoint: `GET /imports/history`

Query Parameters:

Parameter	Type	Default	Description
page	number	1	Page number
limit	number	20	Items per page
status	string	-	Filter: <code>completed, processing, failed</code>

Success Response (200):

```
json
```

```
{
  "success": true,
  "data": [
    {
      "_id": "67abc123def456789",
      "fileName": "dev",
      "sourceUrl":
"https://jobicy.com/?feed=job_feed&job_categories=dev",
      "status": "completed",
      "totalFetched": 100,
    }
  ]
}
```

```
    "totalImported": 95,  
    "newJobs": 80,  
    "updatedJobs": 15,  
    "failedJobs": 5,  
    "progress": 100,  
    "duration": 12340,  
    "createdAt": "2025-10-18T04:00:00.000Z"  
  }  
],  
  "pagination": {  
    "total": 50,  
    "page": 1,  
    "pages": 3,  
    "limit": 20  
  }  
}
```

Example Requests:

bash

Get all imports

curl

http://localhost:8889/{your_port_number}/api/imports/history

Get completed imports only

curl

http://localhost:8889/{your_port_number}/api/imports/history?status=completed

Get page 2

curl

http://localhost:8889/{your_port_number}/api/imports/history?page=2&limit=10

3. Get Import by ID

Get detailed information about a specific import.

Endpoint: GET /imports/:id

Success Response (200):

json

```
{
  "success": true,
  "data": {
    "_id": "67abc123def456789",
    "fileName": "dev",
    "status": "completed",
    "failedReasons": [
      {
        "jobId": "xyz123",
        "reason": "Validation error",
        "error": "Missing required field",
        "timestamp": "2025-10-18T04:15:30.000Z"
      }
    ]
  }
}
```

Error Response (404):

json

```
{
  "success": false,
  "message": "Import log not found"
}
```

Job Endpoints

4. Get Jobs List

Retrieve paginated list of jobs with filtering.

Endpoint: `GET /jobs`

Query Parameters:

Parameter	Type	Default	Description
page	number	1	Page number
limit	number	20	Items per page (max: 100)
category	string	-	Filter by category
jobType	string	-	Filter by type
company	string	-	Filter by company
search	string	-	Search in title/description

Success Response (200):

json

```
{
  "success": true,
  "data": [
    {
      "_id": "67xyz123abc",
      "externalId": "unique-job-id-123",
      "title": "Senior Data Engineer",
      "company": "Tech Corp",
      "location": "Remote",
      "description": "Job description...",
      "url": "https://example.com/job/123",
      "category": "Data Science",
      "jobType": "Full-time",
      "salary": "$120,000 - $160,000",
      "postedDate": "2025-10-17T00:00:00.000Z",
      "createdAt": "2025-10-15T00:00:00.000Z"
    }
  ],
  "pagination": {
    "total": 1250,
    "page": 1,
    "pages": 63,
    "limit": 20
  }
}
```

Example Requests:

bash

Get all jobs

`curl http://localhost:8889/{your_port_number}/api/jobs`

Filter by category


```
curl
http://localhost:8889/{your_port_number}/api/jobs?category=Data%
20Science
```

Search + filter

```
curl
http://localhost:8889/{your_port_number}/api/jobs?search=enginee
r&jobType=Full-time
```

Multiple filters

```
curl
"http://localhost:8889/{your_port_number}/api/jobs?category=dev&
company=Google&page=1"
```

5. Get Job by ID

Get detailed information about a specific job.

Endpoint: `GET /jobs/:id`

Success Response (200):

`json`

```
{
  "success": true,
  "data": {
    "_id": "67xyz123abc",
    "title": "Senior Data Engineer",
    "company": "Tech Corp",
    "location": "Remote",
    "description": "Full job description...",
    "category": "Data Science",
    "jobType": "Full-time",
    "salary": "$120,000 - $160,000"
```

```
}  
}
```

Error Response (404):

json

```
{  
  "success": false,  
  "message": "Job not found"  
}
```

6. Get Job Statistics

Get aggregated statistics about jobs.

Endpoint: GET /jobs/stats

Success Response (200):

json

```
{  
  "success": true,  
  "data": {  
    "totalJobs": 1250,  
    "jobsByCategory": [  
      { "_id": "Data Science", "count": 350 },  
      { "_id": "Design", "count": 280 },  
      { "_id": "IT & Tech", "count": 420 }  
    ],  
    "jobsByType": [  
      { "_id": "Full-time", "count": 850 },  
      { "_id": "Contract", "count": 250 }  
    ]  
  }  
}
```

```
}
```

WebSocket Events (Socket.IO)

Connection

Server URL: `http://localhost:8889/{your_port_number}`

Client Setup:

javascript

```
import io from 'socket.io-client';
```

```
const socket = io('http://localhost:8889/{your_port_number}', {  
  transports: ['websocket'],  
  reconnection: true  
});
```

```
socket.on('connect', () => {  
  console.log('Connected:', socket.id);  
});
```

Events

1. import-progress

Real-time progress updates during import.

Event: `import-progress`

Payload:

javascript

```
{
```

```
logId: "67abc123def456789",
progress: 45,  // 0-100
stats: {
  totalFetched: 100,
  newJobs: 35,
  updatedJobs: 10,
  failedJobs: 0
}
}
```

Listen:

```
javascript
```

```
socket.on('import-progress', (data) => {
  console.log(`Progress: ${data.progress}%`);
  updateProgressBar(data.progress);
});
```

2. import-completed

Emitted when import completes.

Event: `import-completed`

Payload:

```
javascript
```

```
{
  logId: "67abc123def456789",
  stats: {
    totalFetched: 100,
    newJobs: 80,
    updatedJobs: 15,
    failedJobs: 5
  }
}
```

```
}
```

Listen:

```
javascript
```

```
socket.on('import-completed', (data) => {  
  console.log('Import completed:', data.logId);  
  refreshImportHistory();  
});
```

Valid Job Categories

text

```
admin-support, business, copywriting, design-multimedia,  
supporting,  
data-science, admin, education, accounting-finance, healthcare,  
hr,  
legal, marketing, management, dev, seller, seo, smm,  
engineering,  
technical-support, web-app-design
```

Note: Use `dev` for IT/Tech jobs, NOT `it-tech`!

Author

Afzal Vepari

- GitHub: [@afzalveparii](#)
 - Email: afzal.vepariii@gmail.com
 - LinkedIn: [afzalveparii](#)
-



License

This project is licensed under the MIT License.



Acknowledgments

- Bull - For reliable queue processing
- Next.js - For amazing React framework
- MongoDB - For flexible database
- Socket.IO - For real-time capabilities
- Jobicy API - For providing job data