

Mathematical Summary of pyMacroIO: Dynamic Disequilibrium Model with Input-Output Structure

June 6, 2026

This document gives an overview of pyMacroIO, a Dynamic Disequilibrium Model with Input-Output Structure. The model uses an input-output table as its structural backbone but is best understood as a dynamic disequilibrium macroeconomic model: production is supply- and capacity-constrained rather than demand-determined, and quantity rationing takes the place of price-mediated market clearing. It draws on the formulation in [1,2,3]. The model is discrete-time and sector-level. It admits five production functions (traditional Leontief, adapted Leontief, linear, CES, KLEMS), tracks per-sector inventories, includes labour hiring and firing, a Muellbauer consumption rule, exogenous consumption and supply-side shocks, piecewise-constant technical change, a multi-region structure with R regions, three trade closures (import flexibility, sourced supplement, export pull), two endogenous final demand rules (income-indexed government spending and a Keynesian savings-to-investment closure), an exogenous time-varying labour supply path, a Blanchflower-Oswald wage curve with optional downward nominal wage rigidity [6], and skill-stratified household savings rates. Sections 1 to 8 cover the single-region formulation. Section 9 covers technical change, Section 10 the multi-region structure, and Section 11 the trade closures. Base-year data are taken from EXIOBASE 3 [4].

Contents

1	Model Structure	4
1.1	Basic Setup	4
1.2	Economic Balance Constraint	4
2	Data and Parameter Calibration	4
2.1	Technical Coefficient Matrix	4
2.2	Essential Inputs Identification	4
2.3	Value Added Decomposition	5
3	Dynamic Model Equations	5
3.1	Labour Adjustment Mechanism	5
3.2	Consumption Function (Muellbauer)	6
3.3	Inventory Management and Orders	7
3.4	Production Functions	8
3.4.1	Traditional Leontief	8
3.4.2	Adapted Leontief with Essential Inputs	8
3.4.3	Linear Production	9
3.4.4	CES Production	9
3.4.5	KLEMS Production	9
3.5	Rationing	10
3.6	Intermediate Consumption	11
3.7	Final Consumption (Realised)	11
3.8	Inventory Update	11
3.9	Profit and GDP	11
3.10	Savings	12
3.11	Final Demand and Aggregate Demand	12
4	Exogenous Consumption Shock	13
5	Exogenous Supply Shocks	13
6	Parameter Uncertainty	13
7	Model Assumptions and Accounting Consistency	14
8	Causal Structure	14
9	Time-Varying Technical Coefficients	14
10	Multi-Region Formulation	15
10.1	Setup and Notation	15
10.2	Data Structure	15
10.3	Per-Region Household Accounting	16
10.4	Per-Region Consumption and Aggregate Demand	16
10.5	Per-Region Savings	17
10.6	Regional GDP Decomposition	17
10.7	Inter-Regional Trade Balance	17

10.8 Per-Region Monte Carlo Sampling	17
10.9 Single-Region Special Case	18
11 Trade Closures	18
11.1 Import Flexibility (Inventory Supplement)	18
11.2 Sourced Supplement (Crediting RoW)	18
11.3 Export Pull (CET-Analog)	19
11.4 Export-Pull Value-Added Correction	19
12 References	19

1 Model Structure

1.1 Basic Setup

The formulation is defined over N sectors and T time periods. In the single-region case N is the number of sectors in one region. In the multi-region case $N = \sum_r N_r$ spans all regions (see Section 10). Gross output at time t is denoted by $\mathbf{x}_t \in \mathbb{R}^N$, the technical coefficient matrix by $\mathbf{A} \in \mathbb{R}^{N \times N}$, total demand by $\mathbf{d}_t \in \mathbb{R}^N$, and final demand by $\mathbf{f}_t \in \mathbb{R}^N$.

1.2 Economic Balance Constraint

The fundamental static balance is

$$\mathbf{x} = \mathbf{A}\mathbf{x} + \mathbf{f}, \quad (1)$$

from which

$$\mathbf{x} = (\mathbf{I} - \mathbf{A})^{-1} \mathbf{f} = \mathbf{L} \mathbf{f} \quad (2)$$

is obtained, where $\mathbf{L} = (\mathbf{I} - \mathbf{A})^{-1}$ is the Leontief inverse. In the dynamic model this structure underlies calibration and the identification of essential inputs. Within-period equilibrium is enforced by the sequential determination of labour, demand, production, intermediate consumption, and inventory update.

2 Data and Parameter Calibration

2.1 Technical Coefficient Matrix

The technical coefficient matrix $\mathbf{A}$ is constructed from base-year intermediate flows $\mathbf{Z}_0$ and base-year gross output $\mathbf{x}_0$. The gross output $\mathbf{x}_0$ is obtained from the row identity: the output of each sector equals the sum of its intermediate sales plus total final demand. Then

$$A_{ij} = \frac{Z_{0,ij}}{x_{j,0}}, \quad (3)$$

with the convention that each column sum of intermediate inputs is less than output:

$$\sum_{i=1}^N A_{ij} < 1 \quad \forall j. \quad (4)$$

2.2 Essential Inputs Identification

For the adapted Leontief production function, a binary matrix $\mathbf{A}_{\text{essential}}$ classifies each input as essential or non-essential. An input i to sector j is essential if it has high combined forward and backward linkage strength. With $\mathbf{L} = (\mathbf{I} - \mathbf{A})^{-1}$ and $\mathbf{G} = (\mathbf{I} - \mathbf{A}^T)^{-1}$, the combined linkage score is

$$\Lambda_{ij} = \frac{\sum_k L_{ik}}{\sum_k L_{ik}} \times \frac{\sum_k G_{kj}}{\sum_k G_{kj}}, \quad (5)$$

and the binary indicator is

$$A_{\text{essential},ij} = \mathbb{1}[\Lambda_{ij} > \theta] \cdot \mathbb{1}[A_{ij} > \theta_{\text{coef}}], \quad (6)$$

where $\theta > 0$ is a linkage threshold [5] and $\theta_{\text{coef}} > 0$ is a coefficient threshold that excludes trace technical coefficients from the essential set.

2.3 Value Added Decomposition

Value added in the base year is decomposed as

$$\text{VA}_j = L_j + \text{cap}_j + \text{tax}_j + \text{other}_j + \Pi_j, \quad (7)$$

where L_j is labour cost, cap_j capital cost, tax_j taxes, other_j other costs, and Π_j profits. Value added is taken from the column identity (output minus domestic intermediate inputs minus imports). Base-year labour $\ell_{j,0}$, capital shares λ_j^{cap} , tax shares λ_j^{tax} , and import shares λ_j^{imp} are used, so that profits are computed as

$$\Pi_{j,t} = x_{j,t} - \sum_{i=1}^N Z_{ij,t} - \ell_{j,t} - (\lambda_j^{\text{cap}} + \lambda_j^{\text{tax}} + \lambda_j^{\text{imp}}) x_{j,t}. \quad (8)$$

3 Dynamic Model Equations

3.1 Labour Adjustment Mechanism

Labour is adjusted towards capacity and demand or input constraints via sector-specific hiring and firing speeds $\gamma_{\text{hire},j}$ and $\gamma_{\text{fire},j}$. When hiring and firing are switched off, $\ell_{j,t} = \ell_{j,t-1}$ is imposed. An exogenous labour supply path $\ell_{j,t}^{\text{ref}}$ sets the capacity reference for each period; when no schedule is prescribed, $\ell_{j,t}^{\text{ref}} = \ell_{j,0}$ for all t . Let $\delta_{j,t} \in [0, 1)$ denote the capacity reduction imposed by an active output-constraint shock on sector j (zero otherwise, as defined in Section 5). The following quantities are used.

$$\ell_{\text{cap},j,t} = \ell_{j,t}^{\text{ref}} \cdot \max(\min(1 - \delta_{j,t}, 1), \underline{\delta}), \quad (9)$$

$$\ell_{\text{cap},\text{max},j,t} = \bar{\varsigma} \ell_{j,t}^{\text{ref}}, \quad \ell_{\text{cap},\text{min},j} = \underline{\varsigma} \ell_{j,0}, \quad (10)$$

$$\ell_{\text{cap},j,t}^{\text{new}} = \begin{cases} \min(\ell_{\text{cap},\text{max},j,t}, \max(\ell_{\text{cap},j,t}, \ell_{\text{cap},\text{min},j}, \ell_{j,t-1})) & \text{during a disruption shock to sector } j, \\ \ell_{\text{cap},\text{max},j,t} & \text{otherwise,} \end{cases} \quad (11)$$

$$\sigma_{j,t} = \frac{\ell_{j,0}}{\phi_{j,t}^L x_{j,0}}, \quad (12)$$

$$x_j^{\text{pot}} = \min(x_j^{\text{inp}}, d_j, \bar{x}_j^{\text{out}}), \quad \Delta_j = x_j^{\text{pot}} - \ell_{j,t-1}/\sigma_{j,t}, \quad (13)$$

where $\sigma_{j,t}$ is the labour-output ratio deflated by the cumulative labour-productivity factor $\phi_{j,t}^L$ (Section 5), with $\sigma_{j,t} = \ell_{j,0}/x_{j,0}$ when $\phi_{j,t}^L = 1$; x_j^{inp} is the input-constrained output potential (the binding inventory ratio across inputs); $\bar{x}_j^{\text{out}}$ is an exogenous output ceiling (default $+\infty$, set to a finite value to impose sector-level phaseout paths such as fossil fuel constraints from an energy model); and Δ_j is the gap between potential output and current labour capacity. The upper bound $\ell_{\text{cap},\text{max},j,t}$ is time-varying because it tracks the exogenous supply path, whilst the floor $\ell_{\text{cap},\text{min},j}$

is anchored to the base year. The labour adjustment uses $\gamma_{\text{hire},j}$ when $\Delta_j > 0$ and $\phi \gamma_{\text{fire},j}$ when $\Delta_j \leq 0$,

$$\ell_{j,t} = \max\left(\ell_{\text{cap},\text{min},j}, \min(\ell_{j,t-1} + \gamma_j \sigma_{j,t} \Delta_j, \ell_{\text{cap},j,t}^{\text{new}})\right), \quad (14)$$

where $\gamma_j = \gamma_{\text{hire},j}$ if $\Delta_j > 0$ and $\gamma_j = \phi \gamma_{\text{fire},j}$ otherwise, and $\phi \in (0, 1]$ is a firing-speed damping factor.

Wage curve and downward nominal wage rigidity. When the wage curve is active, a Blanchflower-Oswald adjustment modifies $\sigma_{j,t}$ before the desired-labour computation [6]. Let $U_{j,t-1}$ denote the sector-level unemployment rate in the previous period, supplied as an exogenous time series, and $\bar{U}_j$ the base-year value. The adjustment factor is

$$w_{\text{adj},j,t} = \left(\frac{\max(U_{j,t-1}, \underline{u})}{\max(\bar{U}_j, \underline{u})} \right)^{-\beta_j}, \quad (15)$$

where $\beta_j > 0$ is the wage-curve elasticity and $\underline{u} > 0$ is a small positive floor that ensures the ratio is well-defined when unemployment approaches zero or is negative (the latter arising when labour demand exceeds supply). The effective ratio $\sigma_{j,t}^w = \sigma_{j,t} \cdot w_{\text{adj},j,t}$ replaces $\sigma_{j,t}$ in equation (14). When $U_{j,t-1} > \bar{U}_j$ (unemployment above the base-year level), $w_{\text{adj},j,t} < 1$ and wages are lower relative to base year; when $U_{j,t-1} < \bar{U}_j$, $w_{\text{adj},j,t} > 1$ and wages are higher.

When downward nominal wage rigidity is additionally active, the adjustment is bounded below,

$$w_{\text{adj},j,t} \geq \bar{\omega}, \quad (16)$$

where $\bar{\omega} \in (0, 1]$ is the wage-floor ratio, preventing wages from falling below a fraction $\bar{\omega}$ of their base-year level regardless of the unemployment rate. By default both features are inactive and the standard ratio $\sigma_{j,t}$ applies throughout.

3.2 Consumption Function (Muellbauer)

Aggregate consumption demand C_t is determined by a log-linear persistence rule expressed in terms of a *household consumption capacity* κ_t . The capacity is derived from disposable household income $\mathcal{Y}_t$ via

$$\kappa_t = \max((1-s)(1-\nu)\mathcal{Y}_t, \varepsilon_\kappa), \quad (17)$$

where $s \in [0, 1]$ is the household savings rate (inferred from base-year data if not set explicitly), ν is the extra-expenditure coefficient, and $\varepsilon_\kappa > 0$ is a small numerical floor. Disposable income is

$$\mathcal{Y}_t = \max(\beta \cdot \mathcal{Y}_0 + (1-\beta) \cdot (\sum_j \ell_{j,t} + \sum_j \Pi_{j,t}), \varepsilon_\mathcal{Y}), \quad (18)$$

where $\beta \in [0, 1]$ is the benefits parameter and $\mathcal{Y}_0$ is the base-year household income.

Three *household closure modes* are defined:

Return-to-base The log of the previous consumption ratio is set to zero (the ρ_1 term drops), so the aggregate converges back to the baseline whenever income recovers. The income argument to κ_t is replaced by the fixed signal $\mathcal{Y}_0 \xi_t$ (base-year income scaled by the expectations trend); current-period wages and profits do not feed into consumption under this closure. Consequently, supply-side shocks propagate through inventory and capacity channels only i.e. the Keynesian income-demand multiplier is inactive. See Section 10.3 for the full multi-region specification.

Scarred The previous period's consumption enters the persistence term as $\log_{\text{prev}} = \log \max(C_{t-1}/\bar{C}, \alpha_{\text{prev}})$.

The income argument to κ_t is the realised previous-period income offset by a calibration wedge, $\mathcal{Y}_t^{\text{signal}} = \max(\mathcal{Y}_{t-1} + w, \varepsilon_{\mathcal{Y}})$, with $w = \max(\mathcal{Y}_0 - \mathcal{Y}_0^{\text{prod}}, 0)$, where $\mathcal{Y}_0^{\text{prod}} = \sum_j (\ell_{j,0} + \Pi_{j,0}) + \beta \mathcal{Y}_0$ is the production-side base-year income and $\mathcal{Y}_0$ is the calibration baseline used as the savings-rate fixed point.

Frozen Household income is fixed at the base-year level $\mathcal{Y}_0$ for all t , and neither labour income nor profits feed into consumption. The capacity formula becomes $\kappa_t = \max((1-s)(1-\nu)\mathcal{Y}_0, \varepsilon_{\kappa})$, constant over time. This mode is useful for holding one region's household demand at its baseline while another region is shocked.

In all three cases the updating rule is

$$C_t = \bar{C} \exp\left(\rho_1 \log_{\text{prev}} + \frac{\rho_0}{2} \log \max\left(\frac{\kappa_t}{\bar{C}}, \alpha_C^{\text{cur}}\right) + \frac{\rho_0}{2} \log \max\left(\frac{\kappa_t^{\text{exp}}}{\bar{C}}, \alpha_C^{\text{exp}}\right)\right), \quad (19)$$

where $\bar{C} = \max(\sum_j c_{j,0}, 1)$ is baseline aggregate consumption, κ_t is current-period capacity, $\kappa_t^{\text{exp}} = (1-s)(1-\nu) \max(\mathcal{Y}_0 \cdot \xi_t, \varepsilon)$ is the expected capacity under expectations ξ_t , and $\alpha_C^{\text{cur}}, \alpha_C^{\text{exp}} \in (0, 1]$ are small floor ratios that prevent the log from becoming unbounded. The result is then clipped to $[\min(\bar{C} \cdot \alpha_C^{\text{exp}}, \kappa_t), \kappa_t]$. Here

$$\rho_0 + \rho_1 = 1. \quad (20)$$

Sectoral consumption demand takes one of two forms. When `subsistence_shares` = 0 (default), the Cobb-Douglas allocation is used:

$$c_{j,t}^d = \theta_j \cdot C_t \cdot (1 - \epsilon_t), \quad \theta_j = \frac{c_{j,0}}{\sum_k c_{k,0}}. \quad (21)$$

When subsistence shares > 0 the Stone-Geary Linear Expenditure System (LES) is used instead:

$$c_{j,t}^d = [\gamma_j + \beta_j (C_t - \Gamma)] (1 - \epsilon_t), \quad (22)$$

where $\gamma_j = \sigma_j c_{j,0}$ is the subsistence floor, $\Gamma = \sum_j \gamma_j$ is total committed expenditure, and $\beta_j = (c_{j,0} - \gamma_j)/(C_0 - \Gamma)$ is the marginal budget share, with $C_0 = \sum_j c_{j,0}$. The subsistence share $\sigma_j \in [0, 1)$ is calibrated as

$$\sigma_j = 1 - \frac{\eta_j}{|\omega|}, \quad (23)$$

where $\eta_j > 0$ is the sector income elasticity and $\omega < 0$ is the Frisch parameter (default $\omega = -3$). Setting $\sigma_j = 0$ everywhere recovers the Cobb-Douglas formula exactly. At base year with $\epsilon = 0$ the LES allocation satisfies $c_{j,0}^d = \gamma_j + \beta_j (C_0 - \Gamma) = c_{j,0}$ identically.

3.3 Inventory Management and Orders

Target inventories are proportional to base-year intermediate flows and a sector-specific coverage n_j (in days):

$$S_{\text{target},ij} = Z_{0,ij} \cdot n_j = A_{ij} x_{j,0} n_j. \quad (24)$$

Orders for intermediate inputs are

$$O_{ij,t} = A_{ij} d_{j,t-1} + \frac{S_{\text{target},ij} - S_{ij,t-1}}{\tau_j}, \quad O_{ij,t} = \max(0, O_{ij,t}), \quad (25)$$

where τ_j is the inventory-adjustment speed of the receiving sector j . Each τ_j is sector-specific and lies in an interval $[\underline{\tau}, \bar{\tau}]$ prescribed by the model.

3.4 Production Functions

For the Leontief, adapted Leontief, linear, and CES variants, capacity is determined solely by labour: $x_{\text{cap},j,t} = (\ell_{j,t}/\ell_{j,0}) x_{j,0}$, and may be further limited by an exogenous output constraint $x_{\text{cap},j,t}^{\text{out}}$, giving an effective bound of $\min(x_{\text{cap},j,t}, x_{\text{cap},j,t}^{\text{out}})$. The KLEMS variant (Section 3.4.5) replaces this scalar bound with a factor bundle that incorporates capital and substitutable intermediates alongside labour. In all cases, production is the minimum of the capacity bound, input-determined output, and demand. The model admits five production types: traditional Leontief, adapted Leontief (with essential inputs), linear, CES, and KLEMS. In every input formula below, the per-cell inventory $S_{ij,t-1}$ is replaced by $S_{ij,t}^{\text{eff}}$ defined in Section 11.1.

3.4.1 Traditional Leontief

$$x_{j,t} = \min \left(\text{capacity}_{j,t}, \min_{i: A_{ij} > 0} \frac{S_{ij,t-1}}{A_{ij}}, d_{j,t} \right). \quad (26)$$

3.4.2 Adapted Leontief with Essential Inputs

Inputs are split into two groups based on a threshold θ_{ess} (default 0.5):

- **Essential:** $A_{\text{essential},ij} > \theta_{\text{ess}}$ and $A_{ij} > 0$.
- **Non-essential:** $A_{\text{essential},ij} \leq \theta_{\text{ess}}$ and $A_{ij} > 0$.

The essential constraint is the usual Leontief minimum over essential inputs only:

$$x_{\text{input},j}^{\text{ess}} = \min_{i: A_{\text{essential},ij} > \theta_{\text{ess}}, A_{ij} > 0} \frac{S_{ij,t-1}}{A_{ij}}. \quad (27)$$

The non-essential constraint is an A -weighted average of the per-input capacities over the non-essential set $\mathcal{NE}_j = \{i : A_{\text{essential},ij} \leq \theta_{\text{ess}}, A_{ij} > 0\}$:

$$x_{\text{input},j}^{\text{ne}} = \frac{\sum_{i \in \mathcal{NE}_j} A_{ij} \frac{S_{ij,t-1}}{A_{ij}}}{\sum_{i \in \mathcal{NE}_j} A_{ij}} = \frac{\sum_{i \in \mathcal{NE}_j} S_{ij,t-1}}{\sum_{i \in \mathcal{NE}_j} A_{ij}}. \quad (28)$$

Each term is $+\infty$ when the corresponding set is empty. The combined input constraint is

$$x_{\text{input},j} = \min(x_{\text{input},j}^{\text{ess}}, x_{\text{input},j}^{\text{ne}}), \quad (29)$$

and output is

$$x_{j,t} = \min(\text{capacity}_{j,t}, x_{\text{input},j}, d_{j,t}). \quad (30)$$

With the default (combined-linkage) method $\mathbf{A}_{\text{essential}}$ is binary $\{0, 1\}$, so all non-zero inputs are either fully essential or fully non-essential.

3.4.3 Linear Production

$$x_{j,t} = \min \left(\text{capacity}_{j,t}, \frac{\sum_{i=1}^N S_{ij,t-1}}{\sum_{i=1}^N A_{ij}}, d_{j,t} \right). \quad (31)$$

3.4.4 CES Production

The CES specification aggregates all inputs i with $A_{ij} > 0$ uniformly, without distinguishing essential from non-essential inputs. Per-input capacities are $q_i = S_{ij,t-1}/A_{ij}$, and the weights are the technical coefficients $w_i = A_{ij}$, normalised to sum to one. With substitution elasticity $\sigma > 0$ and $\rho = (\sigma - 1)/\sigma$:

$$x_{\text{input},j}^{\text{CES}} = \begin{cases} \exp\left(\sum_i \bar{w}_i \log q_i\right) & \text{if } \sigma = 1, \\ \left(\sum_i \bar{w}_i q_i^\rho\right)^{1/\rho} & \text{otherwise,} \end{cases} \quad (32)$$

where $\bar{w}_i = w_i / \sum_k w_k$ and the sum runs over all i with $A_{ij} > 0$ and finite q_i . Output is then

$$x_{j,t} = \min(\text{capacity}_{j,t}, x_{\text{input},j}^{\text{CES}}, d_{j,t}). \quad (33)$$

The default elasticity is $\sigma = 1.5$.

3.4.5 KLEMS Production

The KLEMS variant replaces the scalar labour-capacity bound with a nested factor structure that combines three CES aggregates (for capital-labour, energy inputs, and material inputs) with a Leontief residual for the remaining non-substitutable intermediates.

Sectors are partitioned into three groups by their supply role: $\mathcal{E}$ (energy suppliers), $\mathcal{M}$ (material suppliers), and $\mathcal{D}$ (the Leontief residual, containing all remaining sectors). For sector j define the active input sets $\mathcal{E}_j = \{i \in \mathcal{E} : A_{ij} > 0\}$, $\mathcal{M}_j = \{i \in \mathcal{M} : A_{ij} > 0\}$, $\mathcal{D}_j = \{i \in \mathcal{D} : A_{ij} > 0\}$, and let $q_{ij,t} = S_{ij,t-1}/A_{ij}$ denote the per-input inventory ratio.

Energy sub-aggregate. With A -normalised weights $\bar{w}_{ij}^E = A_{ij} / \sum_{k \in \mathcal{E}_j} A_{kj}$ and $\rho_j^E = (\sigma_j^E - 1)/\sigma_j^E$,

$$E_{j,t} = \begin{cases} \exp\left(\sum_{i \in \mathcal{E}_j} \bar{w}_{ij}^E \log q_{ij,t}\right) & \sigma_j^E = 1, \\ \left(\sum_{i \in \mathcal{E}_j} \bar{w}_{ij}^E q_{ij,t}^{\rho_j^E}\right)^{1/\rho_j^E} & \text{otherwise,} \end{cases} \quad (34)$$

with $E_{j,t} = +\infty$ when $\mathcal{E}_j = \emptyset$. The material aggregate $M_{j,t}$ is defined symmetrically with σ_j^M , $\bar{w}_{ij}^M$, and $\mathcal{M}_j$.

Capital-labour sub-aggregate. Labour and capital capacities are

$$x_{\text{cap},L,j,t} = \frac{\ell_{j,t}}{\ell_{j,0}} x_{j,0} \phi_{j,t}^L, \quad x_{\text{cap},K,j,t} = x_{j,0} \phi_{j,t}^K, \quad (35)$$

with base-year factor-share weights $w_j^L = \ell_{j,0}/(\ell_{j,0} + \text{cap}_{j,0})$ and $w_j^K = \text{cap}_{j,0}/(\ell_{j,0} + \text{cap}_{j,0})$. The capital-labour aggregate is

$$KL_{j,t} = \begin{cases} x_{\text{cap},L,j,t}^{w_j^L} x_{\text{cap},K,j,t}^{w_j^K} & \sigma_j^{KL} = 1, \\ (w_j^L x_{\text{cap},L,j,t}^{\rho_j^{KL}} + w_j^K x_{\text{cap},K,j,t}^{\rho_j^{KL}})^{1/\rho_j^{KL}} & \text{otherwise,} \end{cases} \quad (36)$$

where $\rho_j^{KL} = (\sigma_j^{KL} - 1)/\sigma_j^{KL}$.

Top-level KLE aggregate. Weights are derived from base-year cost shares: $w_j^{KL} \propto (\ell_{j,0} + \text{cap}_{j,0})/x_{j,0}$, $w_j^E \propto \sum_{i \in \mathcal{E}} A_{ij}$, and $w_j^M \propto \sum_{i \in \mathcal{M}} A_{ij}$, normalised to sum to one. With $\rho_j^{KLE} = (\sigma_j^{KLE} - 1)/\sigma_j^{KLE}$,

$$\text{KLE}_{j,t} = \begin{cases} KL_{j,t}^{w_j^{KL}} E_{j,t}^{w_j^E} M_{j,t}^{w_j^M} & \sigma_j^{KLE} = 1, \\ (w_j^{KL} KL_{j,t}^{\rho_j^{KLE}} + w_j^E E_{j,t}^{\rho_j^{KLE}} + w_j^M M_{j,t}^{\rho_j^{KLE}})^{1/\rho_j^{KLE}} & \text{otherwise.} \end{cases} \quad (37)$$

When $w_j^E = 0$ or $w_j^M = 0$, the corresponding term is absent from the aggregate.

Leontief residual.

$$\text{ND}_{j,t} = \min_{i \in \mathcal{D}_j} q_{ij,t}, \quad (38)$$

with $\text{ND}_{j,t} = +\infty$ when $\mathcal{D}_j = \emptyset$.

Output.

$$x_{j,t} = \min(\text{KLE}_{j,t}, \text{ND}_{j,t}, d_{j,t}, \bar{x}_{j,t}^{\text{out}}). \quad (39)$$

In the labour adjustment of Section 3.1, the potential output is $x_j^{\text{pot}} = \min(\text{ND}_{j,t-1}, d_{j,t-1}, \bar{x}_{j,t-1}^{\text{out}})$: labour adjusts toward the Leontief-constrained potential, whilst energy and material constraints propagate through the KLE channel.

3.5 Rationing

Absent shocks, industries can always meet total demand, i.e. $x_{j,t} = d_{j,t}$. However, in the presence of production capacity and/or input bottlenecks, industries' output may be smaller than total demand (i.e., $x_{j,t} < d_{j,t}$), in which case output is rationed across customers. Simple proportional rationing is assumed. The final delivery from industry i to industry j is the share of orders received,

$$Z_{ij,t} = O_{ij,t} \frac{x_{i,t}}{d_{i,t}}. \quad (40)$$

A share of household demand is received,

$$c_{i,t} = c_{i,t}^d \frac{x_{i,t}}{d_{i,t}}, \quad (41)$$

and the realised final consumption of agents with exogenous final demand is

$$f_{i,t} = f_{i,t}^d \frac{x_{i,t}}{d_{i,t}}. \quad (42)$$

(When the model disaggregates final demand into government, investment, exports, etc., the same sector-level share $x_{i,t}/d_{i,t}$ applies to each component.) Deliveries and consumption are additionally bounded above by available inventories.

3.6 Intermediate Consumption

Desired intermediate use is given by orders scaled by the supply/demand ratio. Under proportional rationing, when $x_{i,t} < d_{i,t}$, the ratio $x_{i,t}/d_{i,t}$ for supplying sector i yields the rationing formulae above. Two allocation rules are admitted:

- **By recipient.** $s_j = x_{j,t}/d_{j,t}$ per sector j , and $Z_{ij,t} = \min(O_{ij,t} s_j, S_{ij,t-1})$.
- **By supplier.** Per supplier i , $s_i = \min(1, x_{i,t}/\sum_{k=1}^N O_{ik,t})$, and $Z_{ij,t} = \min(O_{ij,t} s_i, S_{ij,t-1})$.

In both cases, factors are clipped to $[0, 1]$.

3.7 Final Consumption (Realised)

Under the by-recipient rule, realised consumption is $s_j = x_{j,t}/d_{j,t}$ per sector j , so $c_{j,t} = c_{j,t}^d \cdot s_j$. Under the by-supplier rule, a residual supply/demand ratio is applied: for each sector i ,

$$s_i = \frac{x_{i,t} - \sum_{k=1}^N Z_{ik,t}}{d_{i,t} - \sum_{k=1}^N Z_{ik,t}}, \quad \text{clipped to } [0, 1], \quad c_{i,t} = c_{i,t}^d \cdot s_i, \quad (43)$$

i.e. output net of intermediate deliveries over demand net of those deliveries.

3.8 Inventory Update

The inventory of input i held by sector j is updated according to

$$S_{ij,t} = \max(0, S_{ij,t-1} + Z_{ij,t} - A_{ij} x_{j,t}). \quad (44)$$

In a Leontief production function, where every input is critical, the maximum operator would be redundant because production cannot continue once inventories are run down. The operator is needed for other production functions because industries can produce even after inventories of one or more non-critical inputs are depleted, and the floor at zero prevents inventories becoming negative.

3.9 Profit and GDP

Profits are computed using labour and value-added shares (capital, tax, import) from the base year:

$$\Pi_{j,t} = x_{j,t} - \sum_{i=1}^N Z_{ij,t} - \ell_{j,t} - (\lambda_j^{\text{cap}} + \lambda_j^{\text{tax}} + \lambda_j^{\text{imp}}) x_{j,t} - \text{IS}_{j,t} + \text{REX}_{j,t} - \text{EPC}_{j,t}. \quad (45)$$

GDP (value added, output minus intermediate consumption, with import adjustment) is

$$\text{GDP}_t = \sum_{j=1}^N \left(x_{j,t} - \sum_{i=1}^N Z_{ij,t} - \lambda_j^{\text{imp}} x_{j,t} - \text{IS}_{j,t} + \text{REX}_{j,t} - \text{EPC}_{j,t} \right). \quad (46)$$

where $\text{IS}_{j,t}$, $\text{REX}_{j,t}$, $\text{EPC}_{j,t}$ are the three trade-closure adjustments defined in Section 11.

3.10 Savings

Aggregate savings are computed as

$$S_t = \sum_{j=1}^N \Pi_{j,t} + \sum_{j=1}^N \ell_{j,t} - \sum_{j=1}^N c_{j,t} - E_t, \quad (47)$$

where

$$E_t = \frac{\nu}{1-\nu} \sum_{j=1}^N c_{j,t} \quad (48)$$

and $\nu \in [0, 1)$ is the extra-expenditure coefficient. When the Keynesian investment closure is active (Section 3.10), the lagged aggregate $\sum_r S_{r,t-1}$ (Section 10.5) feeds directly into investment demand, closing a savings-investment loop.

3.11 Final Demand and Aggregate Demand

Total demand for sector j in period t is

$$d_{j,t} = c_{j,t}^d + \sum_{k=1}^N O_{jk,t} + f_{\text{gov},j,t} + f_{\text{inv},j,t} + f_{\text{invnt},j,t} + f_{\text{exp},j,t} + f_{\text{other},j,t}, \quad (49)$$

where $c_{j,t}^d$ is consumption demand from the Muellbauer block, $\sum_k O_{jk,t}$ is intermediate demand for sector j 's output (orders received by sector j from all sectors k), and f_{gov} , f_{inv} , f_{invnt} , f_{exp} , f_{other} are government, investment, inventory (final demand), exports, and any other final demand. The export-pull augmentation $\Delta d_{j,t}^{\text{ep}}$ defined in Section 11.3 is added to $d_{j,t}$ before production solves.

In the standard formulation all non-consumption components are fixed at their base-year vectors: $f_{\text{gov},j,t} = f_{\text{gov},j,0}$ and $f_{\text{inv},j,t} = f_{\text{inv},j,0}$ for all t . The model additionally admits two endogenous rules.

Income-indexed government spending. Government spending is scaled by an aggregate household income index:

$$f_{\text{gov},j,t} = f_{\text{gov},j,0} \left[1 + \eta^{\text{gov}} \left(\frac{\mathcal{Y}_{t-1}}{\mathcal{Y}_0} - 1 \right) \right], \quad (50)$$

where $\eta^{\text{gov}} \in \mathbb{R}$ is the income elasticity of government spending, $\mathcal{Y}_{t-1} = \sum_r \mathcal{Y}_{r,t-1}$ is lagged aggregate household income (Section 10.3), and $\mathcal{Y}_0 = \sum_r \mathcal{Y}_{0,r}$ is its base-year value. Setting $\eta^{\text{gov}} = 0$ recovers the fixed-government case exactly.

Keynesian savings-to-investment closure. Investment demand scales with lagged aggregate household savings:

$$f_{\text{inv},j,t} = f_{\text{inv},j,0} \cdot \max \left(\frac{S_{t-1}}{S_0}, 0 \right), \quad (51)$$

where $S_{t-1} = \sum_r S_{r,t-1}$ is lagged aggregate household savings (Section 3.9 / 10.5) and S_0 is its base-year value. The floor at zero prevents negative investment demand when aggregate savings is negative. Both rules use only lagged $(t-1)$ quantities and therefore preserve the recursive causal order of Section 8.

4 Exogenous Consumption Shock

An exogenous reduction in household expenditure is modelled by setting the shock intensity $\epsilon_t \in [0, 1)$ for any subset of periods. The factor $(1 - \epsilon_t)$ multiplies the full sectoral demand expression from Section 3.2, whether the Cobb-Douglas or LES allocation is active. When demand is the binding constraint, all production functions yield identical results. Divergence arises only when supply constraints bind.

5 Exogenous Supply Shocks

Three sector-level supply-side mechanisms are admitted.

Output-constraint shock. The output of sector i^* is capped at a fraction of its base-year level for each period t in the shock window:

$$\bar{x}_{i^*,t}^{\text{out}} = (1 - \zeta_{i^*,t}) x_{i^*,0}, \quad \zeta_{i^*,t} \in [0, 1), \quad (52)$$

so the effective capacity in Section 3.4 is $\min(x_{\text{cap},j,t}, \bar{x}_{j,t}^{\text{out}})$ for all j .

Rationing shock. The output of sector i^* is capped at a fraction $\eta_{i^*,t} \in (0, 1]$ of base-year output, $\bar{x}_{i^*,t}^{\text{out}} = \eta_{i^*,t} x_{i^*,0}$, and all deliveries from i^* are simultaneously rationed by the same factor, overriding the proportional rule in Section 3.6:

$$Z_{i^*,j,t} = \eta_{i^*,t} O_{i^*,j,t}. \quad (53)$$

Final demand from i^* to households is optionally rationed by the same factor.

Factor-productivity shock. For sector j^* at and after period t^* , labour and capital productivities are scaled by $\phi_{j^*,t}^L$ and $\phi_{j^*,t}^K$ respectively. Effective labour capacity becomes

$$x_{\text{cap},j^*,t} = \frac{\ell_{j^*,t}^*}{\ell_{j^*,0}^*} x_{j^*,0} \phi_{j^*,t}^L, \quad (54)$$

and the capital cost share in the profit identity (Section 3.8) becomes $\lambda_{j^*}^{\text{cap}} / \phi_{j^*,t}^K$. Values $\phi > 1$ represent factor-augmenting technical change, while $\phi < 1$ represents efficiency loss.

Propagation. Downstream shortages propagate through reduced deliveries and inventory draw-down at receiving sectors. The production function determines the severity. Under traditional Leontief every input is binding. Under linear production aggregate substitution dampens the effect. Under adapted Leontief propagation depends on whether the shocked input is classified as essential.

6 Parameter Uncertainty

The structural parameters $\{\rho_1, \gamma_{\text{hire},j}, \gamma_{\text{fire},j}, \tau_j, s_r, \beta_r\}$ are uncertain. Sector-level parameters ($\rho_1, \gamma_{\text{hire},j}, \gamma_{\text{fire},j}, \tau_j$) are drawn once per simulation, while per-region parameters (s_r, β_r) are drawn independently for each region. Uncertainty is propagated by drawing M independent parameter vectors from prescribed distributions, solving the model for each draw, and characterising the resulting distribution of output quantities. The trade-closure parameters $\{\text{flex}_i, \bar{q}_j, \text{epull}_j\}$ are treated

as exogenous calibration and are not perturbed. Because the same parameter vector governs all periods, uncertainty bands may persist or widen beyond the shock window. They reflect structural parameter uncertainty, not uncertainty about the shock itself.

7 Model Assumptions and Accounting Consistency

The row identity of the base-year accounts ($\mathbf{x}_0 = \mathbf{Z}_0 \mathbf{1} + \mathbf{f}_0$) and the column identity (output equals domestic intermediate inputs plus imports plus value added) are assumed to hold. Simulated flows satisfy these identities by construction at every period t . The model does not impose market-clearing in the Walrasian sense: output is quantity-determined as the minimum of capacity, input availability and demand, so excess demand can persist.

8 Causal Structure

The model is solved sequentially within each period:

1. Labour $\ell_{j,t}$ is adjusted from the previous period's realised constraints, giving current-period capacity $x_{\text{cap},j,t}$.
2. Household consumption C_t (Muellbauer rule) and intermediate orders $O_{ij,t}$ (inventory-replenishment rule) are determined independently of production.
3. Aggregate demand $d_{j,t}$ is assembled (Section 3.10) and augmented by the export-pull supplement $\Delta d_{j,t}^{\text{ep}}$ (Section 11.3). Where the endogenous rules of Section 3.10 are active, $f_{\text{gov},j,t}$ and $f_{\text{inv},j,t}$ are evaluated from $\mathcal{Y}_{r,t-1}$ and $S_{r,t-1}$ respectively, both computed in the latter stages of the preceding period.
4. Production $x_{j,t}$ is the minimum of capacity, input availability, and (augmented) demand, with the input cell $S_{ij,t-1}$ replaced by $S_{ij,t}^{\text{eff}}$ when import flexibility is active (Section 11.1).
5. The supplement actually used yields $\text{IS}_{j,t}$ and the sourced part is credited to RoW as $\text{REX}_{j',t}$ (Section 11.2).
6. Intermediate deliveries $Z_{ij,t}$ and realised consumption $c_{i,t}$ are allocated by proportional rationing.
7. Inventories are updated, with the consumed supplement added back to $S_{ij,t}$.
8. Profits, regional GDP, and savings are computed. The export-pull value-added correction $\text{EPC}_{j,t}$ is applied (Section 11.4).

The ordering is recursive rather than simultaneous, and disequilibrium between supply and demand is the normal state.

9 Time-Varying Technical Coefficients

The standard formulation assumes a fixed technical coefficient matrix $\mathbf{A}$. The model also supports a piecewise-constant trajectory $\{\mathbf{A}_t\}$ in which $\mathbf{A}$ is replaced by a new matrix $\mathbf{A}'$ at one or more specified periods. The trajectory is defined by a finite set of change periods $\mathcal{T}_{\text{ch}} \subset \{1, \dots, T-1\}$, and for each $t^* \in \mathcal{T}_{\text{ch}}$ a matrix $\mathbf{A}^{(t^*)}$ is prescribed. The active coefficient matrix at period t is

$$\mathbf{A}_t = \mathbf{A}^{(t_{\text{last}}^*)}, \quad t_{\text{last}}^* = \max\{t^* \in \mathcal{T}_{\text{ch}} : t^* \leq t\}, \quad (55)$$

with $\mathbf{A}_t = \mathbf{A}$ (the base-year matrix) when $\mathcal{T}_{\text{ch}}$ is empty or $t < \min \mathcal{T}_{\text{ch}}$.

At each change period t^* , the inventory target is updated to reflect the new technology:

$$S_{\text{target},ij}^{(t^*)} = A_{ij}^{(t^*)} x_{j,0} n_j, \quad (56)$$

and the essential-input classification $\mathbf{A}_{\text{essential}}$ is recomputed via the combined-linkage method applied to $\mathbf{A}^{(t^*)}$ (adapted Leontief only). Under the KLEMS variant, the sector partition $\mathcal{E}, \mathcal{M}, \mathcal{D}$ is invariant to changes in $\mathbf{A}$, and the KLE weights remain calibrated to the base-year matrix $\mathbf{A}$.

10 Multi-Region Formulation

10.1 Setup and Notation

The model spans R regions, each containing N_r sectors, for a total of $N = \sum_{r=1}^R N_r$ sectors indexed globally. Region r contains the sector index set $J_r \subset \{0, \dots, N-1\}$, where the J_r partition $\{0, \dots, N-1\}$ without overlap. The region membership of each sector is encoded in the mapping $r : \{0, \dots, N-1\} \rightarrow \{0, \dots, R-1\}$, supplied with the data.

Per-region household accounting, per-region consumption aggregates, and a regional GDP decomposition are added. All sector-level equations from Sections 1 to 9 apply without modification to the full N -sector system spanning all regions. The trade closures of Section 11 require a designated RoW region, and are inert in single-region runs.

10.2 Data Structure

All final demand categories are (N, R) matrices. The (j, r) entry records the base-year spending of region r 's agents on sector j 's output, and sector j may belong to any region. For region r the four vectors are

- $\mathbf{c}_r^{(0)} \in \mathbb{R}^N$, household consumption,
- $\mathbf{g}_r \in \mathbb{R}^N$, government demand,
- $\mathbf{v}_r \in \mathbb{R}^N$, gross fixed capital formation,
- $\mathbf{e}_r \in \mathbb{R}^N$, exports to rest-of-world.

The row identity for sector j is

$$x_{j,0} = \sum_{k=1}^N Z_{0,jk} + \sum_{r=1}^R (c_{j,r}^{(0)} + g_{j,r} + v_{j,r} + e_{j,r}). \quad (57)$$

The technical coefficient matrix is constructed from the full $N \times N$ flow matrix $\mathbf{Z}_0$, exactly as in the single-region case: $A_{ij} = Z_{0,ij}/x_{j,0}$. The column-viability condition $\sum_{i=1}^N A_{ij} < 1$ is enforced across all supplying regions.

Inter-regional intermediate trade is encoded in the off-diagonal blocks of $\mathbf{Z}_0$: for $i \in J_r, j \in J_s$ with $r \neq s$, the entry $Z_{0,ij}$ is the base-year intermediate supply from sector i in region r to sector j in region s . These flows are handled automatically by the full $N \times N$ matrix operations and must not be included in the rest-of-world import vector, which is reserved for imports from outside the modelled region system.

10.3 Per-Region Household Accounting

Each region r has independent household-accounting scalars derived from base-year data:

$$\bar{C}_r = \sum_{j=1}^N c_{j,r}^{(0)}, \quad \theta_{j,r} = \frac{c_{j,r}^{(0)}}{\bar{C}_r}, \quad (58)$$

$$\mathcal{Y}_{0,r} = \sum_{j \in J_r} \ell_{j,0} + \sum_{j \in J_r} \Pi_{j,0}, \quad (59)$$

$$s_r = 1 - \frac{\bar{C}_r}{(1 - \nu_r) \mathcal{Y}_{0,r}}, \quad (60)$$

where $\nu_r \in [0, 1)$ is the region- r extra-expenditure coefficient and s_r is the inferred base-year savings rate. When skill-stratified savings rates are active, s_r is replaced by the skill-income-weighted effective rate

$$s_r^{\text{eff}} = 1 - \sum_{s \in \{L, M, H\}} (1 - s_s) \varphi_{s,r}, \quad (61)$$

where s_s is the savings rate for skill tier $s \in \{\text{Low}, \text{Medium}, \text{High}\}$ and $\varphi_{s,r} = \sum_{j \in J_r} \ell_{s,j,0} / \sum_{j \in J_r} \ell_{j,0}$ is the base-year skill income share for region r , with $\ell_{s,j,0}$ the base-year wage bill attributed to tier s in sector j . By default this feature is inactive and s_r from the base-year calibration applies.

Household income for region r at period t is

$$\mathcal{Y}_{r,t} = \max\left(\beta_r \mathcal{Y}_{0,r} + (1 - \beta_r) \left(\sum_{j \in J_r} \ell_{j,t} + \sum_{j \in J_r} \Pi_{j,t}\right), \varepsilon_{\mathcal{Y}}\right), \quad (62)$$

where $\beta_r \in [0, 1]$ is the region- r benefits parameter. The income signal passed to the consumption function depends on the household closure mode selected for region r . Under *return-to-base* it is $\mathcal{Y}_{0,r} \xi_t$. Under *scarred* it is $\mathcal{Y}_{r,t-1} + w_r$, where the calibration wedge $w_r = \max(\mathcal{Y}_{0,r} - \mathcal{Y}_{0,r}^{\text{prod}}, 0)$ closes the structural identity gap (see Section 3.3). Under *frozen* it is $\mathcal{Y}_{0,r}$, independent of t .

10.4 Per-Region Consumption and Aggregate Demand

The aggregate consumption for region r at period t , $C_{r,t}$, is determined by the same log-linear Muellbauer rule as in the single-region case (Section 3.3), with all scalars replaced by their region- r counterparts: $\bar{C}_r$, $\kappa_{r,t}$, s_r , ν_r , and the region-specific consumption shock $\epsilon_{r,t} \in [0, 1)$.

Sectoral desired consumption demand is formed by summing over regions. In the Cobb-Douglas case:

$$c_{j,t}^d = \sum_{r=1}^R \theta_{j,r} C_{r,t} (1 - \epsilon_{r,t}), \quad \theta_{j,r} = \frac{c_{j,r}^{(0)}}{\bar{C}_r}. \quad (63)$$

When LES is active, the per-region subsistence floor and marginal budget share are computed from the region- r base consumption vector: $\gamma_{j,r} = \sigma_j c_{j,r}^{(0)}$, $\Gamma_r = \sum_j \gamma_{j,r}$, and $\beta_{j,r} = (c_{j,r}^{(0)} - \gamma_{j,r}) / (\bar{C}_r - \Gamma_r)$. The per-region contribution is then $[\gamma_{j,r} + \beta_{j,r}(C_{r,t} - \Gamma_r)](1 - \epsilon_{r,t})$, aggregated over r as before. In both cases $\theta_{j,r}$ (or $\gamma_{j,r}$, $\beta_{j,r}$) is defined over all N sectors, not only those in J_r , reflecting the fact that region r 's households may purchase from any sector in the economy.

Final demand components (government, investment, inventories, exports) are aggregated across regions into a single N -vector for each period and enter the aggregate demand equation exactly as

in the single-region model; the government and investment components are endogenous when the rules of Section 3.10 are in use.

10.5 Per-Region Savings

Aggregate savings for region r at period t are

$$S_{r,t} = \mathcal{Y}_{r,t} - \sum_{j=1}^N c_{j,r,t} - \frac{\nu_r}{1 - \nu_r} \sum_{j=1}^N c_{j,r,t}, \quad (64)$$

where $c_{j,r,t} = \theta_{j,r} C_{r,t} \cdot (x_{j,t}/d_{j,t})$ is realised consumption of sector j attributed to region r . The economy-wide aggregate $S_t = \sum_r S_{r,t}$ is consistent with the single-region formula.

10.6 Regional GDP Decomposition

Regional GDP is value added net of rest-of-world imports and the trade-closure adjustments, summed over sectors belonging to region r ,

$$\text{GDP}_{r,t} = \sum_{j \in J_r} \left(x_{j,t} - \sum_{i=1}^N Z_{ij,t} - \lambda_j^{\text{imp}} x_{j,t} - \text{IS}_{j,t} + \text{REX}_{j,t} - \text{EPC}_{j,t} \right). \quad (65)$$

The intermediate deduction $\sum_i Z_{ij,t}$ spans all supplying sectors across all regions, so cross-region intermediate flows are correctly netted out. The import share $\lambda_j^{\text{imp}} = m_{j,0}/x_{j,0}$, where $m_{j,0}$ is sector j 's base-year flow from outside the modelled region system, covers only those external imports. The trade-closure terms IS, REX, EPC are defined in Section 11. By construction, $\sum_r \text{GDP}_{r,t} = \text{GDP}_t$.

10.7 Inter-Regional Trade Balance

The intermediate export flow from region r to region s in period t is

$$M_{rs,t} = \sum_{i \in J_r} \sum_{j \in J_s} Z_{ij,t}, \quad r \neq s. \quad (66)$$

The trade balance of region r is

$$\text{TB}_{r,t} = \sum_{s \neq r} M_{rs,t} - \sum_{s \neq r} M_{sr,t}. \quad (67)$$

By accounting, $\sum_r \text{TB}_{r,t} = 0$ for every t . $M_{rs,t}$ captures intermediate orders only. The trade-closure flows (sourced supplement $\text{REX}_{j',t}$ and export-pull augmentation $\Delta d_{j,t}^{\text{ep}}$) are recorded separately and are not summed into M .

10.8 Per-Region Monte Carlo Sampling

In the Monte Carlo analysis (Section 7), the benefits parameter β_r and savings rate s_r are drawn independently per region from their respective distributions. The consumption-persistence and labour-adjustment parameters remain sector-level draws, unchanged from the single-region case. For each simulation draw, the derived household accounting scalars $\bar{C}_r$, $\kappa_{r,0}$, and $\mathcal{Y}_{0,r}$ are refreshed to be consistent with the sampled β_r and s_r before the model is solved. Regional value added $\text{GDP}_{r,t}$ is recorded for all r and t across simulation draws, alongside the economy-wide aggregate GDP_t .

10.9 Single-Region Special Case

When $R = 1$, the multi-region formulation reduces exactly to the single-region model. All per-region quantities collapse to scalars: $\theta_{j,0} = \theta_j$, $\epsilon_{0,t} = \epsilon_t$, and $\text{GDP}_{0,t} = \text{GDP}_t$. The accounting identities and order of operations are unchanged.

11 Trade Closures

The trade closures augment the static rest-of-world (RoW) import leakage λ_j^{imp} with three quantity-side mechanisms, namely an inventory supplement, a RoW-sourcing credit, and a CET-analog export pull. The model has no price system, so Armington and CET in their CGE forms are not represented. The closures below are the quantity-side analogues.

Two auxiliary objects are defined at model initialisation. Let r_{RoW} denote the index of the rest-of-world region and J_{RoW} its sector set. Each sector j is labelled $(r(j), n(j))$, the pair of its region and sector name. The same-good RoW index is

$$g(j) = \begin{cases} j' \in J_{\text{RoW}} \text{ such that } n(j') = n(j) & \text{if such } j' \text{ exists,} \\ -1 & \text{otherwise.} \end{cases}$$

The named-region sector mask is $J_{\text{named}} = \{0, \dots, N-1\} \setminus J_{\text{RoW}}$.

11.1 Import Flexibility (Inventory Supplement)

For each input i and using sector j , the inventory available to production is augmented by a fraction $\text{flex}_i \in [0, 1]$ of any shortfall against the target $S_{ij}^{\text{target}} = A_{ij} x_{j,0} n_j$,

$$\Delta S_{ij,t} = \text{flex}_i \cdot \max(S_{ij}^{\text{target}} - S_{ij,t-1}, 0), \quad S_{ij,t}^{\text{eff}} = S_{ij,t-1} + \Delta S_{ij,t}. \quad (68)$$

Let $x_{j,t}^{\text{ns}}$ denote the output sector j would produce if the input constraint in Section 3.4 were evaluated with $S_{ij,t-1}$ instead of $S_{ij,t}^{\text{eff}}$ (all other inputs equal). The supplement is charged only on sectors where it raised output:

$$\Delta S_{ij,t}^{\text{benefit}} = \Delta S_{ij,t} \cdot \mathbb{1}[x_{j,t} > x_{j,t}^{\text{ns}}], \quad \text{IS}_{j,t} = \sum_{i=1}^N \Delta S_{ij,t}^{\text{benefit}}. \quad (69)$$

After production, the consumed supplement is added back to $S_{ij,t}$ so that domestic inventories are not eroded by the supplement.

11.2 Sourced Supplement (Crediting RoW)

The supplement of Section 11.1 is attributed to RoW's same-good sector via $g(\cdot)$ and credited to its profit and GDP. The raw revenue claim per RoW sector $j' \in J_{\text{RoW}}$ is

$$Q_{j',t} = \sum_{i: g(i)=j'} \sum_{k=1}^N \Delta S_{ik,t}^{\text{benefit}}, \quad (70)$$

capped at a fraction $\bar{q}_{j'} \in [0, 1]$ of that RoW sector's current output:

$$\text{REX}_{j',t} = \min(Q_{j',t}, \bar{q}_{j'} x_{j',t}), \quad j' \in J_{\text{RoW}}, \quad (71)$$

with $\text{REX}_{j,t} = 0$ for $j \notin J_{\text{RoW}}$. The uncapped remainder $Q_{j',t} - \text{REX}_{j',t}$ together with the supplement on inputs i with $g(i) = -1$ remains an unsourced injection.

11.3 Export Pull (CET-Analog)

A fraction $\text{epull}_j \in [0, 1]$ of last period's slack capacity in a named-region sector is absorbed by external demand. The capacity proxy is

$$\tilde{x}_{\text{cap},j,t-1} = \begin{cases} x_{\text{cap},j,t-1} & \text{if } \ell_{j,0} > 0, \\ x_{j,0} & \text{otherwise,} \end{cases} \quad (72)$$

and the per-period slack, clipped at $x_{j,0}$, is

$$\eta_{j,t} = \min\left(\max(\tilde{x}_{\text{cap},j,t-1} - x_{j,t-1}, 0), x_{j,0}\right). \quad (73)$$

The additional demand on $d_{j,t}$ is

$$\Delta d_{j,t}^{\text{ep}} = \text{epull}_j \cdot \eta_{j,t} \cdot \mathbb{1}[j \in J_{\text{named}}]. \quad (74)$$

11.4 Export-Pull Value-Added Correction

The export-pull supplement adds mass to $x_{j,t}$ without flowing through orders to suppliers, so $\sum_i Z_{ij,t}$ does not rise to match the extra production. The deduction restoring value-added accounting is

$$\text{EPC}_{j,t} = \left(\sum_{i=1}^N A_{ij}\right) \Delta d_{j,t}^{\text{ep}}, \quad (75)$$

with $\text{EPC}_{j,t} = 0$ for $j \notin J_{\text{named}}$.

12 References

1. Pichler, A., Pangallo, M., del Rio-Chanona, R. M., Lafond, F., & Farmer, J. D. (2022). Forecasting the propagation of pandemic shocks with a dynamic input-output model. *Journal of Economic Dynamics and Control*, 144, 104527. <https://doi.org/10.1016/j.jedc.2022.104527>
2. Ross, A. G., McGregor, P. G., & Swales, J. K. (2024). Labour market dynamics in the era of technological advancements: The system-wide impacts of labour augmenting technological change. *Technology in Society*, 77, 102539. <https://doi.org/10.1016/j.techsoc.2024.102539>
3. Raseta, M., Ross, A. G., & Voegele, S. (2025). Macro-level implications of the energy system transition to net-zero carbon emissions: Identifying quick wins amid short-term constraints. *Economic Analysis and Policy*, 85, 1065-1078. <https://doi.org/10.1016/j.eap.2025.01.011>
4. Stadler, K., Wood, R., Bulavskaya, T., Södersten, C.-J., Simas, M., Schmidt, S., Usubiaga, A., Acosta-Fernández, J., Kuenen, J., Bruckner, M., Giljum, S., Lutter, S., Merciai, S., Schmidt, J. H., Theurl, M. C., Plutzar, C., Kastner, T., Eisenmenger, N., Erb, K.-H., ... Tukker, A. (2025). EXIOBASE 3 (3.9.6) [Data set]. Zenodo. <https://doi.org/10.5281/zenodo.15689391>

5. Miller, R. E., & Blair, P. D. (2009). Input-output analysis: foundations and extensions. Cambridge university press.
6. Blanchflower, D. G., & Oswald, A. J. (1994). The Wage Curve. MIT Press.