

CSE-5330-001

Project 2 Part 1

HONOR CODE

I pledge, on my honor, to uphold UT Arlington's tradition of academic integrity, a tradition that

values hard work and honest effort in the pursuit of academic excellence.

I promise that I will submit only work that I personally create or that I contribute to group

collaborations, and I will appropriately reference any work from other sources. I will follow the

highest standards of integrity and uphold the spirit of the Honor Code.

By:

Aniket Gade – 1001505046

Akshay Kotian – 1001556746

Database used – MySQL 8.0 (Command Line Client)

1) PHD STUDENT:

```
mysql> CREATE TABLE Phd_Student (StudentId VARCHAR(6) NOT NULL, FName  
VARCHAR(20) NOT NULL, LNAME VARCHAR(20) NOT NULL, StSem VARCHAR(10) NOT NULL,  
StYear INT NOT NULL, Supervisor VARCHAR(6) NOT NULL, PRIMARY KEY (StudentId));
```

```
mysql> CREATE TABLE Phd_Student (StudentId VARCHAR(6) NOT NULL, FName VARCHAR(20) NOT NULL, LNAME VARCHAR(20) NOT NULL,  
StSem VARCHAR(10) NOT NULL, StYear INT NOT NULL, Supervisor VARCHAR(6) NOT NULL, PRIMARY KEY (StudentId));  
Query OK, 0 rows affected (0.07 sec)  
  
mysql> show tables;  
+-----+  
| Tables_in_doctoral |  
+-----+  
| phd_student         |  
+-----+  
1 row in set (0.00 sec)
```

MySQL Command to load Phd_Student.txt

```
mysql> LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server  
8.0/Uploads/Phd_Student.txt' INTO TABLE phd_student FIELDS TERMINATED BY ',' LINES  
TERMINATED BY '\n' IGNORE 1 ROWS;
```

```
mysql> select * from phd_student;
```

```
+-----+-----+-----+-----+-----+-----+  
| StudentId | FName   | LNAME   | StSem | StYear | Supervisor |  
+-----+-----+-----+-----+-----+-----+  
| AA1234   | Abimbola | Abioye   | Fall  | 2016   | AO5671      |  
| AA2345   | Afia     | Achebe   | Fall  | 2016   | AO5671      |  
| AB2903   | Aditya   | Bhatt    | Fall  | 2016   | AS2348      |  
| AD1035   | Ashish   | Dwivedi   | Fall  | 2017   | RB1897      |  
| AJ1836   | Alice    | Jones    | Fall  | 2016   | AS2348      |  
| AJ1934   | Adriana  | Johnson   | Fall  | 2016   | AO5671      |  
| AK1958   | Abdul    | Kalam     | Fall  | 2018   | BL9856      |  
| AL8345   | Alejandro | Lopez    | Fall  | 2016   | AO5671      |  
| AM2950   | Armand   | Martin    | Fall  | 2016   | AO5671      |  
| AM8051   | Antonio  | Martinez  | Fall  | 2016   | AS2348      |  
| AP2578   | Anastasia | Petrov   | Fall  | 2017   | SB2561      |  
| AW1023   | Abdurrahman | Wahid    | Fall  | 2017   | BL9856      |  
| AY2653   | Adarsh   | Yadav    | Fall  | 2017   | AS2348      |  
| BD5678   | Berko    | Dogo     | Fall  | 2017   | AO5671      |  
| BE1256   | Bosede   | Eesuola   | Fall  | 2017   | AS2348      |  
| BM1745   | Ben      | Mueller   | Fall  | 2016   | RB1897      |  
| CC6716   | Chayton  | Chavis    | Fall  | 2018   | BL9856      |  
| DB1783   | Dakota   | Benally   | Fall  | 2016   | AO5671      |  
| DB6291   | Dyani    | Begay     | Fall  | 2016   | AO5671      |  
| EN4589   | Emeka    | Nenge     | Fall  | 2018   | RB1897      |  
| FE6789   | Fumnaya  | Egebe     | Fall  | 2017   | AS2348      |  
| FK8907   | Folami   | Kanye     | Fall  | 2017   | RB1897      |  
| FS6892   | Francisco | Sanchez   | Fall  | 2018   | AO5671      |
```

GD1948	Gabriel	Durand	Fall	2017	RB1897	
GM6294	Gabriella	Miller	Fall	2017	RB1897	
HA2680	Hector	Adams	Fall	2018	SB2561	
IJ1569	Ife	Jelani	Fall	2017	RB1897	
IS2945	Ivan	Sokolov	Fall	2016	AO5671	
JF1092	Josefina	Flores	Fall	2017	BL9856	
JG1036	Juan	Gonzalez	Fall	2016	BL9856	
JG8927	Jose	Garcia	Fall	2016	AO5671	
JP9384	Jung	Park	Fall	2016	AO5671	
JR1930	Jesus	Rodriguez	Fall	2016	AS2348	
JT6936	Jules	Thomas	Fall	2018	RB1897	
KH1029	Ki	Hajar	Fall	2016	BL9856	
KJ1928	Kim	Jee	Fall	2018	AS2348	
KO1905	Kojo	Okoro	Fall	2018	SB2561	
KY4892	Kaya	Yazzie	Fall	2016	AS2348	
LB2673	Leo	Bernard	Fall	2017	AS2348	
LF150	Luis	Fischer	Fall	2018	RB1897	
LM1405	Lucinda	Moreau	Fall	2018	SB2561	
LY1049	Li	Ying	Fall	2017	AS2348	
MA1234	Miguel	Angel	Fall	2018	BL9856	
MA1968	Muhammad	Ansari	Fall	2016	AS2348	
MG1940	Maanas	Gandhi	Fall	2018	BL9856	
MI1589	Mikhail	Ivanov	Fall	2017	AS2348	
ML3902	Malia	Locklear	Fall	2017	AS2348	
MN2903	Mika	Nyhoff	Fall	2016	AS2348	
MP3478	Maria	Perez	Fall	2017	AS2348	
MS1259	Maya	Smith	Fall	2016	AO5671	
NN1629	Nokomis	Nez	Fall	2017	BL9856	
NS4289	Noah	Schmidt	Fall	2017	AS2348	
NZ1278	Nia	Zivai	Fall	2018	SB2561	
OT8190	Odina	Toledo	Fall	2017	AS2348	
PG2469	Patricia	Gomez	Fall	2017	RB1897	
PH2091	Pocahontas	Hill	Fall	2018	BL9856	
PS1904	Parvinder	Singh	Fall	2017	AS2348	
RK1489	Ranomi	Kromowidjojo	Fall	2016	BL9856	
RS1903	Rosa	Sanchez	Fall	2017	AS2348	
RW9267	Raymond	Wilson	Fall	2017	AS2348	
RY1726	Rhee	Yi	Fall	2017	AS2348	
SC1894	Steven	Cooper	Fall	2018	SB2561	
SD1946	Shalini	Desai	Fall	2017	RB1897	
SJ1947	Salil	Jha	Fall	2018	BL9856	
SP1938	Sai	Paranjape	Fall	2017	AS2348	
SS1304	Simarjeet	Suri	Fall	2017	AS2348	
TC1038	Tala	Castillo	Fall	2018	BL9856	
VA1938	Vivaan	Ahuja	Fall	2016	AO5671	
VB1059	Victor	Brown	Fall	2017	AS2348	
VW8930	Violet	Williams	Fall	2016	AO5671	
WW3847	Wang	Wei	Fall	2016	BL9856	

```
| XY2938 | Xiu      | Ying      | Fall | 2016 | AS2348 |
| ZW1029 | Zhang    | Wei       | Fall | 2016 | AO5671 |
```

```
+-----+-----+-----+-----+-----+-----+
```

73 rows in set (0.00 sec)

```
MySQL 8.0 Command Line Client
mysql>
mysql> LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server 8.0/Uploads/PhD_Student.txt' INTO TABLE phd_student FIELDS TE
RMINATED BY ',' LINES TERMINATED BY '\n' IGNORE 1 ROWS;
Query OK, 73 rows affected, 72 warnings (0.01 sec)
Records: 73 Deleted: 0 Skipped: 0 Warnings: 72

mysql> select * from phd_student;
+-----+-----+-----+-----+-----+-----+
| StudentId | FName   | LNAME    | StSem | StYear | Supervisor |
+-----+-----+-----+-----+-----+-----+
| AA1234    | Abimbola | Abioye    | Fall  | 2016   | A05671      |
| AA2345    | Afia     | Achebe    | Fall  | 2016   | A05671      |
| AB2903    | Aditya   | Bhatt     | Fall  | 2016   | AS2348      |
| AD1035    | Ashish   | Dwivedi   | Fall  | 2017   | RB1897      |
| AJ1836    | Alice    | Jones     | Fall  | 2016   | AS2348      |
| AJ1934    | Adriana  | Johnson   | Fall  | 2016   | A05671      |
| AK1958    | Abdul    | Kalam     | Fall  | 2018   | BL9856      |
| AL8345    | Alejandro | Lopez     | Fall  | 2016   | A05671      |
| AM2950    | Armand   | Martin    | Fall  | 2016   | A05671      |
| AM8051    | Antonio  | Martinez  | Fall  | 2016   | AS2348      |
| AP2578    | Anastasia | Petrov    | Fall  | 2017   | SB2561      |
| AW1023    | Abdurrahman | Wahid    | Fall  | 2017   | BL9856      |
| AY2653    | Adarsh   | Yadav     | Fall  | 2017   | AS2348      |
| BD5678    | Berko    | Dogo      | Fall  | 2017   | A05671      |
| BE1256    | Bosede   | Eesuola   | Fall  | 2017   | AS2348      |
| BM1745    | Ben      | Mueller   | Fall  | 2016   | RB1897      |
| CC6716    | Chayton  | Chavis    | Fall  | 2018   | BL9856      |
| DB1783    | Dakota   | Benally   | Fall  | 2016   | A05671      |
| DB6291    | Dyani    | Begay     | Fall  | 2016   | A05671      |
| EN4589    | Emeka    | Nenge     | Fall  | 2018   | RB1897      |
```

2) Instructor:

```
mysql> CREATE TABLE instructor (InstructorId VARCHAR(6) NOT NULL, FName VARCHAR(25)
NOT NULL, LName VARCHAR(25) NOT NULL, StartDate VARCHAR(10) NOT NULL, Degree
VARCHAR(12) NOT NULL, RankType VARCHAR(25) NOT NULL, ProfType VARCHAR(10) NOT
NULL, PRIMARY KEY (InstructorId));
```

```
mysql> CREATE TABLE instructor (InstructorId VARCHAR(6) NOT NULL, FName VARCHAR(25) NOT NULL, LName VARCHAR(25) NOT NULL
, StartDate VARCHAR(10) NOT NULL, Degree VARCHAR(12) NOT NULL, RankType VARCHAR(25) NOT NULL, ProfType VARCHAR(10) NOT N
ULL, PRIMARY KEY (InstructorId));
Query OK, 0 rows affected (0.06 sec)

mysql> show tables;
+-----+
| Tables_in_doctoral |
+-----+
| instructor          |
| phd_student         |
+-----+
2 rows in set (0.00 sec)
```

MySQL Command to load Instructor.txt

```
mysql> LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server
8.0/Uploads/Instructor.txt' INTO TABLE instructor FIELDS TERMINATED BY ',' LINES
TERMINATED BY '\n' IGNORE 1 ROWS;
```

```
mysql> select * from instructor;
```

```
+-----+-----+-----+-----+-----+-----+-----+
```

InstructorId	FName	LName	StartDate	Degree	RankType	ProfType
AD4267	Andrea	Delgado	15/7/2002	PhD	Associate Professor	Adjunct
AO1290	Asu	Ozdaglar	15/7/2002	PhD	Associate Professor	Adjunct
1	Adegoke	Olubummo	19/7/1982	PhD	Professor	TT
8	Ahmed	Sarhan	19/7/1989	PhD	Professor	TT
6	Barbara	Liskov	19/7/2001	PhD	Professor	TT
CA2876	Corey	Ashley	15/7/2002	Masters	Associate Professor	Adjunct
CC8908	Carlos	Castillo	15/7/2017	PhD	Associate Professor	Adjunct
12	David	Patterson	19/7/2001	PhD	Professor	NTT
45	Henry	Yuen	25/7/2008	PhD	Associate Professor	NTT
7	Ravindran	Balaraman	10/2/1990	PhD	Professor	TT
1	Sanghamitra	Bandyopadhyay	15/9/1999	PhD	Assistant Professor	TT
56	Xia	Zhou	20/7/2005	PhD	Associate Professor	NTT

```
mysql> select * from instructor;
```

InstructorId	FName	LName	StartDate	Degree	RankType	ProfType
AD4267	Andrea	Delgado	15/7/2002	PhD	Associate Professor	Adjunct
AO1290	Asu	Ozdaglar	15/7/2002	PhD	Associate Professor	Adjunct
1	Adegoke	Olubummo	19/7/1982	PhD	Professor	TT
8	Ahmed	Sarhan	19/7/1989	PhD	Professor	TT
6	Barbara	Liskov	19/7/2001	PhD	Professor	TT
CA2876	Corey	Ashley	15/7/2002	Masters	Associate Professor	Adjunct
CC8908	Carlos	Castillo	15/7/2017	PhD	Associate Professor	Adjunct
12	David	Patterson	19/7/2001	PhD	Professor	NTT
45	Henry	Yuen	25/7/2008	PhD	Associate Professor	NTT
7	Ravindran	Balaraman	10/2/1990	PhD	Professor	TT
1	Sanghamitra	Bandyopadhyay	15/9/1999	PhD	Assistant Professor	TT
56	Xia	Zhou	20/7/2005	PhD	Associate Professor	NTT

12 rows in set (0.00 sec)

3) Course:

```
mysql> CREATE TABLE Course(CourseId VARCHAR(7) NOT NULL, CName VARCHAR (225) NOT NULL, PRIMARY KEY(CourseId));
```

Query OK, 0 rows affected (0.10 sec)

```
mysql> CREATE TABLE Course(CourseId VARCHAR(7) NOT NULL, CName VARCHAR (225) NOT NULL, PRIMARY KEY(CourseId));
Query OK, 0 rows affected (0.10 sec)

mysql> show tables;
+-----+
| Tables_in_doctoral |
+-----+
| course              |
| instructor          |
| phd_student         |
+-----+
3 rows in set (0.00 sec)
```

MySQL Command to load Course.txt

```
mysql> LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server 8.0/Uploads/Course.txt'
INTO TABLE course FIELDS TERMINATED BY ',' LINES TERMINATED BY '\n' IGNORE 1 ROWS;
```

```
mysql> LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server 8.0/Uploads/Course.txt' INTO TABLE course FIELDS TERMINATED BY ',' LINES TERMINATED BY '\n' IGNORE 1 ROWS;
Query OK, 13 rows affected (0.01 sec)
Records: 13 Deleted: 0 Skipped: 0 Warnings: 0

mysql> select * from course;
+-----+-----+
| CourseId | CName |
+-----+-----+
|          | Introduction to programming |
|          | Intermediate Programming |
|          | Object-Oriented Programming |
|          | ramming Languages |
| CSE3310 | Fundamentals of Software Engineering |
|          | |
|          | Systems |
|          | el Processing |
|          | System |
|          | esign |
|          | tificial Intelligence |
|          | works |
|          | Graphics |
+-----+-----+
13 rows in set (0.00 sec)

mysql>
```

4) CoursesTaught:

```
mysql> CREATE TABLE coursetaught(CourseId VARCHAR (7) NOT NULL, InstructorId
VARCHAR (6) NOT NULL, PRIMARY KEY (CourseId, InstructorId));
Query OK, 0 rows affected (0.07 sec)
```

```
mysql> CREATE TABLE coursetaught(CourseId VARCHAR (7) NOT NULL, InstructorId VARCHAR (6) NOT NULL, PRIMARY KEY (CourseId, InstructorId));
Query OK, 0 rows affected (0.07 sec)

mysql> show tables;
+-----+
| Tables_in_doctoral |
+-----+
| course |
| coursetaught |
| instructor |
| phd_student |
+-----+
4 rows in set (0.00 sec)
```

MySQL Command to load CoursesTaught.txt

```
mysql> LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server
8.0/Uploads/CoursesTaught.txt' INTO TABLE coursetaught FIELDS TERMINATED BY ',' LINES
TERMINATED BY '\n' IGNORE 1 ROWS;
```

```
mysql> LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server 8.0/Uploads/CoursesTaught.txt' INTO TABLE coursetaught FIELDS TERMINATED BY ',' LINES TERMINATED BY '\n' IGNORE 1 ROWS;
Query OK, 25 rows affected, 25 warnings (0.01 sec)
Records: 25 Deleted: 0 Skipped: 0 Warnings: 25

mysql> select * from coursetaught;
+-----+-----+
| CourseId | InstructorId |
+-----+-----+
| CSE1320 | A01290 |
| CSE1325 | A01290 |
| CSE1325 | CA2876 |
| CSE3302 | XZ3456 |
| CSE3310 | HY1945 |
| CSE3330 | AD4267 |
| CSE3442 | AD4267 |
| CSE3442 | CA2876 |
| CSE4351 | DP6712 |
| CSE4351 | SB2561 |
| CSE4351 | XZ3456 |
| CSE4354 | DP6712 |
| CSE4354 | HY1945 |
| CSE4354 | SB2561 |
| CSE5322 | AS2348 |
| CSE5322 | BL9856 |
| CSE5324 | A05671 |
| CSE5324 | AS2348 |
| CSE5324 | RB1897 |
| CSE6338 | A05671 |
| CSE6338 | AS2348 |
| CSE6338 | RB1897 |
| CSE6365 | BL9856 |
| CSE6365 | RB1897 |
| CSE6365 | SB2561 |
+-----+-----+
25 rows in set (0.00 sec)
```

5) **GrantAssocaited:**

```
mysql> CREATE TABLE grantassociated (AccountNo VARCHAR (4) NOT NULL, InstructorId  
VARCHAR (6) NOT NULL, InstrType VARCHAR (4) NOT NULL, PRIMARY KEY (AccountNo,  
InstructorId));  
Query OK, 0 rows affected (0.06 sec)
```

```
mysql> CREATE TABLE grantassociated (AccountNo VARCHAR (4) NOT NULL, InstructorId VARCHAR (6) NOT NULL, InstrType VARCHAR (4) NOT NULL, PRIMARY KEY (AccountNo, InstructorId));  
Query OK, 0 rows affected (0.06 sec)  
  
mysql> show tables;  
+-----+  
| Tables_in_doctoral |  
+-----+  
| course              |  
| coursestaught       |  
| grantassociated      |  
| instructor          |  
| phd_student         |  
+-----+  
5 rows in set (0.00 sec)
```

MySQL Command to load GrantAssocaited.txt

```
mysql> LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server  
8.0/Uploads/GrantAssociated.txt' INTO TABLE grantassociated FIELDS TERMINATED BY ','  
LINES TERMINATED BY '\n' IGNORE 1 ROWS;  
Query OK, 12 rows affected, 7 warnings (0.01 sec)  
Records: 12 Deleted: 0 Skipped: 0 Warnings: 7
```

```
mysql> LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server 8.0/Uploads/GrantAssociated.txt' INTO TABLE grantassociated FIELDS TERMINATED BY ',' LINES TERMINATED BY '\n' IGNORE 1 ROWS;  
Query OK, 12 rows affected, 7 warnings (0.01 sec)  
Records: 12 Deleted: 0 Skipped: 0 Warnings: 7  
  
mysql> select * from grantassociated;  
+-----+  
| AccountNo | InstructorId | InstrType |  
+-----+  
| DOE1      | A05671       | PI        |  
| DOE1      | AS2348       | COPI      |  
| DOE1      | BL9856       | COPI      |  
| DOT4      | A05671       | COPI      |  
| DOT4      | BL9856       | COPI      |  
|           | SB2561       | PI        |  
| NIH3      | BL9856       | COPI      |  
|           | RB1897       | PI        |  
| NIH3      | SB2561       | COPI      |  
|           | AS2348       | PI        |  
| NSF2      | BL9856       | COPI      |  
| NSF2      | RB1897       | COPI      |  
+-----+  
12 rows in set (0.00 sec)
```

6) **Grants:**

```
mysql> CREATE TABLE grants(AccountNo VARCHAR(4) NOT NULL, GrantType VARCHAR (25)  
NOT NULL, GrantTitle VARCHAR(225) NOT NULL, Source VARCHAR(225) NOT NULL, StDate  
VARCHAR(10) NOT NULL, EndDate VARCHAR(10) NOT NULL, StAmount INT NOT NULL,  
CurrBalance INT NOT NULL, PRIMARY KEY (AccountNo));  
Query OK, 0 rows affected (0.05 sec)
```

```
mysql> CREATE TABLE grants(AccountNo VARCHAR(4) NOT NULL, GrantType VARCHAR (25) NOT NULL, GrantTitle VARCHAR(225) NOT NULL, Source VARCHAR(225) NOT NULL, StDate VARCHAR(10) NOT NULL, EndDate VARCHAR(10) NOT NULL, StAmount INT NOT NULL,  
CurrBalance INT NOT NULL, PRIMARY KEY (AccountNo));  
Query OK, 0 rows affected (0.05 sec)  
  
mysql> show tables;  
+-----+  
| Tables_in_doctoral |  
+-----+  
| course              |  
| coursestaught       |  
| grantassociated      |  
| grants              |  
| instructor          |  
| phd_student         |  
+-----+  
6 rows in set (0.01 sec)
```

MySQL Command to load Grants.txt

```
mysql> LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server 8.0/Uploads/Grants.txt'  
INTO TABLE grants FIELDS TERMINATED BY ',' LINES TERMINATED BY '\n' IGNORE 1 ROWS;  
Query OK, 4 rows affected (0.02 sec)
```

Records: 4 Deleted: 0 Skipped: 0 Warnings: 0

```
mysql> LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server 8.0/Uploads/Grants.txt' INTO TABLE grants FIELDS TERMINATED BY ',' LINES TERMINATED BY '\n' IGNORE 1 ROWS;
Query OK, 4 rows affected (0.02 sec)
Records: 4 Deleted: 0 Skipped: 0 Warnings: 0

mysql> select * from grants;
+-----+-----+-----+-----+-----+-----+-----+-----+
| AccountNo | GrantType | GrantTitle | Source | StDate | EndDate | StAmount | CurrBalance |
+-----+-----+-----+-----+-----+-----+-----+-----+
| DOE1 | Educational | GAANN | US Department of Education | 01/01/2015 | 08/30/2022 | 1500000 | 500000 |
| DOT4 | Research | University Transportation | U.S. Department of Transportation | 01/01/2016 | 12/31/2021 | 1500000 | 400000 |
| NIH3 | Research | Resistance to Infections | National Institutes of Health | 09/01/2018 | 08/30/2024 | 450000 | 375000 |
| NSF2 | Research | Undergraduate Experiences | National Science Foundation | 09/01/2018 | 08/30/2021 | 300000 | 250000 |
+-----+-----+-----+-----+-----+-----+-----+-----+
4 rows in set (0.00 sec)

mysql>
```

7) InstructorTT

```
mysql> CREATE TABLE InstructorTT (InstructorId VARCHAR(6) NOT NULL, NoOfPhDStudents
INT NOT NULL, PRIMARY KEY (InstructorId));
Query OK, 0 rows affected (0.09 sec)
```

```
mysql> CREATE TABLE InstructorTT (InstructorId VARCHAR(6) NOT NULL, NoOfPhDStudents INT NOT NULL, PRIMARY KEY (InstructorId));
Query OK, 0 rows affected (0.09 sec)

mysql> show tables;
+-----+
| Tables_in_doctoral |
+-----+
| course |
| coursestaught |
| grantassociated |
| grants |
| instructor |
| instructorTT |
| phd_student |
+-----+
7 rows in set (0.00 sec)
```

MySQL Command to load InstructorTT.txt

```
mysql> LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server
8.0/Uploads/Instructor_TT.txt' INTO TABLE InstructorTT FIELDS TERMINATED BY ',' LINES
TERMINATED BY '\n' IGNORE 1 ROWS;
Query OK, 5 rows affected (0.01 sec)
Records: 5 Deleted: 0 Skipped: 0 Warnings: 0
```

```
mysql> LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server 8.0/Uploads/Instructor_TT.txt' INTO TABLE InstructorTT FIELDS TERMINATED BY ',' LINES TERMINATED BY '\n' IGNORE 1 ROWS;
Query OK, 5 rows affected (0.01 sec)
Records: 5 Deleted: 0 Skipped: 0 Warnings: 0

mysql> select * from InstructorTT
-> ;
+-----+-----+
| InstructorId | NoOfPhDStudents |
+-----+-----+
| A05671 | 10 |
| AS2348 | 20 |
| BL9856 | 9 |
| RB1897 | 13 |
| SB2561 | 21 |
+-----+-----+
5 rows in set (0.00 sec)
```


8) Milestone:

```
mysql> CREATE TABLE milestone (MID VARCHAR(2) NOT NULL, MName VARCHAR(50) NOT NULL, PRIMARY KEY(MID));
```

Query OK, 0 rows affected (0.06 sec)

```
mysql> CREATE TABLE milestone (MID VARCHAR(2) NOT NULL, MName VARCHAR(50) NOT NULL, PRIMARY KEY(MID));
Query OK, 0 rows affected (0.06 sec)

mysql> show tables;
+-----+
| Tables_in_doctoral |
+-----+
| course              |
| coursestaught       |
| grantassociated     |
| grants              |
| instructor           |
| instructortt        |
| milestone            |
| phd_student         |
+-----+
8 rows in set (0.00 sec)
```

MySQL Command to load Milestone.txt

```
mysql> LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server
```

```
8.0/Uploads/Milestone.txt' INTO TABLE milestone FIELDS TERMINATED BY ',' LINES
```

```
TERMINATED BY '\n' IGNORE 1 ROWS;
```

Query OK, 5 rows affected (0.01 sec)

Records: 5 Deleted: 0 Skipped: 0 Warnings: 0

```
mysql> LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server 8.0/Uploads/Milestone.txt' INTO TABLE milestone FIELDS TERMINATED BY ',' LINES TERMINATED BY '\n' IGNORE 1 ROWS;
Query OK, 5 rows affected (0.01 sec)
Records: 5 Deleted: 0 Skipped: 0 Warnings: 0

mysql> select * from milestone;
+----+-----+
| MID | MName                |
+----+-----+
|     | Comprehensive Exam   |
|     | Committee Formed     |
| DE  | Diagnostics Evaluation |
|     |                      |
+----+-----+
5 rows in set (0.00 sec)
```

9) MilestonePassed:

```
mysql> CREATE TABLE milestonesPassed (StudentId VARCHAR(6) NOT NULL, MId  
VARCHAR(2) NOT NULL, PassDate VARCHAR(10), PRIMARY KEY(StudentId, MId));
```

Query OK, 0 rows affected (0.07 sec)

```
mysql> CREATE TABLE milestonesPassed (StudentId VARCHAR(6) NOT NULL, MId VARCHAR(2) NOT NULL, PassDate VARCHAR(10), PRIMARY KEY(StudentId, MId));  
Query OK, 0 rows affected (0.07 sec)  
  
mysql> show tables;  
+-----+  
| Tables_in_doctoral |  
+-----+  
| course  
| coursestaught  
| grantassociated  
| grants  
| instructor  
| instructortt  
| milestone  
| milestonespassed  
| phd_student  
+-----+  
9 rows in set (0.00 sec)
```

MySQL Command to load MilestonePassed.txt

```
mysql> LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server  
8.0/Uploads/Milestones_Passed.txt' INTO TABLE milestonespassed FIELDS TERMINATED BY  
' ' LINES TERMINATED BY '\n' IGNORE 1 ROWS;
```

Query OK, 61 rows affected, 60 warnings (0.01 sec)

Records: 61 Deleted: 0 Skipped: 0 Warnings: 60

```
mysql> LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server 8.0/Uploads/Milestones_Passed.txt' INTO TABLE milestonespassed FIELDS TERMINATED BY ' ' LINES TERMINATED BY '\n' IGNORE 1 ROWS;  
Query OK, 61 rows affected, 60 warnings (0.01 sec)  
Records: 61 Deleted: 0 Skipped: 0 Warnings: 60  
  
mysql> select * from milestonesPassed  
-> ;  
+-----+  
| StudentId | MId | PassDate |  
+-----+  
| AA1234    | CM  | 12/01/2016 |  
| AA2345    | CM  | 12/01/2016 |  
| AB2903    | CM  | 12/05/2016 |  
| AJ1836    | CM  | 12/02/2016 |  
| AJ1934    | CM  | 12/02/2016 |  
| AK1958    | CM  | 12/07/2017 |  
| AL8345    | CM  | 12/05/2016 |  
| AM2950    | CM  | 12/05/2016 |  
| AM8051    | CM  | 12/06/2016 |  
| BD5678    | CM  | 12/07/2017 |  
| BE1256    | CM  | 12/07/2017 |  
| BM1745    | CM  | 12/05/2016 |  
| DB1783    | CM  | 12/07/2016 |  
| DB1783    | DE  | 06/05/2017 |  
| DB6291    | CM  | 12/07/2016 |  
| DB6291    | DE  | 06/06/2017 |  
| EN4589    | CM  | 12/06/2018 |  
| FE6789    | CM  | 12/07/2017 |  
| FK8907    | CE  | 05/07/2018 |  
| FK8907    | CM  | 12/07/2017 |  
| FK8907    | DE  | 12/07/2017 |  
| HA2680    | CM  | 12/08/2018 |  
| IJ1569    | CM  | 12/07/2017 |  
| IJ1569    | DE  | 12/06/2017 |  
| IS2945    | CM  | 12/02/2016 |  
| JG1036    | CM  | 12/06/2016 |  
| JG8927    | CM  | 12/05/2016 |  
| JP9384    | CE  | 12/07/2017 |  
| JP9384    | CM  | 12/09/2016 |  
| JP9384    | DE  | 06/07/2017 |  
| JP9384    | PR  | 12/08/2018 |  
| JR1930    | CM  | 12/06/2016 |  
| KH1029    | CE  | 12/07/2017 |  
| KH1029    | CM  | 12/09/2016 |  
| KH1029    | DE  | 06/07/2017 |  
| KH1029    | PR  | 12/07/2018 |  
| KO1985    | CM  | 12/07/2018 |  
| KY4892    | CM  | 12/08/2016 |  
| KY4892    | DE  | 06/06/2017 |  
| MA1968    | CM  | 12/05/2016 |  
| MW2903    | CE  | 12/07/2017 |  
| MW2903    | CM  | 12/08/2016 |  
| MW2903    | DE  | 06/06/2017 |  
| NS1259    | CM  | 12/09/2016 |  
| NZ1278    | CM  | 12/07/2018 |  
| RK1489    | CE  | 12/07/2017 |  
| RK1489    | CM  | 12/08/2016 |  
| RK1489    | DE  | 06/07/2017 |  
| RK1489    | PR  | 12/07/2018 |  
| SJ1947    | CM  | 12/07/2017 |
```

10) PhDCommittee:

```
mysql> CREATE TABLE phdcommittee (StudentId VARCHAR(6) NOT NULL, InstructorId  
VARCHAR (6) NOT NULL, PRIMARY KEY (StudentId, InstructorId));
```

Query OK, 0 rows affected (0.06 sec)

```
mysql> CREATE TABLE phdcommittee (StudentId VARCHAR(6) NOT NULL, InstructorId VARCHAR (6) NOT NULL, PRIMARY KEY (StudentId, InstructorId));  
Query OK, 0 rows affected (0.06 sec)  
  
mysql> show tables;  
+-----+  
| Tables_in_doctoral |  
+-----+  
| course              |  
| coursestaught       |  
| grantassociated      |  
| grants              |  
| instructor           |  
| instructortt        |  
| milestone            |  
| milestonespassed     |  
| phd_student          |  
| phdcommittee        |  
+-----+  
10 rows in set (0.00 sec)
```

MySQL Command to load PhDCommittee.txt

```
mysql> LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server  
8.0/Uploads/PhDCommittee.txt' INTO TABLE phdcommittee FIELDS TERMINATED BY ',' LINES  
TERMINATED BY '\n' IGNORE 1 ROWS;
```

Query OK, 80 rows affected, 79 warnings (0.01 sec)

Records: 80 Deleted: 0 Skipped: 0 Warnings: 79

```
mysql> LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server 8.0/Uploads/PhDCommittee.txt' INTO TABLE phdcommittee FIELDS TERMINATED BY ',' LINES TERMINATED BY '\n' IGNORE 1 ROWS;  
Query OK, 80 rows affected, 79 warnings (0.01 sec)  
Records: 80 Deleted: 0 Skipped: 0 Warnings: 79  
  
mysql> select * from phdcommittee;  
+-----+  
| StudentId | InstructorId |  
+-----+  
| AA1234    | AS2348      |  
| AA1234    | RB1897      |  
| AA2345    | BL9856      |  
| AA2345    | SB2561      |  
| AB2903    | RB1897      |  
| AB2903    | SB2561      |  
| AJ1836    | BL9856      |  
| AJ1836    | SB2561      |  
| AJ1934    | AS2348      |  
| AJ1934    | RB1897      |  
| AK1958    | A05671      |  
| AK1958    | AS2348      |  
| AL8345    | AS2348      |  
| AL8345    | RB1897      |  
| AM2950    | BL9856      |  
| AM2950    | SB2561      |  
| AM8051    | BL9856      |  
| AM8051    | SB2561      |  
| BD5678    | RB1897      |  
| BD5678    | SB2561      |  
| BE1256    | A05671      |  
| BE1256    | RB1897      |  
| BE1256    | SB2561      |  
| BM1745    | AS2348      |  
| BM1745    | BL9856      |  
| DB1783    | AS2348      |  
| DB1783    | RB1897      |  
| DB6291    | BL9856      |  
| DB6291    | SB2561      |  
| EM4589    | A05671      |  
| EM4589    | AS2348      |  
| FE6789    | BL9856      |  
| FE6789    | RB1897      |  
| FE6789    | SB2561      |  
| FK8907    | A05671      |  
| FK8907    | AS2348      |  
| HA2680    | A05671      |  
| HA2680    | AS2348      |  
| IJ1569    | AS2348      |  
| IJ1569    | SB2561      |  
| IS2945    | AS2348      |  
| IS2945    | BL9856      |  
| JG1036    | A05671      |  
| JG1036    | AS2348      |  
| JG8927    | AS2348      |  
| JG8927    | BL9856      |  
| JP9384    | AS2348      |  
| JP9384    | RB1897      |  
| JR1930    | A05671      |  
| JR1930    | RB1897      |  
| KH1029    | AS2348      |
```

11) Sections:

```
mysql> CREATE TABLE sections (SectionId VARCHAR(11) NOT NULL, CourseID VARCHAR(7) NOT NULL, PRIMARY KEY (SectionId));
```

Query OK, 0 rows affected (0.07 sec)

```
mysql> CREATE TABLE sections (SectionId VARCHAR(11) NOT NULL, CourseID VARCHAR(7) NOT NULL, PRIMARY KEY (SectionId));
Query OK, 0 rows affected (0.07 sec)

mysql> show tables;
+-----+
| Tables_in_doctoral |
+-----+
| course              |
| coursestaught       |
| grantassociated      |
| grants              |
| instructor           |
| instructortt        |
| milestone            |
| milestonespassed     |
| phd_student          |
| phdcommittee        |
| sections             |
+-----+
11 rows in set (0.00 sec)
```

MySQL Command to load Sections.txt

```
LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server 8.0/Uploads/Section.txt' INTO
TABLE sections FIELDS TERMINATED BY ',' LINES TERMINATED BY '\n' IGNORE 1 ROWS;
Query OK, 33 rows affected, 32 warnings (0.01 sec)
```

Records: 33 Deleted: 0 Skipped: 0 Warnings: 32

```
mysql> LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server 8.0/Uploads/Section.txt' INTO TABLE sections FIELDS TERMINATED BY ',' LINES TERMINATED BY '\n' IGNORE 1 ROWS;
Query OK, 33 rows affected, 32 warnings (0.01 sec)
Records: 33 Deleted: 0 Skipped: 0 Warnings: 32

mysql> select * from sections
-> ;
+-----+-----+
| SectionId | CourseID |
+-----+-----+
| CSE1310-001 | CSE1310 |
| CSE1320-001 | CSE1320 |
| CSE1325-001 | CSE1325 |
| CSE3302-001 | CSE3302 |
| CSE3302-002 | CSE3302 |
| CSE3302-003 | CSE3302 |
| CSE3310-001 | CSE3310 |
| CSE3310-002 | CSE3310 |
| CSE3310-003 | CSE3310 |
| CSE3330-001 | CSE3330 |
| CSE3330-002 | CSE3330 |
| CSE3330-003 | CSE3330 |
| CSE3442-001 | CSE3442 |
| CSE3442-002 | CSE3442 |
| CSE3442-003 | CSE3442 |
| CSE4351-001 | CSE4351 |
| CSE4351-002 | CSE4351 |
| CSE4351-003 | CSE4351 |
| CSE4354-001 | CSE4354 |
| CSE4354-002 | CSE4354 |
| CSE4354-003 | CSE4354 |
| CSE5322-001 | CSE5322 |
| CSE5322-002 | CSE5322 |
| CSE5322-003 | CSE5322 |
| CSE5324-001 | CSE5324 |
| CSE5324-002 | CSE5324 |
| CSE5324-003 | CSE5324 |
| CSE6338-001 | CSE6338 |
| CSE6338-002 | CSE6338 |
| CSE6338-003 | CSE6338 |
| CSE6365-001 | CSE6365 |
| CSE6365-002 | CSE6365 |
| CSE6365-003 | CSE6365 |
+-----+-----+
33 rows in set (0.00 sec)
```

12) Student_GRA:

```
mysql> CREATE TABLE StudentGRA (StudentId VARCHAR (6) NOT NULL, Funding VARCHAR (4) NOT NULL, MonthlyPay INT NOT NULL, PRIMARY KEY (StudentId));
```

Query OK, 0 rows affected (0.06 sec)

```
mysql> CREATE TABLE StudentGRA (StudentId VARCHAR (6) NOT NULL, Funding VARCHAR (4) NOT NULL, MonthlyPay INT NOT NULL, PRIMARY KEY (StudentId));
Query OK, 0 rows affected (0.06 sec)

mysql> show tables;
+-----+
| Tables_in_doctoral |
+-----+
| course              |
| coursestaught        |
| grantassociated      |
| grants              |
| instructor           |
| instructortt         |
| milestone            |
| milestonespassed     |
| phd_student          |
| phdcommittee         |
| sections             |
| studentgra           |
+-----+
12 rows in set (0.00 sec)
```

MySQL Command to load Student_GRA.txt

```
mysql> LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server 8.0/Uploads/Student_GRA.txt' INTO TABLE StudentGRA FIELDS TERMINATED BY ',' LINES TERMINATED BY '\n' IGNORE 1 ROWS;
```

Query OK, 11 rows affected (0.01 sec)

Records: 11 Deleted: 0 Skipped: 0 Warnings: 0

```
mysql> LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server 8.0/Uploads/Student_GRA.txt' INTO TABLE StudentGRA FIELDS TERMINATED BY ',' LINES TERMINATED BY '\n' IGNORE 1 ROWS;
Query OK, 11 rows affected (0.01 sec)
Records: 11 Deleted: 0 Skipped: 0 Warnings: 0

mysql> select * from studentgra;
+-----+-----+-----+
| StudentId | Funding | MonthlyPay |
+-----+-----+-----+
| AM1023    | NIH3    | 3000       |
| CC6716    | DOE1    | 1000       |
| JP9384    | DOT4    | 3000       |
| KH1029    | NIH3    | 3000       |
| KJ1928    | DOT4    | 1000       |
| LY1040    | NSF2    | 2000       |
| RK1489    | NSF2    | 3000       |
| RV1726    | DOT4    | 2000       |
| WW3847    | DOE1    | 3000       |
| XV2938    | DOE1    | 3000       |
| ZW1029    | DOE1    | 3000       |
+-----+-----+-----+
11 rows in set (0.00 sec)
```

13) Student_GTA:

```
mysql> CREATE TABLE StudentGTA (SectionId VARCHAR(11) NOT NULL, MonthlyPay INT NOT NULL, StudentId VARCHAR(6) NOT NULL, PRIMARY KEY (StudentId));
```

Query OK, 0 rows affected (0.05 sec)

```
mysql> CREATE TABLE StudentGTA (SectionId VARCHAR(11) NOT NULL, MonthlyPay INT NOT NULL, StudentId VARCHAR(6) NOT NULL, PRIMARY KEY (StudentId));
Query OK, 0 rows affected (0.05 sec)

mysql> show tables;
+-----+
| Tables_in_doctoral |
+-----+
| course              |
| coursestaught       |
| grantassociated      |
| grants              |
| instructor           |
| instructortt         |
| milestone            |
| milestonespassed    |
| phd_student          |
| phdcommittee        |
| sections             |
| studentgra          |
| studentgta          |
+-----+
13 rows in set (0.00 sec)
```

MySQL Command to load Student_GTA.txt

```
mysql> LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server
8.0/Uploads/Student_GTA.txt' INTO TABLE StudentGTA FIELDS TERMINATED BY ',' LINES
TERMINATED BY '\n' IGNORE 1 ROWS;
```

Query OK, 33 rows affected, 32 warnings (0.01 sec)

Records: 33 Deleted: 0 Skipped: 0 Warnings: 32

```
mysql> LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server 8.0/Uploads/Student_GTA.txt' INTO TABLE StudentGTA FIELDS TERMINATED BY ',' LINES TERMINATED BY '\n' IGNORE 1 ROWS;
Query OK, 33 rows affected, 32 warnings (0.01 sec)
Records: 33 Deleted: 0 Skipped: 0 Warnings: 32

mysql> select * from StudentGTA;
+-----+-----+-----+
| SectionId | MonthlyPay | StudentId |
+-----+-----+-----+
| CSE5322-003 | 2000 | AB2903 |
| CSE3302-001 | 1500 | AD1035 |
| CSE3442-002 | 1000 | AK1958 |
| CSE6338-001 | 2000 | AL8345 |
| CSE6338-002 | 2000 | AM0051 |
| CSE4351-002 | 1500 | AV2653 |
| CSE6365-003 | 2000 | DB1783 |
| CSE6365-002 | 2000 | DB6291 |
| CSE3442-001 | 1000 | FS6892 |
| CSE4354-001 | 1500 | JF1092 |
| CSE5322-001 | 2000 | JG1036 |
| CSE5324-003 | 2000 | JG8927 |
| CSE5324-001 | 2000 | JR1930 |
| CSE6338-003 | 2000 | KY4892 |
| CSE3338-002 | 1000 | LM1405 |
| CSE3338-003 | 1000 | MA1234 |
| CSE5324-002 | 2000 | MA1968 |
| CSE1325-001 | 1000 | MG1940 |
| CSE3302-003 | 1500 | ML3902 |
| CSE6365-001 | 2000 | MN2903 |
| CSE3302-002 | 1500 | MP3478 |
| CSE3310-001 | 1500 | NW1629 |
| CSE3310-002 | 1500 | OT8190 |
| CSE3338-001 | 1500 | PG2460 |
| CSE1320-001 | 1000 | PH2091 |
| CSE4354-002 | 1500 | PS1904 |
| CSE3310-003 | 1500 | RS1903 |
| CSE4351-003 | 1500 | SD1946 |
| CSE3442-003 | 1000 | SJ1947 |
| CSE4351-001 | 1500 | SP1938 |
| CSE4354-003 | 1500 | SS1304 |
| CSE1310-001 | 1000 | TC1038 |
| CSE5322-002 | 2000 | VA1938 |
+-----+-----+-----+
33 rows in set (0.00 sec)
```

14) Student ScholarshipSupport:

```
mysql> CREATE TABLE StudentScholarshipSupport (StudentId VARCHAR(6) NOT NULL,  
ScholarshipType VARCHAR(50) NOT NULL, Source VARCHAR(25) NOT NULL, PRIMARY KEY  
(StudentId));
```

Query OK, 0 rows affected (0.06 sec)

```
mysql> CREATE TABLE StudentScholarshipSupport (StudentId VARCHAR(6) NOT NULL, ScholarshipType VARCHAR(50) NOT NULL, Source VARCHAR(25) NOT NULL, PRIMARY KEY (StudentId));  
Query OK, 0 rows affected (0.06 sec)  
  
mysql> show tables;  
+-----+  
| Tables_in_doctoral |  
+-----+  
| course |  
| coursestaught |  
| grantassociated |  
| grants |  
| instructor |  
| instructortt |  
| milestones |  
| milestonespassed |  
| phd_student |  
| phdcommittee |  
| sections |  
| studentgra |  
| studentgta |  
| studentscholarshipsupport |  
+-----+  
14 rows in set (0.00 sec)
```

MySQL Command to load Student_ScholarshipSupport.txt

```
mysql> LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server  
8.0/Uploads/Student_ScholarshipSupport.txt' INTO TABLE StudentScholarshipSupport  
FIELDS TERMINATED BY ',' LINES TERMINATED BY '\n' IGNORE 1 ROWS;
```

Query OK, 16 rows affected (0.01 sec)

Records: 16 Deleted: 0 Skipped: 0 Warnings: 0

```
mysql> LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server 8.0/Uploads/Student_ScholarshipSupport.txt' INTO TABLE StudentScholarshipSupport FIELDS TERMINATED BY ',' LINES TERMINATED BY '\n' IGNORE 1 ROWS;  
Query OK, 16 rows affected (0.01 sec)  
Records: 16 Deleted: 0 Skipped: 0 Warnings: 0  
  
mysql> select * from studentscholarshipsupport;  
+-----+  
| StudentId | ScholarshipType | Source |  
+-----+  
| AM2958 | STEM | NSF |  
| AP2578 | Haverick | University |  
| BM1745 | Departmental | University |  
| | Haverick | University |  
| | STEM | NSF |  
| | STEM | NSF |  
| HA2688 | Departmental | University |  
| IS2945 | Departmental | University |  
| J76936 | Haverick | University |  
| LB2673 | Haverick | University |  
| LF150 | Haverick | University |  
| MI1589 | Departmental | University |  
| NS4289 | Haverick | University |  
| | STEM | NSF |  
| SC1894 | Departmental | University |  
| | STEM | NSF |  
+-----+  
16 rows in set (0.00 sec)
```

15) Student_SelfSupport:

```
mysql> CREATE TABLE StudentSelfSupport (StudentId VARCHAR(6) NOT NULL, PRIMARY KEY(StudentId));
```

Query OK, 0 rows affected (0.09 sec)

```
mysql> CREATE TABLE StudentSelfSupport (StudentId VARCHAR(6) NOT NULL, PRIMARY KEY(StudentId));
Query OK, 0 rows affected (0.09 sec)

mysql> show tables;
+-----+
| Tables_in_doctoral |
+-----+
| course              |
| coursestaught       |
| grantassociated      |
| grants              |
| instructor           |
| instructortt        |
| milestone            |
| milestonespassed    |
| phd_student         |
| phdcommittee        |
| sections             |
| studentgra          |
| studentgta          |
| studentscholarshipsupport |
| studentselfsupport  |
+-----+
15 rows in set (0.00 sec)
```

MySQL Command to load Student_SelfSupport.txt

```
mysql> LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server 8.0/Uploads/Student_SelfSupport.txt' INTO TABLE StudentSelfSupport FIELDS TERMINATED BY ',' LINES TERMINATED BY '\n' IGNORE 1 ROWS;
```

Query OK, 13 rows affected, 12 warnings (0.01 sec)

Records: 13 Deleted: 0 Skipped: 0 Warnings: 12

```
mysql> LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server 8.0/Uploads/Student_SelfSupport.txt' INTO TABLE StudentSelfSupport FIELDS TERMINATED BY ',' LINES TERMINATED BY '\n' IGNORE 1 ROWS;
Query OK, 13 rows affected, 12 warnings (0.01 sec)
Records: 13 Deleted: 0 Skipped: 0 Warnings: 12

mysql> select * from StudentSelfSupport;
+-----+
| StudentId |
+-----+
| AA1234    |
| AA2345    |
| A11934    |
| BD5678    |
| BE1256    |
| EW4589    |
| FE6789    |
| FK8907    |
| IJ1569    |
| KO1906    |
| NS1259    |
| NZ1278    |
| VW8930    |
+-----+
13 rows in set (0.00 sec)
```