SECURE AI AT SCALE LAB

Agent 365 — Consolidated Playbook Set

High level content

1. Observe agents and prevent sprawl
2. Defend against AI threats & vulnerabilities
3. Data Protection view
4. Entra Agent ID: Secure Agent Access to Resources

Microsoft Agent 365 - Observe agents and prevent sprawl

Customer: Lab Secure AI at Scale · Agent365 · Secure AI

Version 1.0.0. Reviewed by Jimena de Uria and Ana-Gabriela Hernandez

As organizations accelerate adoption of AI agents across teams, tools, and platforms, agents quickly become fragmented and difficult to track. Different teams build and deploy agents independently, often without centralized oversight, resulting in a growing sprawl of agents operating across the environment. For IT and security teams, this creates a critical challenge: there is no single, unified view to understand what agents exist, where they were built, what data and tools they are connected to, or how they are being used. Without this visibility, it becomes increasingly difficult to identify risky agents, enforce ownership, or detect emerging threats such as over-permissioned access, suspicious activity patterns, or compromised identities.

This lab shows how Microsoft Agent 365 helps organizations move from fragmented agent adoption to enterprise-scale operations by providing IT leaders with a centralized, end-to-end view of agents across their environment. It highlights three core observability motions: consolidating all agents into a unified registry, surfacing insights into usage patterns and emerging risks, and visualizing how agents connect across the broader ecosystem - enabling organizations to scale agent adoption with visibility, control, and confidence.

Microsoft Agent 365 gives IT leaders centralized visibility into the agents operating across their organization so they can monitor and manage them at scale. The core value proposition for this lab is that organizations need to manage agents with the same rigor they use for users, apps, and devices, and that observability is the foundation that makes governance and security possible.

This lab highlights the hero observability experiences in the Microsoft 365 admin center, including the agent overview, the registry, risk visibility, ownerless agent management including manual and automated, analytics, and the agent map.

Overview and accessing the lab tenant

STEP 1

Core Lab Features and Content

INSTRUCTIONS

The core features of this Agent 365 lab are:

Overview: Top-level agent visibility and usage trends

Registry: Centralized inventory of all agents in one place

Risk & ownership: Risky agents, ownerless agents, and reassignment actions

Map & activity: Agent relationships, dependencies, and behavior insights

STEP 2

Lab environment access

QUICK EXECUTION SUMMARY

- Username/passwords will be provided
- Your instructor will highlight if additional material is needed.

Lab Instructions

- Open In-Private browser. You'll open the different portals in the order specified during the lab guide:
    - Admin.microsoft365.com
    - Security.Microsoft.com
    - Purview.Microsoft.com
    - Entra.Microsoft.com
- *Access is permitted for 24 hours to continue lab work after conclusion of session*

STEP 3

Lab storyboard: Caldova/Zava Tenant's agent visibility journey. This is a summary of the experience during the lab.

Chapter	Customer Challenge	Scenario	Lab Highlight	Product Capabilities
Chapter 1: Gain centralized visibility into all agents	Agents are being built across different agent platforms, making it difficult for IT to maintain a single inventory across all agents in their environment as adoption scales.	Start in the Microsoft 365 admin center to show centralized visibility into agent registry, usage, and adoption trends.	Surface key agent metadata including permissions, connected tools, user access and ownership, and security policies.	Microsoft 365 Admin Center - top-level agent metrics, usage insights, and adoption visibility.
Chapter 2: Inspect agents in the registry	IT needs to understand what each agent is, where it was built, and what data, tools, permissions, and policies are associated with it.	Move into the Agent Registry and drill into an agent such as Zava Fabric Supplier to inspect its details.	Show the agent detail views including Users, Data & tools, Security & compliance, Permissions, and Activity to demonstrate centralized visibility into how an agent operates.	Agent Registry, Users, Data & tools, Security & compliance, and Permissions.
Chapter 3: Identify risky and ownerless agents	As agents scale, IT must quickly identify agents with risk signals and agents that no longer have accountable owners, so they can reduce sprawl and govern at scale.	Use Agents at risk to show how IT can spot risky agents, then move to Ownerless agents to show how lifecycle accountability is maintained.	Highlight a risky agent with active alerts, then reassign ownership of an ownerless agent and show the automated reassignment rule.	Agents at risk, block action, Ownerless agents, assign new owner, and rules-based reassignment.
Chapter 4: Visualize relationships and monitor agent behavior	IT needs to understand how agents connect across the broader ecosystem and whether they are performing effectively over time.	Open the Agent Map and return to Activity views to show how agents fit into the broader environment and how IT can monitor their behavior.	Show the map view to visualize dependencies and agent clusters, then use activity insights to highlight usage, performance, and operational trends.	Agent Map, agent relationship visualization, and Activity insights for usage and behavior monitoring.
Chapter 5: Discover and Observe 3rd Party Agents	IT has no visibility into agents built on non- Microsoft platforms like	Navigate to the Agent 365 registry and filter by platform source to show	Show the platform filter revealing agents from multiple cloud providers in a single registry view, then drill into a Bedrock-	Cross-platform agent discovery, Registry Sync connectors, multi-cloud

	AWS Bedrock, Google Vertex AI, or partner ecosystems, creating blind spots in their governance posture.	agents discovered from AWS, GCP, and partner ecosystems alongside Microsoft-native agents.	sourced agent to show metadata, owner, and data access scope.	agent metadata ingestion, and unified registry with platform-level filtering.
Chapter 6: Shadow AI Discovery and Local Agents	Employees are building and running agents locally or through unsanctioned tools without IT's knowledge, exposing the organization to data leakage, compliance violations, and unmanaged risk.	Navigate to the Agent 365 overview to identify unmanaged agents, then drill into a discovered Shadow AI agent to inspect its external connections, data access, and the user running it.	Show the Discovered/Unmanaged agent category on the dashboard, open a locally-built agent like OpenClaw, and highlight its external API connections and risk indicators before showing governance actions (register, block, notify).	Shadow agent detection via SDK telemetry and endpoint signals, unmanaged agent inventory, risk scoring, external connection mapping, and inline governance actions for discovered agents.
Chapter 7: Agent onboarding through Agent365 SDK and A365 CLI	Development teams building custom agents need a lightweight, self-service path to register their agents with IT, but today there is no documented process or tooling to bridge the gap between developer and admin.	Walk through some of the key steps.	Review links and documents.	What you get by integrating with the Agent365 SDK: Identity, Observability, and Governance, Security, Lifecyle Management
Chapter 8: Secure Agent Access to Resources	Get familiar with Entra Agent ID. IT can't see or govern agents, and a valid identity alone doesn't stop risky access	Inspect an agent's identity in Entra, apply Conditional Access and wrap security templates for agents.	Each agent is a sponsored identity, governed by Conditional Access and access packages.	Entra Agent ID, Conditional Access, Agent 365 registry and Security tab, policy templates, Identity Protection

STEP 4

Conventions and kick-off

INSTRUCTIONS

The Quick Guidance for each step will direct you through the lab. Following the quick guidance, you'll find a sample talk track as well as **<instructions>** and screenshots to guide you through the experience.

Let’s get started!

Chapter 1: Gain centralized visibility into all agents

Customer Challenge	Scenario	Lab Highlight	Product Capabilities

Chapter 1: Gain centralized visibility into all agents	Agents are being built across different agent platforms, making it difficult for IT to maintain a single inventory across all agents in their environment as adoption scales.	Start in the Microsoft 365 admin center to show centralized visibility into agent registry, usage, and adoption trends.	Surface key agent metadata including permissions, connected tools, user access and ownership, and security policies.	Microsoft 365 Admin Center - top-level agent metrics, usage insights, and adoption visibility.

STEP 1

Agents are becoming ubiquitous

QUICK EXECUTION SUMMARY

Launch the A365 environment

DETAILED STEPS AND GUIDANCE

Agents are becoming ubiquitous – across every team and every AI platform.

At Zava, agents are built everywhere – In Foundry, Copilot Studio, and partner ecosystems.

That velocity is exciting but when agents live across platforms, a lack of visibility quickly turns into operational, security, and governance risk.

This lab shows how Agent 365 gives organizations the observability, governance, and security required across teams to operate agents at scale.


This is where Agent 365 comes in. It's your control plane for agents.

<scroll>

I can see everything I need to with Agent 365 directly in Microsoft 365 admin center, which is where I spend most of my time already as it's where I already manage users.

This is awesome because I don't need to learn any new tools or switch between multiple portals.

Let's start with the Agent 365 overview dashboard.



STEP 2

Key information

QUICK EXECUTION SUMMARY

Describe the key agent information from Manage agents

DETAILED STEPS AND GUIDANCE

I see key information like exactly how many agents I have, and how many users are interacting with agents.

I also see a breakdown of where agents are coming from– how many were published by IT, and how many created and shared by users.

This includes agents built in Copilot Studio and Foundry, and agents built on non- Microsoft platforms like n8n, and Genspark.


I can also see key metrics - I see key information like exactly how many agents I have, and how many users are interacting with agents.

I also see a breakdown of where agents are coming from– how many were published by IT, and how many created and shared by users.

This includes agents built in Copilot Studio and Foundry, and also agents built on non-Microsoft platforms like n8n, and Genspark.

I can also see key metrics -

<scroll down>



STEP 3

Manage agents - continued

QUICK EXECUTION SUMMARY

Continue describing the capabilities of the Manage agents screen

DETAILED STEPS AND GUIDANCE


Everything I need to know about security posture, adoption patterns, operational health, business impact.

It's all there.

This is where security becomes a core business enabler, built directly into the platform. IT gets real-time risk insights and can act immediately, so you can scale agents confidently without sacrificing control.

Now that I have an idea of my overall metrics, let's take a look at individual agents in the registry.

<select All agents>



Chapter 2: Inspect agents in the registry

Customer Challenge	Scenario	Lab Highlight	Product Capabilities

Chapter 2: Inspect agents in the registry	IT needs to understand what each agent is, where it was built, and what data, tools, permissions, and policies are associated with it.	Move into the Agent Registry and drill into an agent such as Zava Fabric Supplier to inspect its details.	Show the agent detail views including Users, Data & tools, Security & compliance, Permissions, and Activity to demonstrate centralized visibility into how an agent operates.	Agent Registry, Users, Data & tools, Security & compliance, and Permissions.

STEP 1

Agent Registry

QUICK EXECUTION SUMMARY

From the Agent Registry, show the list of agents and search for Zava Atlas. (Your instructor might give you a different agent to search for)

DETAILED STEPS AND GUIDANCE


I need to be able to manage and protect all agents, regardless of where they are coming from.


Registry gives me a full view of all agents in Zava which is critical.

It automatically consolidates all agents built on Microsoft AI platforms like Copilot Studio or local agents like OpenClaw and with ecosystem partners or any dev-built AI platform agent made Agent 365 aware through our SDK

Now, let's take a look at specific example of an agent and what I pay attention to when I'm checking a new agent.

<search for Zava Atlas, click on the agent to open details> (Your instructor might give you a different agent to search for)





STEP 2

Zava Atlas agent

QUICK EXECUTION SUMMARY


Drill into the details of the Zava Atlas agent surfaced on the card.


DETAILED STEPS AND GUIDANCE

Here's our Zava Atlas agent. We built this internally and it's already live in production.

When I drill into the details, the first thing I can see is more details on the agent in the overview like the instructions of the agent and the environment details for agents built on Microsoft Copilot Studio.

<See details, scroll and expand: Instructions, Identity… >





STEP 3

Data & Tools

QUICK EXECUTION SUMMARY

Review the Data & Tools section and showcase connectors, knowledge sources, and tools the agent relies on to operate.


Do not open Users as it will be empty for the agent.

DETAILED STEPS AND GUIDANCE

And when I open Data & Tools, I can see what powers this agent such as, its connectors, knowledge sources, and tools it relies on to do its job.

This view represents the agent's capabilities and context: what data it can access and how it's equipped to reason and act.

These data sources and tools are configured by builders in the agent building platforms like Copilot Studio or Foundry, and surfaced here, to give IT centralized visibility and governance, without changing how agents are built.



STEP 4

Security


QUICK EXECUTION SUMMARY

Select the Security tab and examine the policies in place.

DETAILED STEPS AND GUIDANCE

<select Security>

In Security, I can see what enabled policies are already in place from Microsoft Entra, Purview, and Defender.



STEP 5

Permissions

QUICK EXECUTION SUMMARY


Select Permissions. Observe what the agent is permitted to access and act upon at runtime.

DETAILED STEPS AND GUIDANCE

<select Permissions>

Permissions are different. This shows what the agent is actually allowed to access and act on at runtime. Even if an agent knows about data, permissions determine whether the agent can touch it.

I can also see the activity for each agent in my tenant.



STEP 6

Activity


QUICK EXECUTION SUMMARY

Select Activity. Show the metrics collected for the agent runs in the environment.

DETAILED STEPS AND GUIDANCE

<select Activity>

In activity, I can get details on the agent's performance like how much usage the agent is getting, total exceptions, and hours assisted. With this observability, I can spot issues early and flag them back to the development team.


CALDOVA
Microsoft 365 admin center
Search
Copilot
Caldova
Denise Vardanyan
Home
Users
Copilot
Agents
Overview
All agents
Shadow AI
Tools
Settings
Apps
Teams & groups
Devices
Marketplace
Billing
Setup
Customize navigation
Show all
Home > All agents
All agents
Agent 365
Monitor and manage agents across your organization including agents needing attention, ag
Registry
Map
Requests
Local agents
Frontier
Custom tagging is available. Organize your agents with tags to make them easier to fi
Total agents
14,802
Agents at risk
7
Agents without owners
13
Status
Publisher type
Platform
Channel
Name
Status
Zava Atlas
Available
Zava Atlas
Available
Zava Atlas
Available
Add tag
Assign new owner
Block
Details
Users
Data & tools
Security
Permissions
Activity
Date Range: Past 30 days
Last activity date: September 8, 2026 (UTC)
Active users
1
Sessions
1
Exceptions
0
Agent run-time
0 hrs
Active users over time
1
0
8/10
8/12
8/14
8/16
8/18
8/20
8/22
8/24
8/26
8/28
8/30
9/1
9/3
9/5
9/7
Active Users
Sessions over time
1

Chapter 3: Identify risky and ownerless agents

Customer Challenge	Scenario	Lab Highlight	Product Capabilities
Chapter 3: Identify risky and ownerless agents	As agents scale, IT must quickly identify agents with risk signals and agents that no longer have accountable owners, so they can reduce sprawl and govern at scale.	Use Agents at risk to show how IT can spot risky agents, then move to Ownerless agents to show how lifecycle accountability is maintained.	Highlight a risky agent with active alerts, then reassign ownership of an ownerless agent and show the automated reassignment rule.	Agents at risk, block action, Ownerless agents, assign new owner, and rules-based reassignment.

STEP 1

Agent Risk

QUICK EXECUTION SUMMARY


Close Zava Atlas tab and select Agents at risk under Registry

DETAILED STEPS AND GUIDANCE

<close Zava Atlas tab>

<select Agents at risk under Registry>

Now that we've looked across our agent registry, I can further narrow my list to agents that have risks because Defender, Entra, and Purview continuously monitor them for external and internal risks.



STEP 2

Zava Supplier Agent

QUICK EXECUTION SUMMARY


Select the Zava-Public-Supplier-1 Agent with a risk flag to see its details. (Your instructor might point you at a different agent)

DETAILED STEPS AND GUIDANCE

The agent with risk can be attributed both to internal risks like oversharing or over-privileges or can also be external risks like prompt injections. As an IT admin I can get visibility into those risks, and I can either block it myself or flag it to security teams toinvestigate.

For example, in this agent, I see it is marked with a risk alert. Let's take a look.

<select* Zava-Public-Supplier-1 *risks link under Risks column>



STEP 3

Agent risk details


QUICK EXECUTION SUMMARY

Walk through the signals present on the Zava Supplier Agent risks screen.

DETAILED STEPS AND GUIDANCE

Here, we see that the risk is coming from Defender, and if I drill in further into Defender, I can see the Incidents that triggered the risk alert.

Defender is continuously protecting the agent in the runtime to look for patterns that could represent a threat.



<if visible open the incident highlighted:


"Multi-stage incident involving Initial access & Credential access..."

If not visible copy/paste the following links in your browser to open and review the incident

Incident - Microsoft Defender

Here is another incident related to agents to use as example

Incident - Microsoft Defender



STEP 4

What happened in the incident

QUICK EXECUTION SUMMARY

Demonstrate the key areas of interest in the incident pane: What Happened,

Recommended actions, and Related Events.


DETAILED STEPS AND GUIDANCE

<Getting details using this incident: Incident - Microsoft Defender>(Incident ID 114318)

<At the Attack story view click on the first alert>

<See details at main page on What Happened>

Clicking into the incident page provides a detailed explanation of what happened, who was involved, and additional context. I see the alerts related to the agent are combined into a detailed incident..




<scroll down and see Activity details>

The alert also provides additional details.

<click on Related activities>

The alert shows all related details like IPaddress, user, etc

If we wanted to, we could investigate the user further, through advanced hunting to view additional activity from the user across a wider time period.



Preventing future incidents. Prebuilt queries.

QUICK EXECUTION SUMMARY

Introduce using advanced hunting to get deeper context on an agent.


Demonstrate the range of pre-built queries available in the interface.

DETAILED STEPS AND GUIDANCE

But I don't want to stop there, I want to find other agents in my organization are exposing me to risks.


Fortunately, I have a rich set of pre-built queries designed specifically for AI agents — making it easy to spot misconfigurations, excessive permissions, and other risky setups across my environment.

<Click on Advanced hunting -> Queries -> Community queries -> Expand AI Agents>



<Double click on AI agents - MCP Tool Configured. Read details of outcome of the query>

<Click Run query. See the results>



<DOUBLE CLICK A DIFFERENT QUERY LIKE AI AGENTS – HARD-CODED CREDENTIALS IN TOOLS OR CONFIGURATION. SEE RESULTS>

STEP 5

Block a risky agent

QUICK EXECUTION SUMMARY

Show the ability to Block a risky agent. Showcase that this view is not separate from the data and tools your security team uses to surface and manage risk across their M365estate.


DETAILED STEPS AND GUIDANCE

As an IT admin, I could block this agent right away and prevent any harm, and I am assured that my security team can investigate this further. (Note that in this lab with the reader role the Block option is disabled)

This isn't a separate system, it's the same registry your security teams use across Entra, Defender, and Purview-everyone shares a single source of truth for agent risk.

<return to Agents at risk, open Zava Procurement Agent> (Your instructor might give you a different agent to search for)

<mouse over the Block action to demonstrate where it is> *(with enough permissions Admin would see a screen like the following one:*



(Note: “Block” will require admin permissions, which may be limited in the lab environment)

STEP 6

Agents without owners

QUICK EXECUTION SUMMARY

Introduce the risk of ownerless agents by searching for the Zava Strategy Agent.


DETAILED STEPS AND GUIDANCE

It's important to call attention to risky agents, but another way to govern agents is by managing their lifecycle.

To keep agent sprawl in check, I need every agent tied to an accountable owner and when an agent builder leaves the organization, the agent can be left ownerless.

<clear previous search or open agents>

<click Agents without owners>



STEP 7

Zava Strategy Agent


QUICK EXECUTION SUMMARY

Click into the Zava Strategy Agent

DETAILED STEPS AND GUIDANCE

In the Ownerless agents tab, this has happened with the listed agents

<click into any agent>



STEP 8

Assign new owner to an agent


QUICK EXECUTION SUMMARY

Hover over Assign new owner to demostrate how one would quickly assign an owner to the agent

DETAILED STEPS AND GUIDANCE

If I want to, I can quickly assign a new owner here

<hover over Assign new owner>



STEP 9

Automate reassignment by rule

QUICK EXECUTION SUMMARY

Show how one can create a rule to automatically reassign an ownerless agent.

DETAILED STEPS AND GUIDANCE


I can also automate reassignment by setting up a rule.

<navigate to Rules by adding /?#/agents/settings to the url → select Agent Management Rules


Or

Navigate to Agents -> Settings -> Agent Management Rules>

Rules automate agent management actions to improve and support agent management at scale, like owner reassignment or blocking of agents. By setting a rule up, anytime a condition is met defined by the rule the appropriate action will occur.



<Open "Reassign ownerless agents created with Agent Builder to manager" review details>



Chapter 4: Visualize relationships and monitor agent behavior

Customer Challenge	Scenario	Lab Highlight	Product Capabilities
Chapter 4: Visualize relationships and monitor agent behavior	IT needs to understand how agents connect across the broader ecosystem and whether they are performing effectively over time.	Open the Agent Map and return to Activity views to show how agents fit into the broader environment and how IT can monitor their behavior.	Show the map view to visualize dependencies and agent clusters, then use activity insights to highlight usage, performance, and operational trends.	Agent Map, agent relationship visualization, and Activity insights for usage and behavior monitoring.

STEP 1

Understanding agent ecosystem

QUICK EXECUTION SUMMARY


Introduce agent ecosystem and navigate to the Map under All agents.

DETAILED STEPS AND GUIDANCE

Beyond agent lifecycle, I also need to understand how these agents fit into our broaderecosystem.

<clear, close current management rule view>

<select Map in All agents>



STEP 2


Visualize agent connections and interactions

QUICK EXECUTION SUMMARY

Demonstrate agent connections and interactions in the map view.

DETAILED STEPS AND GUIDANCE

In this map view, I can zoom into the agents to view the connection map which shows me how each agent interacts with other agents.




<pan over Microsoft Platform>


<select + to zoom into the map>


I can click into the agent platform circles to view my agents

<select Microsoft>



<select Researcher agent>





STEP 3

The connection map

QUICK EXECUTION SUMMARY

Show connections and interactions in the connections map


DETAILED STEPS AND GUIDANCE

The connection map which shows me how each agent interacts with other agents.

<hover over Researcher under Microsoft>

When I need to, I can drill into agents to learn more about them or take action where necessary.

<click into Researcher -> View details>



STEP 4

Connected agents

QUICK EXECUTION SUMMARY


Show connected agents in the Connected Agents tab

DETAILED STEPS AND GUIDANCE

I can also see the full list of connected agents here in the Connected Agents Tab.

Just like that, we've seen how IT admins get the observability they need across the agents in their organizations, teams collaborate with confidence, and agents can be adopted and scaled—without losing control!

<click on Connected Agents>



Chapter 5: Discover and Observe 3rd Party Agents

Customer Challenge	Scenario	Lab Highlight	Product Capabilities
Chapter 5: Discover and Observe 3rd Party Agents	IT has no visibility into agents built on non-Microsoft platforms like AWS Bedrock, Google Vertex AI, or partner ecosystems, creating blind spots in their governance posture.	Navigate to the Agent 365 registry and filter by platform source to show agents discovered from AWS, GCP, and partner ecosystems alongside Microsoft-native agents.	Show the platform filter revealing agents from multiple cloud providers in a single registry view, then drill into a Bedrock-sourced agent to show metadata, owner, and data access scope.	Cross-platform agent discovery, Registry Sync connectors, multi-cloud agent metadata ingestion, and unified registry with platform-level filtering.

Step 1: The blind spot

Quick execution summary


Sign in to admin.microsoft.com and open Agents > All agents. See the four tiles, in particular Unmanaged agents.

Detailed implementation guidance

Zava builds agents everywhere: Copilot Studio, Foundry, and in the AWS account the supply-chain team uses for Amazon Bedrock. Until recently, the Bedrock agents did not exist as far as IT was concerned. No inventory entry, no owner on record, no idea what tools they could call.

The registry now shows all of them. The Unmanaged agents tile is the first clue that agents from outside the Microsoft ecosystem are here: these are agents Agent 365 knows about but does not yet govern. Let's find them.

<Agents > All agents>



Step 2: Filter the registry by platform

Quick execution summary

Open the Platform filter and select Amazon Bedrock. Review the list: every row carries the Unmanaged label, the Platform column links to Amazon Bedrock, and Status, Risks and Active users are empty or zero.

Detailed implementation guidance


To discover agents built on another platform, I filter by Platform. These are the agents synchronized from Caldova/Zava's AWS account. Each one links back to Amazon Bedrock, so an admin can open it on the platform it came from.

Notice three things in this list. Every agent is labeled Unmanaged. The Status column is empty, because publishing status is a Microsoft 365 concept that does not apply to an agent that lives

on another cloud. And Risks is zero for all of them; ***hold that thought, because we will see the same agents rated High in Defender in a moment and the difference matters.***

<Open the Filter by Platform-> Select Amazon Bedrock>

<point to Unmanaged, Status, Risks>



Step 3: A synced agent: Details

Quick execution summary

Open HBR-supervisor-07231458. See the Unmanaged banner, then review the Details tab: version, created and last updated dates, publisher type, owner, Entra agent ID, and expand Instructions and Identity.

Detailed implementation guidance

Here is a supervisor agent from the Bedrock account. The banner says it plainly: this agent is unmanaged, and Learn more explains how to manage it with Agent 365.

The Details tab holds what was synchronized from AWS: when it was created and last updated, that it was published by our own organization, and that Renuka Hall owns it, so there is already a person accountable for it. Entra agent ID is empty. That single field is the difference between an agent that is visible and an agent that is governed, and we will come back to it.


Instructions and Identity are further down: the instructions the agent runs with, and the source agent ID from Bedrock that ties this record to the original.


<click to open HBR-supervisor-07231458>

<see the Unmanaged banner>

<See the details: Owner, Entra agent ID>

<expand Instructions and Identity>





Step 4: A synced agent: Data & tools

Quick execution summary

Select Data & tools. Show Capabilities (none), Knowledge (none) and the Tools list: func1, DisableLogging, RunArbitraryCode, ExportAllData and more. Optionally open HighBlastRadius for a second example.


Detailed implementation guidance


Data & tools shows what the agent is equipped with. This agent reads no Microsoft 365 data and has no Graph connectors or knowledge sources, which is expected for an agent on another cloud. What it does have is tools, and the names speak for themselves: DisableLogging, RunArbitraryCode, ExportAllData. These are the tool definitions synchronized from Bedrock, and they are exactly what the security team will want to know about.

This is visibility IT did not have before: the tools an agent on another cloud can call, read from the Microsoft 365 admin center without opening the AWS console.

<Click Data & tools>

<scroll the Tools list>





Step 5: A synced agent: Activity


Quick execution summary

Select Activity. Show that Active users is N/A and sessions, exceptions and run-time have no data for the past 30 days.

Detailed implementation guidance

Activity is empty for this agent, and that is worth explaining. The Activity tab is fed by observability data. For a synced agent, it fills in only when the platform connection has Collect agent observability data turned on, which retrieves telemetry from the provider, or when the developer onboards the agent with the Agent 365 SDK. Zava's connection synchronizes inventory only, so what we have for these agents is what they are, not what they do. We will see in Defender that this is already enough to assess their risk.

<Click on Activity>



Step 6: What Unmanaged means

Quick execution summary

Summarize what a synced agent has and what it does not have. Use the table below as your reference.

Detailed implementation guidance

DETAILED IMPLEMENTATION GUIDANCE

Syncing gives me inventory: the agent exists, it has an owner, I can see its instructions and tools, and I can delete it or manage it on its platform. What syncing does not give me is an identity. The agent has no Entra agent ID, so there is no Conditional Access policy to apply, no Purview policy to attach to its prompts, and no Security tab on this page, because the protections that tab reports are tied to an agent identity. That is what Unmanaged label means, and it is the reason Agent 365 draws a line between discovering an agent and governing it. For the Amazon Bedrock agents, the next step is Defender, which does not need an identity to assess posture.

Capability	Synced agent (Unmanaged)	Onboarded with Agent 365 SDK
Appears in the registry with owner, instructions, tools	Yes	Yes
Links to the source platform, delete from registry	Yes	Yes
Activity tab	Only when observability collection is enabled on the connection	Yes
Microsoft Entra agent identity and blueprint	No	Yes
Conditional Access for agents, Identity Protection	No	Yes
Security tab, Users and Permissions tabs	No	Yes
Purview DLP and insider risk on prompts and responses	No	Yes, with Purview SDK
Defender inventory, risk level and recommendations	Yes, from synced configuration	Yes, plus runtime alerts
Advanced hunting with AgentsInfo	Yes	Yes

Connected platforms

Step 1: Connected platforms

Quick execution summary

Close the agent pane. On All agents, select Manage on the Connected platforms card. Review the Connected platforms page: the AgentCore banner and the External Connection row with its platform, sync schedule, last run, status and agents synced.


Detailed implementation guidance

Where do these agents come from? Connected platforms is the admin's control for external agent platforms, and it sits right on the All agents page. Caldova/Zava has one connection, External Connection, to Amazon Bedrock with AgentCore. It syncs manually, the last run succeeded and brought in 28 agents.

The banner at the top is a good example of how this evolves: AgentCore support was added, and existing connections only need their credentials updated with the AgentCore permissions to discover those agents too.

<Back to All agents view > Click on Manage Connected platforms>

<See details like Platform, Sync schedule, Last run, Last run status, Last run agents synced>



Step 2: The External Connection

Quick execution summary

Select External Connection to open its pane. See the actions at the top (Sync agents, Edit, Permanent delete), the provider, the two AWS regions, the sync schedule, last run status with the agent count, the Manage in Amazon Bedrock link, and the Synced agents list with import dates.

Detailed implementation guidance


The connection pane is the operational view. It connects to a single AWS account across two regions, US East Ohio and US East North Virginia. The schedule is manual, so an admin runs Sync agents when the AWS team adds agents; switching to a schedule is one edit away. Last run status confirms 28 agents synced, and the Synced agents list shows everyone with the date it was imported.


Manage in Amazon Bedrock takes the admin to the AWS console for anything that must change on the platform side. Agent 365 reads from the platform; it never changes or deletes agents there.

<open External Connection>

<see details likeSync agents, Edit, Permanent delete>

<scroll the Synced agents list>





Step 3: Connecting a new platform

Quick execution summary

Close the pane and select + Add connection. Show the platform list, the Import agents automatically option, the authentication fields and the Collect agent observability data option. Cancel without saving.

Detailed implementation guidance

Connecting a platform takes a name and description, the platform, the region, and the platform's credentials, which are validated before the connection is saved. Supported platforms today include Amazon Bedrock with AgentCore, Anthropic Claude, Databricks Genie, Google

Vertex AI, Salesforce Agentforce, Snowflake AI and UiPath, each with its own configuration guide on Microsoft Learn (https://learn.microsoft.com/en-us/microsoft-agent-365/admin/connected-platforms) that lists the exact permissions the platform administrator has to grant.


Two options matter. Import agents automatically keeps the registry in sync on a schedule instead of relying on an admin to remember. Collect agent observability data retrieves activity telemetry from the platform, which is what fills the Activity tab we saw empty in Chapter 1; but it can incur data access or query charges on the provider side, so it is a decision to make with the platform owner.


<Click on + Add connection>

<open the External platform list>

<select any like Anthropic Claude><see the configuration details>

<After reviewing details close the configuration screen>





Step 4: Platforms on the Agent map

Quick execution summary

Select Agents > Agent map. See the platform clusters, then zoom and select the Amazon Bedrock circle to expand it.


Detailed implementation guidance


The Agent map shows the same inventory as a picture: agents clustered by the platform they run on. Copilot Studio and Foundry are the large clusters, and Amazon Bedrock sits beside them as a platform in its own right. Expanding the Bedrock circle shows the synced agents inside it. For an executive, this one view answers the question of where the organization's agents actually live.

<Back to Agents > Select Agent map>

<select + to zoom>

<click the Amazon Bedrock circle>


Agents Toolkit (1)
SharePoint (11)
Third party (304)
Amazon Bedrock (29)
Agent Builder (7399)
Microsoft (31)
Copilot Studio (5953)
Others (84)
Foundry (1098)


Agents Toolkit ...
SharePoint (11)
Amazon Bedrock
29
Third party (304)
Microsoft (31)
Agent Builder (7399)
Copilot Studio (5953)
Others (84)

Assess third-party agent risk in Microsoft Defender

Step 1: The AI agent inventory, filtered by platform

Quick execution summary

Switch to security.microsoft.com and open Assets > AI agents. Add the Platform filter and select Amazon Bedrock and Amazon Bedrock AgentCore. Review the columns: Platform, Entra agent ID, Status, Risk level, Risk indicators, Recommendations, MCP servers and Discovered tools.

Detailed implementation guidance

Now the SOC analyst takes over. Defender's AI agent inventory covers the same agents the registry does, including the ones synchronized from Amazon Bedrock. I filter by platform and get thirty agents.


This is where the picture changes. The same agents that showed zero risks in the admin center are rated here: HBR-supervisor, shirrrr1112 and CollaboratorAgent2 are High, several more are Medium. Each has risk indicators next to it, High Blast Radius, Coordinator Agent, High Autonomy, No Guardrails, Weak Instructions, a count of recommendations, and the number of tools Defender discovered. Entra agent ID is empty for all of them, the same gap we saw in the registry.

<Switch to security.microsoft.com>

<Expand Assets > Select AI agents>

<Select the Platform filter > Select Amazon Bedrock, Amazon Bedrock AgentCore > Apply>

<See the Risk level, Risk indicators, Discovered tools>



Step 2: The agent side pane

Quick execution summary

Select HBR-supervisor-07231458 to open its side pane. See the risk level and indicators, the actions (Open Agent page, Go hunt, View on map), and in Details the version, status, creation time, model, owner, and the Risk section with its four indicators, no alerts and one recommendation.

Detailed implementation guidance

The side pane gives the analyst the summary. Risk level High, with four indicators: High Blast Radius, Coordinator Agent, High Autonomy and No Guardrails. The Details section shows what Defender knows about the agent: it runs a Claude Haiku model through a Bedrock inference profile, the model ARN tells me exactly which account and region, and Renuka Hall is the owner, so the analyst knows who to call.

Alerts is empty. There is no active threat on this agent; its risk comes entirely from how it is built. That is the strength of posture assessment: the analyst finds the dangerous agent before anything happens, not after.

<select HBR-supervisor-07231458>

<See the Risk level, Model, Owners>

<See the Risk section: indicators, Alerts, Recommendations>

HBR-supervisor-07231458

Risk level: ■■■ High | High Blast Radius | Coordinator Agent | +2

Platform: Amazon Bedrock

Open Agent page | Go hunt | View on map

Agent description

-

Details

Version	1.0
Status	Published
Creation time	July 23, 2026
Model	arn:aws:bedrock:us-east-1:946050881880:inference-profile/global.anthropic.claude-haiku-4-5-20251001-v1:0
Channels	—
Owners	Renuka Hall

Risk

Risk level	■■■ High
Risk indicators	High Blast Radius, Coordinator Agent, High Autonomy, No Guardrails
Alerts	—
Recommendations	1

Step 3: The agent page: attack surface and tools

Quick execution summary

Select Open Agent page. Review the Overview: Agent description, Details, Active alerts (none), the Attack surface graph with the owner connected to the agent, Top recommendations, and the Tools list (11): func1, DisableLogging, RunArbitraryCode, ExportAllData, TransferFunds, GrantAdminRole.

Detailed implementation guidance


The full agent page explains the rating. The Attack surface graph shows the agent and its owner, with the owner's own risk flagged on the node; every relationship Defender knows about appears here. And the Tools list is the heart of it: eleven tools, among them RunArbitraryCode, ExportAllData, TransferFunds and GrantAdminRole. An agent that can execute code, export data, move money and grant admin roles, coordinating other agents, with high autonomy and no guardrails, is a High Blast Radius agent by any definition.

None of this required the agent to do anything. Defender assessed its configuration: the tools it declares, the instructions it was given, whether guardrails are configured on the platform, and how it relates to other agents. That is why a synced agent with an empty Activity tab can already be High.

<Click on Open Agent page>

<See the Attack surface map>

<scroll the Tools list>



Step 4: Security recommendations

Quick execution summary

Select the Security recommendations tab. See the recommendation *Use guardrails for published AI agent*, its severity and the related risk indicator No Guardrails. Open it to see the description, remediation steps and exposed assets.


Detailed implementation guidance

Recommendations are Defender's answer to what to do about it. For this agent the recommendation is to use guardrails: Defender identified a published agent without the safety controls that constrain its inputs and outputs. The related indicator, No Guardrails, is one of the four behind the High rating, and the remediation steps tell the Bedrock team what to configure on their side.

Recommendations are calculated separately from the risk level, so fixing one lowers the exposure without necessarily changing the rating until the other indicators are addressed too. Back in the inventory, the Recommendations column lets the analyst prioritize across all thirty agents at once.

<Click on Security recommendations>


<open Use guardrails for published AI agent>





You see additional detail by reviewing the recommendation as an example risk associated to LLM prompt injection as per MITRE Atlas tactics and techniques and a link is provided.


Next <Click and see the detailed remediation steps>

<Click and see the Exposed assets>


AI Agents > HBR-supervisor-07231458
HBR-supervisor-072
Risk level: High
Overview
Security recommendation
Refresh
Filter set:
Severity: Any
Risk indicators: Any
Severity
Recommendation
Low
Use guardrails fo
Use guardrails for published AI agent
Severity: Low • Exposed assets: 12
Microsoft Defender identified an AI agent that is without guardrails leaving it without the safety controls needed to constrain its inputs and outputs. Without guardrails, this agent could inadvertently access, process, or expose data, respond to prompts inappropriately, or fail to comply with organizational security and compliance requirements. This is especially risky for prepared (ready to use) Bedrock agents, as the absence of guardrails exposes a broad set of users to unsafe outputs and increases the agent's susceptibility to prompt-based manipulation.
Recommendation details
Severity Low
Related risk indicators No Guardrails
Exposed assets 12
MITRE ATLAS tactics and techniques
Execution (1)
LLM Prompt Injection
Related evidence
Agent Tools
func1
DisableLogging
RunArbitraryCode
ExportAllData
TransferFunds
GrantAdminRole
TerminateInstances
BroadcastEmail
OpenFirewall
ReadAllSecrets
MakeBucketPublic


MITRE ATLAS
Matrix
Tactics
Techniques
Mitigations
Case Studies
Tools
Resources
Contribute
Techniques
ATLAS-matrix
Reconnaissance
Resource Development
AI Attack Adaptation
Initial Access
AI Model Access
Execution
AI Agent Clickbait
AI Agent Tool Invocation
Command and Scripting Interpreter
Deploy AI Agent
LLM Prompt Injection
Direct
Indirect
Triggered
User Execution
Unsafe AI Artifacts
Malicious Package
Home > Techniques > LLM Prompt Injection
LLM Prompt Injection
Subtechniques
An adversary may craft malicious prompts as inputs to an LLM that cause the LLM to act in unintended ways. These "prompt injections" are often designed to cause the model to ignore aspects of its original instructions and follow the adversary's instructions instead.
Prompt Injections can be an initial access vector to the LLM that provides the adversary with a foothold to carry out other steps in their operation. They may be designed to bypass defenses in the LLM, or allow the adversary to issue privileged commands. The effects of a prompt injection can persist throughout an interactive session with an LLM.
Malicious prompts may be injected directly by the adversary (Direct) either to leverage the LLM to generate harmful content or to gain a foothold on the system and lead to further effects. Prompts may also be injected indirectly when the LLM, as part of its normal operation, ingests the malicious prompt from another data source (Indirect). This type of injection can be used by the adversary to gain a foothold on the system or to target the user of the LLM. Malicious prompts may also be Triggered by user actions or system events.
ID: AML.T0051
Tactics: Execution
Maturity: Realized
Platforms:
Agentic AI
Generative AI
Number of Case Studies: 1
Number of Mitigations: 7
Created: 25 October 2023
Last Modified: 27 May 2026
Version Permalink (v2025.09)
Procedure Examples
ID
Name
Actor
Tactic
Description
AML.CS0007
Data Exfiltration via Agent Tools in Copilot Studio
Zenity
Execution
The researchers modify the original prompt to discover other knowledge sources and tools that may have data they are after.
Mitigations





Step 5: Why the admin center and Defender show risk differently

Quick execution summary

You will notice that the Bedrock agents show Risks 0 in the Microsoft 365 admin center and High in Defender. See explanation below with a table that summarizes it.

Detailed implementation guidance

You saw these agents with zero risks in the admin center and High in Defender. Both are correct, because the two columns answer different questions. The registry's Risks column counts the high-severity risks that Entra, Purview and Defender have detected on an agent that Agent 365 manages; it is fed through the agent's Security tab, and that tab exists only for agents with an Entra agent identity under an Agent 365 license. A synced Bedrock agent has no identity and no Security tab, so the registry has nothing to count, and the one recommendation Defender raised here is low severity in any case. Defender's risk level is a different measure: a posture assessment built from the agent's configuration, the tools it declares, its instructions, its guardrails and its relationships, which it can run on anything that was synchronized, identity or not. So, the registry tells IT what is governed and whether governed agents have detected risks; Defender tells the SOC how dangerous each agent is as built. Once an agent is onboarded with the SDK and gets its identity, the two views join up: Defender's findings appear in the agent's Security tab in the admin center with a Review in Defender link, which is what you see on Caldova/Zava's Copilot Studio and Foundry agents.

	Microsoft 365 admin center: Risks column	**Microsoft Defender: Risk level**
What it measures	Count of high-severity risks detected by Entra, Purview and Defender on a managed agent	Posture rating from active risk indicators: configuration, tools, instructions, guardrails, relationships, plus active alerts
Which agents	Agents with an Entra agent ID under an Agent 365 (E7) license; surfaced on the Security tab	Every agent in the inventory, including synced third-party agents, where the platform provides the data
Needs activity?	No, but needs an identity to correlate signals	No; a never-used agent can be High from its configuration
Synced Bedrock agent today	0 risks, no Security tab, Status empty	High or Medium with indicators and recommendations
After SDK onboarding	Risks counted, Security tab with Review in Defender	Same assessment, plus runtime alerts and Active Threat

Hunt across third-party agents

Step 1: Third-party agents by platform

Quick execution summary

Open Advanced hunting. In Queries > Shared queries > A365 - Agent Risk Hunt, open 5 - Third-party agents by platform and run it. Review the 30 results: Name, Platform, LifecycleStatus, Owners, EntraAgentID, ToolCount, McpCount and Capabilities.

Detailed implementation guidance

Everything we have seen is also in the AgentsInfo table, which means the SOC can ask questions across every agent at once. This query lists every agent whose platform is Amazon Bedrock or AgentCore: thirty agents, all active, with their owners, how many tools and MCP servers each declares, and their capabilities.

Look at the EntraAgentID column. It is empty for the synced agents, as expected, with one exception: the Caldova AWS Supplier Cold-Chain Intake Agent on Amazon Bedrock AgentCore has an Entra agent ID. That agent was onboarded, not just synced; it is the governed end of the story we have been telling, and the table shows the difference in one column.

From here the analyst sorts by ToolCount to find the most capable agents, or joins to CloudAppEvents to look for activity, exactly as with any Microsoft-built agent.

<On the side navigation column expand Investigation & response and click on > Hunting > Advanced hunting>

<On the top, over the search bar, find and expand Queries > Shared queries > A365 - Agent Risk Hunt > Double click 5 - Third-party agents by platform>

<Click on Run query>

<See Platform, EntraAgentID, ToolCount>

For illustration pusposes, this is the query that will run:


```
AgentsInfo


| summarize arg_max(Timestamp, *) by AgentId

| where Platform has "Bedrock" or Platform has "AgentCore"

| project Name, Platform, LifecycleStatus, Owners, EntraAgentID, ToolCount
= array_length(DeclaredTools), McpCount = array_length(McpServers),
Capabilities

| order by Name asc
```





Step 2: Agents with MCP servers

Quick execution summary

In Queries > Shared queries > Open 4 - Agents with MCP servers and run it. See that the result spans platforms and that the Bedrock agents declare no MCP servers today.

Detailed implementation guidance

The same table answers platform-agnostic questions. This query lists every active agent that declares MCP servers, ranked by how many. MCP servers are a supply-chain risk in their own right, so this is a list the SOC reviews regularly. The Bedrock agents do not declare any yet; when one does after the next sync, it shows up here without anyone changing the query.


<Back to Queries > Shared queries >

<Double click 4 - Agents with MCP servers>

<Click on Run query>

For illustration pusposes, this is the query that will run:

```
AgentsInfo
| summarize arg_max(Timestamp, *) by AgentId
| where LifecycleStatus == "Active"
| extend McpCount = array_length(McpServers), ToolCount = array_length(DeclaredTools)
| where McpCount > 0
| project AgentName = Name, Platform, PublishedStatus, Owners, McpCount, ToolCount, McpServers
| order by McpCount desc
```



Step 3: One agent's profile

Quick execution summary

In Queries > Shared queries > Open 1 - Agent Profile & Installs, set TargetAgentName to HBR-supervisor-07231458 and run it. Show the agent's profile row from AgentsInfo.

Detailed implementation guidance

For a single agent the profile query returns everything the table holds about it: platform, owners, declared tools and MCP servers, capabilities and lifecycle status. The install section of the query stays empty for a Bedrock agent, because installs are a Microsoft 365 concept; the profile is what matters here, and it is the same shape for an agent from any platform.

<Back to Queries > Shared queries >

<Double click 1 - Agent Profile & Installs>

<In the query, set TargetAgentName = "HBR-supervisor-07231458">

<Run query>

For illustration pusposes, this is the query that will run:

```
let TargetAgentName = "HBR-supervisor-07231458";


AgentsInfo

| where Name =~ TargetAgentName

| summarize arg_max(Timestamp, *) by AgentId

| project Name, AgentId, Platform, EntraAgentID, EntraBlueprintID, Owners,
LifecycleStatus, DeclaredTools, McpServers, Capabilities
```

If you want, you can click the result and inspect record



From visibility to governance

We started with a blind spot: agents on another cloud that IT could not see. One connection later, they are in the registry with an owner, instructions and tools, the Agent map shows where they live, Defender has rated each one from its configuration and told the SOC what to fix, and the hunting table lets the SOC ask questions across all of them at once. None of that required changing a single agent in AWS.

What synchronization does not do is give an agent an identity, and identity is where governance starts. When the Bedrock team onboards an agent with the Agent 365 SDK, it gets a Microsoft Entra agent ID and a blueprint; from that point Conditional Access applies to it, Purview can inspect its prompts and responses, Defender adds runtime alerts to the posture assessment, and the Security, Users and Permissions tabs appear in the registry.

Additional references

Connected platforms: learn.microsoft.com/microsoft-agent-365/admin/connected-platforms

Connect Amazon Bedrock: learn.microsoft.com/microsoft-agent-365/admin/connect-amazon-bedrock

Third-party agent observability: learn.microsoft.com/microsoft-agent-365/admin/third-party-agent-observability

Agent registry: learn.microsoft.com/microsoft-agent-365/admin/agent-registry

Agent details: learn.microsoft.com/microsoft-365/admin/manage/agent-details

AI agent inventory in Microsoft Defender: learn.microsoft.com/defender-xdr/ai-agent-inventory

AI agent posture risk in Microsoft Defender: learn.microsoft.com/defender-xdr/security-for-ai/ai-agent-risk-assessment

AgentsInfo table: learn.microsoft.com/defender-xdr/advanced-hunting-agentsinfo-table

Agent 365 developer overview: learn.microsoft.com/microsoft-agent-365/developer/overview

Chapter 6: Shadow AI Discovery and Local Agents

Customer Challenge	Scenario	Lab Highlight	Product Capabilities
Chapter 6: Shadow AI Discovery and Local Agents	Employees are building and running agents locally or through unsanctioned tools without IT's knowledge, exposing the organization to data leakage, compliance violations, and unmanaged risk.	Navigate to the Agent 365 overview to identify unmanaged agents, then drill into a discovered Shadow AI agent to inspect its external connections, data access, and the user running it.	Show theDiscovered/Unmanaged agent category on the dashboard, open a locally-built agent like OpenClaw, and highlight its external API connections and risk indicators before showing governance actions (register, block, notify).	Shadow agent detection via SDK telemetry and endpoint signals, unmanaged agent inventory, risk scoring, external connection mapping, and inline governance actions for

				discovered agents.

STEP 1

Shadow AI

QUICK EXECUTION SUMMARY

Introduce Shadow AI risk by selecting the Shadow AI blade in Agent 365.

DETAILED STEPS AND GUIDANCE

Now that we have seen how Agent365 surfaces both Agents built in Microsoft and 3rd Party platforms, let's talk about Shadow AI and local agent discovery.

In this context, we define Shadow AI as AI-powered tools and agents used by users without IT awareness or approval. Some common examples include:

- Unauthorized AI coding assistants. For example, OpenClaw.


- Local agents, MCP servers, and Agentic CLIs.

- Browser extensions with AI capabilities.

<back to the Agent 365 Portal>

<select the Shadow AI blade>

On this page you will see a detection capability for OpenClaw; with other types of shadow AI agents coming soon such as Ollama and Poe Desktop.



STEP 2

OpenClaw details


QUICK EXECUTION SUMMARY

Click into OpenClaw and discuss the visibility you have into this service.

DETAILED STEPS AND GUIDANCE

<select OpenClaw> *(Depending on availability at the lab environment)*

Here in this screen, you will see details as well as tabs for detected devices, and security policies relating to OpenClaw. You can see the last scan in your environment and the count of detected devices, to include the number of security policies from Intune that may be applied.



STEP 3

Detected devices


QUICK EXECUTION SUMMARY

Go into the Detected Devices tab to see where this Shadow AI is operating

DETAILED STEPS AND GUIDANCE

<click on Detected Devices> *(Depending on availability at the lab environment)*

Clicking on the Detected devices tab, you can drill down into information about the device name, model, operating system and when it was last seen. These details are important for accountability.



STEP 4

Security Policies


QUICK EXECUTION SUMMARY

Go into Security Policies and show the Intune Policies that can be managed on a per-service basis.

DETAILED STEPS AND GUIDANCE

<select Security Policies> *(Depending on availability at the lab environment)*

After clicking on the security policies tab, you will be able to see the Intune Policies that can be turned on or off for OpenClaw. More granular settings for these policies can be managed directly in Intune to include the Security Baseline.



STEP 5

Local agent discovery

QUICK EXECUTION SUMMARY

Go to https://security.microsoft.com and click on Assets -> AI


(https://security.microsoft.com)

Agents and showcase the discovery of local agents through Defender for Endpoint.

DETAILED STEPS AND GUIDANCE

<navigate to https://security.microsoft.com -> Show navigation and click on Assets ->AI Agents>

In conjunction with Agent365, discovery of local agents is also facilitated by Defender for Endpoint. The Agent Registry here in Defender is aligned to the Agent365 Agent Registry. If you click on the Local agents tab here, you will see any local agents active in the past 7 days. Note, devices must be managed and onboarded into Defender, and Microsoft Defender Antivirus must be in active mode.



STEP 6

Viewing recently discovered agents


QUICK EXECUTION SUMMARY

From Local agents, show the agents that have been discovered in the past 7 days.

DETAILED STEPS AND GUIDANCE

From here, after clicking on the Local agents tab, you can see local agents discovered an active in the past 7 days.

<click on Local agents>



STEP 7

Local agent details

QUICK EXECUTION SUMMARY

Click into an agent to show the details that are visible for that agent.

DETAILED STEPS AND GUIDANCE

<click on any agent>

Clicking on the discovered local agent will provide details, device details, user details, MCP servers, and local MCP servers that are relevant to this agent.

ChatGPT Classic

Risk level: High | Critical Resource | Running on a Critical Device | +3

Device: davidp-pc.zava-corp.com | User: davidp

Open Agent page | Go hunt | View on map

Details

Agent name	ChatGPT Classic
Vendor	OpenAI
Model	—
Related process	ChatGPT Classic.exe
Trusted process	Yes
Auto approve	No
Source agent ID	88b017ca86c0634be05bbc38f247812d3bb0e9585 3e12fd03fd4fc0d58baf6f9

Risk

Risk level	High
Risk indicators	Critical Resource, Running on a Critical Device, Running on a Device with Vulnerabilities, Running on a High-Risk Device, Used by a Critical User
Alerts	—
Recommendations	—

Device details

Device ID	912b0cfd0e5d2ad8114eb911824dcfd6415a8890
Device name	davidp-pc.zava-corp.com
OS platform	Windows11
OS version	10.0
Device type	Workstation
Device roles	—
Device AAD ID	c21ea44b-f819-45d3-9b14-f2c8e485993a

STEP 8

Local agent visibility in Agent Registry (optional)


QUICK EXECUTION SUMMARY

You may mention to your customer that local agents will soon be visible in the Agent365 agent registry as a Preview feature (first opened for Frontier customers).

DETAILED STEPS AND GUIDANCE

Please note, in Preview soon, will be the ability to see local agents from within Agent365 agent registry as well. This will first be opened for Frontier customers.

<back to Agent 365 blade -> All agents -> Local Agents>



Chapter 7: Agent onboarding through Agent365 SDK and A365 CLI

Customer Challenge	Scenario	Lab Highlight	Product Capabilities

Chapter 7: Agent onboarding through Agent365 SDK and A365 CLI	Development teams building custom agents need a lightweight, self-service path to register their agents with IT, but today there is no documented process or tooling to bridge the gap between developer and admin.	High level view of onboarding a 3rd Party agent that is built already. Walk through of some of the key steps for the AI Guided Setup.	Start with a sample agent. Run through the AI Guided Setup.	What you get by integrating with the Agent365 SDK: Identity, Observability, and Governance, Security, Lifecyle Management

SDK setup

QUICK EXECUTION SUMMARY

Onboard an agent with the SDK.

DETAILED STEPS AND GUIDANCE

We've talked about some of the basics around the observability of agents and how the Agent365 Registry helps us understand your surface area. Next, we provide the documentation of how to bring your custom or prebuilt agent into the Agent365 registry using the Agent365 SDK and the A365 CLI.

GUIDANCE:

Microsoft Agent 365 SDK overview | Microsoft Learn

https://learn.microsoft.com/en-us/microsoft-agent-365/developer/observability

https://learn.microsoft.com/en-us/microsoft-agent-365/developer/tooling

https://learn.microsoft.com/en-us/microsoft-agent-365/developer/testing

https://learn.microsoft.com/en-us/microsoft-agent-365/developer/publish

https://learn.microsoft.com/en-us/microsoft-agent-365/developer/agent-365-cli?

Chapter 8: Entra Agent ID

Identity is the bedrock of security and the foundation of Agent 365, powering the inventory of all your agents.

We will go through the Entra admin center to verify governance capabilities.

Step 1: Agent ID Dashboard

QUICK EXECUTION SUMMARY

Introduce Agent ID portal.


DETAILED STEPS AND GUIDANCE

I can see all my agent identities, including those that are active and disabled.

I can go deeper into each of those identities – let's look at the first agent.


<go to https://entra.microsoft.com -> Agents -> Overview. See dashboard details>

<Now click on Agent identities. See all identities created in the tenant.>



<Now click on the first agent presented> *The agent doesn't have to match the one in the example*


Entra gives me details on what it does, when it was created, who its owners and sponsors are.



<Click Owners and Sponsors>


An agent sponsor is the person responsible for agent oversight.

This person decides if this agent is still needed and what resources it needs to do its job




In the agent overview I also see the policies that protect this agent, let's take a look.

<Back to Overview -> Click View next to CA policies




<Click the first policy -Agent access control, supplier triage -> View or Edit> *If policy doesn't appear click any other one Created by User*




Now we will review who this policy will be protecting, we can see that we can select across All agents or a specific set of agents

<Under Assignments, click Specific agents included. Observe the different options the admin can select for assignment, target resources…>




And depending on those conditions we can decide if we block access. We can also decide if policy runs in Report-only mode or if we enable/disable.

<Under Access controls, click Block access. Observe where the admin can select for blocking and also for Enable policy parameters>



This demonstrates how to apply policy to agents and how if agents are at risk of compromise won't have access to company resources.

We can also see agents that show risk of compromise under Identity Protection. In our lab environment that might not be visible.



Step 2: Policy templates: Protection at onboarding

Quick execution summary

Go to M365 Portal, Go to Agents > Settings > Policy template. Open Add a new policy template, go to Security policies and protections, show the Custom Entra section and the Default section, then Cancel.

Detailed implementation guidance

Policy templates are how these protections get applied to new agents without configuring each one. When an admin activates an agent, they pick a template.

The custom section lets a template carry Conditional Access policies, access packages and custom security attributes. The default section shows the protections already on in each platform: Identity Protection, network visibility and lifecycle management from Entra; audit, sensitive data detection and compliance assessment from Purview; investigation, hunting and real-time protection from Defender.

Access packages deserve a mention: they give an agent scoped, time-limited access with a sponsor who must renew it, so permissions expire unless someone accountable extends them.


<Navigate to the M365 Portal > Agents > Settings > Policy template>


<Click to open Policy for PMs in Zava >

<Click on policies >

<Review what can be added like Conditional Access, Access package and Default policies>

<Close the screen>





Additional references

Conditional Access for agents: https://learn.microsoft.com/en-us/entra/identity/conditional-access/agent-id

Identity Protection: risky agents: https://learn.microsoft.com/en-us/entra/id-protection/concept-risky-agents

Secure web and AI gateway for agents: https://learn.microsoft.com/en-us/entra/global-secure-access/concept-secure-web-ai-gateway-agents

Agent identity blueprints: https://learn.microsoft.com/en-us/entra/agent-id/identity-platform/agent-blueprint

Entra ID Governance for agents: https://learn.microsoft.com/en-us/entra/id-governance/agent-id-governance-overview

Policy templates in Agent 365: https://learn.microsoft.com/en-us/microsoft-agent-365/admin/policy-template

Agent details in the Microsoft 365 admin center: https://learn.microsoft.com/en-us/microsoft-365/admin/manage/agent-details

Closing

INSTRUCTIONS

We've seen how IT and Security Operations teams work together to reduce external AI- agent risk as agents scale. In Microsoft 365 admin center, IT can identify risky agents and quickly surface the right issues. In Microsoft Defender, Purview and Entra SecOps can investigate incidents in detail, confirm compromise, review related events and alerts, and hunt for similar risky agent patterns across the environment. That's what helps organizations protect agent-driven workflows with stronger runtime visibility, response, and control.