

Workshop for Security Copilot Agents

In this workshop we will explore building custom agents for Security Copilot. Accessible from the “Build” menu option in the left navigation, Security Copilot provides a simple interface so that you can quickly and easily build agents using natural language. Simply describe what you want your agent to do and have Security Copilot build the agent for you. Based on your description, Security Copilot then provides tools and instructions, which you can customize to suit your workflow.

Security Copilot will:

- Understand your intent
- Suggest tools and instructions for the agent to use
- Autogenerate the agent YAML file, which can be further customized.

Once you've assembled most of the core components, you'll transition to the agent builder to complete the process. The agent builder enables you to finalize your agent's configuration, publish it, and run tests. Regardless of which method you use to build your agent, the final output is always an agent definition YAML file.

Hands on exercises

Exercise 1: Getting acquainted with the agent builder (10 mins)	2
Getting started with an agent template	2
Create a threat intelligence agent	2
Configure agent inputs and tools	5
Configure agent triggers and permission	8
View the agent code	11
Publish and run the agent	12
Exercise 2: Build custom agent using a YAML Manifest (X mins)	19

Exercise 1: Getting acquainted with the agent builder (10 mins)




Figure: Turn your Idea into an agent

Turn Your Idea into an Agent

The landing page of the builder is where you can define what your agent should do. Start by describing the purpose or functionality in plain language or start with one of the quick-start templates.

For example:

- **Surface threat intelligence**
- **Prioritize important alerts**
- **Summarize recent security events**

Getting started with an agent template

In this exercise, we'll start by exploring the quick-start template to **Surface Threat intelligence**.

Create a threat intelligence agent


1. Select the Template

- On the main page, click **“Create an agent to surface recent threat intelligence.”** This will send that prompt to Security Copilot to start generating your first custom agent.
- This template is designed to pull threat intelligence from available sources.

2. Security Copilot Auto-Configuration


- The system will perform 4 automated steps (click the expander to see the steps):
 - Review best practices for designing security agents.

- Check your available Security Copilot capabilities.
- Select the most relevant skills for your problem.
- Generate an initial agent manifest.



3. Agent Manifest Creation

- Once the steps are complete, your agent manifest is ready.
- You'll see the agent listed as **Threat Intelligence Agent**.
- Proceed to click on ***View Agent configuration***



When you click **View agent configuration**, the agent builder will allow you to edit your agent manifest in a friendly forms-based experience or continue to use Copilot and natural language to refine your agent.

You'll see the following key sections to review the agent configuration generated for you:

1. Agent Details

- **Agent Display Name**
 - This is the name users will see when interacting with the agent.
 - Example: *Recent Threat Intelligence Agent*

- **Action:** Verify the name is clear and descriptive.
- **Agent Description**
 - Explain what the agent does and the value it provides.
 - Example: *Orchestrates retrieval and summarization of recent threat intelligence.*
 - **Action:** Ensure this description accurately reflects the agent’s purpose.

Tool: Recent Threat Intelligence Agent
View code

Configure your tool

[Learn more about supported tool types](#)

[Test your tool to evaluate its output and decide if it's ready to be published.](#)

Tool details

Type *
Select the tool type. Select 'Agent' to choose from existing tools such as Sentinel MCP, or directly create other tool types.
[Learn more about tool types](#)

Agent

Agent display name *
Short descriptive name (e.g. incident triage agent)

Recent Threat Intelligence Agent

Agent description *
What the agent does and the value it provides

Orchestrates retrieval and summarization of recent threat intelligence.

2. Instructions

This section defines **how the agent should operate**. It includes:

- **Mission:** The overall goal (e.g., retrieve and summarize recent threat intelligence).
- **Data Handling:** How to fetch data (e.g., use FindThreatIntelligence skill, set scope to “all,” entity to “default,” and filter by date).
- **Workflow:** Steps or logic for execution (e.g., call the skill with specific parameters).

(Note: you can expand the instructions box by clicking and dragging from the lower right corner)

Instructions *

Give your agent clear directions on what to do and how to do it. Include specific tasks, their order, and any special instructions like tone or engagement style. [Learn more about instructions](#)

```
# Mission Retrieve and summarize the most recent threat intelligence, including threat actors, campaigns, and notable activity.
# Data Handling Use the FindThreatIntelligence skill to fetch the latest threat intelligence. Set Scope to "all", Entity to "default", and CreatedAfter to 30 days ago to ensure recency. Limit results to the specified input (default 5).
# Workflow 1. Call FindThreatIntelligence with Scope="all", Entity="default", CreatedAfter=30 days ago, and Limit as provided. 2. Summarize the returned threat intelligence items, highlighting key threats, actors, and campaigns. 3. Present a concise summary and a list of the most recent threat intelligence items.
# Output Return a summary paragraph followed by a structured list of recent threat intelligence items, including names, types, and dates.
```

- **Action:** Review and refine these instructions to:
 - Make them clear and actionable.
 - Include any special conditions or limits (e.g., time range, entity scope).
 - Ensure they align with your use case.

Configure agent inputs and tools

1. Define Agent Inputs

Inputs determine what data the agent needs to run. These guide how the agent executes its task.

- **Example Input:**
 - **Name:** Limit
 - **Description:** *The number of recent threat intelligence items to return (max 5)*
 - **Default Value:** 5
- **Other Possible Inputs:**
 - Sources of threat intelligence (e.g., Microsoft Threat Intelligence, external feeds).
 - Time range (e.g., last 7 days, last 30 days).
 - Filters (e.g., severity level, region, threat type).
- **Action:** Add or adjust inputs based on your use case.

▼

Inputs (1)

+ Add input

Provide the input data required by this tool to function. These values guide how the agent executes the query or task. [Learn more about inputs](#)

Name	Description	Default value	Required
Limit	The number of recent threat intelligence ite	5	☒ 

2. Verify Tools

Tools are the capabilities the agent uses to perform its tasks. They align with **skills** in Security Copilot.

- In this example:
 - **Tool:** *Look up threat intelligence*
 - **Purpose:** Retrieves intelligence profiles, articles, and threat analytics from Microsoft Threat Intelligence.

Tools (1)

+ Add tool

 Create tool

Add more tools for additional functionality. [Learn more about tools](#)



Look up threat intelligence

Look up threat intelligence information like intelligence profiles, articles, and threat analytics.


...

Click on the tool to see the details for that tool. You can see the tool scope, description, parameters, publisher and more.

- **Action:**
 - Ensure the correct tool is selected for your scenario.
 - Add additional tools if needed (e.g., enrichment, correlation).

To see other available tools, click on the Add tool button

Once you click on the add tools you are surfaced with the Add tool Wizard:



Purpose of This Screen

- Tools are the building blocks that define what your agent can do.
- Each tool represents a specific function or skill (e.g., querying data, analyzing entities, fetching threat intelligence).

Key Elements

1. Search and Filter

- You can search for tools by name or filter by **Publisher** and **Category**.
- Example categories: MCP Sentinel, Azure Web Application Firewall, Public Web.

2. Available Tools

- **Recent Threat Intelligence Agent:** Orchestrates retrieval and summarization of threat intelligence.
- **Look up threat intelligence:** Retrieves intelligence profiles, articles, and threat analytics.
- Notice the available tools for things like:
 - Execute KQL queries.
 - Analyze a URL or User Entity.

- Get details of malicious IP detections.
- Ask Microsoft documentation.

3. Selection

- Check the box next to the tool(s) you want to add.
- Click **Add selected** to include them in your agent configuration.


4. Create Tool

- If none of the existing tools meet your needs, you can click **Create tool** to build a custom one. These are usually aligned with Custom plugins.

For the purpose of this exercise, we will not create a tool, however you can learn more about custom plugins here: [Create your own custom plugins in Microsoft Security Copilot | Microsoft Learn](#)

Configure agent triggers and permission

Triggers define **when and how your agent runs**. They automate execution based on conditions you set, such as time intervals or specific events. You can quickly jump to Triggers by clicking it in the left navigation tree. (see figure below)



Actions to do related to your agent's triggers

You can create multiple triggers for different scenarios. Triggers activate the agent to run on a schedule. They use a **Fetch tool** to gather data before invoking the **Process tool** to analyze the data.

1. Trigger Name

- The name for this trigger (e.g., *Default*). Choose a trigger name that helps describe the purpose of the trigger if creating multiple triggers.

2. Frequency

- Determines how often the trigger fires.
- Example: 0 Seconds means it runs immediately when invoked.
- For scheduled runs, you can set intervals like every 5 minutes, hourly, or daily.

3. Fetch Tool (UX could change as this is in preview)

- Optional: Select a tool that retrieves data before processing.
- Example: If you want to pull fresh intelligence before running the agent.

4. Process Tool

- The main tool that executes after the fetch step.
- In this case: **RecentThreatIntelligenceAgent** (your configured agent).

✓ Triggers (1) *

+ Add trigger

Add a trigger to activate your agent. [Learn more about triggers](#)

Trigger 1

Trigger name *

Default

Frequency *

0

Seconds

Fetch tool

RecentThreatIntelligenceAgent.RecentThreatIntelligenceAgent

Select the tool to be invoked when agent is triggered.

Process tool *

RecentThreatIntelligenceAgent.DTI.RecentThreatIntelligenceAgent

Select the tool that should be invoked once the fetch action is complete.

Automation

View code ☐

Triggers *

Add a trigger to activate your agent. [Learn more about triggers](#)

Trigger name *

Default

Frequency *

0

Seconds

Process tool *

Recent Threat Intelligence Agent

Select the tool that should be invoked once the fetch action is complete.

Permissions

Set whether the agent is allowed to run concurrently and view what plugins are required for it to run. [Learn more about permissions](#)

Single tenant constraint *

Apply this constraint to prevent concurrent runs of this agent. It's useful for scheduled runs.

None

Required plugins

Additional setup may be required to run this agent.



Microsoft Threat Intelligence

Configure your agent's permission

Permissions control **how the agent runs** and whether it can execute concurrently across different scopes. This is critical for managing resource usage and avoiding conflicts during scheduled runs.

Single Tenant Constraint Options

- **None**
 - No restriction. The agent can run multiple instances at the same time.

- Use this for ad-hoc or manual runs where concurrency is acceptable.
- **Workspace**
 - Restricts concurrent runs within the same workspace.
 - Useful when multiple users share a workspace and you want to avoid overlapping executions.
- **Tenant**
 - Restricts concurrently run across the entire tenant.
 - Best for scheduled or automated runs where duplicate executions could cause data inconsistencies or performance issues.

You can select the permissions constraint that aligns with what you are looking for. For this exercise, 'None' is fine.

▼ **Permissions**

Set whether the agent is allowed to run concurrently and view what plugins are required for it to run.
[Learn more about permissions](#)

Single tenant constraint *

Apply this constraint to prevent concurrent runs of this agent. It's useful for scheduled runs.

None

None

Workspace

Tenant

View the agent code

To see the code that makes up your agent, slide the 'View code's slider in the top right of the agent builder page.

A screenshot of a 'View code' toggle switch. The text 'View code' is on the left, followed by a toggle switch that is currently turned off (the slider is on the left). An orange arrow points upwards towards the toggle switch.

This will show your Agent Manifest file, detailing all your agent's settings, instructions, triggers and tools. This is the YAML definition of the Agent in depth.

The YAML manifest is the blueprint of your agent, defining its name, description, inputs, tools, triggers, and execution logic, ensuring consistency, portability, and full control over customization.

```
1 Descriptor:
2   Name: RecentThreatIntelligenceAgent
3   DisplayName: Recent Threat Intelligence Agent
4   Description: >-
5     Surfaces recent threat intelligence, summarizing the latest threats, actors,
6     and campaigns.
7   Icon: ''
8   AgentDefinitions:
9     - Name: RecentThreatIntelligenceAgent
10      DisplayName: Recent Threat Intelligence Agent
11      Description: >-
12        Surfaces recent threat intelligence, summarizing the latest threats,
13        actors, and campaigns.
14      Publisher: Custom
15      Product: ThreatIntelligence
16      RequiredSkillsets:
17        - ThreatIntelligence.DTI
18      AgentSingleInstanceConstraint: None
19      Triggers:
20        - Name: Default
21          DefaultPollPeriodSeconds: 0
22          ProcessSkill: RecentThreatIntelligenceAgent.DTI.RecentThreatIntelligenceAgent
23          FetchSkill: RecentThreatIntelligenceAgent.RecentThreatIntelligenceAgent
24      SkillGroups:
25        - Format: Agent
26          Skills:
27            - Name: RecentThreatIntelligenceAgent
28              DisplayName: Recent Threat Intelligence Agent
29              Description: >-
30                Orchestrates retrieval and summarization of recent threat
31                intelligence.
32              Inputs:
33                - Name: Limit
34                  Description: The number of recent threat intelligence items to return (max 5).
35                  DefaultValue: 5
36                  Required: false
37              Settings:
38                Instructions: >
39                  # Mission Retrieve and summarize the most recent threat
40                  intelligence, including threat actors, campaigns, and notable
41                  activity.
42
43                  # Data Handling Use the FindThreatIntelligence skill to fetch the
44                  latest threat intelligence. Set scope to "all", Entity to "default",
45                  and CreatedAfter to 30 days ago to ensure recency. Limit results to
46                  the specified input (default 5).
47
48                  # Workflow 1. Call FindThreatIntelligence with Scope="all",
49                  Entity="default", CreatedAfter=>30 days ago, and Limit as provided.
50                  2. Summarize the returned threat intelligence items, highlighting
51                  key threats, actors, and campaigns. 3. Present a concise summary and
52                  a list of the most recent threat intelligence items.
53
54                  # Output Return a summary paragraph followed by a structured list of
55                  recent threat intelligence items, including names, types, and dates.
56              ChildSkills:
57                - FindThreatIntelligence
58
```

Figure : The Manifest of the Agent we have created

Publish and run the agent

Once your agent's definition is complete, you can Test and Publish your agent. In this exercise, we will skip testing and just publish our agent. This will allow us to go set it up and run it manually to demonstrate the end-to-end experience. *(Don't worry, we'll test our agent in the next exercise to see how that works)*

Proceed to click on the 'Publish' button in the upper right of the builder to publish your agent.

Here's what you will see:

Agent Summary

- Shows the agent name and description for confirmation.
- Example: *Recent Threat Intelligence Agent – Surfaces recent threat intelligence, summarizing the latest threats, actors, and campaigns.*

Trigger

- Indicates how the agent will run after publishing.
- Here: *Default runs every 0 seconds or manually when you want it to.*

Scope


- Defines who can use the agent after publishing:
 - **Myself only** – Private use; only you can run the agent.
 - **For everyone in my workspace (Upon Admin approval)** , Makes the agent available to all workspace members, subject to admin approval.
- **Action:** Choose based on whether the agent is for personal testing or team-wide deployment.

Microsoft Threat Intelligence

- Confirms the integration with Microsoft Threat Intelligence for data retrieval.


Publish Button

- Click **Publish** to finalize and make the agent available according to the selected scope.



The screenshot shows a 'Publish agent' dialog box with a close button (X) in the top right corner. Below the title bar, there is a link: 'Review your agent details to ensure it is ready for publishing. Learn more about publishing'. The main content area features the 'Recent Threat Intelligence Agent' icon (a blue hexagon with a white star and a document icon), the name 'Recent Threat Intelligence Agent', the type 'Custom', and a description: 'Surfaces recent threat intelligence, summarizing the latest threats, actors, and campaigns.' Below this, the 'Trigger' section shows a single option: 'Default: runs every 0 seconds or manually when you want it to.' The 'Scope *' section has a dropdown menu currently set to 'Myself only', with a list of options: 'Myself only' and 'For everyone in my workspace (Upon Admin approval)'. At the bottom left, there is a toggle switch for 'Microsoft Threat Intelligence' which is currently turned on. At the bottom right, there are two buttons: 'Cancel' and 'Publish'.

Once published you will see the following message, indicating that your agent was published.



To see your agent and set it up, click the Agents Tab on in the left navigation menu. This will open the Agents page where you can see and configure the agent you created. Notice that the agent is ready for setup and denotes that it was published 'Just for you'.






Figure: Agents ready for setup

The next step is to Setup the agent so you can run it manually.

1. Click on the setup button on the agent



2. Click the setup agent again, you will then be prompted to sign in




Set up agent ×

Assign an existing user account
Sign in with the account you want to use as the agent's identity. This will grant the agent the permissions on the account.

[Sign in](#)

[Cancel](#) [Next](#)

3. Once you Sign in you will then be surfaced with the input parameter you set up earlier for the agent, add the Input and proceed to press Next



Set up agent ×

To tailor its results to your organization, the agent needs a few details.

Limit ⓘ

[Back](#) [Next](#)

4. You are then surfaced with the finalized setup information; you should then proceed to click Finish. It will give you another view then select Go to agent

Set up agent

Review this agent's default settings for your organization. You can change them now or later at any time by editing after you complete the set up.

Identity

ut152@int.zava-corp.com

Edit identity

Parameters

Limit: 5

Edit parameters

Back

Finish



Recent Threat Intelligence Agent is ready

The agent is ready to use.

Return to agents

Go to agent

Running your agent

1. If you've followed all the steps correctly, you should now see the run interface for the agent we just created. From there, navigate to the Run tab on the right-hand side to continue.

Recent Threat Intelligence Agent

Active

Custom

Just you

Run

About this agent

Surfaces recent threat intelligence, summarizing the latest threats, actors, and campaigns.

Trigger

This agent runs manually. There isn't an automatic trigger.

Permissions

No permissions need to be configured at this time.

Identity

Connected to user account: ut152@int.zava-corp.com

Plugins

Microsoft Threat Intelligence

Role-based access

Owners and contributors can view the agent's output and manage it.

Activity

Review the agent's previous runs.

The agent is ready.

Here's what you can do next ...



>> Run it one time without a trigger.

2. Click on the run button and select, run one time or run on trigger (depending on what you defined earlier, review the inputs and then click Submit

Review inputs before running

To run, the agent will use these inputs.



Optional fields

Limit

5

Submit

3. Once submitted you will be given a notification stating the **agent trigger run has started** triggered successfully, and on the activity pain you should see information on the run



4. Allow a few minutes for the agent run to complete. Once finished, you should see a successful run status along with the detailed output generated from that specific execution.

Recent Threat Intelligence Agent

>  2 steps completed 8 seconds

Nov 5, 8:07 PM

Here is a summary of the most recent threat intelligence, highlighting key threats, actors, and campaigns observed in the last 30 days. The landscape features a mix of sophisticated phishing kits, critical vulnerabilities, and advanced threat actors targeting a range of sectors and technologies. Notable trends include the exploitation of IoT in automotive environments, privilege escalation vulnerabilities in Windows, and the use of advanced malware for persistent access and espionage.


Recent Threat Intelligence Items

- **Recent OSINT trends in Automotive IoT**

- Summary: Connected vehicles are increasingly targeted as high-value IoT endpoints, with attackers exploiting remote interfaces, telematics, infotainment systems, and supply chain integrations. Six key trends shape this landscape, including remote exploitation and slow patch cycles.
- Exposure: 0 misconfigured & 0 vulnerable devices, exposure score 0 (low severity).
- Published: 11/04/2025
- Last updated: 11/05/2025
- [Read more | Threat Analytics](#)

- **Tycoon 2FA Phishing Kit Analysis**

- Summary: The Tycoon 2FA phishing kit is a Phishing-as-a-Service platform designed to bypass two-factor authentication, primarily targeting Microsoft 365 and Gmail accounts.



Exercise 2: Build custom agent using a YAML Manifest (X mins)

In this exercise we will create our own YAML files to build agents for two custom scenarios.

1. User 360 Agent
2. File inspection Agent

You have two options for creating an agent:

1. Start from Scratch

- Configure your agent manually using a blank form or an empty YAML manifest.
- Ideal for full customization when you want complete control over the agent's behavior.
- Click **Get started** to begin.

2. Upload a YAML Manifest

- If you already have a YAML file with all the agent details, you can upload it here.
- This is useful for reusing existing configurations or sharing standardized setups.
- Click **Upload** to import your manifest.

User 360 investigation Agent Scenario :

Let's look at the user 360 agent YAML file :

This is what the Agent is supposed to

The User 360 Investigation agent is designed to perform a comprehensive security investigation for a specific user by their UPN, gathering identity details, analyzing sign-in patterns, reviewing device and application usage, and mapping communication behavior across email and Teams to provide a holistic risk profile.

YAML File (You will find the updated YAML for this lab, which may differ from the screenshot provided)

```
Descriptor:
  Name: User360Investigation
  Description: >-
    Investigates a user by UPN, gathering identity details, sign-in patterns,
    device and app usage, and communication patterns across email and Teams.
  DisplayName: User 360 Investigation
  CatalogScope: UserWorkspace
  Prerequisites:
    - Entra
    - NL2KQLDefenderSentinel
    - M365
    - Sentinel
  Icon: ''
SkillGroups:
  - Format: Agent
  Skills:
    - Name: User360InvestigationNew
      DisplayName: User 360 Investigation
      Description: >-
        Orchestrates a multi-step investigation for a given user UPN,
        including identity, sign-in, device, app, and communication
analysis.
      Inputs:
        - Name: userUPN
          Description: The User Principal Name (UPN) of the user to
investigate.
          DefaultValue:
          Required: true
      Settings:
        Instructions: |-
          # Mission

          You are a security investigation agent. For the provided userUPN,
          perform the following steps in order:

          1. Call GetEntraUserDetailsV1 to retrieve user identity details.

          2. Call GetEntraSignInLogsV1 to analyze sign-in logs and extract
          typical working hours, IP addresses, geolocations, and associated
          devices.

          3. Call GetEntraApplication to determine which applications the
user
          accessed and session durations.
```

4. Use NL2KQLDefenderSentinel to query email events for common recipients and senders, identifying communication platforms.

5. Use NL2KQLDefenderSentinel to hunt for frequent Teams communication partners.

6. Use NL2KQLDefenderSentinel to find top senders and recipients from the email_ebts table for the user, listing associated email subjects.

Data Handling

For each step, summarize findings clearly. If a step returns no data, note this in the output.

Workflow

Execute each child skill in sequence, passing userUPN as needed. Aggregate and correlate results for a holistic user profile.

Output

Present a structured summary with sections for: Identity, Sign-in Patterns, Device/App Usage, Email/Teams Communication, and Top

Email

Subjects.

ChildSkills:

- GetEntraUserDetailsV1
- GetEntraSignInLogsV1
- GetEntraApplication
- NL2KQLDefenderSentinel

AgentDefinitions:

- Name: User360Investigation

DisplayName: User 360 Investigation

Description: >-

Investigates a user by UPN, gathering identity details, sign-in patterns,

device and app usage, and communication patterns across email and Teams.

Product: Entra

Publisher: Custom

Settings:

- Name: userUPN
Description: The User Principal Name (UPN) of the user to investigate.
Required: true
DefaultValue:

Triggers:

- Name: Default
DefaultPollPeriodSeconds: 0
ProcessSkill: User360Investigation.User360Investigation

RequiredSkillsets:


- Entra
- NL2KQLDefenderSentinel
- M365
- Sentinel

PreviewState: Private

```
PublisherSource: Custom
AgentSingleInstanceConstraint: None
WorkspaceId: default
```

The next action is to add it to Security copilot

- Take the YAML file content and add it in Visual Studio code or Notepad editor and call it User360investigation agent.Yaml
- Proceed to the build page on Security copilot and select the upload Button



- Proceed to look for the file you created and saved earlier and upload. Once this is done you should be surfaced with the tools page

User 360 Investigation

BuildTest

Agent overview

Details

Tools (1)

User 360 Investigation

GetEntraUserDetailsV1

GetEntraSignInLogsV1

GetEntraApplication

NL2KQLDefenderSent...

Triggers

Permissions

Tool: User 360 Investigation

View code

Configure your tool

Learn more

about supported tool types

Test your tool

to evaluate its output and decide if it's ready to be published.

Tool details

Type *

Select the tool type. Select 'Agent' to choose from existing tools such as Sentinel MCP, or directly create other tool types.
[Learn more about tool types](#)

Agent

Agent display name *

Short descriptive name (e.g. incident triage agent)

User 360 Investigation

Agent description *

What the agent does and the value it provides

Orchestrates a multi-step investigation for a given user UPN, including identity, sign-in, device, app, and communication analysis.

Instructions *

Give your agent clear directions on what to do and how to do it. Include specific tasks, their order, and any special instructions like tone or engagement style. [Learn more about instructions](#)

Mission

You are a security investigation agent. For the provided userUPN, perform the following steps in order:

1. Call GetEntraUserDetailsV1 to retrieve user identity details.

2. Call GetEntraSignInLogsV1 to analyze sign-in logs and extract typical working hours, IP addresses, geolocations, and associated devices.

- Please review the details and **do not publish the agent**, as the build experience preview will not display all the skills correctly.

User 360 Investigation

View code

Invalid references: GetEntraUserDetailsV1, GetUserLogonActivityProfile, GetEntraApplication...

Please remove or rename invalid tool references before publishing.

Agent display name *

Short descriptive name (e.g. incident triage agent)

User 360 Investigation

Agent description *

What the agent does and the value it provides

targeted scenario-only queries, with confidence-based follow-up investigations to increase certainty.

Instructions *

Give your agent clear directions on what to do and how to do it. Include specific tasks, their order, and any special instructions like tone or engagement style. [Learn more about instructions](#)

Role

You are an interactive security investigation agent. Confirm the userUPN when unclear.

Support two usage patterns:


(1) Full 360 investigations (default)

(2) Targeted scenario-only queries (when InvestigationMode is set or


Inputs (8)

+ Add input

- To publish the Agent, go to <https://securitycopilot.microsoft.com/>. From the **Home** page, locate the section titled “How can Security Copilot help?” and click on **Sources**.



- In the Plugin section, scroll down to the **Custom** category and click on **Upload Plugin**



- Go to the **Add Plugin** page → Select **Security Copilot plugin** as the upload format → Click **Upload File**, select the user360 YAML file and click on add and agent will be published

< **Add a plugin** X

Complete the info to add a new plugin. [Learn more](#)

Select an upload format ⓘ *

Security Copilot plugin
Custom .yaml or .json

OpenAI plugin
manifest.json

Upload file *

☐ Upload as a link

user360agent improved 2.yaml 🗑️

Cancel Add

- Go to the agents, and you will see the User 360 Investigation agent, proceed to set it up

Agents

Ready for setup

Security Event Summarizer Ag... ⓘ Just you
Custom
● Ready for setup
Summarizes recent security events to provide concise, actionable insights for security teams.
Set up

User 360 Investigation ⓘ Just you
Custom
● Ready for setup
Investigates a user by UPN, gathering identity details, sign-in patterns, device and app usage, and communication...
Set up

**User 360 Investigation**

Just you

×

Custom

Performs a full-spectrum user investigation, including identity, authentication, device/app usage, and communication patterns. Supports targeted scenario-only investigations via InvestigationMode, and confidence-based follow-up investigations to increase certainty.

Trigger

This agent runs manually. There isn't an automatic trigger.

Permissions

No permissions need to be configured at this time.

Identity

Connection to your user account.

Plugins

These plugins are required for the agent to run. If they aren't already turned on, they will be turned on automatically, but only for this agent's use. To restrict access to these plugins at any time, you can deactivate the agent. [Learn more about plugin management](#)

-  User 360 Investigation
-  Microsoft Entra
-  User Logon & Logoff Analysis
-  User Sign-in Details
-  Natural language to KQL for advanced hunting
-  Microsoft Defender XDR
-  Microsoft Sentinel
-  Security Copilot Email Skillset
-  Risky Sign-ins Correlated to Device Logons
-  Impossible Travel Anomalies
-  AbuseIPDB (Preview)

Role-based access

Owners and contributors can see the agent's results and manage it.

Set up

- Click **Sign in** and follow the on-screen instructions to proceed.

Set up agent




Assign an existing user account

Sign in with the account you want to use as the agent's identity. This will grant the agent the permissions on the account.

 Sign in

Cancel

Next



- Once you have set it up proceed, to click on the run agent and add the inputs for the UPN (u1121@int.zava-corp.com)

A screenshot of the 'User 360 Investigation' agent configuration page in a dark-themed interface. The page has a header with the agent name, status (Active), and a 'Run' button. The main content is divided into two columns. The left column contains sections for 'About this agent', 'Trigger', 'Permissions', 'Identity', 'Plugins', and 'Role-based access'. The right column has an 'Activity' section with a table of previous runs. The table has columns for 'Start time', 'Method', and 'Status'. The first row shows a run on 11/5/2025 at 8:33 PM, initiated manually, with a status of 'In progress'.

Start time	Method	Status
11/5/2025, 8:33 PM	Manual	In progress

- Once the run, you should see the output consolidated

User 360 Investigation

Just you

...

Active

Custom

About this agent

Investigates a user by UPN, gathering identity details, sign-in patterns, device and app usage, and communication patterns across email and Teams.

Trigger

This agent runs manually. There isn't an automatic trigger.

Permissions

No permissions need to be configured at this time.

Identity

Connected to user account: u1152@int.zava-corp.com

Plugins

Microsoft Entra

Natural language to KQL for advanced hunting

Microsoft Defender XDR

Microsoft Sentinel

Role-based access

Owners and contributors can view the agent's output and manage it.

Activity

Review the agent's previous runs

Start time	Method	Status
11/5/2025, 8:33 PM	Manual	In progress

11/5/2025, 8:33 PM

In progress

Manual

View activity

×

Input

▼

Results

AI-generated content may be incorrect. Check it for accuracy.

Nov 5, 8:33 PM

User Profile Investigation Summary

1. Identity

- Display Name: Surjit Saparowa
- User Principal Name (UPN): u1152@int.zava-corp.com
- Tenant: ValleeNevado.onmicrosoft.com

2. Sign-in Patterns

- Typical Working Hours: Most recent sign-ins occurred around 16:08 UTC, suggesting late afternoon (UTC) activity.
- IP Addresses: Most recent sign-ins from 172.167.23.70.
- Geolocations: All recent sign-ins from London, Greater London, United Kingdom (Latitude: 51.51222).
- Devices: Windows 10 OS, Edge browser (version 142.0.0). Device is not marked as compliant or managed.
- Recent Applications Accessed: Security Copilot Portal, Azure Portal.
- Last Successful Sign-in: 2025-10-14T15:57:55Z

3. Device/App Usage

- Applications Accessed:
 - Security Copilot Portal
 - Azure Portal
 - Microsoft 365 Security and Compliance Center
- Session Durations: Not available in sign-in logs.

4. Email/Teams Communication

