

Security Copilot in Microsoft Entra

Hands-on Virtual Lab Guide

Attendee Lab Manual

Table of Contents

Prerequisites Guide for Security Copilot in Entra Training	4
Security Copilot & Entra Setup checklist	4
Security Copilot Prerequisites	4
Security Copilot in Microsoft Entra Prerequisites	4
Introduction	6
Section 1: Open chat experience in Microsoft Entra (30 mins)	7
Microsoft Entra ID scenarios (5 mins)	7
Exercise 1a: Enterprise User Management, with enhanced Data Exploration	7
Exercise 1b: Security and Access Control	8
Exercise 1c: Understanding monitoring and operations	8
Exercise 1d: Complex multi-step prompts	9
Exercise 1e: Ambiguous prompts	10
Exercise 1f: Write actions for Copilot in Entra	11
Microsoft Entra ID Protection scenarios (10mins)	12
Microsoft Security Copilot scenarios in Microsoft Entra ID Protection Microsoft Learn	12
Exercise 2a: Risky User Summarization	12
Exercise 2b: Risky User Investigation	13
Exercise 2c: Application Risk Investigation	13
Microsoft Entra ID Governance scenarios (10 mins)	14
Exercise 3a: Governance and optimization	15
Exercise 3b: Lifecycle Workflows	15
Microsoft Entra Internet Access and Private Access scenarios (5 mins)	16
Exercise 4a: Monitor and investigate	16
Section 2: Entra Agents in Microsoft Entra (45 mins)	18
Exercise 5: Conditional Access Optimization Agent (15 mins)	18
Locate the Agent overview	18
Analyze Agent Activity	19
Review Suggestions from the Agent	21
Exploring Agent Settings	23
Exercise 7: Identity Risk Management Agent (15 mins)	26
Prerequisites	26
Deploy the agent	27
Trigger an agent analysis	27
Configure agent settings:	27
Configure notification preferences	29

View agent memory settings.....	29
View agent investigation results & apply the suggested remediations.....	30
Chat with the agent.....	31
Configure agent memory.....	31
View and manage agent memory settings View and manage agent memory settings under Settings > Memory.....	32
Manage the agent	Error! Bookmark not defined.
Section 3: Open chat experience in Security Copilot Standalone (5 mins)	33

Prerequisites Guide for Security Copilot in Entra Training

Security Copilot & Entra Setup checklist

1. Security Compute Units (SCUs) are available
2. Permissions to Security Copilot are granted
3. Required Permissions to install and run Entra Agents are granted
4. Entra Agents are set up, enabled, and have **run at least once**, prior to the lab session
5. Optional permissions in Entra for Entra scenarios are assigned

Security Copilot Prerequisites

Before the workshop, participants **must complete** the following steps to follow along and participate:

1. Please make sure Security Copilot is enabled in your tenant, and you can use it in Microsoft Entra.
 - a. Setup Security Copilot for Entra ([Security Copilot in Microsoft Entra | Microsoft Learn](#))
 - b. If it's already setup in your tenant, verify it by trying to use Security Copilot in the Entra Portal <https://entra.microsoft.com>.
2. For this workshop, we recommend 5-10 SCUs to be able to complete most exercises.

Provision Security Compute Units (SCUs)

- SCUs are required to run Security Copilot.
- Minimum: **5 SCUs** (recommended: **10 SCUs**) for labs training.
- SCUs are billed hourly and can be managed via the Azure portal or Security Copilot portal.

Assign Roles

If Security Copilot is enabled but you cannot use it, you may need additional permission. Ensure appropriate roles are assigned:

- Security Copilot Contributor or Security Copilot Owner

You may also use the Recommended Security Copilot contributor roles. These roles determine access and ownership within Security Copilot. [Understand authentication in Microsoft Security Copilot | Microsoft Learn](#)

Security Copilot in Microsoft Entra Prerequisites

Security Copilot Entra open-chat Prerequisites

The various use cases in Entra have different roles and license requirements. Ensure you have the required role and license [Microsoft Security Copilot scenarios in Microsoft Entra ID | Microsoft Learn](#) for the Entra scenarios you want to try out. [Microsoft Security Copilot scenarios in Microsoft Entra overview | Microsoft Learn](#)

Important: Microsoft Security Copilot follows the Role-Based Access Control (RBAC) model used in Microsoft security solutions. When you submit a prompt, Copilot can only access the data that you have permissions for.

Security Copilot in Microsoft Entra – Lab Guide

Entra Scenarios, Roles, and licenses required:

Scenario	Role(s)	License	Tenant
Tenants	Global Reader	Any Microsoft Entra ID license	Any
Users	User Administrator	Any Microsoft Entra ID license	Any
Groups	Directory Writer Groups Administrator User Administrator	Free Microsoft Entra ID license	Any public cloud tenant with more than one group
Domains	Domain Name Administrator	Any Microsoft Entra ID license	Any
Licenses	Global Reader	Microsoft Entra ID Governance license	Any
Sign-in logs	Reports Reader Security Reader Security Administrator Global Reader	Microsoft Entra ID P1 or P2 license	Any public cloud tenant with sign-in data
Audit logs	Reports Reader Security Reader Security Administrator Global Administrator	Free Microsoft Entra ID license	Any public cloud tenant with audit activity
Recommendations	Application Administrator Identity Governance Administrator Privileged Role Administrator Conditional Access Administrator Security Administrator Hybrid Identity Administrator Authentication Policy Administrator Authentication Administrator	Free Microsoft Entra ID license or Microsoft Entra ID P1/P2 license	Any (also available in Microsoft Entra Workload ID)
Health monitoring alerts	Reports Reader Helpdesk Administrator Security Reader Security Operator Security Administrator Global Reader	Microsoft Entra ID P2 license	Any public cloud tenant
Service Level Agreement	Reports Reader	Any Microsoft Entra ID license	Any
Roles and administrators	Directory Reader Global Reader	Any Microsoft Entra ID license	Any
Devices	Any user	Free Microsoft Entra ID license	Any
Conditional Access	Security Administrator Global Reader Security Reader	Microsoft Entra ID P1 license	Any with Conditional Access policies configured
Authentication	Authentication Policy Administrator (tenant level) Privileged Authentication Administrator (user level)	Any Microsoft Entra ID license	Any

Security Copilot Entra Agent Prerequisites

1. Ensure that you have the required RBAC permissions to install and run the agents. [Microsoft Entra Agents | Microsoft Learn](#)

Microsoft Entra in Security Copilot Standalone Prerequisites

1. Ensure you can access [Microsoft Security Copilot](https://securitycopilot.microsoft.com/) (<https://securitycopilot.microsoft.com/>)
- 2.

Note: In this lab environment, these steps have already been completed and configured for you. If you need additional information or clarification, please consult your trainer.

Introduction

Estimated time to complete this lab

75 Minutes

Objectives - Microsoft Security Copilot is a powerful tool that can help you manage and secure your Microsoft Entra identity environment. This guide outlines the different capabilities in Microsoft Entra that you can investigate using natural language queries. These capabilities are available across different Microsoft Entra products to enhance your identity protection efforts.

To use Security Copilot in Entra, ensure that you have a tenant with Security Copilot enabled.

Security Copilot in Microsoft Entra includes the standalone Security Copilot experience, embedded experiences in the Microsoft Entra admin center, specialized agents that can perform tasks, and natural language prompts that can be used in several end-to-end scenarios.

We've organized this lab into 3 sections:

Section 1: Open chat experience in Microsoft Entra (40 mins)

Section 2: Entra Agents in Microsoft Entra (30 mins)

Section 3: Open chat experience in Security Copilot Standalone (5 mins)

Section 1: Open chat experience in Microsoft Entra (30 mins)

Microsoft Entra ID scenarios (5 mins)

With Microsoft Security Copilot, administrators can now manage and investigate their Microsoft Entra tenants, users, groups, domains and licenses using natural language.

Exercise 1a: Enterprise User Management, with enhanced Data Exploration

Quickly manage users, tenants, groups, and licenses using natural language queries.

[Enterprise user management with Microsoft Security Copilot | Microsoft Learn](#)

1. Go to the **Entra portal** (<https://entra.microsoft.com/>) and sign in with your credentials.



2. Click on  at the top right side of the portal.
3. Try out the following prompts:
 - a. *Summarize recent risky sign-ins in Microsoft Entra ID.*
 - b. *List all failed sign-in attempts in the past 24 hours.*
 - c. *List users added to privileged roles in the last 30 days.*
 - d. *Summarize recent password reset activity*
 - e. *Show applications with the most failed authentication attempts.*
 - f. *List users without assigned licenses.*

List all failed sign-in attempts in the past 24 hours.



Copilot

AI-generated content may be incorrect. Check it for accuracy.

Here are the most recent failed sign-in attempts in the past 24 hours:

1. Zoran Abadi (u13281@int.zava-corp.com) – Microsoft 365 Security and Compliance Center – 2026-02-16T15:59
Reason: The session has expired or is invalid due to sign-in frequency checks by conditional access.
2. Lara Skopura (u1690@int.zava-corp.com) – Microsoft 365 Copilot extension – 2026-02-16T15:57
Reason: The session has expired or is invalid due to sign-in frequency checks by conditional access.
3. Mvuzo Khoza (u404@int.zava-corp.com) – Security Copilot Portal – 2026-02-16T15:53
Reason: Developer error - the app is attempting to sign in without the necessary or correct authentication parameters.
4. Nabil Skujins (u17174@int.zava-corp.com) – Microsoft 365 Copilot extension – 2026-02-16T15:53

Summarize recent password reset activity



Copilot

AI-generated content may be incorrect. Check it for accuracy.

Here is a summary of recent self-service password reset activity in Microsoft Entra ID:

- All recent password reset attempts were performed via self-service.
- Most resets were successful, with only one recent failure.
- Users who recently reset their passwords include Vasil Ouellet, Bontle Harutyunyan, Buu Sandberg, Karel Robledo, Billie Pawlowski, Spencer Rathore, Anousone Pereira, and RavinderPal Methot.
- The most recent failure was for RavinderPal Methot on 2026-02-15.

Enhanced Data Exploration

Exercise 1b: Security and Access Control

Use Microsoft Security Copilot to undertake a security assessment by evaluating role-based access controls, authentication methods, conditional access policies, and device compliance across an organization. [Security and access control with Microsoft Security Copilot | Microsoft Learn](#)

1. Try out a few of the below prompts:

- Who has eligibility for the Global Reader role?*
- List eligible (PIM) role assignments for Global Reader.*
- How many users have the FIDO2 Security keys method registered?*
- Show me all non-compliant devices.*
- List the Authentication Strength policies.*

Who has eligibility for the Global Reader role?

Copilot AI-generated content may be incorrect. Check it for accuracy.

The following users have eligibility for the Global Reader role in your tenant, including both direct and group-based eligible assignments:

Name	User Principal Name	Email	Job Title	User Type
Natasha Jalilova (TA)	Natasha.Jalilova_0625@woodgrove.ms	-	-	Member
Izaiah Basic	izba93@woodgrove.ms	izba93@woodgrove.ms	Developer I	Member

Exercise 1c: Understanding monitoring and operations

Quickly analyze sign-in activities, investigate audit logs, monitor system health, and track service performance using natural language queries. [Understand monitoring with Microsoft Security Copilot | Microsoft Learn](#)

1. Try out a few of the following prompts:
 - a. *Show sign-ins without multifactor authentication.*
 - b. *Show sign-ins from specific locations.*
 - c. *Show me recently deleted groups.*
 - d. *Show my tenant's historical Secure Score data.*
 - e. *List all Entra recommendations.*
 - f. *List recommendations to improve app portfolio health.*
 - g. *Show me applications with credentials that are expiring soon.*

Show sign-ins without multifactor authentication.

 **Copilot** AI-generated content may be incorrect. Check it for accuracy.

Here are recent sign-in events where multifactor authentication (MFA) was not used in your tenant:

User Display Name	User Principal Name	Sign-in Time (UTC)	Application
Jens Tukaev	jtu482@woodgrove.ms	2025-10-22T23:09	Office 365 SharePoint Online
Braden Goudy (Corp)	bragou@woodgrove.ms	2025-10-22T23:08	Security Copilot

Exercise 1d: Complex multi-step prompts

Address your complex tasks, by using Copilot to fetch information from multiple queries.

1. Try out a few of the below prompts:
 - a. *Show me the risky users that registered a new Authentication Method in the past 14 days.*

Show me the risky users that registered a new Authentication Method in the past 14 days.


 **Copilot** AI-generated content may be incorrect. Check it for accuracy.

Here are the risky users in your tenant who have registered a new authentication method in the past 14 days:

User Display Name	User Principal Name	Risk Level	Risk State
Eugenia Lopez	eulo56@woodgrove.ms	High	At Risk
Vanhi Nafisa	vna548@woodgrove.ms	Low	At Risk
Braden Goudy (Corp)	bragou@woodgrove.ms	Low	At Risk

Details about the specific authentication methods registered and their registration dates are not available. This table lists 3 risky users identified in the past 14 days.

- b. *Which Auth methods were recently registered by risky users in my tenant?*



The screenshot shows the Microsoft Entra Admin Center interface. On the left, the 'Authentication methods' page for user 'Eugenia Lopez' is visible. On the right, the 'Copilot' sidebar is open, displaying a table of authentication methods for a risky user. The table is titled 'Which Auth methods were recently registered by risky users in my tenant?' and contains the following data:


User	Risk Level	Risk State	Registered / Methods
Eugenia Lopez	high	atRisk	passKeyDev, authenticator, microsoftAuth, Push, softwareOn de

Below the table, there are buttons for 'Show risk history for Eugenia Lopez', 'Show current risk level for Eugenia Lopez', 'List authentication-method registrations for Eugenia Lopez', 'Show sign-in activity for Eugenia Lopez', and 'List risky users'. At the bottom of the sidebar, there is a text input field for asking questions and a blue arrow button.

Exercise 1e: Ambiguous prompts

Copilot can now resolve ambiguity by asking you for clarification, if it finds multiple matches.

1. Try some of these prompts:
 - a. *Tell me about Aaron*



The screenshot shows the Microsoft Copilot interface. At the top, there is a text input field with the prompt 'Tell me about Aaron'. Below the input field, the Copilot response is displayed. The response starts with 'There are three users with "Aaron" in their name:' followed by a list of three users:

1. Aaron Buxton (aaronb@zava-private.com)
2. Aaron Voski (aaron@parkcity.alpineskihouse.co)
3. Aaron Gonzales (aago79@int.zava-private.com)

Below the list, the Copilot asks for clarification: 'Please specify which Aaron you would like more information about, or let me know if you want details for all of them.' At the bottom of the interface, there is a button labeled '1 Verify on Entra Admin Center' and a set of icons for liking, disliking, and copying the response.

Tell me about sam



AI-generated content may be incorrect. Check it for accuracy.

There are multiple users in your directory whose names include "sam." Here are some of the closest matches:

- Samira Abadi (u2010@int.zava-corp.com)
- Samvel Atayewa (u2571@int.zava-corp.com)
- Samira Baz (u8756@int.zava-corp.com)
- Sambath Horvath (u6679@int.zava-corp.com)
- Sambath Sayegh (u1308@int.zava-corp.com)
- Samvel Kgosi (u6750@int.zava-corp.com)
- Sam Mukeshimana (u3968@int.zava-corp.com)
- Samvel Dalindyabo (u8506@int.zava-corp.com)
- Samvel Collins (u4225@int.zava-corp.com)
- Sam Loetzsch (u11197@int.zava-corp.com)
- Sam Akande (u11912@int.zava-corp.com)


Exercise 1f: Write actions for Copilot in Entra

Admins can now perform write actions directly from chat, like elevating JIT access without having to leave the Entra Copilot experience to gather context for making the right decision.

Every write action is validated, confirmed, RBAC-enforced, and audit-logged. Intelligent rollback and role elevation ensure least-privilege access with full traceability.

1. Try out a few of the below prompts (make sure you don't have an active role assigned):
 - a. List User sign-ins that failed in the last 24 hours

The screenshot displays the Microsoft Entra Admin Center interface. On the left, the 'My roles' page is visible, showing a list of roles with columns for Role, Scope, Membership, End time, and Action. The 'Eligible assignments' tab is selected. On the right, the Copilot chat interface is open, showing a conversation where a user asks to 'List user sign-ins that failed in the last 24 hours'. The Copilot response states: 'You do not currently have sufficient permissions to view this information. To proceed, activate the eligible role assignment below, and then retry your request. Here is the request I'm submitting: User: Mamta, Role: Security Reader, Start time (UTC): 2025-11-11T20:07, Duration: 4 hours, Reason: Performing task using Entra Copilot: List user sign-ins that failed in the last 24 hours'. There are buttons for 'Activate role' and 'Cancel'.



Microsoft Entra ID Protection scenarios (10mins)

Microsoft Entra ID Protection focuses on identity risk detection and remediation. Security Copilot provides AI-powered insights for:

Risky user investigation: Summarize user risk levels and provide remediation recommendations

Application risk assessment: Analyze workload identities and application permissions

Prerequisites


Scenario	Role(s)	License	Tenant
Risky users	Security Reader	Microsoft Entra ID P2 license	Any
Application risk	Application Administrator Cloud Application Administrator	Workload Identity Premium or Microsoft Entra ID P2 license	Any with Risky Service Principal prompts

[Microsoft Security Copilot scenarios in Microsoft Entra ID Protection](#) | [Microsoft Learn](#)

Exercise 2a: Risky User Summarization

Risky user summarization provides admins and responders quick access to the most critical information in context to aid their investigation.

1. Go to the **Entra portal** (<https://entra.microsoft.com/>) and sign in with your credentials.
2. Scroll down on the left-hand nav bar, expand “Protection” and then click on “**Risky Users**”
3. Review the Standard View and Agent View within the portal.



Exercise 2b: Risky User Investigation

In this exercise you will learn how to identify and investigate risky users using Microsoft Entra.

- Try out a few of the below prompts:
 - Provide a count of all risky users.
 - List all users currently flagged as risky.
 - Tell me more about user <UPN> / <Email Address>
 - Tell me about <User> recent sign ins
 - Show audit logs for the above user for the last 14 days


Using Security Copilot, you gathered comprehensive information about the user, including sign-in activities, audit logs, and risky user detections.

- In the same session, Try:
 - Write a report** based on this investigation. Provide your assessment of the user's risk level with supporting evidence and confidence level. List the most notable facts from this session as bullet points, along with supporting reasons. The audience is a Tier 2 SOC analyst who needs to take action to remediate or unblock the risky user. Include recommendations on how to proceed with user risk remediation in Entra

Exercise 2c: Application Risk Investigation


Identity administrators and security analysts can use Microsoft Security Copilot to quickly assess the risk level of applications from workload identities. [Investigate app risk using Microsoft Security Copilot | Microsoft Learn](#)

- Go to the Entra portal (<https://entra.microsoft.com/>) and sign in with your credentials.
- Got to Enterprise Apps




- Click on the top right side of the portal.

Security Copilot in Microsoft Entra – Lab Guide



Notice how the starter prompts adapt depending on where in the Entra portal you have started your session.

4. Try out a few of the below prompts
 - a. Show me stale or unused apps
 - b. Show me apps outside my tenant.
 - c. List service principals with expiring credentials soon
 - d. Show me risky apps.



Microsoft Entra ID Governance scenarios (10 mins)

Microsoft Entra ID Governance helps you manage identity lifecycle and access governance at scale. Security Copilot enhances these capabilities for:

- **Access reviews:** Analyze access review data and decision patterns


- **Entitlement management:** Manage access packages and connected organizations
- **Privileged Identity Management:** Monitor privileged access and role assignments
- **Lifecycle workflows:** Configure and troubleshoot employee lifecycle automation

[Microsoft Security Copilot scenarios in Microsoft Entra ID Governance | Microsoft Learn](#)

Exercise 3a: Governance and optimization

Implement comprehensive governance and continuously optimize their Microsoft Entra environment using natural language queries.

1. Try out a few of the below prompts
 - a. *Show me the top 10 pending access reviews.*
 - b. *Who are the reviewers for the <Insert Access Review Title> review?*
 - c. *How many catalogs are in the tenant?*
 - d. *Find all access packages where the name contains "Sales"?*
 - e. *What access package assignments does <Insert User Display Name> have?*
 - f. *Who are the sponsors for connected organization <Insert Name>?*
 - g. *Who has PIM eligible assignment of {Specific Role}?*



Exercise 3b: Lifecycle Workflows

Prerequisites


Scenario	Role	License	Tenant
Access reviews	Identity Governance Administrator	Microsoft Entra ID P2 license	Any with access reviews configured
Entitlement management	Identity Governance Administrator	Microsoft Entra ID P2 license	Any with entitlement management configured
Privileged Identity Management (PIM)	Security Administrator Global Reader Security Reader	Microsoft Entra ID P2 license	Any with PIM configured
Lifecycle workflows	Lifecycle Workflows Administrator	Microsoft Entra ID Governance license	Any with lifecycle workflows configured

[Microsoft Security Copilot scenarios in Microsoft Entra ID Governance | Microsoft Learn](#)

Customize workflows more efficiently using natural language to configure workflow information including custom tasks, execute workflows, and get workflow insights.

1. Try out a few of the below prompts
 - a. *List all lifecycle workflows in my tenant*

- b. List all disabled lifecycle workflows in my tenant.
- c. Which users failed to be processed by this workflow in the last 7 days?
- d. Which tasks failed the most in the last 30 days?
- e. Which workflows failed the most in the last 7 days?



Note: Due to permission limitations, some prompts may not return information in the lab environment.

Microsoft Entra Internet Access and Private Access scenarios (5 mins)

Investigate and monitor network traffic usage and behavior using natural language queries. You can analyze user, device, and branch network usage, identify network issues, and detect threats or policy violations in real time. As a result, your investigation process is streamlined and more effective.

Prerequisites

Scenario	Role(s)	License	Tenant
Global Secure Access	Security Administrator Global Reader Global Secure Access Administrator Global Secure Access Log Reader	Microsoft Entra ID P1 or P2 license Entra Private Access License (for private access traffic) Entra Internet Access License (for general internet traffic outside Microsoft services)	Global Secure Access configured

[Microsoft Security Copilot scenarios in Microsoft Entra Internet and Private Access | Microsoft Learn](#)

Exercise 4a: Monitor and investigate

1. Try out a few of the below prompts
 - a. Show the top 5 users with the highest data consumption in the last day.
 - b. List the top 10 accessed applications names in the last week based on network traffic logs.
 - c. List all applications with high-risk scores accessed in the last 24 hours based on network traffic logs.
 - d. List all applications names that user <Insert user UPN> has accessed in the last 24 hours based on network traffic logs.

- e. *Show all cross-tenant traffic to tenant <Insert Tenant GUID> in the last 7 days based on network traffic logs.*

Show the top 5 users with the highest data consumption in the last day.

Copilot AI-generated content may be incorrect. Check it for accuracy.

Here are the top 5 users with the highest data consumption (sent bytes) in the last day:

User	Sent Bytes	Received Bytes	Destination
vima@Woodgrove.net	1,139,062	7,605	eastus2-shared.prod.warm.inges t.monitor.core.windows. net
mais19@woodgrove.ms	1,135,661	7,734	eastus2-shared.prod.warm.inges t.monitor.core.windows. net
mais19@woodgrove.ms	949,519	8,153	browser.events.data.mic rosoft.com
mais19@woodgrove.ms	844,375	9,014	browser.events.data.mic rosoft.com
kan320@woodgrove.ms	706,058	9,399	us- v20.events.data.microso ft.com

◀ ▶

This table highlights the top 5 user traffic log entries by sent bytes over the last day.

List the top 10 accessed applications names in the last week based on network traffic logs.



Copilot AI-generated content may be incorrect. Check it for accuracy.

You do not have the required permissions to list the top 10 accessed application names in the last week based on network traffic logs. This action requires one of the following roles: Network Access Administrator, Global Reader, or Global Administrator. If you need this information, please contact your Entra ID administrator to request one of these roles.



Section 2: Entra Agents in Microsoft Entra (45 mins)

Exercise 5: Conditional Access Optimization Agent (15 mins)

In this exercise, you will learn how the Microsoft Entra Conditional Access (CA) Optimization Agent works, review its suggestions, analyze activity logs, and explore settings (without making changes). This agent helps ensure that all users and applications are protected by Conditional Access policies by recommending changes aligned with Microsoft Zero Trust best practices.

[Microsoft Entra Conditional Access optimization agent - Microsoft Entra ID | Microsoft Learn](#)

Prerequisites


- You must have at least the [Microsoft Entra ID P1](#) license.
- You must have available [security compute units \(SCU\)](#).
 - On average, each agent run consumes less than one SCU.
- You must have the appropriate Microsoft Entra role.
 - [Security Administrator](#) is required to *activate the agent the first time*.
 - [Security Reader](#) and [Global Reader](#) roles can *view the agent and any suggestions, but can't take any actions*.
 - [Conditional Access Administrator](#) and [Security Administrator](#) roles can *view the agent and take action on the suggestions*.
 - You can assign [Conditional Access Administrators](#) with Security Copilot access, which gives your Conditional Access Administrators the ability to use the agent as well.
 - For more information, see [Assign Security Copilot access](#).
- Device-based controls require [Microsoft Intune licenses](#).

Locate the Agent overview


Let's start off by navigating to the Conditional Access Agent overview section:

1. Sign in to the Microsoft Entra admin center (<https://entra.microsoft.com/>) using your credentials.
2. Select **Agents** from the left navigation menu and then press **View details**

Security Copilot in Microsoft Entra – Lab Guide



3. The **Agent Overview** pane provides a holistic view, showing whether the agent is active, listing suggestions for your review based on scans of new users and applications added in the last 24 hours, and highlighting recent activity performed by the agent.




Analyze Agent Activity


View a detailed summary of the agent's activity and understand how it generated the suggestion. This report highlights policy drift or gaps in coverage for users and applications and identifies policies that could be merged or consolidated.

1. Under **Agent is active**, select **View agent's full activity**.


Security Copilot in Microsoft Entra – Lab Guide



2. On the Agent activity page, on the left-hand side, you will see a summary of the agent's activity, including details such as the run date and time, execution information, and related policy update suggestions. The page also highlights the existing policies reviewed by the agent, with its findings presented in bullet points along with brief descriptions.



3. Next to the Summary of agent activity is the **Agent activity map** on the Agent activity page which outlines each step the agent performed and its outcomes in a workflow-style chart, illustrating the process and helping you understand the rationale behind the suggestion, so you are better informed.




4. Spend 2-3 minutes **reviewing** the insights while becoming familiar with each scenario as it aligns to the agent logic.
5. Exit the summary **Agent activity map** by clicking the top right corner **Close** icon 'X.'
6. This returns you to the **Agent summary** screen.

Review Suggestions from the Agent

Next, let's dive into a specific suggestion that the agent has provided:

1. From the top menu, select the **Suggestions** tab. This page lists all current recommendations generated by the agent.



2. From the list, choose a suggestion relevant to your environment (e.g., *Add 1 user to existing policy Require password change on Risky Sign-in.*) by selecting **Review suggestion**. The actual suggestion

you see may differ based on your tenant's configuration and findings, but the process of accessing and exploring them remains the same.

Require password change on Risky Sign-in

Policy details

Policy impact

Edit

Duplicate

Download JSON

Delete

Add 1 user to existing policy Require password change on Risky Sign-in.

Conditional Access Optimization Agent

The agent found 1 user that is not in scope of the existing enabled policy Require password change on Risky Sign-in, which already requires password change for high risk users. It is recommended to include this user to ensure consistent enforcement.

User impact

This policy requires users identified as high risk to change their password and complete multifactor authentication, reducing the risk of account compromise.

Apply suggestion

Review policy changes

[View agent's full activity](#)

AI-generated content may be incorrect. Check it for accuracy.

Policy details

Name
Require password change on Risky Sign-in

State
Report-only (policy is evaluated but not enforced)

Created by
USER

Excluded identities
1 user, 3 groups, 0 roles

Included cloud apps
All apps

Requirements for access
Require password change

Created date
10/4/24, 1:05:22 PM

Microsoft Entra admin center

Search resources, services, and docs (Ctrl+)

Entra ID

Entra ID (Preview)

Groups

Users

Devices

App registrations

Integrations apps

Roles & admin

Delegated admin partners

Domain services

Conditional Access

Multifactor authentication

Identity Secure Score

Authentication methods

Account recovery (Preview)

Password reset

Custom security attributes

Home

Conditional Access Optimization Agent

Analyze my tenant

Remove agent

Chat with agent

Overview

Activities

Suggestions

Settings

Suggested next steps

Review Increase in Failed Sign-Ins caused by policy: MFA for all

Add 112 users to existing policy: Require Device Compliance on Windows.

Add 1 user to existing policy: SecCopilot Agents.

Turn on policy: new policy to enforce device compliance for Windows user

Review Increase in Failed Sign-Ins caused by policy: Security Reminders TOI

Review Increase in Failed Sign-Ins caused by policy: POC CTF Read only TOI

Review Increase in Failed Sign-Ins caused by policy: Demo Contributor TOU

Review Increase in Failed Sign-Ins caused by policy: Sec Analysts General TC

Review Increase in Failed Sign-Ins caused by policy: Require Passkey Authen

Review Increase in Failed Sign-Ins caused by policy: Block device code flow

Review Increase in Failed Sign-Ins caused by policy: MFA for admin roles

Review Increase in Failed Sign-Ins caused by policy: Block device register or

Turn on new policy to block high-risk agents (Preview)

Add 83 users to existing policy Require password change on Risky Sign-in.

Review Increase in Failed Sign-Ins caused by policy: MFA for all

MFA for all

Policy details

Policy impact

Edit

Chat with agent

Duplicate

Download JSON

Delete

Suggestion: Review Increase in Failed Sign-Ins caused by policy: MFA for all

Created on Feb 16, 2025, 08:20 PM

AI-generated content may be incorrect. Check it for accuracy.

On 2/16/25, failed sign-ins for this policy increased 350.56% from baseline. This spike was identified using a statistical model (z-score) that compares today's failure rate to the policy's typical historical range, flagging anomalies beyond normal variation. The primary cause of Conditional Access policy failures is users not completing the required multi-factor authentication (MFA) step, as enforced by the policy's strong authentication requirement. All sampled failures are associated with non-compliant, unmanaged Windows 10 devices, but there is no evidence that device compliance or recent configuration changes are contributing factors. The failures are consistent across different locations and applications, indicating the issue is directly related to MFA enforcement and user readiness or setup.

Review report

Mark suggestion as resolved

View agent's full activity

Policy details

Name
MFA for all

State
On (recommended)

Created by
USER

Included identities
All users

Excluded identities
1 user, 5 groups, 2 roles

Included cloud apps
All apps

Created date
6/5/24, 4:58:13 AM

Modified date
7/28/25, 11:34:10 PM

Home

Conditional Access Optimization Agent

Analyze my tenant

Remove agent

Chat with agent

Overview

Activities

Suggestions

Settings

Suggested next steps

Review Increase in Failed Sign-Ins caused by policy: MFA for all

Add 112 users to existing policy: Require Device Compliance on Windows.

Add 1 user to existing policy: SecCopilot Agents.

Turn on policy: new policy to enforce device compliance for Windows user

Review Increase in Failed Sign-Ins caused by policy: Security Reminders TOI

Review Increase in Failed Sign-Ins caused by policy: POC CTF Read only TOI

Review Increase in Failed Sign-Ins caused by policy: Demo Contributor TOU

Review Increase in Failed Sign-Ins caused by policy: Sec Analysts General TC

Review Increase in Failed Sign-Ins caused by policy: Require Passkey Authen

Review Increase in Failed Sign-Ins caused by policy: Block device code flow

Review Increase in Failed Sign-Ins caused by policy: MFA for admin roles

Review Increase in Failed Sign-Ins caused by policy: Block device register or

Turn on new policy to block high-risk agents (Preview)

MFA for all

Policy details

Policy impact

To view more information about the impact of your Conditional Access policies, visit [Conditional Access Insights and reporting page](#).

Sign-in activity over time


Date range: Last 7 days Data format: Percentage Show dates as: UTC Result: All Reset filters

Total sign-ins

Category	Percentage
Success	92.73%
Failure	1.57%
Not applied	5.69%

Sample sign-in data

3. Notice the **State** field, which indicates **Report-only** meaning the policy is evaluated but not enforced. The agent does not make any changes to existing policies unless a suggestion is explicitly approved by an administrator, and all new policies it suggests are created in report-only mode.
4. To view the recommended Conditional Access policy changes, select **Review policy changes**. This opens a pane showing the specific updates proposed by the agent. You will not make any changes in this exercise, but the option **Approve suggested changes** is available to administrators.




5. **Exit** and return to the summary by clicking the top right corner Close icon 'X.'
6. This returns you to the **Agent summary screen**.


Exploring Agent Settings

The CA optimization agent includes several settings that can be used to adjust its behavior, which you will explore next. No changes will be made to these settings in this exercise.


1. From the top pane, select the **Settings** option. This page contains various configuration options, explained below. *Keep in mind that new agent settings are continually being added, so your view may differ slightly.*




- a. **Trigger:** By default, the agent runs every 24 hours. This setting can be adjusted to disable the automatic schedule and allow the agent to run only on demand.



- b. **Microsoft Entra objects to monitor:** This setting specifies what the agent focuses on by selecting specific object types or both. It can be configured to monitor only newly created user accounts, only newly registered applications, or both.



- c. **Agent capabilities:** Controls whether the agent can automatically create new Conditional Access policies in report-only mode when it identifies suggestions, allowing impact assessment before enforcement. Disabling autonomous creation will keep the agent in an advisory role, providing recommendations without creating any policies in report-only mode.



- d. **Notifications:** Allows to enable notification to be sent with new suggestions are available.

Notifications

Configure when notifications are sent with new suggestions are available.

☐ Allow agent to send Teams messages

- e. **Knowledge Sources and Custom Instructions::** Train agent based on your organization's knowledge sources. Tailor the agent's behavior by specifying which users, groups, or roles to include or exclude, and by adding exceptions for certain policy types such as MFA. It also supports using validated object IDs for precise targeting, enabling more tailored and accurate policy recommendations. [Microsoft Entra Conditional Access optimization agent | Microsoft Learn](#)

Home

Conditional Access Optimization Agent

Analyze my tenant Remove agent Chat with agent Give Microsoft feedback

Overview Activities Suggestions **Settings**

Trigger

Capabilities

Notifications

Knowledge sources

Plugins

Permissions

Users

Knowledge sources

Custom Instructions (optional)

Help the agent tailor its output to your organization's needs. [Learn more about custom instructions.](#)

Agent's interpretation of instructions

There are currently no custom instructions given to the agent.


Edit instructions Delete instructions

Files


Upload a PDF or Word document with specific information about your organization, like policies, guidelines or procedures. The agent uses these files to generate even more relevant suggestions. Your data stays within the agent and is not used for model training. [Learn more about agent file upload.](#)

Upload

- f. **ServiceNow integration:** The ServiceNow integration for Microsoft Security Copilot allows security teams to create and manage ServiceNow incidents directly from Copilot. It works by connecting Copilot to your ServiceNow instance through a plugin, enabling automated incident creation, updates, and tracking without leaving the Copilot interface.



- g. **Identity and permissions/Role-based access:** Explains the access the agent requires, how it manages the agent's identity to operate, and which roles are authorized to manage it after deployment.



Exercise 7: Identity Risk Management Agent (15 mins)

Today, Identity Security Analysts face challenges in managing identity risks efficiently. Resolving such risks means manually investigating logs, correlating signals, and deciding on remediation. This process is not only manual but also time-consuming and reactive—often taking up to 30 minutes per user—and it leaves gaps when team members aren't available or can't handle the volume of risk alerts generated in my organization.

Learn more at: [Identity Risk Management Agent - Microsoft Entra ID Protection | Microsoft Learn](#)


Prerequisites

1. At least one paid Security Copilot SCU
2. Entra ID P2 license

3. You must have the appropriate Microsoft Entra role.
 - *Security Administrator* is required to activate the agent the first time and view the agent and take action on the suggestions.
 - *Security Reader* and *Global Reader* roles can view the agent and any suggestions, but can't take any actions.
 - For more information, see [Assign Security Copilot access](#).
4. Review [Privacy and data security in Microsoft Security Copilot](#).
5. Presence of risky users in the tenant
6. Active Entra ID Protection customer

Deploy the agent

- A. Set up the agent via the Agent Library or the banner on the [Risky Users report](#).
- B. The agent will begin investigating risky users immediately. It may take a few minutes for the agent to finish the investigation. Runs cannot be canceled mid-process.




Trigger an agent analysis

- a. The agent is scheduled to run automatically every 24 hours since the initial deployment. You can turn off automatic run in the Settings page. You can also click “Run” to manually start an investigation.

Configure agent settings:

The agent is currently limited to running on the most [recent 100 risky users](#). By default, it runs automatically every 24 hours on all risky users from the last 30 days. In agent settings, you can:

- Allow the agent to run automatically every 24 hours (default) or enable continuous monitoring so that the agent runs every time a new risky user is detected.



- Choose “All users and groups” (default) or configure the agent to run on selected users and groups. (*Note: The agent is still currently limited to run on the most recent 100 users and groups.)

Scope

Select the users, risk levels, and time period you want in scope.

Users and groups

- ☒ All users and groups
- ☐ Select users and groups

- Select a maximum number of risky users. (*Note: this number cannot exceed 100.)

Maximum recent risky users

100

- Select risk levels in scope:

Risk levels in scope

- ☒ High risk
- ☒ Medium risk
- ☒ Low risk

- Select time period in scope (Maximum: 30 days)

Last 30 days

Last 14 days

Last 7 days

Custom

Last 30 days

Configure notification preferences

Enable email notifications to send a digest summary based on investigation results.

Home > Conditional Access Optimization Agent > Security Copilot agents

Identity Risk Management Agent (Preview)

Microsoft Entra ID

Overview Activities **Settings**

Controls

- Permissions
- Communications
- Memory

Trigger

☐ Allow the agent to run automatically every 24 hours
The agent will regularly check for new risky users and automatically investigate them.

☐ Continuous monitoring
The agent will run automatically every 24 hours.

☒ No trigger enabled
The agent runs only when started manually.

Scope

Select the users, risk levels, and time period you want in scope.

Users and groups

☒ All users and groups

☐ Select users and groups

Maximum recent risky users

100

Risk levels in scope

☒ High risk

☒ Medium risk

☒ Low risk

Time period in scope

Custom

Custom number of days

90

View agent memory settings

View agent memory settings from agent chat.

Home > Conditional Access Optimization Agent > Security Copilot agents

Identity Risk Management Agent (Preview)

Microsoft Entra ID

Start one-time run Remove agent Reload Give Microsoft feedback

Overview Activities **Settings**

Controls

Memory

Agent memory stores your instructions and applies them in future runs. Currently, it supports preferred remediation instructions.

Permissions

To add a memory, tell the agent in chat: "Remember to [instruction] if [condition]."

Communications

Example: "Remember to reset the password if the user signs in from an anonymous IP." [Learn more about memory](#)

Condition	Instruction	Feedback ID
if location is United States AND sign-in time is between 8AM and 9AM PST	Dismiss Risk	4e62557c-9e06-4da4-ace3-89912527a6e3
if user has invalid password attempts	Reset Password	4e62557c-9e06-4da4-ace3-89912527a6e3
if user is flagged as risky due to multiple invalid password attempts	Reset Password	4e62557c-9e06-4da4-ace3-89912527a6e3
if user is flagged as risky due to high-risk sign-ins	Reset Password	4e62557c-9e06-4da4-ace3-89912527a6e3
if user is flagged as risky due to use of anonymous IP addresses	Reset Password	4e62557c-9e06-4da4-ace3-89912527a6e3
if user is flagged as risky due to missing device identification	Reset Password	4e62557c-9e06-4da4-ace3-89912527a6e3
if user is flagged as risky due to unknown credential types	Reset Password	4e62557c-9e06-4da4-ace3-89912527a6e3
if user is flagged as risky due to external security challenges	Reset Password	4e62557c-9e06-4da4-ace3-89912527a6e3
if user has password spray detection	Reset Password	4e62557c-9e06-4da4-ace3-89912527a6e3
if user has invalid sign-in attempts	Reset Password	4e62557c-9e06-4da4-ace3-89912527a6e3

View agent investigation results & apply the suggested remediations

- As soon as the agent finishes the investigation, a summary and agent suggestions will appear above the table.
- Click "Chat with agent" to ask about the agent findings in chat
- The agent will recommend "Dismiss" or "Reset password" for the risky users. Open the drop down to apply the action in bulk or view the users in the table.
- Clicking on a user's name to view the agent's investigation result with risk factors.

Home > Conditional Access Optimization Agent > Security Copilot agents > Identity Risk Management Agent (Preview)

Risky users

Standard View Agent View

Identity Risk Management Agent *Preview*
Last run: Feb 06, 2026, 06:51 AM
All generated content may be incorrect. Check it for accuracy.

Agent summary
The agent has investigated 0 risky users. 0 high-risk, 0 medium-risk, and 0 low-risk. The agent has provided suggested remediations.

Chat with agent Manage agent

Risky users list

Take action Confirm user(s) compromised Dismiss user(s) risk Confirm user(s) safe Reset password Download Refresh Manage view Got feedback?

Search Add filter Risk level: 3 selected Suggested action: All Risk state: 2 selected Status: Active

Name	Username	Risk state	Risk level	Risk last updated	Suggested action
Luz Berlinger	u3363@int.zawa-corp.com	At risk	Low	Feb 13, 2026, 07:25 PM	Waiting for ag
Abdul-Qahhar Mukasine	u13056@int.zawa-corp.com	At risk	Low	Feb 12, 2026, 02:55 PM	Waiting for ag
Yhies Lacombe	u11271@int.zawa-corp.com	Confirmed compromised	High	Feb 12, 2026, 02:15 AM	Waiting for ag
Nasir Bhat	u11643@int.zawa-corp.com	At risk	Low	Feb 12, 2026, 01:20 AM	Waiting for ag
Gabril Anaru	u17053@int.zawa-corp.com	At risk	Low	Feb 10, 2026, 06:35 PM	Waiting for ag
Ansil Jagannani	u2709@int.zawa-corp.com	At risk	High	Feb 07, 2026, 11:12 AM	Waiting for ag
Elvis Atkins	elvisa@zawa-corp.com	At risk	Low	Feb 06, 2026, 08:31 PM	Waiting for ag
Mireia Abdillizy	u2839@int.zawa-corp.com	Confirmed compromised	High	Feb 06, 2026, 01:55 AM	Waiting for ag
Estevae Greco	u1243@a.alpinetkhouse.co	Confirmed compromised	High	Jan 31, 2026, 01:52 AM	Waiting for ag
Nazareno Johansson	u17161@int.zawa-corp.com	At risk	Medium	Jan 30, 2026, 12:02 AM	Waiting for ag

User	Risk Level	Status	Recommendation
Anahit Milic	Low		⚠ Error
Parimal Hikuwai	Low	Possibly compromised	Reset Password
1225-DomainDominance_6705_10	Low	Possibly compromised	Reset Password
Predrag Aberathna	High	Compromised	Reset Password
1225-DomainDominance_6705_6	Low	Possibly compromised	Reset Password
1225-DomainDominance_6705_3	Low	Possibly compromised	Reset Password
Fairus Ziemele	Low		⚠ Error
Katalin Goswami	Low	Possibly compromised	Reset Password
Kim Mikhailiuk	Medium	Compromised	Reset Password
Nazzareno Johansson	Medium	Compromised	Reset Password
Mamatha Alves	Low	Possibly compromised	Reset Password
Aleksandar Shumenko	High	Not compromised	Dismiss User Risk
Ramesh Jumayew	Low	Possibly compromised	Reset Password
Sarathy Pushkar	Low	Possibly compromised	Reset Password
Oleksandr Valentova	Low	Possibly compromised	Reset Password
Gevorg Chekir	Low	Possibly compromised	Reset Password
Emma Cartier	Low	Possibly compromised	Reset Password
Benito Nabieva	High	Compromised	Reset Password

Chat with the agent

- a. Click “Review with agent” to open a chat pane. Interact with the agent using natural language, with contextual prompts. Supported scenarios for this release are:
 - i. Why are [multiple users] considered compromised?
 - ii. Why is [single user name] compromised?
 - iii. Questions related to Audit Logs

Configure agent memory

- a. Click “Review with agent” to open a chat pane. Interact with the agent using natural language, with contextual prompts. All prompts must start with the phrase “**Remember.**” Sample prompts include:
 - i. Remember to reset password if a user signs in from an unfamiliar or rarely used IP address
 - ii. Remember to dismiss risk if a user signs in from the US and the time is between 8AM and 9AM PST
 - iii. Remember to reset password if [user] has invalid password attempts

View and manage agent memory settings

View and manage agent memory settings under Settings > Memory

Home > Conditional Access Optimization Agent > Security Copilot agents > Identity Risk Management Agent (Preview) > Risky use

Identity Risk Management Agent (Preview) ...

Microsoft Entra ID

▶ Start one-time run
🗑️ Remove agent
🔄 Reload
🗨️ Give Microsoft feedback

Overview **Activities** **Settings**

Controls **Memory**

Permissions Agent memory stores your instructions and applies them in future runs. Currently, it supports preferred remediation instructions.

Communications


Memory To add a memory, tell the agent in chat: "Remember to [instruction] if [condition]."

Example: "Remember to reset the password if the user signs in from an anonymous IP." [Learn more about memory](#)

Condition	Instruction	Feedback ID
if location is United States AND sign-in time is between 8AM and 9AM PST	Dismiss Risk	4e62557c-9e06-4da4-ace3-89912527a6e3
if user has invalid password attempts	Reset Password	4e62557c-9e06-4da4-ace3-89912527a6e3
if user is flagged as risky due to multiple invalid password attempts	Reset Password	4e62557c-9e06-4da4-ace3-89912527a6e3
if user is flagged as risky due to high-risk sign-ins	Reset Password	4e62557c-9e06-4da4-ace3-89912527a6e3
if user is flagged as risky due to use of anonymous IP addresses	Reset Password	4e62557c-9e06-4da4-ace3-89912527a6e3
if user is flagged as risky due to missing device identification	Reset Password	4e62557c-9e06-4da4-ace3-89912527a6e3
if user is flagged as risky due to unknown credential types	Reset Password	4e62557c-9e06-4da4-ace3-89912527a6e3
if user is flagged as risky due to external security challenges	Reset Password	4e62557c-9e06-4da4-ace3-89912527a6e3
if user has password spray detection	Reset Password	4e62557c-9e06-4da4-ace3-89912527a6e3
if user has invalid sign-in attempts	Reset Password	4e62557c-9e06-4da4-ace3-89912527a6e3


Section 3: Open chat experience in Security Copilot Standalone (5 mins)

1. Go to [Microsoft Security Copilot](https://securitycopilot.microsoft.com/) (<https://securitycopilot.microsoft.com/>)
2. In the “Prompts to try”, to filter to Entra prompts, under Role, Select **Identity Administrator**.



Try out a few prompts by clicking on them.

3. In the **Prompt bar** at the bottom, try out a few additional prompts
 - a. *How many users failed sign-in during the past 24 hours*



How many users failed sign-in during the past 24 hours

5 steps completed16 seconds

Private preview

> Chose Microsoft Entra5 seconds

> Processed your request8 seconds

> Get all failed sign-in attempts in the past 24 hours, projecting only userId1 second

Executing the API with Method, completeURL, payload and task: GET
<https://graph.microsoft.com/v1.0/auditLogs/signIns?%24filter=status%2FerrorCode+ne+0+and+createdDateTime+ge+2026-02-15T17%3A30%3A50Z&%24select=userId&%24top=5&%24orderBy=createdDateTime+desc>
Get all failed sign-in attempts in the past 24 hours, projecting only userId

> Get all failed sign-in attempts in the past 24 hours, projecting only userId (fetch all pages to deduplicate users)1 second

> Prepared your response1 second

Private preview

Feb 17, 4:30 AM

At least 4 unique users experienced failed sign-in attempts during the past 24 hours. This count is based on the available data and may not represent the full total across your entire directory. Only one set of results was analyzed for this summary.

References

Verify on Entra Admin Center

- b.** *List the authentication methods for user <User Display Name>*

The screenshot displays the 'Authentication methods' page in the Entra Admin Center for the user `sabe10@woodgrove.ms`. The page has a dark theme. At the top, a summary bar shows '5 steps completed' in 13 seconds. Below this, a list of steps is shown, each with a green checkmark and a right-pointing chevron:


- Chose Microsoft Entra (2 seconds)
- Processed your request (8 seconds)
- Searching for user by userPrincipalName sabe10@woodgrove.ms (1 second)
- Retrieving authentication methods enabled for user sabe10@woodgrove.ms (1 second)
- Prepared your response (2 seconds)

The last step is currently selected. To the right of the 'Processed your request' step is a small blue icon of a person. Below the steps, the date and time 'Oct 22, 5:25 PM' are displayed. The main content area lists the authentication methods enabled for the user, with the heading 'The authentication methods enabled for user sabe10@woodgrove.ms (Sandeep Benarjee) are:'. The methods listed are:

- Passkey device-bound
- Microsoft Authenticator push
- Software one-time passcode

Below the list, it states 'System preferred authentication method: FIDO2' and 'User's preferred method for secondary authentication: Push'. A summary sentence follows: 'This summary covers all enabled authentication methods for this user.' At the bottom, there is a 'References' section with a link 'Verify on Entra Admin Center'.

- c. Expand the chevron to review the MS-Graph query.



4. **Promptbooks** - Security Copilot comes with prebuilt promptbooks, a series of prompts that have been put together to accomplish specific security-related tasks. [Use promptbooks in Microsoft Security Copilot | Microsoft Learn](#)

- a. Try out: **Microsoft User analysis**

Microsoft User Analysis Submit

Get detailed analysis on any user, including their Intune managed devices, authentication me...

User_UPN

duration

- 1 Tell me more about <User_UPN>?
- 2 What devices are associated with the above user?
- 3 Show me the last login for the above user during the last <duration>.
- 4 What authentication methods are set up for the above user?
- 5 Did the above user have any failed sign-ins during the last <duration>? If yes, list the location and IP address of each failed sign-attempt.
- 6 Show audit logs for the above user in the last <duration>
- 7 From Purview, list the activities performed by above user in the last <duration>
- 8 Show Defender identity summary for the above user.