



Machine Learning-Driven **Airbnb** Marketplace Optimisation

From Listing Patterns to
Strategic Segmentation Insights

GROUP 1

Agnieszka de Jonge-Gryciuk

Ali Nahhas

Lana Menezes Fidelis

Nathalie Halimi

Rafaela Pinheiro Gomes Cavalcante

Machine Learning Module - University of Essex

Table of Content

1. Introduction	2
2. Accommodation Market Growth and Challenges	2
2.1. Project Objective	4
3. Methodology.....	4
3.1. Dataset Overview	5
3.2. Exploratory Data Analysis and Preparation	5
4. Machine Learning Approach	9
4.1. Listing-Profiles	10
4.2. Pricing Analysis	12
5. Limitations, Results and Business Insights	13
6. Conclusions and Recommendations For the Future	15
References	18
Bibliography	22

1. Introduction

Airbnb connects 5.5 million hosts with over 2.5 billion guests across 9 million listings worldwide, creating authentic local experiences globally (Airbnb, 2026).

This project analyses Airbnb New York City (NYC) listing data (Dgomonov, 2019) for listing segmentation and matching price predictions, following a classical machine learning (ML) workflow (Géron, 2025). The analysis covers data understanding, preparation and feature engineering, modelling and evaluation. The resulting insights aim to inform pricing strategies, targeted host recommendations and marketplace positioning.

2. Accommodation Market Growth and Challenges

The online accommodation market is growing steadily, with short-term rentals and homestays expanding at more than twice the overall market rate, and Airbnb holding its largest share (Figure 1).




Figure 1. Growth of Digital Accommodation Platforms. Source: Developed by the authors, based on the insights from Schaal (2025) and Fortune Business Insights (2026a, 2026b).

The increasing adoption of ML enables more data-driven strategies, intensifying competition. As supply surges, the challenge shifts from scarcity to effective discovery, aiming to reduce information and choice overload (Athi Karthick, Majumdar and Bose, 2025).

Pricing remains the primary driver of booking decisions (Expedia Group, 2025), bringing data-driven pricing tools and personalised recommendations to the forefront (Statista and Booking, 2025). Airbnb already applies ML—including clustering and regression—to

address multidimensional pricing challenges and host profiling (Wang and Nicolau, 2017; Rezazadeh Kalehbasti, Nikolenko and Rezaei, 2021; Li, Liao and Gao, 2022; Zhang, 2025).

2.1. Project Objective

This analysis aims to identify distinct Airbnb listing profiles and evaluate their contribution to price prediction, driven by the following business analytical question:

What distinct listing profiles can be identified, and can these profiles improve price prediction?

3. Methodology

The project follows a classical ML workflow (Géron, 2025), as summarised in Figure 2. Findings are translated into business insights and actionable recommendations.




Figure 2. Analytical Pipeline and tooling used for Airbnb Segmentation and Price Prediction. Source: Authors' own work.

3.1. Dataset Overview

The NYC Airbnb dataset (Dgomonov, 2019) used in this analysis contains 16 listing and host attributes across 48,895 observations (Figure 3).



Figure 3. Dataset overview. Source: Authors' own work.

3.2. Exploratory Data Analysis and Preparation

Exploratory data analysis (EDA) focused on data quality, missingness, distributions, and potential outliers to guide preprocessing decisions (Géron, 2025). Missing values were concentrated in `last_review` and `reviews_per_month`, affecting approximately 20% of listings (Figure 4).




Figure 4. Airbnb missing data visualisation. Source: de Jonge-Gryciuk et al. (2026)

Numerical variables had weak linear relationships with price (Figure 5), with slightly stronger relationships evident for **room_type** and location features. Manhattan showed the highest median price (\$150), while entire homes/apartments had a higher median (\$160) than private (\$70) and shared rooms (\$45) (Figure 6), and overall median price at \$106. Price and **minimum_nights** were strongly right-skewed, with only 11 \$0 price listings.




Figure 5. Price correlation matrix. Source: de Jonge-Gryciuk et al. (2026)




Figure 6. Violin and boxplots for various Airbnb features. Source: de Jonge-Gryciuk et al. (2026)

Preprocessing followed these findings and Géron's (2025) suggested steps. Missing `reviews_per_month` values, 100% overlapping with zero reviews, were replaced with 0; a binary `has_reviews` variable was created; zero-price listings were removed, while high-price observations were retained; highly skewed variables were transformed using `log1p` to reduce the influence of extreme values in distance-based clustering (Figure 7). Identifiers, personal text, `last_review`, and high-cardinality `neighbourhood` were excluded, while `latitude` and `longitude` represent location.




Figure 7. Airbnb various feature distributions. Source: de Jonge-Gryciuk et al. (2026)

Numerical features were standardised to prevent scale differences from dominating distance calculations. `room_type` was one-hot encoded for K-Means and retained categorically for K-Prototypes.

4. Machine Learning Approach

This analysis used clustering and regression, with model selection guided by the business objective, data characteristics, and implementation trade-offs.

Unsupervised clustering was used to identify listing profiles. K-Means and K-Prototypes were evaluated independently to determine the optimal number of clusters and compared for composition and business meaningfulness (Figure 8).

Clustering Model Comparison		
Selection Criteria	K-means	K-prototypes
Data Type Suitability	Numeric data only (One-hot encoding for categorical features)	Numeric + Categorical (Native handling)
Distance Measure	Euclidean Distance only	Euclidean + Categorical Dissimilarity
Outliers Sensitivity	 Sensitive mean-based center	 Sensitive for mean-based component
High-Dimensionality Handling	 One-hot encoding can increase dimensions	 Native handling avoids dimension expansion
Scalability	 Computationally efficient at scale	 Mixed data processing adds overhead at scale
Interpretability	 High via cluster centroid profile	 High via cluster centroid + mode profile

Low Medium High

Figure 8. Comparison of Clustering Models. Source: Developed by the authors, based on Huang (1980); Aggarwal and Reddy (2014); Costa, Papatsouma and Markos (2023); Jain et al. (2026).

Regression modelling compared Linear Regression (LR) and Random Forest (RF) models across cluster-specific and global approaches (Figures 9, 11), assessing whether segmentation enhances price prediction.




Figure 9. Comparison of Regression Models. Source: Developed by the authors, based on Hastie, Tibshirani and Friedman (2009)

4.1. Listing-Profiles

K-Means can identify meaningful groups based on shared characteristics (Pant *et al.*, 2025), which may reveal distinct Airbnb listing profiles and inform pricing strategies.

The Elbow Method and Silhouette Score supported the K-selection (Li, Liao and Gao, 2022). At K = 3, K-Means and K-Prototypes produced almost identical cluster profiles despite handling categorical features differently, strengthening confidence in the robustness of identified patterns.

Cluster profiling using medians for numerical features and the leading category for categorical features revealed three distinct listing profiles (Figure 10). These were

subsequently evaluated through regression modelling to determine whether segmentation improves price prediction.

Clusters Identified via K-Means and K-Prototype:

Cluster 0: 26,507 listings · median price \$110 · 3 minimum nights · 1 host listing · 0 days availability · most commonly entire home/apt · Manhattan

Cluster 1: 4,482 listings · median price \$149 · 30 minimum nights · 18 host listings · 319 days availability · most commonly entire home/apt · Manhattan

Cluster 2: 17,895 listings · median price \$100 · 2 minimum nights · 1 host listing · 160 days availability · most commonly private room · Brooklyn

Cluster	Listings	Median Price	Min. Nights	Reviews	Host Listings	Availability	Leading Room Type	Leading Borough
0	26,507	\$110	3	2	1	0	Entire home (53.0%)	Manhattan (45.6%)
1	4,482	\$149	30	1	18	319	Entire home (67.8%)	Manhattan (72.49%)
2	17,895	\$100	2	36	1	160	Private room (50.7%)	Brooklyn (42.16)




Figure 10. Clusters, with their size, median statistics and rates. Source: Authors' own work.

4.2. Pricing Analysis

The selected experimentation approach (Figure 11) examined whether the identified clusters contribute to price prediction. Two regression models were compared: LR and RF, while the contribution of additional location features was

evaluated. Model performance was evaluated using Mean Absolute Error (MEA), Root Mean Squared Error (RMSE), and R-Squared (R^2). Price was excluded from clustering to ensure segments were identified independently of the subsequent prediction target.

Results show that RF performs better than LR. Adding location features further improves prediction. However, modelling all listings together, without cluster separation, produces the best price-prediction results.

Experiment	Model	Cluster used for Modelling?	Location used?	MAE (\$) ↓	RMSE (\$) ↓	R^2 (↑)
1 Within clusters (baseline)	Cluster Median (baseline)	Yes (median baseline per cluster)	No	85.06	109.63	-0.025
2 Within clusters	Linear Regression	Yes (separate model per cluster)	No	64.23	86.21	0.076
3 Within clusters	Random Forest	Yes (separate model per cluster)	No	58.32	79.96	0.132
4 Within clusters	Random Forest	Yes (separate model per cluster)	Yes (Borough + Neighbourhood)	57.88	79.41	0.136
5 Without separate cluster models (global model)	Random Forest	No (one model for all listings)	Yes (Borough + Neighbourhood)	57.72	79.13	0.134

What was tested?

- 1 Baseline established with the median price of each K-Means cluster compared with the actual price.
- 1 → 4 Models trained separately within each of the 3 K-Means clusters.
- 5 One global model trained on all data, ignoring clusters.

Figure 11. Price prediction model experimentation and results. Source: Authors' own work.

Since the best-performing model explains only 13.4% of price variation (Figure 11), we calibrated an 80% typical asking-price range around the model's prediction rather than relying on an exact predicted price. On the held-out test set, 79.4% of actual prices fell within these ranges, with an average range width of approximately \$131. These ranges reflect observed listing prices, not commercial effectiveness.

Full analysis is available on Kaggle (de Jonge-Gryciuk *et al.*, 2026).

5. Limitations, Results and Business Insights

The project aimed to identify host segments and evaluate their contribution to pricing strategies. This was only partly achieved due to limitations of the NYC dataset (Dgomonov, 2019). Weak price relationships (Figure 5) and the best model explaining only 13.4% of price variation (Figure 11) suggest important data gaps, particularly guest, property, demand and commercial-performance features absent from the predominantly supply-side dataset (Rezazadeh Kalehbasti, Nikolenko and Rezaei, 2021; Cheng *et al.*, 2026; Culotta *et al.*, 2026). Nevertheless, the resulting personas (Figure 12) remain valuable for targeted host strategies. Substantial price variation within segments (Figure 13) further supports listing-level asking-price ranges rather than segment-based pricing. Generalisability is also limited by the NYC-only scope, while reviews may suffer from selection bias (Han and Anderson, 2026).



Figure 12. Data-driven host personas derived from the clustering analysis. Source: Developed by the author, drawing on the persona development approach discussed by Prochner and Godin (2025).




Figure 13. Price variation per cluster based on clustering analysis. Authors' own work.

6. Conclusions and Recommendations For the Future

Future research should enrich the dataset with property and contextual features, including size, rooms, amenities, accessibility and neighbourhood characteristics (Culotta *et al.*, 2026). Unstructured data could further capture missing attributes; review sentiment may provide richer insights into guest experience (Rezazadeh Kalehbasti, Nikolenko and Rezaei, 2021), while listing descriptions and visuals could reveal perceived quality, space or decor (Cheng *et al.*, 2026). Integrating these features with demand data could strengthen pricing models and enable genuine guest-level segmentation (Wu and Schmierer, 2026). The identified host personas could inform tailored engagement, benchmarking and reactivation strategies (Michelli, 2020; Kumar, 2025; Prochner and Godin, 2025). Finally, replicating the analysis across multiple markets is necessary to assess whether these findings generalise beyond NYC (Cai, Namkoong and Yadlowsky, 2026).

References

Aggarwal, C.C. and Reddy, C.K. (eds.) (2014) *Data Clustering: Algorithms and Applications*. 1st edn. Vol. 31. Boca Raton: Chapman & Hall.

Airbnb (2026) *About Us*. Available at: <https://news.airbnb.com/about-us/> (Accessed: 25 August 2026).

de Jonge-Gryciuk, A. *et al.* (2026) Airbnb host-segmentation and price prediction.

Kaggle, August. Available at: <https://www.kaggle.com/code/rafacavalcante/airbnb-host-segmentation-and-price-prediction> (Accessed: 3 September 2026).

Athi Karthick, V., Majumdar, A. and Bose, I. (2025) 'Problem of plenty? Understanding the impact of choice and information overload on Airbnb bookings', *Information Systems Frontiers*, 27(4), pp. 1693–1718. Available at: <https://doi.org/10.1007/s10796-024-10548-0> (Accessed: 21 August 2026).

Cai, T., Namkoong, H. and Yadlowsky, S. (2026) 'Diagnosing model performance under distribution shift', *Operations Research*, 74(2), pp. 898–916. Available at: <https://doi.org/10.1287/opre.2023.0217> (Accessed: 27 August 2026).

Cheng, K. *et al.* (2026) 'Landmark as endorser? The influence of color similarity on the Airbnb room price premium', *Journal of Travel Research*. Available at: <https://doi.org/10.1177/00472875261470396> (Accessed: 22 August 2026).

Costa, E., Papatsouma, I. and Markos, A. (2023) 'Benchmarking distance-based partitioning methods for mixed-type data', *Advances in Data Analysis and Classification*, 17, pp. 701–724. Available at: <https://doi.org/10.1007/s11634-022-00521-7> (Accessed: 14 August 2026).

Culotta, A. *et al.* (2026) 'Safety reviews on Airbnb: An information tale', *Marketing Science*, 45(2), pp. 280–317. Available at: <https://doi.org/10.1287/mksc.2023.0552> (Accessed: 22 August 2026).

Dgomonov (2019) New York City Airbnb Open Data. Kaggle. Available at: <https://www.kaggle.com/datasets/dgomonov/new-york-city-airbnb-open-data> (Accessed: 12 August 2026).

Expedia Group (2025) *2025 Traveler Value Index*. Expedia Group. Available at: <https://partner.expediagroup.com/content/dam/unified/partner/documents/reports/2025->

[reports/expedia-group-traveler-value-index-report_en-us.pdf](#) (Accessed: 21 August 2026).

Fortune Business Insights (2026a) *Alternative Accommodation Market Size, Share | Forecast [2034]*. Available at: <https://www.fortunebusinessinsights.com/alternative-accommodation-market-112090> (Accessed: 22 August 2026).

Fortune Business Insights (2026b) *Online Accommodation Booking Market Size, Share & Industry Analysis, By Type (Hotels, Vacation Rentals, Package Holidays, Other Accommodations), and Regional Forecast, 2025–2034*. Available at: <https://www.fortunebusinessinsights.com/online-accommodation-booking-market-105007> (Accessed: 21 August 2026).

Géron, A. (2025) *Hands-On Machine Learning with Scikit-Learn and PyTorch*. Sebastopol, CA: O'Reilly Media.

Hastie, T., Tibshirani, R. and Friedman, J. (2009) *The Elements of Statistical Learning: Data Mining, Inference, and Prediction*. 2nd edn. New York: Springer. Available at: <https://doi.org/10.1007/978-0-387-84858-7> (Accessed: 16 August 2026).

Han, S. and Anderson, C.K. (2026) 'The platform matters: Selection and measurement bias in online reviews', *Cornell Hospitality Quarterly*, 67(1), pp. 42–53. Available at: <https://doi-org.uniessexlib.idm.oclc.org/10.1177/19389655251327536> (Accessed: 22 August 2026).

Huang, Z. (1998) 'Extensions to the k-Means Algorithm for Clustering Large Data Sets with Categorical Values.' *Data Mining and Knowledge Discovery* 2, 283–304. Available at: <https://doi.org/10.1023/A:1009769707641> (Accessed: 14 August 2026).

Jain, K., *et al.* (2026) 'Benchmarking clustering techniques: insights for comparative analysis and algorithm selection: a survey', *Knowledge and Information Systems*, 68, article 102. Available at: <https://doi.org/10.1007/s10115-026-02709-1> (Accessed: 14 August 2026).

Kumar, N. (2025) 'Intelligent customer segmentation: unveiling consumer patterns with machine learning', *Journal of Umm Al-Qura University for Engineering and Architecture*, 16, pp. 774–783. Available at: <https://doi.org/10.1007/s43995-025-00180-7> (Accessed: 22 August 2026).

Li, X., Liao, J. and Gao, T. (2022) 'Airbnb (Air Bed and Breakfast) listing analysis through machine learning techniques', in *Advances in Computational Intelligence and Robotics: Biomedical and Business Applications Using Artificial Neural Networks and Machine Learning*. IGI Global, pp. 209–232. Available at: <https://doi.org/10.4018/978-1-7998-8455-2.ch008> (Accessed: 31 August 2026).

Michelli, J.A. (2020) *The Airbnb Way: 5 Leadership Lessons for Igniting Growth through Loyalty, Community, and Belonging*. McGraw-Hill.

Pant, Y.R., Leigh, L. and Fajardo Rueda, J. (2025) 'Improving K-means clustering: A comparative study of parallelized version of modified K-means algorithm for clustering of satellite images', *Algorithms*, 18(8), article 532. Available at: <https://doi.org/10.3390/a18080532> (Accessed: 17 August 2026).

Prochner, I. and Godin, D. (2025) 'Personas as public, audience, and stereotype: A critical inquiry', *Design Issues*, 41(1), pp. 28–37. Available at: https://doi.org/10.1162/desi_a_00791 (Accessed: 29 August 2026).

Rezazadeh Kalehbasti, P., Nikolenko, L., and Rezaei, H. (2021) 'Airbnb Price Prediction Using Machine Learning and Sentiment Analysis.' in Holzinger, A. *et al.* (eds) *Machine Learning and Knowledge Extraction. CD-MAKE 2021*. Lecture Notes in Computer

Science, vol. 12844. Springer, Cham, pp. 173–184. Available at:
https://doi.org/10.1007/978-3-030-84060-0_11 (Accessed: 15 August 2026).

Schaal, D. (2025) *Short-Term Rentals: Airbnb's Dominance and Booking's Gains in 1 Chart*. Yahoo Finance. 14 March. Available at: <https://finance.yahoo.com/news/short-term-rentals-airbnbs-dominance-203000556.html> (Accessed: 24 August 2026).

Statista and Booking.com (2025) *European Accommodation Barometer 2025*. Available at: <https://www.statista.com/business/2025-european-accommodation-barometer> (Accessed: 21 August 2026).

Scikit-learn developers (2026) *Clustering text documents using k-means*. Scikit-learn. Available at: scikit-learn.org/stable/auto_examples/text/plot_document_clustering.html (Accessed: 22 August 2026).

Wang, D. and Nicolau, J. L. (2017). 'Price determinants of sharing economy based accommodation rental: A study of listings from 33 cities on Airbnb. com.' *International Journal of Hospitality Management*, 62, pp. 120-131. Available at: <https://doi.org/10.1016/j.ijhm.2016.12.007> (Accessed: 13 August 2026).

Wu, Y. and Schmierer, D. (2026) 'Understanding guest preferences and optimizing two-sided marketplaces: Airbnb as an example', *arXiv* [Preprint]. Available at: <https://arxiv.org/pdf/2607.00280> (Accessed: 21 August 2026).

Zhang, L. (2025) 'Predicting short-term rental prices on Airbnb in London: A comparative analysis based on clustering and multiple machine learning models', in *Proceedings of the 2025 2nd International Conference on Economic Data Analytics and Artificial Intelligence (EDAI '25)*, pp. 574–578. New York: Association for Computing Machinery. Available at: <https://doi.org/10.1145/3789297.3789388> (Accessed: 15 August 2026).

Bibliography

Agoda (2026) '2026 Travel Outlook Report', *Agoda*. Available at: <https://agoda.co/2026-report> (Accessed: 21 August 2026).

Cheng, K. *et al.* (2026) 'Landmark as endorser? The influence of color similarity on the Airbnb room price premium', *Journal of Travel Research*. Available at: <https://doi.org/10.1177/0047287526147039> (Accessed: 22 August 2026).

Quantum Technologies LLC (2025) *Feature Engineering for Modern Machine Learning with Scikit-Learn: Mastering Data Preparation and Transformation for Robust ML Models*. Birmingham: Packt Publishing

Hall, C.M. *et al.* (2022) 'Airbnb and the sharing economy', *Current Issues in Tourism*, 25(19), pp. 3057–3067. Available at: <https://doi.org/10.1080/13683500.2022.2122418> (Accessed: 15 August 2026).

Salama, A. and Abraham, T. (2024) From data to insights: segmenting Airbnb's supply. *The Airbnb Tech Blog*, Medium. Available at: <https://medium.com/airbnb-engineering/from-data-to-insights-segmenting-airbnbs-supply-c88aa2bb9399> (Accessed: 13 August 2026).

Salmanuddin, M. *et al.* (2023) 'Exploratory data analysis', *International Journal of Advances in Engineering and Management (IJAEM)*, 5(4), pp. 1388–1392. doi: 10.35629/5252-050413881392. Available at: https://www.researchgate.net/publication/380529836_Exploratory_Data_Analysis (Accessed: 14 August 2026).

Scikit-learn developers (2026) *Clustering text documents using k-means*. Scikit-learn.

Available at: scikit-learn.org/stable/auto_examples/text/plot_document_clustering.html

(Accessed: 22 August 2026).

Theobald, O. (2024) *Machine Learning with Python: Unlocking AI Potential*. Birmingham:

Packt Publishing.

trivago (2025) *Savvy Traveler Guide 2025*. Düsseldorf: trivago N.V. Available at:

[https://company.trivago.com/wp-content/uploads/2025/07/trivago-Savvy-Traveler-Guide-](https://company.trivago.com/wp-content/uploads/2025/07/trivago-Savvy-Traveler-Guide-2025.pdf)

[2025.pdf](https://company.trivago.com/wp-content/uploads/2025/07/trivago-Savvy-Traveler-Guide-2025.pdf) (Accessed: 21 August 2026).