# Part IV - B Model calibration Conformal Prediction

Adrian Galdran RyC/ikerbasque Research Fellow Tecnalia - Derio, Spain adrian.galdran@tecnalia.com





# **Conformal Prediction - Contents**

- 1. Motivation
- 2. Conformal Prediction: Ingredients
- 3. Conformal Predictions: Algorithm
- 4. Hands-On








#### **Curtis Langlotz**

SENIOR ASSOCIATE VICE PROVOST FOR RESEARCH, PROFESSOR OF RADIOLOGY (INTEGRATIVE BIOMEDICAL IMAGING INFORMATICS), OF MEDICINE (BMIR), OF BIOMEDICAL DATA SCIENCE AND SENIOR FELLOW AT THE STANFORD INSTITUTE FOR HUMAN-CENTERED AI


















Dietzel M, Baltzer PAT. How to use the Kaiser score as a <u>clinical decision rule</u> for diagnosis in multiparametric breast MRI: a pictorial essay. Insights Imaging. 2018







Dietzel M, Baltzer PAT. How to use the Kaiser score as a <u>clinical decision rule</u> for diagnosis in multiparametric breast MRI: a pictorial essay. Insights Imaging. 2018



 $\mathbb{P}(BI-RADS \in \{7, 9, 10, 11\}) \ge 90\%$ 

#### 1. Motivation: Differential Diagnosis

#### Step 1: Do we see an enhancing lesion?

- On MRI, when you inject contrast, suspicious lesions often "light up" because they have abnormal blood vessels.
- So the first question is: does the lesion actually enhance? If yes → move on.

#### Step 2: Is there a spiculated margin ("root sign")?

- Spiculation means the lesion has spikes or radiating lines extending into the surrounding tissue —
  like roots of a tree.
- This is a strong red flag for cancer. If it's present, you follow the right-hand branch.
- If absent (the lesion looks smooth/rounded), you go to the *left-hand branch*.

#### Step 3: What happens in the delayed phase (contrast wash-out curve)?

This is the part you asked about — it's the time course of contrast enhancement.

- After contrast injection, radiologists watch how bright the lesion gets over time.
- There are three typical "curves":
  - Persistent: keeps getting brighter and brighter with time.
    - → Usually benign (think of a sponge slowly soaking water).
  - Plateau: gets bright quickly, then levels off.
    - → Suspicious (like tissue that soaks fast but then "caps out").
  - Washout: gets bright early, but then fades as contrast drains away.
    - → Very suspicious for cancer (because malignant tumors often have "leaky" vessels).

#### So the "delayed phase" check is: which of these three time-curves does the lesion follow?

#### Step 4: If persistent or plateau → check margins

- Margins = edge of the lesion.
- Smooth (circumscribed) edges → usually benign.
- Irregular/jagged edges → more worrisome.

#### Step 5: If washout → check internal enhancement pattern

- · Inside the lesion, how does the contrast distribute?
- If it's patchy, rim-shaped, or irregular → higher suspicion.
- If it's uniform or "centrifugal" (from inside out), less worrisome.

#### Step 6: If spiculation was present (right side of the tree) $\rightarrow$ check delayed phase again, then edema

- If the lesion is spiculated and the curve is persistent/plateau/washout, you still branch down.
- In later branches, radiologists look for edema swelling in the tissue around the lesion.
- · Edema often shows up in malignancy, so its presence increases the suspicion.

#### **Putting it together**

At the bottom of the tree, you land on a Kaiser score number (1-11).

- Low scores (1-4): likely benign (BI-RADS 2/3).
- Middle scores (5-7): indeterminate but suspicious (BI-RADS 4).
- High scores (8-11): very suspicious, likely malignant (BI-RADS 5).



Suppose you've got an FDA-approved diagnostic model

$$\hat{\mathcal{M}}_{y}\left(oldsymbol{x}
ight) \, \sim \, \mathbb{P}\left(oldsymbol{Y} = oldsymbol{y} \, | \, oldsymbol{X} = oldsymbol{x}
ight) \quad \, oldsymbol{y} \in \left\{1, \, \ldots, \, K
ight\} = oldsymbol{\mathcal{Y}}$$



Suppose you've got an FDA-approved diagnostic model

$$\hat{\mathcal{M}}_{y}\left(oldsymbol{x}
ight) \, \sim \, \mathbb{P}\left(oldsymbol{Y} = oldsymbol{y} \, | \, oldsymbol{X} = oldsymbol{x}
ight) \quad \, oldsymbol{y} \in \left\{1, \, \ldots, \, oldsymbol{K}
ight\} = oldsymbol{\mathcal{Y}}$$


$$\hat{\mathcal{M}}_y\left(oldsymbol{x^*}
ight)=\mathbf{7}$$



Suppose you've got an FDA-approved diagnostic model

$$\hat{\mathcal{M}}_{y}\left(oldsymbol{x}
ight) \, \sim \, \mathbb{P}\left(oldsymbol{Y} = oldsymbol{y} \, | \, oldsymbol{X} = oldsymbol{x}
ight) \quad \, oldsymbol{y} \in \left\{1, \, \ldots, \, oldsymbol{K}
ight\} = oldsymbol{\mathcal{Y}}$$

$$\hat{\mathcal{M}}_y(oldsymbol{x}^*) = 7$$








Suppose you've got an FDA-approved diagnostic model

$$\hat{\mathcal{M}}_{u}\left(oldsymbol{x}
ight) \, \sim \, \mathbb{P}\left(oldsymbol{Y} = oldsymbol{y} \, | \, oldsymbol{X} = oldsymbol{x}
ight) \quad \, oldsymbol{y} \in \left\{1, \, \ldots, \, K
ight\} = oldsymbol{\mathcal{Y}}$$

$$egin{aligned} \hat{\mathcal{M}}_y\left(oldsymbol{x}^*
ight) = oldsymbol{7} & egin{aligned} \hat{\mathcal{M}}_y\left(oldsymbol{x}^*
ight) \in \{ e$$



 $ext{Predict a set } \mathcal{T}_{x^*} \subseteq \mathcal{Y} ext{ which contains } y^* ext{ with high } p^*$ 

Coverage:  $\mathbb{P}\left(y^* \in \mathcal{T}_{x^*}\right) \geq 1 - \alpha$ 




 $\underline{ \textbf{Prediction Sets}}: \ \boldsymbol{x^*} \mapsto \mathcal{T}_{x^*} \subseteq \boldsymbol{\mathcal{Y}} = \{1, \dots, \boldsymbol{\mathcal{K}}\}$ 

Coverage:  $\mathbb{P}\left(y^* \in \mathcal{T}_{x^*}\right) \geq 1 - \alpha$ 



Coverage:  $\mathbb{P}\left(y^* \in \mathcal{T}_{x^*}\right) \geq 1 - \alpha$ 









Coverage:  $\mathbb{P}\left(y^* \in \mathcal{T}_{x^*}\right) \geq 1 - \alpha$  Efficient sets









Let's get back to our FDA-approved diagnostic model  $\hat{\mathcal{M}}$ 



Let's get back to our FDA-approved diagnostic model  $\hat{\mathcal{M}}$ 

No retraining allowed



Let's get back to our FDA-approved diagnostic model  $\hat{\mathcal{M}}$ 

No retraining allowed, but you have some fresh data available:

$$(\mathtt{bMRI}_1, oldsymbol{y_1}), \, \dots, \, (\mathtt{bMRI}_{\mathbf{N}, oldsymbol{y_i}}) = \{(oldsymbol{x_i}, oldsymbol{y_i})\}_{i=1}^{\mathbf{N}} \, \sim \, \mathbb{P} \, \, oldsymbol{i.i.d.}$$

We call this Calibration Set (sorry about that)



Let's get back to our FDA-approved diagnostic model  $\hat{\mathcal{M}}$ 

No retraining allowed, but you have some fresh data available:


$$(\mathtt{bMRI}_1, oldsymbol{y_1}), \, \dots, \, (\mathtt{bMRI}_{\mathbf{N}, oldsymbol{y_i}}) = \{(oldsymbol{x_i}, oldsymbol{y_i})\}_{i=1}^{\mathbf{N}} \, \sim \, \mathbb{P} \, \, oldsymbol{i.i.d.}$$

We call this Calibration Set (sorry about that)

How do we build these Conformal Prediction Sets?




#### 1. Collect scores of correct classes






1. Collect scores of correct classes  $E=\{0.25, \}$ 






1. Collect scores of correct classes  $E=\{0.25, 0.90, \}$ 





1. Collect scores of correct classes  $\mathbf{E} = \{0.25, 0.90, \dots, 0.65\}$ 





- 1. Collect scores of correct classes  $E=\{0.25, 0.90, \ldots, 0.65\}$
- 2. For a desired coverage of  $\alpha$ , find a value  $\hat{q_{\alpha}}$  such that you keep 1- $\alpha$  of the scores in  $\mathbb E$ :

$$\hat{m{q}_{lpha}} = ext{np. quantile}\left(\left[\mathtt{E}_{1}, \mathtt{E}_{2}, \ldots, \mathtt{E}_{\mathtt{N}}\right], \, m{lpha}\right)$$



- 1. Collect scores of correct classes  $\mathbf{E} = \{0.25, 0.90, \dots, 0.65\}$
- 2. For a desired coverage of  $\alpha$  , find a value  $\hat{q_{\alpha}}$  such that you keep 1- $\alpha$  of the scores in  $\mathbb E$ :

$$\hat{q_{\alpha}}=$$
 np. quantile ([E<sub>1</sub>, E<sub>2</sub>, ..., E<sub>N</sub>],  $\alpha$ )

What happens if we use  $\hat{q_{\alpha}}$  to build prediction sets in the calibration dataset?

- 1. Collect scores of correct classes  $\mathbf{E} = \{0.25, 0.90, \dots, 0.65\}$
- 2. For a desired coverage of  $\alpha$ , find a value  $\hat{q_{\alpha}}$  such that you keep 1- $\alpha$  of the scores in  $\mathbb{E}$ :

$$\hat{m{q_lpha}} = ext{np. quantile}\left(\left[\mathtt{E_1}, \mathtt{E_2}, \ldots, \mathtt{E_N}\right], \, m{lpha}
ight)$$

3. If we use  $\hat{q}_{\alpha}$  to build prediction sets on test data, we have theoretically guaranteed coverage



- 1. Collect scores of correct classes  $E=\{0.25, 0.90, \ldots, 0.65\}$
- 2. For a desired coverage of  $\alpha$ , find a value  $\hat{q_{\alpha}}$  such that you keep 1- $\alpha$  of the scores in  $\mathbb E$ :

$$\hat{m{q}_{lpha}} = ext{np. quantile}\left(\left[\mathtt{E}_{1}\,,\,\mathtt{E}_{2}\,,\,\ldots\,,\,\mathtt{E}_{\mathtt{N}}
ight],\,m{lpha}
ight)$$

3. If we use  $\hat{q}_{\alpha}$  to build prediction sets on test data, we have theoretically guaranteed coverage, if data is interchangeable.

$$\mathbf{1} ext{-}lpha \leq \mathbb{P}\left(\mathbf{y}^* \in \mathcal{T}_{x^*}^{\hat{q_lpha}}
ight) \leq \left(\mathbf{1} ext{-}lpha
ight) + rac{\mathbf{1}}{\mathbf{N}+\mathbf{1}}$$



- 1. Collect scores of correct classes  $E=\{0.25, 0.90, \ldots, 0.65\}$
- 2. For a desired coverage of  $\alpha$ , find a value  $\hat{q_{\alpha}}$  such that you keep 1- $\alpha$  of the scores in  $\mathbb E$ :

$$\hat{q_{lpha}} = ext{np. quantile}\left(\left[\mathtt{E}_{1}, \mathtt{E}_{2}, \ldots, \mathtt{E}_{\mathtt{N}}\right], \, oldsymbol{lpha}
ight)$$

3. If we use  $\hat{q}_{\alpha}$  to build prediction sets on test data, we have theoretically guaranteed coverage. If data is interchangeable:




$$\mathbf{1} ext{-}lpha \leq \mathbb{P}\left(\mathbf{y}^* \in \mathcal{T}_{x^*}^{\hat{q_lpha}}
ight) \leq \left(\mathbf{1} ext{-}lpha
ight) + rac{\mathbf{1}}{\mathbf{N}+\mathbf{1}}$$



## 3.5 Beyond Coverage


**Marginal Coverage of 90%** 





## 3.5 Beyond Coverage


Marginal Coverage of 90% No Conditional Coverage





#### 3.5 Beyond Coverage

Marginal Coverage of 90% No Conditional Coverage



Check out also Conformal Risk Control



#### 4. Hands-On

Github repository:

https://github.com/agaldran/uqinmia-miccai



