

Agama Finance

Technical Architecture

Private Credit Yield Vaults on Stellar

[Soroban](#)[SEP-41](#)[Soroswap](#)[Etherfuse](#)[CCTP](#)[DeFindex](#)[MoneyGram](#)

Contents

1. Introduction

- [1.1 High-Level Overview](#)
- [1.2 Core Components](#)
- [1.3 Definitions and Acronyms](#)

2. Architecture Overview

- [2.1 C1 Context](#)
- [2.2 C2 Containers](#)
- [2.3 C3 Components](#)
- [2.4 Data Flows](#)
- [2.5 System Characteristics](#)

3. Ecosystem Integrations

- [3.1 DeFindex](#)
- [3.2 Soroswap](#)
- [3.3 CCTP](#)
- [3.4 Etherfuse](#)
- [3.5 Bridge / MoneyGram](#)

4. Contract Overview

- [4.1 Vault Contract](#)
- [4.2 agUSD Token \(SEP-41\)](#)
- [4.3 sagUSD Staking Contract](#)
- [4.4 Allocation Engine](#)

[4.5 Oracle Adapter](#)[5. Settlement & Off-Chain Bridge](#)[6. Withdrawal Queue](#)[7. Security Model \(STRIDE\)](#)[8. Soroban Storage Management](#)[9. Classic/Soroban Transaction Constraint](#)[10. RWA Token Standards](#)[11. Technology Stack](#)**REVISION NOTE · SEPTEMBER 2026**

The Blend v2 integration described in earlier versions of this document has been removed, following the Comet BLND-USDC exploit and Blend's removal from the SCF Integration List, where Blend V2 is being wound down. It is not replaced by another protocol.

The instant-withdrawal liquidity role Blend played is now an on-chain reserve floor enforced by the Allocation Engine: `allocate()` reverts if a call would push vault reserves below a minimum idle USDC reserve. Fast-exit liquidity is therefore a protocol parameter anyone can read on-chain, not a dependency on a third party's solvency.

1. Introduction

1.1 High-Level Overview

Agama is a private-credit yield infrastructure for tokenized real-world assets, built natively on Stellar using Soroban smart contracts (Rust). Users deposit USDC into curated vaults and receive **agUSD**, a composable synthetic dollar backed by diversified credit pools. Staking agUSD produces **sagUSD**, a yield-bearing token whose value appreciates as private credit repayments and on-chain strategies generate returns.

Both agUSD and sagUSD are issued as Soroban/**SEP-41** tokens. The on-chain Allocation Engine distributes capital across vetted pools—including **Etherfuse Stablebonds** for Stellar-native government-bond exposure and off-chain private credit pools from vetted originators—while enforcing concentration caps by pool, originator, and jurisdiction.

The protocol composes existing Stellar ecosystem primitives rather than reimplementing solved problems: **Soroswap** for AMM liquidity, **DeFindex** for yield vault patterns, **CCTP** for cross-chain USDC bridging, and **MoneyGram** (SEP-24) and **Bridge** for fiat on/off-ramps. agUSD functions as a composable building block for other Soroban protocols, bringing sticky, real-yield-backed TVL to the Stellar ecosystem.

1.2 Core Components

- **Agama dApp** — Web application for deposits, staking, and portfolio transparency. Wallet connection via the Stellar Wallets Kit (Freighter, xBull, Albedo, Ledger). Bridge tab for CCTP cross-chain deposits. Swap interface via Soroswap Router API.

- **Backend API & Indexer** — Node.js services ingesting Soroban contract events for NAV history, yield accrual, portfolio analytics, transparency reporting, and settlement management.
- **Soroban Smart Contracts (Rust)** — On-chain core: Vault (deposits/withdrawals, agUSD mint/redeem), agUSD and sagUSD SEP-41 tokens, Allocation Engine (pool routing, caps, multi-adapter), and Oracle Adapter (multi-source NAV validation).
- **Allocation Engine** — Routes deposited capital across Etherfuse Stablebonds and private credit pools via a uniform adapter interface, enforcing on-chain concentration caps.
- **Oracle Integration** — Multi-source NAV pipeline: Reflector for asset prices, custom reporter for private credit NAV, Etherfuse feed for bond pricing. Staleness and deviation checks on-chain.
- **On/Off-Ramp & Cross-Chain** — MoneyGram (SEP-24) for retail fiat ramp. Bridge for institutional wires. CCTP for native USDC bridging from Ethereum/Arbitrum.
- **Liquidity** — agUSD/USDC and sagUSD/agUSD pools on Soroswap. Stellar DEX order books as secondary liquidity venue.

1.3 Definitions and Acronyms

Term	Definition
USDC	USD Coin, fiat-backed stablecoin by Circle, native on Stellar. Vault deposit asset.
Soroban	Stellar's smart contract platform. Contracts written in Rust, compiled to WASM.
SEP-41	Standard token interface for Soroban contracts. agUSD and sagUSD implement SEP-41.
agUSD	Agama's synthetic dollar, minted 1:1 against USDC deposits.
sagUSD	Staked agUSD. Yield accrues via increasing sagUSD/agUSD exchange rate.
NAV	Net Asset Value — on-chain reported value of the portfolio backing agUSD.
Allocation Engine	Soroban contract routing vault capital across pool adapters with cap enforcement.
Reserve Floor	Minimum idle USDC the Vault must retain. Enforced by the Allocation Engine at allocation time.
Originator	Vetted private credit counterparty receiving vault allocations.
Reflector	Decentralized push-based oracle network on Stellar.
DeFindex	Yield infrastructure for Stellar. sagUSD uses DeFindex-compatible vault accounting.
Soroswap	Primary AMM on Soroban. Provides agUSD liquidity pools.
CCTP	Circle Cross-Chain Transfer Protocol. Native 1:1 USDC bridge between blockchains.
Etherfuse	Stablebonds — Stellar-native tokens backed by government bonds with embedded yield.
SEP-24	Interactive deposit/withdrawal flows with anchors (used for MoneyGram).
SEP-57	T-REX — Token for Regulated Exchanges. Standard for compliance-controlled RWA tokens on Stellar.
TTL	Time To Live — Soroban storage lifetime, managed with archival thresholds and periodic bumps.

2. Architecture Overview

2.1 C1 Context

External Actors

- **LP / Depositor** — Deposits USDC into Agama vaults, receives agUSD, optionally stakes into sagUSD.
- **Asset Originator** — Private credit counterparty receiving allocations and servicing repayments.
- **Curator / Risk Committee** — Whitelists pools and originators, sets concentration caps, manages risk parameters.

External Systems

System	Role	Integration List
Stellar Network	All on-chain operations: USDC settlement, Soroban execution	—
Circle (USDC)	Issuer of native USDC on Stellar	—
Reflector Oracle	Decentralized price feeds (USDC, XLM)	—
DeFindex	Yield vault patterns for sagUSD accounting	Integration List
Soroswap	AMM liquidity pools + Router API	Integration List
Etherfuse	Stablebonds — Stellar-native RWA collateral	Integration List
CCTP (Circle)	Native cross-chain USDC bridge	Integration List
MoneyGram	Fiat cash on/off-ramp (SEP-24), 180+ countries	Integration List
Bridge	Institutional fiat ramp (bank wires, ACH)	—

2.2 C2 Containers

Container	Technology	Responsibility
Agama dApp	TypeScript / Next.js	User-facing: deposits, staking, swaps (Soroswap Router), bridge (CCTP), transparency dashboard. Connects wallets via Stellar Wallets Kit. Submits transactions via Soroban RPC.
Backend API & Indexer	Node.js / PostgreSQL	Event ingestion, analytics (APY, NAV, exposure), settlement management (off-chain → on-chain), oracle reporting pipeline, MoneyGram SEP-24 adapter, Bridge API integration.
Soroban Contracts	Rust → WASM	Vault, agUSD, sagUSD, Allocation Engine (with Etherfuse/private credit adapters), Oracle Adapter.

2.3 C3 Components

Agama dApp

- Wallet module — Stellar Wallets Kit for auth and transaction signing.
- Deposit/withdraw and stake/unstake interfaces — Soroban contract calls.
- Swap interface — Soroswap Router API for agUSD/USDC trading.
- Bridge tab — CCTP via Circle Bridge Kit SDK.
- Transparency dashboard — NAV, yield, pool exposure from Backend API.

Backend API & Indexer

- **Event Ingestion Service** — Soroban events → PostgreSQL.
- **Analytics Service** — APY, share price history, concentration metrics.
- **Settlement Manager** — Bridges off-chain credit repayments back on-chain.
- **Originator Reporting Adapter** — Collects off-chain servicing data, reconciles with on-chain NAV.
- **On/Off-Ramp Adapters** — MoneyGram SEP-24 + Bridge REST API.

Soroban Smart Contracts

- **Vault Contract** — USDC deposits, agUSD mint/burn, FIFO withdrawal queue.
- **agUSD Token (SEP-41)** — mint/burn restricted to Vault.
- **sagUSD Staking Contract** — DeFi-compatible share-based vault. Yield via exchange rate appreciation.
- **Allocation Engine** — Pool routing with adapters (Etherfuse, private credit). Concentration caps.
- **Oracle Adapter** — Multi-source NAV validation (Reflector, custom reporter, Etherfuse feed).


2.4 Data Flows

1. User converts fiat → USDC via MoneyGram (SEP-24) or Bridge, or bridges USDC from Ethereum via CCTP, or acquires USDC on Soroswap / Stellar DEX.
2. User connects wallet (Freighter, xBull, Albedo) via Stellar Wallets Kit.
3. User deposits USDC into Vault Contract → receives agUSD 1:1.
4. User optionally stakes agUSD → sagUSD at current exchange rate.
5. Curator whitelists pools; Allocation Engine deploys capital:
 - Etherfuse Stablebonds → Stellar-native government bond yield
 - Private credit pools → off-chain originator allocations
6. Yield flows back: Etherfuse (bond interest), private credit (originator repayment → settlement → USDC on-chain).
7. Oracle Adapter receives NAV updates: Reflector for asset prices, Backend reporter for credit NAV, Etherfuse feed for bond pricing.
8. `distribute_yield()` increases sagUSD/agUSD exchange rate → sagUSD holders earn yield passively.
9. Backend Indexer captures all events → powers transparency dashboard + API.
10. User exits: unstake sagUSD → agUSD, redeem agUSD → USDC via Vault queue, or swap on Soroswap. Off-ramp via MoneyGram or Bridge.

2.5 System Characteristics

- **Transparent** — All vault accounting, caps, and yield distribution enforced on-chain.
- **Non-Custodial Token Layer** — Users hold agUSD/sagUSD in their own wallets.
- **Risk-Constrained by Design** — Concentration caps checked at allocation time.
- **Composable** — SEP-41 tokens usable across Soroban protocols. DeFindex-compatible sagUSD.
- **Ecosystem-Native** — Built on Soroswap, Etherfuse, CCTP rather than standalone.
- **High-Frequency Yield** — Stellar's sub-cent fees enable frequent on-chain distribution.
- **Secure by Design** — Admin-gated functions, pausability, oracle guards, STRIDE-modeled threats.
- **Open Source** — All Soroban contracts Apache-2.0 at mainnet launch.

System Architecture Diagram



3. Ecosystem Integrations

Agama builds on proven Stellar ecosystem protocols drawn from the **SCF Integration List**. Each integration serves a specific architectural role and replaces or augments a component that would otherwise be built from scratch.

3.1 DeFindex — Yield Infrastructure

Role: sagUSD uses DeFindex-compatible vault accounting. `distribute_yield()` increases assets-per-share, the standard DeFindex share-price model. sagUSD shares are interoperable with any DeFindex-integrated wallet or protocol.

3.2 Soroswap — AMM Liquidity

Role: Primary liquidity venue for agUSD/USDC and sagUSD/agUSD on Soroban. The dApp integrates Soroswap's Router API for swap routing across all Stellar liquidity sources.

Agama seeds pools at mainnet launch. The agUSD/USDC pool enables peg arbitrage: mint at 1:1 via Vault and sell on Soroswap if above peg, or buy on Soroswap and redeem if below.

Classic/Soroban constraint: Soroban transactions cannot include Classic operations (path payments, DEX offers) in the same transaction. Soroswap swaps are Soroban-native and composable with contract calls. Classic DEX trades require a separate transaction. Agama does not claim atomicity between them. See [Section 9](#).

3.3 CCTP — Cross-Chain USDC Bridge

Role: Native 1:1 USDC bridging from Ethereum/Arbitrum/Base. No wrapped tokens, no third-party bridge risk.

```

LP on Ethereum
├─ Initiates CCTP burn (USDC burned on source chain)
├─ Circle attestation service confirms burn
├─ LP mints USDC on Stellar
│   └─ Deposits into Agama Vault → agUSD minted

```

The dApp includes a "Bridge" tab using Circle's Bridge Kit SDK.

3.4 Etherfuse — Stablebonds as Native RWA Collateral

Role: First-day RWA collateral on Stellar. Etherfuse Stablebonds are Stellar-native tokens backed by government bonds with embedded yield.

Strategic value:

- Live vault at mainnet launch without depending on off-chain credit tokenization.
- Low-risk base yield layer (government bonds) complementing higher-yield private credit.
- Proof that the Allocation Engine generalizes across RWA types.

Oracle: Stablebond NAV is deterministic (public bond pricing). Staleness threshold relaxed to 48h.

3.5 Bridge / MoneyGram — Fiat On-Ramp

MoneyGram (SEP-24) — Retail cash on/off-ramp in 180+ countries via interactive anchor flows. Integration at the Backend level via SEP-24 adapter.

Bridge — Multi-currency institutional ramp (bank wires, ACH). Backend integrates Bridge REST API for payout initiation and webhook callbacks.

4. Contract Overview

4.1 Vault Contract

Purpose: Entry point for capital. Accepts USDC deposits, mints agUSD 1:1, manages NAV-based accounting and the FIFO withdrawal queue.

Key Functions

Function	Description
<code>initialize(admin, usdc_token, agusd_token, allocation_engine)</code>	One-time setup storing core addresses and admin.
<code>deposit(from, amount) → i128</code>	Transfers USDC, mints agUSD. Returns minted amount.
<code>request_withdrawal(from, amount) → u64</code>	Burns agUSD, enqueues claim. Returns claim_id.
<code>claim_withdrawal(from, claim_id)</code>	Pays USDC when Ready. FIFO order.
<code>get_nav() → i128</code>	Latest validated NAV from Oracle Adapter.
<code>get_total_assets() → i128</code>	Reserves + deployed allocations (Etherfuse + credit).
<code>set_paused(admin, paused)</code>	Circuit breaker.

Storage

Instance: Admin, UsdcToken, AgusdToken, AllocationEngine, Paused, QueueHead, QueueTail.

Persistent: Withdrawal claims (keyed by claim_id).

TTL management with archival thresholds and periodic bump renewal.

Events

`deposit(from, usdc_amount, agusd_minted)` · `withdrawal_requested(from, claim_id, usdc_amount)` · `withdrawal_claimed(from, claim_id, usdc_amount)`

Security

Initialization guard · `require_auth()` on all state-changing calls · Zero/negative validation · Pause circuit breaker · Minimum withdrawal amount · FIFO queue (no priority).

4.2 agUSD Token Contract (SEP-41)

Purpose: Composable synthetic dollar. `mint` / `burn` restricted to the Vault Contract address.

Standard SEP-41 interface: `transfer`, `approve`, `transfer_from`, `balance`, `allowance`.

4.3 sagUSD Staking Contract

Purpose: Yield-bearing staked agUSD. DeFindex-compatible share-based vault accounting. Yield increases the sagUSD/agUSD exchange rate.

Key Functions

Function	Description
<code>stake(from, agusd_amount) → i128</code>	Locks agUSD, mints sagUSD shares at current rate.
<code>unstake(from, shares) → i128</code>	Burns shares, returns agUSD at current rate.
<code>distribute_yield(distributor, amount)</code>	Deposits yield, increases assets-per-share. Authorized distributor only.
<code>exchange_rate() → i128</code>	Current agUSD per sagUSD share (scaled).

Events: `stake` · `unstake` · `yield_distributed`

4.4 Allocation Engine Contract

Purpose: Routes vault capital across pool adapters (Etherfuse, private credit) with on-chain concentration cap enforcement and a minimum idle USDC reserve floor.

Key Functions

Function	Description
<code>register_pool(admin, pool_id, originator, jurisdiction, cap_bps)</code>	Whitelists a pool with metadata and cap.
<code>set_caps(admin, pool_cap_bps, originator_cap_bps, jurisdiction_cap_bps)</code>	Updates global concentration limits.
<code>set_reserve_floor(admin, amount)</code>	Sets the minimum idle USDC reserve the Vault must retain. Admin-gated, emits an event on every change.
<code>allocate(admin, pool_id, amount)</code>	Deploys capital. Reverts if any cap exceeded, or if the call would push vault reserves below the reserve floor.
<code>deallocate(pool_id, amount)</code>	Records repayments returning to vault.
<code>get_exposure(pool_id) → i128</code>	Current allocation per pool.
<code>get_exposures() → Map</code>	Full allocation state.
<code>get_reserve_floor() → i128</code>	Current reserve floor. Readable by anyone.

Adapter Interface

All pool types implement a uniform adapter interface. The Engine is agnostic to pool type. Adapters handle oracle queries, token transfers, and position encoding specific to each pool type.

Adapter	Underlying	Settlement	Oracle
Etherfuse	Stablebond contracts	Instant (on-chain)	Etherfuse feed (48h staleness)
Private Credit	Off-chain originator	D+15 to D+90	Custom reporter (7d staleness)

Operational Model

V1 (grant scope): Admin-directed allocation. The Curator calls `allocate()` manually. The Engine enforces constraints but does not decide autonomously.

V2 (post-grant): Off-chain optimizer computes target allocations and submits through the same admin-gated functions. Same cap enforcement, same governance guardrails.

4.5 Oracle Adapter

Purpose: Single source of truth for NAV data, bridging multiple feed types with unified validation.

Data Sources

Feed	Source	Trust Model	Staleness
Asset prices (USDC, XLM)	Reflector	Decentralized	1 hour
Private credit NAV	Off-chain report → Backend → Reporter key	Centralized (V1, disclosed)	7 days
Etherfuse bond price	Etherfuse API / on-chain	Deterministic	48 hours

Pipeline

Originator (servicing data)

→ Agama Backend (reconciliation + validation)

→ Reporter key calls `push_nav(nav, timestamp)`

→ Oracle Adapter validates:

✓ Caller in authorized reporter set

✓ Timestamp > last update

✓ Deviation ≤ 5% from previous NAV

✗ If exceeded → `nav_rejected` event

→ Vault Contract calls `get_nav()`

→ Reverts with `OracleStale` if feed older than threshold

Failure Modes

Failure	Impact	Mitigation
Reporter offline	Withdrawals/allocations revert	Deposits/stakes continue. Admin assigns backup reporter.
Reporter compromised	False NAV pushed	Deviation bounds reject. V2: multi-reporter quorum.
Originator misreports	Incorrect NAV	Backend reconciliation. >5% requires admin confirmation.
Reflector offline	Display-only impact	Core operations do not depend on Reflector.

Test Coverage (all contracts)

End-to-end flows (deposit → stake → yield → redeem) · Cap-violation rejection · Re-initialization guards · Access control · Zero/negative validation · Oracle staleness/deviation · Withdrawal queue ordering · Fuzzing on accounting invariants.

5. Settlement & Off-Chain Bridge

Private credit instruments settle off-chain. Repayments flow through traditional banking rails before conversion to USDC on Stellar. This is the structural bridge between real-world credit and DeFi accounting.

Settlement Flow

```

Originator (fiat repayment: principal + interest)
  → Settlement Account (off-chain bank, Agama entity or custodian)
    → Fiat → USDC conversion (via Bridge API or MoneyGram)
      → Settlement Manager (backend)
        → deallocate(pool_adapter, amount) on Allocation Engine
          → USDC returns to Vault idle reserves
            → Withdrawal queue processed (FIFO)
  
```

Settlement Timing

Pool Type	Settlement	Notes
Etherfuse Stablebonds	Instant	On-chain redemption
Private credit (invoice)	D+15 to D+30	Originator payment terms
Private credit (venture)	D+30 to D+90	Longer-dated instruments

Default Handling

- Detection:** Backend flags missed payment. Oracle receives reduced NAV.
- NAV write-down:** agUSD share price declines proportionally.
- Loss distribution:** Socialized across all agUSD holders. No tranching in V1.
- Pool removal:** Admin delists defaulting pool. Existing exposure runs off naturally.
- Recovery:** Partial repayment later → NAV written back up.

Custody Model

Component	Custody	Controller
USDC idle in Vault	Soroban contract	Non-custodial
Etherfuse Stablebonds	Vault adapter	Non-custodial
Private credit allocations	Off-chain (originator)	Originator + legal agreements
Settlement fiat	Off-chain bank account	Agama entity (custodial)

Explicit trust assumption: Private credit allocations involve custodial, off-chain components. Users are informed that this exposure carries counterparty risk (default, settlement delay, FX risk). This is fundamental to private credit and cannot be eliminated on-chain. Concentration caps limit exposure to any single originator. Etherfuse allocations are fully on-chain and non-custodial.

6. Withdrawal Queue

Two-step FIFO withdrawal queue:

Step 1 — Request: `request_withdrawal(from, amount) → claim_id`. Burns agUSD, creates persistent claim record {claim_id, from, usdc_amount, timestamp, Pending}. Joins back of FIFO queue.

Step 2 — Claim: `claim_withdrawal(from, claim_id)`. Checks status = Ready. Transfers USDC from Vault reserves. Updates to Claimed.

Reserve Floor

The Allocation Engine enforces a minimum idle USDC reserve as a contract-level invariant. `allocate()` reverts if a call would push vault reserves below the floor, so fast-exit liquidity is a protocol parameter anyone can read on-chain rather than a position held inside a third-party protocol. The floor is set by the Curator through an admin-gated call, and every change emits an event.

Liquidity Sources (priority order)

1. Idle USDC reserves in Vault
2. New deposits (increase idle reserves)
3. Etherfuse Stablebond redemption (on-chain, instant)
4. Private credit repayment (off-chain, D+15 to D+90)

Expected Wait Times

Scenario	Wait
Vault has idle reserves	~5 min (next keeper cycle)
Reserves depleted, Etherfuse available	Minutes
Reserves depleted, only private credit	Days to weeks

Safeguards

- Minimum withdrawal amount (anti-dust).
- Queue depth monitoring — backend alerts trigger proactive Etherfuse redemptions.
- Strict FIFO — no priority, no jumping, including admin.
- No claim expiry — persistent storage with TTL bumps.

7. Security Model (STRIDE)

Category	Threat	Mitigation
Spoofing	Unauthorized agUSD mint	mint / burn restricted to Vault. require_auth() on all functions.
Spoofing	Fake oracle reporter	Authorized reporter set. push_nav() validates caller. Rotation requires admin + event.
Tampering	NAV manipulation	Deviation bounds (>5% rejected). Two-step confirmation for large changes.
Tampering	Allocation to compromised pool	On-chain concentration caps (pool, originator, jurisdiction) and reserve floor. allocate() reverts if exceeded.
Repudiation	Originator denies allocation	Soroban events on every allocate / deallocate. Indexed with block provenance.
Repudiation	Disputed yield	yield_distributed events with amount + resulting exchange rate. Fully reconstructable.
Info Disclosure	LP position exposure	Public chain by design. No private data in contracts.
DoS	Withdrawal queue flood	Minimum amount + agUSD burn cost. TTL on claim records.
DoS	Oracle starvation	Deposits/stakes continue. Only withdrawals/allocations revert. Admin updates reporter set.
Elev. of Privilege	Admin key compromise	Admin cannot transfer USDC directly. Only allocate() (cap-bound and floor-bound) or pause(). Multi-sig (2-of-3) planned.

Access Control

Role	V1 Holder	Permissions	Evolution
Admin	2-of-3 multi-sig	Pause, register pools, set caps, set reserve floor, update reporters	Governance + 48h timelock
Reporter	Dedicated hot wallet	Push NAV to Oracle	Multi-reporter quorum (2-of-3)
Yield Distributor	Backend service key	distribute_yield()	Keeper network
Curator	= Admin in V1	Whitelist pools, risk params	Independent risk committee

Pausability: When paused, deposits and withdrawals blocked. Staking/unstaking continue. Oracle updates continue.

Upgrade path: V1 contracts are immutable. Upgrades require redeployment + migration. V2 may introduce controlled upgrade proxy with timelock.

8. Soroban Storage Management

Contract	Type	Data	Rationale
Vault	Instance	Admin, tokens, pause, queue pointers	Small, every call, contract lifetime
Vault	Persistent	Withdrawal claims (by claim_id)	Claims pending for weeks
agUSD	Instance	Metadata, supply, Vault address	Standard token data
agUSD	Persistent	Balances, allowances	Long-lived user data
sagUSD	Instance	Exchange rate, total shares, distributor	Every stake/unstake
sagUSD	Persistent	Share balances	Long-lived user data
Alloc. Engine	Instance	Admin, caps, reserve floor, pool registry	Config, every allocation
Alloc. Engine	Persistent	Per-pool exposure records	Persist across settlement
Oracle	Instance	Reporter set, thresholds	Configuration
Oracle	Temporary	Latest NAV + timestamp	Replaced each update, auto-expires

Bump strategy: Instance storage bumped automatically on invocation. Persistent hot data (balances, active claims, exposures) bumped on user interaction. Cold data (claimed withdrawals) archives naturally. Temporary storage (oracle NAV) auto-expires. Backend keeper handles periodic bumps for system-critical entries.

9. Classic/Soroban Transaction Constraint

Protocol constraint: A Stellar transaction containing `InvokeHostFunction` (Soroban) CANNOT include Classic operations (path payments, DEX offers) in the same transaction.

Path	Mechanism	Composable with contracts?
Soroban (primary)	Swaps via Soroswap Router — single Soroban tx	Yes (deposit + swap in same tx)
Classic (secondary)	Trading agUSD on Stellar DEX order book — separate Classic tx	No (separate transaction)

The dApp supports both paths but does not claim atomicity between Soroban and Classic operations.

10. RWA Token Standards

Token	Standard	Transfer Restrictions
agUSD / sagUSD	SEP-41	None — permissionless, composable
Future RWA pool tokens	SEP-57 (T-REX) candidate	Whitelist, freeze, forced transfer, KYC hooks

V1: RWA positions exist as Allocation Engine accounting entries + off-chain legal agreements. SEP-57 is referenced as the intended standard for future on-chain RWA tokenization. agUSD is the democratized access layer (anyone can hold it); underlying credit positions retain compliance controls.

11. Technology Stack

Layer	Technology
Frontend	TypeScript, Next.js/React, Stellar Wallets Kit, Tailwind CSS
Backend	Node.js, Express, Redis
Blockchain	Soroban (Rust → WASM), Stellar SDK (JS), Horizon API, Soroban RPC
Database	PostgreSQL
Dev Tools	Rust + Stellar CLI, Docker, CI pipelines
Testing	soroban-sdk testutils, cargo test, fuzzing on invariants
Infrastructure	AWS/GCP, Grafana, Sentry

Ecosystem Integrations

Integration	Role	Integration List
DeFindex	Yield vault patterns for sagUSD	Yes
Soroswap	AMM pools + Router API	Yes
Etherfuse	Stablebonds — native RWA collateral	Yes
CCTP (Circle)	Cross-chain USDC bridge	Yes
MoneyGram	Fiat cash ramp (SEP-24)	Yes
Bridge	Institutional fiat ramp	—
Reflector	Oracle price feeds	—
Circle USDC	Native deposit asset	—

Stellar Ecosystem Proposals

SEP	Usage
SEP-41	agUSD and sagUSD token interface
SEP-24	MoneyGram interactive deposit/withdrawal
SEP-57	Future RWA token compliance (T-REX)