Index

Sr	Program Title	Page	Sign
No.		no	
1	Python installation and configuration with windows and Linux.	1	
2	Programs for understanding the data types, control Flow statements, blocks and loops.	7	
3	Programs for understanding functions, use of built in functions, user defined functions.	9	
4	Programs to use existing modules, packages and creating modules, packages		
5	Programs for implementations of all object-oriented concepts like class, method, inheritance, polymorphism etc. (Real life examples must be covered for the implementation of object-oriented concepts).	12	
6	Programs for parsing of data, validations like Password, email, URL, etc	16	
7	Programs for Pattern finding should be covered.	19	
8	Programs covering all the aspects of Exception handling, user defined exception, Multithreading should be covered	23	
9	Basic programs with NumPy as Array, Searching and Sorting, date & time and String handling.	26	

PIRENS Institute of Business Management and Administration, Loni BK.				
Roll Number:MC024099	Sign:	Date: / /		
Student Name: Sahane Sanket Kaila	s			
Subject Name: Python				
Program 1: Python installation and co	onfiguration with windows and Linu	х.		

Windows Installation

Method 1: Using the Official Installer

1. Download the Installer:

Visit the official Python website (https://www.python.org/downloads/) and download the latest Python installer for Windows.

2. Run the Installer:

o Double-click the downloaded installer to start the installation process.

3. Customize Installation:

- o Choose the desired installation options, such as:
 - **Installation Location:** Select the directory where you want to install Python.
 - Add Python to PATH: This allows you to run Python from the command prompt without specifying the full path.
 - **Install for All Users:** This option will install Python for all users on the system.

4. Complete the Installation:

Click the "Install Now" button to start the installation. Follow the on-screen instructions to complete the process.

Method 1: Using the Package Manager

Ubuntu/Debian:

sudo apt-get update sudo apt-get install python3 python3-pip

Fedora/CentOS:

sudo dnf install python3 python3-pip

Method 2: Using the Official Installer

1. Download the Installer:

• Visit the official Python website (https://www.python.org/downloads/) and download the latest Python source code or binary installer for your Linux distribution.

2. Extract and Install:

o Extract the downloaded archive and follow the installation instructions provided in the README file.

Setting Up a Virtual Environment

Setting Op a virtu	iai Environment
To isolate Python p	projects and their dependencies, it's recommended to use virtual environments.
Windows:	
python -m venv my_e my_env\Scripts\activa	
Linux:	
python3 -m venv my_ source my_env/bin/ac	
Checking Python	Installation
Open a command p	prompt or terminal and type:
python –version	
Windows:	Python 3.12.6
Linux :	Python 3.12.6

```
PIRENS Institute of Business Management and Administration, Loni BK.

Roll Number:MC024099 Sign: Date: Date: / /

Student Name: Sahane Sanket Kailas

Subject Name: Python

Program Title: 2 Programs for understanding the data types, control Flow statements, blocks and loops.
```

```
x = 10 # Integer
y = 3.14 # Float

# Boolean
is_true = True

# String
name = "Alice"

# List (ordered, mutable)
fruits = ["apple", "banana", "cherry"]

# Tuple (ordered, immutable)
colors = ("red", "green", "blue")

# Set (unordered, unique)
vowels = {"a", "e", "i", "o", "u"}
person = {"name": "Bob", "age": 30, "city": "New York"}
```

Control Flow Statements

1. Conditional Statements (if, elif, else)c

```
age = 25
if age >= 18:
    print("You are an adult.")
elif age >= 13:
    print("You are a teenager.")
else:
    print("You are a child.")
```

2. Loops

a. For Loop

```
Python
for i in range(5):
print(i)
for fruit in fruits:
print(fruit)
```

b. While Loop

```
count = 0
while count < 5:
print(count)
count += 1
```

Blocks

Python uses indentation to define blocks of code. Indentation is typically 4 spaces.

```
Python
if age >= 18:
print("You are eligible to vote.")
print("You can also drive.")
```

Example: A Simple Calculator

Python

```
def calculate():
num1 = float(input("Enter the first number: "))
num2 = float(input("Enter the second number: "))
operator = input("Enter the operator (+, -, *, /): ")
if operator == "+":
 result = num1 + num2
elif operator == "-":
 result = num1 - num2
elif operator == "*":
 result = num1 * num2
elif operator == "/":
 if num2 == 0:
 print("Error: Division by zero")
else:
 result = num1 / num2
else:
 print("Invalid operator")
if result is not None:
 print("Result:", result)
calculate()
```

Output:

Control Flow Example:

Given the age of 25, the output would be:

Loop Examples:

For Loop:

```
"D:\Python programs\;
You are an adult.
0
1
2
3
4
apple
banana
cherry
0
1
2
3
4
```

```
"D:\Python programs\pythonProject5\.
You are eligible to vote.
You can also drive.
Enter the first number: 5
Enter the second number: 6
Enter the operator (+, -, *, /): +
Result: 11.0
```

Roll Number:MC024099	Sign:	Date: Date: / /
Student Name: Sahane Sanket Kaila	as	
Subject Name: Python		

```
print(abs(-5))
print(round(3.14159, 2))

# String Functions
text = "Hello, World!"
print(len(text))
print(text.upper())
print(text.lower())

# List Functions
my_list = [1, 2, 3, 4, 5]
print(max(my_list))
print(min(my_list))
print(sum(my_list))
```

```
def calculate_area(length, width):
    return length * width

length = float(input("Enter the length: "))
width = float(input("Enter the width: "))
area = calculate_area(length, width)
print("The area of the rectangle is:", round(area, 2))
```

User-Defined Functions

Output:

```
"D:\Python programs\n
5
3.14
13
HELLO, WORLD!
hello, world!
5
1
```

```
"D:\Python programs\pythonProject5\.\
Enter the length: 5
Enter the width: 6
The area of the rectangle is: 30.0
Process finished with exit code 0
```

PIRENS Institute of Business Management and Administration, Loni BK.

Roll Number:MC024099 Sign: Date: Date: / /

Student Name: Sahane Sanket Kailas

Subject Name: Python

Program Title 4: Programs to use existing modules, packages and creating modules, packages

```
from math import sqrt, pi
# Using specific functions
radius = 5
area = pi * radius**2
print(area)
import math as m
# Using functions with aliases
result = m.sqrt(25)
print(result)
Creating Modules and Packages
Creating a Module:
# my_module.py
def greet(name):
  print("Hello, " + name + "!")
def factorial(n):
  if n == 0:
     return 1
  else:
     return n * factorial(n - 1)
Using the Module:
import my_module
my_module.greet("Alice")
result = my_module.factorial(5)
print(result)
Creating a Package:
my_package/
  __init__.py
```

```
module1.py
  module2.py
module1.py:
Python
def add(x, y):
  return x + y
module2.py:
Python
def subtract(x, y):
  return x - y
Using the Package:
import my_package.module1 as m1
import my_package.module2 as m2
result1 = m1.add(5, 3)
result2 = m2.subtract(10, 4)
print(result1)
print(result2)
Output:
Importing Specific Functions:
 ======= RESTART: C:\Users
 78.53981633974483
Using Functions with Aliases:
  ====== RESTART: C:
 5.0
```

Creating and Using a Module:

```
===== RESTART: C:/Users/
Hello, Alice!
120
```

Creating and Using a Package:

```
= RESTART: C:\Users\Sanket\
8
6
```

PIRENS Institute of Business Management and Administration, Loni BK.

Roll Number:MC024099 Sign: Date: Date: / /

Student Name: Sahane Sanket Kailas

Subject Name: Python

Program Title 5: Programs for implementations of all object-oriented concepts like class, method, inheritance, polymorphism etc. (Real life examples must be covered for the implementation of object-oriented concepts).

```
Object /Instance program:
   class Car:
  def __init__(self, brand, model, year):
     self.brand = brand
     self.model = model
     self.year = year
  def start(self):
     print(f"Starting the {self.brand} {self.model}")
# Creating objects
car1 = Car("Toyota", "Camry", 2023)
car2 = Car("Honda", "Civic", 2022)
# Calling methods
car1.start()
car2.start()
Inheritance
Creating a Base Class and a Derived Class
class Animal:
  def __init__(self, name):
     self.name = name
  def eat(self):
     print(f"{self.name} is eating.")
class Dog(Animal):
  def bark(self):
     print(f"{self.name} is barking.")
# Creating an object of the derived class
dog1 = Dog("Buddy")
```

```
dog1.bark()
3. Polymorphism
Method Overriding
class Shape:
  def area(self):
     pass
class Circle(Shape):
  def __init__(self, radius):
     self.radius = radius
  def area(self):
     return 3.14 * self.radius * self.radius
class Rectangle(Shape):
  def __init__(self, length, width):
     self.length = length
     self.width = width
  def area(self):
     return self.length * self.width
# Creating objects
circle = Circle(5)
rectangle = Rectangle(4, 3)
print(circle.area())
print(rectangle.area())
def add(a, b=0, c=0):
  return a + b + c
print(add(2, 3))
print(add(2, 3, 4))
Use code with caution.
4. Encapsulation
class BankAccount:
  def __init__(self, balance):
     self.__balance = balance
  def deposit(self, amount):
     self. balance += amount
     print(f"Deposited {amount}. New balance: {self.__balance}")
```

dog1.eat()

```
def withdraw(self, amount):
    if self.__balance >= amount:
        self.__balance -= amount
        print(f"Withdrew {amount}. New balance: {self.__balance}")
    else:
        print("Insufficient balance")

account = BankAccount(1000)
account.deposit(500)
account.withdraw(200)
```

OUTPUT:

Class and Object:

```
"D:\Python programs\pythonProject5\
Starting the Toyota Camry
Starting the Honda Civic

Process finished with exit code 0
```

2. Inheritance:

```
"D:\Python programs\py
Buddy is eating.
Buddy is barking.
```

3. Polymorphism:

```
"D:\Python programs\py
78.5
12
5
9
```

4. Encapsulation:

```
"D:\Python programs\pythonProject5\.
Deposited 500. New balance: 1500
Withdrew 200. New balance: 1300
```

Process finished with exit code 0

```
PIRENS Institute of Business Management and Administration, Loni BK.

Roll Number:MC024099 Sign: Date: Date: / /

Student Name: Sahane Sanket Kailas

Subject Name: Python

Program Title 6 Programs for parsing of data, validations like Password, email, URL, etc.
```

Parsing JSON Data:

```
Python import json

json_data = '{"name": "Alice", "age": 30, "city": "New York"}'

data = json.loads(json_data)

print(data["name"])
print(data["age"])
print(data["city"])
```

Validations

Password Validation:

```
import re
```

```
def validate_password(password):
    if len(password) < 8:
        return False
    if not re.search("[a-z]", password):
        return False
    if not re.search("[A-Z]", password):
        return False
    if not re.search("[0-9]", password):
        return False
    if not re.search("[!@#$%^&*]", password):
        return False
    if not re.search("[!@#$%o^&*]", password):
        return True

password = input("Enter your password: ")
if validate_password(password):</pre>
```

```
print("Valid password")
else:
         print("Invalid password")
Email Validation:
import re
def validate_email(email):
         regex = r'\b[A-Za-z0-9.\_\%+-]+@[A-Za-z0-9.-]+\.[A-Z|a-z]\{2,\}\b'
        if re.fullmatch(regex, email):
                  return True
         else:
                  return False
email = input("Enter your email: ")
if validate_email(email):
         print("Valid email")
else:
         print("Invalid email")
URL Validation:
import re
def validate_url(url):
                                                                                  r''^{(https?://)?(www\.)?[-a-zA-Z0-9@:\%.\_+~\#=]\{1,256\}\\.[a-zA-Z0-9()]\{1,6\}\\b([-a-zA-Z0-9])(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-9)(-a-zA-Z0-20-2)(-a-zA-Z0-20-2)(-a-zA-Z0-20-2)(-a-zA-Z0-20-2)(-a-zA-Z0-20-2)(-a-zA-Z0-20-2)(-a-zA-Z0-20-2)(-a-zA-Z0-20-2)(-a-zA-Z0-20-2)(-a-zA-Z0-20-2)(-a-zA-Z0-20-2)(-a-zA-Z0-20-2)(-a-zA-Z0-20-2)(-a-zA-Z0-20-2)(-a-zA-Z0-20-2)(-a-zA-Z0-20-2)(-a-zA-Z0-20-2)(-a-zA-Z0-20-2)(-a-zA-Z0-20-2)(-a-zA-Z0-20-2)(-a-zA-Z0-20-2)(-a-zA-Z0-20-2)(-a-z
         regex
                                                 =
9()@:%_\+.~#?&//=]*)$"
        if re.fullmatch(regex, url):
                  return True
         else:
                  return False
url = input("Enter a URL: ")
if validate_url(url):
         print("Valid URL")
else:
         print("Invalid URL")
         OUTPUT:
JSON Parsing:
```

```
"D:\Python programs\pyth
Alice
30
New York
```

Password Validation:

```
"D:\Python programs\pythonProjects
Enter your password: shree@123
Invalid password
```

Email Validation:

```
"D:\Python programs\pythonProject5\.venv
Enter your email: helloshree@gmail.com
Valid email
```

URL Validation:

```
"D:\Python programs\pythonProject5\
Enter a URL: sanketsahaneofficial
Invalid URL
```

```
PIRENS Institute of Business Management and Administration, Loni BK.

Roll Number:MC024099 Sign: Date: Date: / /

Student Name: Sahane Sanket Kailas

Subject Name: Python

Program Title 7: Programs for Pattern finding should be covered.
```

```
def is palindrome(string):
  return string == string[::-1]
string = "racecar"
if is palindrome(string):
  print(string, "is a palindrome")
else:
  print(string, "is not a palindrome")
2 Finding Prime Numbers
def is_prime(num):
  if num <= 1:
    return False
  for i in range(2, int(num**0.5) + 1):
    if num % i == 0:
       return False
  return True
num = 17
if is_prime(num):
  print(num, "is a prime number")
  print(num, "is not a prime number")
3 Finding Anagrams
def is_anagram(str1, str2):
  return sorted(str1) == sorted(str2)
str1 = "listen"
str2 = "silent"
if is_anagram(str1, str2):
  print(str1, "and", str2, "are anagrams")
```

```
print(str1, "and", str2, "are not anagrams")
4 Finding Fibonacci Series
Python
def fibonacci(n):
  if n \le 0:
    return []
  elif n == 1:
    return [0]
  else:
    fib\_series = [0, 1]
    for i in range(2, n):
       fib\_series.append(fib\_series[i-1] + fib\_series[i-2])
    return fib_series
n = 10
print(fibonacci(n))
5 Finding Perfect Numbers
Python
def is_perfect_number(num):
  sum_divisors = 0
  for i in range(1, num):
    if num % i == 0:
       sum_divisors += i
  return sum_divisors == num
num = 28
if is_perfect_number(num):
  print(num, "is a perfect number")
else:
  print(num, "is not a perfect number")
```

else:

OUTPUT:

"D:\Python programs\pythonPro racecar is a palindrome

Prime Number:

"D:\Python programs\pyth
17 is a prime number

Anagram:

"D:\Python programs\pythonProject5 listen and silent are anagrams

Fibonacci series :

"D:\Python programs\pythonProject5\. [0, 1, 1, 2, 3, 5, 8, 13, 21, 34]

Perfect Number:

"D:\Python programs\pythonP 28 is a perfect number PIRENS Institute of Business Management and Administration, Loni BK.

Roll Number:MC024099 Sign: Date: Date: / /

Student Name: Sahane Sanket Kailas

Subject Name: Python

Program Title 8: Programs covering all the aspects of Exception handling, user defined exception, Multithreading should be covered

Exception Handling

```
def divide(a, b):
    try:
        result = a / b
        print("Result:", result)
    except ZeroDivisionError:
        print("Error: Division by zero")
    except TypeError:
        print("Error: Invalid input types")
    else:
        print("Division successful")
    finally:
        print("This block always executes")

divide(10, 2) # Output: Result: 5.0, Division successful, This block always executes
divide(10, 0) # Output: Error: Division by zero, This block always executes
divide("a", "b") # Output: Error: Invalid input types, This block always executes
```

User-Defined Exception

```
class NegativeNumberError(Exception):
    pass

def factorial(n):
    if n < 0:
        raise NegativeNumberError("Factorial is not defined for negative numbers")
    if n == 0:
        return 1
    else:
        return n * factorial(n - 1)

try:
    result = factorial(-5)
    except NegativeNumberError as e:
    print(e) # Output: Factorial is not defined for negative numbers</pre>
```

Multithreading

```
Python.py
import threading
def print_numbers():
  for i in range(1, 6):
    print(i)
```

```
def print_letters():
    for char in 'abcde':
        print(char)

t1 = threading.Thread(target=print_numbers)
t2 = threading.Thread(target=print_letters)

t1.start()
t2.start()

t1.join()
t2.join()
print(''Both threads have finished'')
```

OUTPUT:

Exception Handling:

"D:\Python programs\pythonProje
Result: 5.0
Division successful
This block always executes
Error: Division by zero
This block always executes
Error: Invalid input types
This block always executes

User-Defined Exception:

```
"D:\Python programs\pythonProject5\.venv\Scripts\
Factorial is not defined for negative numbers
```

Multithreading:

```
"D:\Python programs\pythonProject

2
3
4
5
a
b
c
d
e
Both threads have finished
```

PIRENS Institute of Business Management and Administration, Loni BK.

Roll Number:MC024099 Sign: Date: Date: / /

Student Name: Sahane Sanket Kailas

Subject Name: Python

Program Title 9: Basic programs with NumPy as Array, Searching and Sorting, date & time and String handling.

NumPy

Python

Array Creation:

```
import numpy as np
# 1D array
arr1 = np.array([1, 2, 3, 4, 5])
print(arr1)
# 2D array
arr2 = np.array([[1, 2, 3], [4, 5, 6]])
print(arr2)
```

Array Operations:

```
arr1 = np.array([1, 2, 3])
arr2 = np.array([4, 5, 6])

# Addition
print(arr1 + arr2)

# Subtraction
print(arr1 - arr2)

# Multiplication
print(arr1 * arr2)

# Division
print(arr1 / arr2)
```

Searching and Sorting:

```
arr = np.array([3, 1, 4, 1, 5, 9, 2, 6, 5, 3, 5])
# Sorting
sorted_arr = np.sort(arr)
print(sorted_arr)
# Finding unique elements
unique_elements = np.unique(arr)
print(unique_elements)
# Finding indices of specific values
```

```
print(indices)
Date and Time:
import datetime
# Get current date and time
now = datetime.datetime.now()
print(now)
# Specific date and time
specific date = datetime.datetime(2023, 11, 25, 12, 30)
print(specific_date)
# Formatting dates and times
formatted_date = now.strftime("%d/%m/%Y %H:%M:%S")
print(formatted date)
String Handling:
text = "Hello, World!"
# Length of the string
print(len(text))
# Slicing
print(text[0:5]) # Output: Hello
# Concatenation
new text = text + " How are you?"
print(new_text)
# Finding substrings
index = text.find("World")
print(index)
OUTPUT:
NumPy:
== RESTART: C:/Us
 [1 2 3 4 5]
 [[1 2 3]
  [4 5 6]]
  == RESTART: C:/User
  [5 7 9]
  [-3 -3 -3]
  [ 4 10 18]
  [0.25 0.4 0.5]
```

indices = np.where(arr == 5)

Date and Time:

```
"D:\Python programs\pythonProj
2024-12-10 15:09:54.322158
2023-11-25 12:30:00
10/12/2024 15:09:54
```

String Handling:

```
"D:\Python programs\pythonProject
13
Hello
Hello, World! How are you?
7
```