BIOVIRIDIAN

Excellence in HPLC-MS Analysis

CERTIFICATE OF ANALYSIS

Web Verification Code: **COA6094**

Sample Received: **July 3, 2026** | COA Issued: **July 7, 2026**

PRODUCT INFORMATION

Vendor:	Sample Name:	Sample Type:	Lot Number:	MW (g/mol):
PHRH	**Semaglutide/BPC-157 33.5mg**	**White lyophilized powder**	**GLPSBPC-33-726**	**4113.6, 1419.5**

ANALYTICAL METHODS


Identity: Confirmed via LC–MS
Purity: RP-HPLC (214 nm)
Content: HPLC quantitation


TEST RESULTS

Specification	Result	Method	Status
Identity: Semaglutide/BPC-157	**Semaglutide, BPC-157**	**LC-MS/MS**	✓ Conforms
Content	**30.22, 3.67 mg**	HPLC Quantitation	✓ Conforms
Overall Purity	**99.9%**	RP-HPLC (214 nm)	✓ Conforms
Endotoxin	**<0.05 EU/mL**	**<USP85>**	✓ Conforms
Heavy Metals	**<0.01 ppm**	**<USP232>**	✓ Conforms

HPLC Chromatogram (Retention Time: 9.195, 11.593 min)







Certification: This COA confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.
Visit: https://bioviridians.com/coa-search.html

Shane Straight

Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.