

Clinical trial results:

EudraCT number	0007-004076-38
Trial protocol	SE FR BE CZ ES FI GB NL AT HU IT DE
Global end of trial date	
Results information	·
Result version number	v1 (current)
This version publication date	
First version publication date	
Trial information	
Trial identification	
Sponsor protocol code	
Additional study identifiers	
ISRCTN number	-
ClinicalTrials.gov id (NCT number)	-
WHO universal trial number (UTN)	-
Notes:	

Notes:

Paediatric regulatory details		
Is trial part of an agreed paediatric investigation plan (PIP)		
Does article 45 of REGULATION (EC) No 1901/2006 apply to this trial?	No	
Does article 46 of REGULATION (EC) No 1901/2006 apply to this trial?	No	

Notes:

Results analysis stage	
Analysis stage	
Date of interim/final analysis	
Is this the analysis of the primary completion data?	
Global end of trial reached?	No

Main objective of the trial:

Protection of trial subjects:

Background therapy:
Evidence for comparator:
Actual start date of recruitment

Long term follow-up planned No
Independent data monitoring committee (IDMC) involvement?

Notes:

Population of trial subjects

Subjects enrolled per country

Notes:

Subjects enrolled per age group		
In utero		
Preterm newborn - gestational age < 37 wk		
Newborns (0-27 days)		
Infants and toddlers (28 days-23 months)		
Children (2-11 years)		
Adolescents (12-17 years)		
Adults (18-64 years)		
From 65 to 84 years		
85 years and over		

Recruitment Recruitment details: -

Pre-assignment
Screening details: -

Subject disposition



End points		
End points reporting groups		

Adverse events

Adverse events information		
Timeframe for reporting adverse events:		
EudraCT tool TEST upload		
Adverse event reporting additional of	lescription:	
EudraCT tool TEST upload		
Assessment type	Non-systematic	
Dictionary used		
Dictionary name	MedDRA	
Dictionary version	19.0	
Reporting groups		
Reporting group title	Group A	
Reporting group description: -		
Reporting group title	Group C	
Reporting group description: -		
Reporting group title	Group B	
Reporting group description: -		

Serious adverse events	Group A	Group C	Group B
Total subjects affected by serious adverse events			
subjects affected / exposed	10 / 20 (50.00%)	9 / 18 (50.00%)	13 / 22 (59.09%)
number of deaths (all causes)	3	2	6
number of deaths resulting from adverse events	3	2	6
Injury, poisoning and procedural complications			
Ankle fracture	Additional description: An	kle fracture	
subjects affected / exposed	5 / 20 (25.00%)	7 / 18 (38.89%)	6 / 22 (27.27%)
occurrences causally related to treatment / all	5 / 6	9 / 14	4 / 9
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Investigations			
Activated partial thromboplastin time prolonged	Additional description: Ac	tivated partial thromboplast	in time prolonged
subjects affected / exposed	4 / 20 (20.00%)	5 / 18 (27.78%)	6 / 22 (27.27%)
occurrences causally related to treatment / all	4 / 8	4 / 9	6 / 11
deaths causally related to treatment / all	1 / 1	0 / 0	0 / 0
Cardiac disorders			
Acute coronary syndrome	Additional description: Acute coronary syndrome		
subjects affected / exposed	3 / 20 (15.00%)	9 / 18 (50.00%)	4 / 22 (18.18%)
occurrences causally related to treatment / all	2 / 4	10 / 15	5 / 9

deaths causally related to treatment / all	0/0	0 / 0	0 / 0
Congenital, familial and genetic disorders	3 / 3	0,0	0,0
Congenital, familial and genetic disorders - Other, specify	Additional description: Co	ngenital, familial and geneti	c disorders - Other, spec
subjects affected / exposed	5 / 20 (25.00%)	9 / 18 (50.00%)	4 / 22 (18.18%)
occurrences causally related to treatment / all	4 / 5	9 / 14	7 / 11
deaths causally related to treatment / all	0 / 0	0 / 1	0 / 0
Blood and lymphatic system disorders			
Anemia	Additional description: An	nemia •	,
subjects affected / exposed	6 / 20 (30.00%)	3 / 18 (16.67%)	7 / 22 (31.82%)
occurrences causally related to treatment / all	2 / 6	1 / 13	7 / 16
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Nervous system disorders			
Abducens nerve disorder	Additional description: Ab	oducens nerve disorder	,
subjects affected / exposed	5 / 20 (25.00%)	3 / 18 (16.67%)	6 / 22 (27.27%)
occurrences causally related to treatment / all	5 / 8	4 / 7	4 / 8
deaths causally related to treatment / all	0 / 0	0 / 0	0/0
Eye disorders			
Blurred vision	Additional description: Blu	urred vision	,
subjects affected / exposed	6 / 20 (30.00%)	4 / 18 (22.22%)	3 / 22 (13.64%)
occurrences causally related to treatment / all	4 / 16	1 / 7	2 / 6
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Ear and labyrinth disorders			
Ear pain	Additional description: Ea	ır pain	
subjects affected / exposed	2 / 20 (10.00%)	4 / 18 (22.22%)	6 / 22 (27.27%)
occurrences causally related to treatment / all	4 / 9	6 / 10	4 / 9
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Gastrointestinal disorders			
Abdominal distension	Additional description: Ab	odominal distension	
subjects affected / exposed	7 / 20 (35.00%)	2 / 18 (11.11%)	3 / 22 (13.64%)
occurrences causally related to treatment / all	2 / 8	3 / 8	4 / 4
deaths causally related to treatment / all	0 / 1	0 / 0	0 / 0
Renal and urinary disorders			
Acute kidney injury	Additional description: Ac	cute kidney injury	
Acute Ridiley Injuly		T	₁
subjects affected / exposed	4 / 20 (20.00%)	0 / 18 (0.00%)	5 / 22 (22.73%)

deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Skin and subcutaneous tissue disorders			
Alopecia	Additional description: Ald	opecia •	,
subjects affected / exposed	3 / 20 (15.00%)	2 / 18 (11.11%)	8 / 22 (36.36%)
occurrences causally related to treatment / all	2 / 6	3 / 3	6 / 10
deaths causally related to treatment / all	0/0	0 / 0	0/0
Musculoskeletal and connective tissue disorders			
Abdominal soft tissue necrosis	Additional description: Ab	odominal soft tissue necrosis	,
subjects affected / exposed	5 / 20 (25.00%)	6 / 18 (33.33%)	4 / 22 (18.18%)
occurrences causally related to treatment / all	4 / 12	4 / 9	3 / 10
deaths causally related to treatment / all	0 / 1	0 / 0	0 / 0
Endocrine disorders			
Adrenal insufficiency	Additional description: Ad	Irenal insufficiency	
subjects affected / exposed	5 / 20 (25.00%)	3 / 18 (16.67%)	12 / 22 (54.55%
occurrences causally related to treatment / all	4 / 12	2 / 8	10 / 17
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 1
Metabolism and nutrition disorders			
Acidosis	Additional description: Acidosis		
subjects affected / exposed	8 / 20 (40.00%)	2 / 18 (11.11%)	5 / 22 (22.73%)
occurrences causally related to treatment / all	2 / 10	5 / 9	3 / 15
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 2
Infections and infestations			
Abdominal infection	Additional description: Ab	odominal infection	
subjects affected / exposed	3 / 20 (15.00%)	4 / 18 (22.22%)	5 / 22 (22.73%)
occurrences causally related to treatment / all	3 / 7	4 / 10	1/8
deaths causally related to treatment / all	0 / 0	0 / 0	0/0
Vascular disorders			
Capillary leak syndrome	Additional description: Ca	pillary leak syndrome	
subjects affected / exposed	4 / 20 (20.00%)	9 / 18 (50.00%)	6 / 22 (27.27%)
occurrences causally related to treatment / all	8 / 12	10 / 16	1 / 11
deaths causally related to treatment / all	0 / 0	0 / 1	1/1
Surgical and medical procedures	L		
Surgical and medical procedures - Other, specify	Additional description: Su	irgical and medical procedur	es - Other, specify
subjects affected / exposed	5 / 20 (25.00%)	3 / 18 (16.67%)	9 / 22 (40.91%)
occurrences causally related to treatment / all	3 / 5	4 / 7	9 / 16

1			
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Neoplasms benign, malignant and unspecified (incl cysts and polyps)			
Leukemia secondary to oncology chemotherapy	Additional description: Le	Lukemia secondary to oncolo	gy chemotherapy
subjects affected / exposed	5 / 20 (25.00%)	8 / 18 (44.44%)	4 / 22 (18.18%)
occurrences causally related to treatment / all	5 / 8	8 / 12	6 / 6
deaths causally related to treatment / all	0 / 0	0 / 0	2 / 2
Immune system disorders			
Allergic reaction	Additional description: All	ergic reaction	
subjects affected / exposed	7 / 20 (35.00%)	7 / 18 (38.89%)	8 / 22 (36.36%)
occurrences causally related to treatment / all	3 / 10	5 / 11	4 / 13
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Social circumstances			
Menopause	Additional description: Me	enopause	
subjects affected / exposed	8 / 20 (40.00%)	6 / 18 (33.33%)	6 / 22 (27.27%)
occurrences causally related to treatment / all	5 / 12	5 / 6	5 / 12
deaths causally related to treatment / all	0 / 0	0 / 0	0/0
Pregnancy, puerperium and perinatal			
conditions	ļJ		
Fetal death	Additional description: Fe	tal death r	1
subjects affected / exposed	3 / 20 (15.00%)	4 / 18 (22.22%)	5 / 22 (22.73%)
occurrences causally related to treatment / all	4 / 7	2 / 8	11 / 14
deaths causally related to treatment / all	0 / 0	0 / 0	0/0
General disorders and administration			
site conditions Chills	Additional description: Ch		l
subjects affected / exposed	 	r	7 / 22 /21 920/
	10 / 20 (50.00%)	6 / 18 (33.33%)	7 / 22 (31.82%)
occurrences causally related to treatment / all	12 / 20	3 / 14	14 / 17
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Psychiatric disorders	ļ	L	
Agitation	Additional description: Ag	itation r	1
subjects affected / exposed	6 / 20 (30.00%)	2 / 18 (11.11%)	10 / 22 (45.45%)
occurrences causally related to treatment / all	4 / 8	6 / 12	9 / 15
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Reproductive system and breast disorders			
Azoospermia	Additional description: Az	oospermia • • • • • • • • • • • • • • • • • • •	
subjects affected / exposed	5 / 20 (25.00%)	4 / 18 (22.22%)	3 / 22 (13.64%)

occurrences causally related to treatment / all	6 / 11	4 / 9	2 / 5
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Respiratory, thoracic and mediastinal disorders			
Adult respiratory distress syndrome	Additional description: Ad	ult respiratory distress synd	rome
subjects affected / exposed	7 / 20 (35.00%)	5 / 18 (27.78%)	12 / 22 (54.55%)
occurrences causally related to treatment / all	10 / 17	5 / 12	12 / 22
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hepatobiliary disorders			
Bile duct stenosis	Additional description: Bil	e duct stenosis	
subjects affected / exposed	5 / 20 (25.00%)	1 / 18 (5.56%)	9 / 22 (40.91%)
occurrences causally related to treatment / all	1 / 5	0 / 6	8 / 16
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0

Frequency threshold for reporting non-serious adverse events: 0 %

Non-serious adverse events	Group A	Group C	Group B
Total subjects affected by non-serious adverse events			
subjects affected / exposed	10 / 20 (50.00%)	11 / 18 (61.11%)	14 / 22 (63.64%)
Injury, poisoning and procedural complications			
Ankle fracture	Additional description: Ankle fracture		
subjects affected / exposed	5 / 20 (25.00%)	8 / 18 (44.44%)	4 / 22 (18.18%)
occurrences (all)	9	17	14
Investigations			
Activated partial thromboplastin time prolonged	Additional description: Ac	tivated partial thromboplast	in time prolonged
subjects affected / exposed	6 / 20 (30.00%)	2 / 18 (11.11%)	6 / 22 (27.27%)
occurrences (all)	8	7	14
Cardiac disorders			
Acute coronary syndrome	Additional description: Acute coronary syndrome		
subjects affected / exposed	4 / 20 (20.00%)	3 / 18 (16.67%)	11 / 22 (50.00%)
occurrences (all)	12	6	15
Congenital, familial and genetic disorders			
Congenital, familial and genetic disorders - Other, specify	Additional description: Congenital, familial and genetic disorders - Other, specif		
subjects affected / exposed	2 / 20 (10.00%)	7 / 18 (38.89%)	6 / 22 (27.27%)

Blood and lymphatic system disorders			
Anemia	Additional description: An	emia	
subjects affected / exposed	3 / 20 (15.00%)	5 / 18 (27.78%)	6 / 22 (27.27%)
occurrences (all)	10	11	14
Nervous system disorders			
Abducens nerve disorder	Additional description: Ab	ducens nerve disorder	'
subjects affected / exposed	7 / 20 (35.00%)	8 / 18 (44.44%)	8 / 22 (36.36%)
occurrences (all)	17	18	11
Eye disorders			
Blurred vision	Additional description: Blu	urred vision	'
subjects affected / exposed	2 / 20 (10.00%)	8 / 18 (44.44%)	6 / 22 (27.27%)
occurrences (all)	7	16	9
Ear and labyrinth disorders			
Ear pain	Additional description: Ea	r pain	
subjects affected / exposed	8 / 20 (40.00%)	5 / 18 (27.78%)	7 / 22 (31.82%)
occurrences (all)	18	8	16
Gastrointestinal disorders			
Abdominal distension	Additional description: Ab	dominal distension	'
subjects affected / exposed	7 / 20 (35.00%)	7 / 18 (38.89%)	8 / 22 (36.36%)
occurrences (all)	11	13	16
Renal and urinary disorders			
Acute kidney injury	Additional description: Ac	L ute kidney injury	J
subjects affected / exposed	2 / 20 (10.00%)	5 / 18 (27.78%)	11 / 22 (50.00%)
occurrences (all)	7	11	21
Skin and subcutaneous tissue disorders			
Alopecia	Additional description: Ald		J
subjects affected / exposed	 	r'	5 / 22 (22.73%)
	4 / 20 (20.00%)	5 / 18 (27.78%)	
occurrences (all)	5	15	11
Musculoskeletal and connective tissue disorders			
Abdominal soft tissue necrosis	Additional description: Ab	Ldominal soft tissue necrosis	J
subjects affected / exposed	4 / 20 (20.00%)	9 / 18 (50.00%)	3 / 22 (13.64%)
occurrences (all)	10	11	11
	10	11	
Endocrine disorders			
Adrenal insufficiency	Additional description: Ad	renal insufficiency	
subjects affected / exposed	10 / 20 (50.00%)	4 / 18 (22.22%)	5 / 22 (22.73%)
occurrences (all)	18	4	11
Metabolism and nutrition disorders			
	•	· ·	

Acidosis	Additional description: Ac		
subjects affected / exposed	6 / 20 (30.00%)	11 / 18 (61.11%)	5 / 22 (22.73%)
occurrences (all)			
occurrences (any	14	18	8
Infections and infestations			
Abdominal infection	Additional description: Ab	odominal infection	
subjects affected / exposed	4 / 20 (20.00%)	3 / 18 (16.67%)	4 / 22 (18.18%)
occurrences (all)	9	4	14
Vascular disorders			
Capillary leak syndrome	Additional description: Ca	L pillary leak syndrome	
subjects affected / exposed	2 / 20 (10.00%)	7 / 18 (38.89%)	5 / 22 (22.73%)
occurrences (all)	8	8	5
			_
Surgical and medical procedures Surgical and medical procedures -	Additional description: Su	Irgical and medical procedur	es - Other, specify
Other, specify	I	 	
subjects affected / exposed	6 / 20 (30.00%)	4 / 18 (22.22%)	4 / 22 (18.18%)
occurrences (all)	15	14	10
Neoplasms benign, malignant and unspecified (incl cysts and polyps)			
Leukemia secondary to oncology	Additional description: Le	$oldsymbol{L}_{}$ ukemia secondary to oncolo	y chemotherapy
chemotherapy	L		
subjects affected / exposed	4 / 20 (20.00%)	5 / 18 (27.78%)	4 / 22 (18.18%)
occurrences (all)	5	14	13
Immune system disorders			
Allergic reaction	Additional description: All	lergic reaction	
subjects affected / exposed	4 / 20 (20.00%)	3 / 18 (16.67%)	9 / 22 (40.91%)
occurrences (all)	5	8	17
Social circumstances			
Menopause	Additional description: Me	L	
subjects affected / exposed	8 / 20 (40.00%)	1 / 18 (5.56%)	7 / 22 (31.82%)
occurrences (all)	14	3	7
decarrences (an)	14	3	,
Pregnancy, puerperium and perinatal conditions			
Fetal death	Additional description: Fe	L tal death	
subjects affected / exposed	4 / 20 (20.00%)	6 / 18 (33.33%)	14 / 22 (63.64%)
occurrences (all)	7	7	22
General disorders and administration site conditions			
Chills	Additional description: Ch	L	
subjects affected / exposed	3 / 20 (15.00%)	10 / 18 (55.56%)	5 / 22 (22.73%)
occurrences (all)	6	15	8
Psychiatric disorders			

1	r		
Agitation	Additional description: Agitation		
subjects affected / exposed	5 / 20 (25.00%)	7 / 18 (38.89%)	4 / 22 (18.18%)
occurrences (all)	5	8	7
Reproductive system and breast disorders			
Azoospermia	Additional description: Azoospermia		
subjects affected / exposed	8 / 20 (40.00%)	6 / 18 (33.33%)	6 / 22 (27.27%)
occurrences (all)	16	11	15
Respiratory, thoracic and mediastinal disorders			
Adult respiratory distress syndrome	Additional description: Adult respiratory distress syndrome		
subjects affected / exposed	4 / 20 (20.00%)	8 / 18 (44.44%)	3 / 22 (13.64%)
occurrences (all)	7	14	6
Hepatobiliary disorders			
Bile duct stenosis	Additional description: Bile duct stenosis		
subjects affected / exposed	4 / 20 (20.00%)	3 / 18 (16.67%)	8 / 22 (36.36%)
occurrences (all)	7	9	16

More information

Substantial protocol amendments (globally)

Were there any global substantial amendments to the protocol?

Interruptions (globally)

Were there any global interruptions to the trial?

Limitations and caveats

None reported