

Website Basics with HTML, CSS and JS

Aaron Geller



1-48 of over 4,000 results for "cool gadgets"

Sort by: Featured

Eligible for Free Shipping

☐ Free Shipping by Amazon
All customers get FREE Shipping on orders over \$25 shipped by Amazon

Delivery Day

☐ Get it by Tomorrow

Department

Toys & Games

Toys & Games Activities & Amusements

Cell Phone Accessories

Power Tools & Hand Tools

Outdoor Recreation

Lighting & Ceiling Fans

Kitchen & Dining

Audio Headphones

See All 34 Departments

Avg. Customer Review

★★★★★ & Up
★★★★☆ & Up
★★★☆☆ & Up
★★☆☆☆ & Up
★☆☆☆☆ & Up

Toy Character

Lego City
Speed Racer
Yu-Gi-Oh!
Batman
Lego Creator
Marvel
Guardians of the Galaxy

Brand

☐ SMALL FISH
☐ Shashibo
☐ calary

Price

Under \$25
\$25 to \$50
\$50 to \$100
\$100 to \$200
\$200 & Above

EILIKS

Outdoor Survival Gear, Cool Gadgets Gifts for Men

Shop the Outdoor Camping Survival Gear Store on Amazon



EILIKS Survival Gear Kit, Emergency EDC Survival Tools 24 in 1 SOS Earthquake Aid Equipment, C...

★★★★★ 2,022

prime



Gifts for Men Dad Husband, Survival Gear and Equipment Kit 20 in 1, Emergency Escape Tool...

★★★★★ 43

prime



EILIKS Emergency Sleeping Bag Camping Bivy Sacks, Waterproof Lightweight Thermal Life Te...

★★★★★ 37

prime

Sponsored

Price and other details may vary based on size and color



Sponsored

Survival Kit, Professional Emergency Survival Gear and Equipment Supplies for Outdoor Camping Adventures Hiking Great Gifts for...

★★★★★ ~ 2

\$23.99

prime Get it as soon as Thu, May 13



Pen Gifts for Men, Huhoo Cool Gadgets Tools Multi Tech Pen for Men, Personalized Gifts for Dad or Him, Funny Gift for Christmas,...

★★★★★ ~ 553

\$8.99

prime Get it as soon as Tomorrow, May 11



3D Illusion Platform Night Lighting Touch Bottom 7 Color Change Decor LED Lamp

★★★★★ ~ 1,369

\$11.64

prime Get it as soon as Thu, May 13
FREE Shipping on orders over \$25 shipped by Amazon



Gifts for Dad&Men Fathers Day- Magnetic Pickup Tool with LED, Telescoping Magnet Flashlight Pickup Stick Cool Gadget,Birthday...

\$14.99

Save 8% with coupon

prime Get it as soon as Tomorrow, May 11



What lies beneath?

Don't look behind you... it's... it's... code!!!

Browsers “simply” interpret code that is written in HTML + CSS + Javascript to display the websites that you love.

There are many choices for browsers out there. Uniformity across browsers, in how the code is interpreted and displayed is sometimes a problem. I recommend sticking with Chrome or Firefox for web development.







The Big Three

HTML



CSS



Javascript





What is HTML?

HyperText Markup Language

- Sets the basic structure of a website
- Uses elements (also attributes like “id” and “class”) to identify different types of content

```
<p> This is a paragraph. </p>
```

If we use a house as a metaphor, HTML is the walls, roof, foundation and all structural elements.

[Here is an HTML-only CodePen to explore.](#)

Title of an Awesome Website


Subtitle

Author

This is a paragraph. With lots of super cool words in it that everyone will want to read. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce a fermentum nunc. Proin consequat dolor vitae velit lacinia blandit. Sed congue lacus nec nisi tempor lobortis. Curabitur felis urna, tempus quis laoreet quis, maximus vel ante. Vivamus fringilla ex mauris, et gravida urna placerat quis. Suspendisse dapibus sapien in interdum bibendum. Ut ut suscipit enim. Suspendisse iaculis iaculis diam sed tempus. Vivamus volutpat dolor vel metus suscipit tempor. Quisque efficitur purus id blandit ornare. Vestibulum massa libero, tempor in lacus at, ullamcorper suscipit dui. Maecenas feugiat nisi massa, eu hendrerit ex tincidunt non. Aliquam in eleifend nisl.



[Vigo the Catpathian](#), [Ghostbusters II](#) + awesome internet people





Basic HTML commands

`<html></html>`

Your entire website should live in between these.

`<head></head>`

The header contains special information, like the page title and links to external libraries or style sheets.

`<body></body>`

Everything that should be visible on the website goes in here (usually the largest portion of the code).

`<h1></h1>`

Up to six levels of headers are available with `<h1>` as the largest.

`<p></p>`

Paragraph; most normal text can go inside these tags.

`<a>`

Links to other websites.

``, `<i></i>`

Bold (``) and italics (`<i>`).

``

Lists; in between these you insert items with the `` tag. There are also numbered lists with ``.

``

Images.

`<div></div>`

Unformatted element; very useful for a defining different layouts and objects you will style/manipulate.



What is CSS?

Cascading Style Sheets

- Sets the colors, sizes, mood of a website
- Attached styles to HTML elements

```
p {  
  font-family: Verdana;  
  text-align: justify;  
  font-size: 14px;  
  margin: 20px 10px 10px 10px;  
}
```

If we use a house as a metaphor, CSS is the paint, wallpaper, tiles, siding, etc.

[Here is a CodePen with HTML+CSS to explore.](#)

Title of an Awesome Website

Subtitle

Author

This is a paragraph. With lots of super cool words in it that everyone will want to read. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce a fermentum nunc. Proin consequat dolor vitae velit lacinia blandit. Sed congue lacus nec nisi tempor lobortis. Curabitur felis urna, tempus quis laoreet quis, maximus vel ante. Vivamus fringilla ex mauris, et gravida urna placerat quis. Suspendisse dapibus sapien in interdum bibendum. Ut ut suscipit enim. Suspendisse iaculis iaculis diam sed tempus. Vivamus volutpat dolor vel metus suscipit tempor. Quisque efficitur purus id blandit ornare. Vestibulum massa libero, tempor in lacus at, ullamcorper suscipit dui. Maecenas feugiat nisi massa, eu hendrerit ex tincidunt non. Aliquam in eleifend nisl.



Vigo the Catpatrian, Ghostbusters II + awesome internet people

Title of an Awesome Website

Subtitle

Author

This is a paragraph. With lots of super cool words in it that everyone will want to read. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce a fermentum nunc. Proin consequat dolor vitae velit lacinia blandit. Sed congue lacus nec nisi tempor lobortis. Curabitur felis urna, tempus quis laoreet quis, maximus vel ante. Vivamus fringilla ex mauris, et gravida urna placerat quis. Suspendisse dapibus sapien in interdum bibendum. Ut ut suscipit enim. Suspendisse iaculis iaculis diam sed tempus. Vivamus volutpat dolor vel metus suscipit tempor. Quisque efficitur purus id blandit ornare. Vestibulum massa libero, tempor in lacus at, ullamcorper suscipit dui. Maecenas feugiat nisi massa, eu hendrerit ex tincidunt non. Aliquam in eleifend nisl.



[Vigo the Catpathian, Ghostbusters II + awesome internet people](#)

Title of an Awesome Website

Subtitle

Author

This is a paragraph. With lots of super cool words in it that everyone will want to read. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce a fermentum nunc. Proin consequat dolor vitae velit lacinia blandit. Sed congue lacus nec nisi tempor lobortis. Curabitur felis urna, tempus quis laoreet quis, maximus vel ante. Vivamus fringilla ex mauris, et gravida urna placerat quis. Suspendisse dapibus sapien in interdum bibendum. Ut ut suscipit enim. Suspendisse iaculis iaculis diam sed tempus. Vivamus volutpat dolor vel metus suscipit tempor. Quisque efficitur purus id blandit ornare. Vestibulum massa libero, tempor in lacus at, ullamcorper suscipit dui. Maecenas feugiat nisi massa, eu hendrerit ex tincidunt non. Aliquam in eleifend nisl.



[Vigo the Catpathian, Ghostbusters II + awesome internet people](#)



Basic CSS manipulations

colors

Foreground, background, borders, shadows, etc. Enter either as string, hex code or rgb.

spacing

Margins for exterior spacing; padding for interior spacing.

position

Can be absolute on the page, or relative to other object.

fonts

Font family, style, size, line height, text alignment, etc.

sizes

Width, height.

borders

Styles, thickness, color (or none).

box shadow

Shadows around objects (lots of control on the look).

transform

Move, rotate, and scale objects.

animations

Some simple animations can be done with only css (e.g., blinking text). Transition times can be defined.



Connecting HTML and CSS

link

In order to use your stylesheet, e.g., `index.css`, in your website, you need to link it within the header of the HTML document with, e.g., `<link rel="stylesheet" type="text/css" href="index.css" />`

element

Any HTML element (e.g., `<p>`, `<h1>`, ``, `<a>`, etc.) can be given custom styles, for example `p{ text-align: justify; }`.

id

Given an HTML object with attribute `id="foo"`, you access that in CSS with `#foo{ mystyle : value; }`. Generally an id should be unique and only used once in the HTML.

class

Given an HTML object with attribute `class="fee"`, you access that in CSS with `.fee{ mystyle: value; }`. Classes are meant to be reused. They can also serve as a way to select multiple objects in javascript.

inline

Sometimes it is beneficial to include the style "inline" within the HTML code, with the attribute `style = "mystyle1 : value1; mystyle2 : value2;"`. These supersede the styles that may be in the CSS for that object. These are also the styles that could be modified with javascript.



What is JS?

Javascript

- Modifies website content
- Initiates functions on user actions (e.g., mouse clicks)

```
function toggleDropdown(id){  
  var drop = document.getElementById(id);  
  console.log(id, drop, drop.style.display);  
  if (drop.style.display == "block" ){  
    drop.style.display = "none";  
  } else {  
    drop.style.display = "block";  
  }  
}
```

If we use a house as a metaphor, JS tells the doors and windows how to open when you pull/push the handle.

[Here is a CodePen with HTML+CSS+JS to explore.](#)

Title of an Awesome Website



Subtitle

Author

This is a paragraph. With lots of super cool words in it that everyone will want to read. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce a fermentum nunc. Proin consequat dolor vitae velit lacinia blandit. Sed congue lacus nec nisi tempor lobortis. Curabitur felis urna, tempus quis laoreet quis, maximus vel ante. Vivamus fringilla ex mauris, et gravida urna placerat quis. Suspendisse dapibus sapien in interdum bibendum. Ut ut suscipit enim. Suspendisse iaculis iaculis diam sed tempus. Vivamus volutpat dolor vel metus suscipit tempor. Quisque efficitur purus id blandit ornare. Vestibulum massa libero, tempor in lacus at, ullamcorper suscipit dui. Maecenas feugiat nisi massa, eu hendrerit ex tincidunt non. Aliquam in eleifend nisl.



Vigo the Catpathian, Ghostbusters II + awesome internet people



Javascript is awesome!

Basically anything that you can dream of doing with your website, can be done in javascript. And someone has probably already done it and posted online with their steps (and/or code).

There are LOTS of javascript libraries that you can download and use. My favorites are [d3.js](#), [three.js](#), [dat.gui](#), [p5.js](#) and [ml5.js](#).

If you're used to coding in languages like python, javascript will come very naturally.

Some ideas of what you might use javascript for:

- Select an HTML element and change it's style (e.g., color, size, location, etc.).
- Initiate actions when a user clicks/hovers/touches/drags some HTML element.
- Read in a .csv (or other type of) data file and use that to populate a webpage.
- Generate 2D or 3D plots of data and allow the user to manipulate it in real time
- Populate a database from user inputs to a form (e.g., connect to a Google Sheet)
- Initiate a download of a data file or an image of a plot that you've generated on the page.



Web development utils

There are apps like *Dreamweaver*, platforms like *WordPress*, online templates you can download, etc. They all have HTML+CSS+JS under the hood. Personally, I prefer to write my own code and know exactly what is in there.

text editor

e.g., [Sublime](#) or any other app without markup (not *Word*)

browser

e.g., [Chrome](#) or [Firefox](#)

Python

to start a local server (or any other app that can do this)

Steps:


1. In terminal : `python -m http.server`
2. In browser : `http://localhost:8000/`

Expert tips: GitHub can host your websites for free on their [github.io pages](#). Also, [w3schools.com](#) is an EXCELLENT resource for web development questions.

For example...

(base) [ageller@williamson:introToHTMLCSSJS] \$

```
1 //this is a simple javascript function to toggle the display on/off for the dropdown menu
2 function toggleDropdown(id){
3   //grab the correct dropdown content element based on it's ID
4   var drop = document.getElementById(id);
5
6   //console.log is your best friend for debugging!
7   console.log(id, drop, drop.style.display);
8
9   //toggle the display style
10  if (drop.style.display == "block" ){
11    drop.style.display = "none";
12  } else {
13    drop.style.display = "block";
14  }
15
16 }
```



View Source

For many websites you can view the source code very easily. If you're curious about how a website achieved a certain look, this can show you.





Let's look at all the
code that produces the
awesome *Catpathian*
website...

CodePen : <https://codepen.io/ageller/pen/mdWEPwV>

index.html

```
<html>

<head>
  <!-- title and other meta data go in the "head" portion -->
  <title>my title</title>

  <!-- my style sheet -->
  <link rel="stylesheet" type="text/css" href="index.css" />
</head>

<body>
  <!-- all website content that will be visible to the user go in the body -->

  <!-- here is the text that I will display -->
  <h1> Title of an Awesome Website </h1>
  <h2> Subtitle </h2>
  <h3> Author </h3>
  <p> This is a paragraph. With lots of super cool words in it that everyone will want to read.
  Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce a fermentum nunc. Proin consequat
  dolor vitae velit lacinia blandit. Sed congue lacus nec nisi tempor lobortis. Curabitur felis
  urna, tempus quis laoreet quis, maximus vel ante. Vivamus fringilla ex mauris, et gravida urna
  placerat quis. Suspendisse dapibus sapien in interdum bibendum. Ut ut suscipit enim. Suspendisse
  iaculis iaculis diam sed tempus. Vivamus volutpat dolor vel metus suscipit tempor. Quisque
  efficitur purus id blandit ornare. Vestibulum massa libero, tempor in lacus at, ullamcorper
  suscipit dui. Maecenas feugiat nisi massa, eu hendrerit ex tincidunt non. Aliquam in eleifend nisl.
  </p>

  <!-- here is an image I will display -->
  <div id="image">
    </img>
    <div class="imageCredit"><i>Vigo the Catpathian</i>, Ghostbusters II + awesome internet people
    </div>
  </div>

  <!-- here is a menu. This will only be visible when the css and js files are linked in -->
  <div id="hamburger" onclick="toggleDropdown('dropdown')">
    <div></div>
    <div></div>
    <div></div>
  </div>
  <div id="dropdown" style="display:none">
    <div><a href="https://www.w3schools.com/css/css_dropdowns.asp" target="_blank">item 1</a></div>
    <div><a href="https://www.w3schools.com/css/css_dropdowns.asp" target="_blank">item 2</a></div>
    <div><a href="https://www.w3schools.com/css/css_dropdowns.asp" target="_blank">item 3</a></div>
  </div>

  <!-- load my javascript -->
  <script src="dropdown.js"></script>

</body>

</html>
```

Title of an Awesome Website

Subtitle

Author

item 1

item 2

item 3

This is a paragraph. With lots of super cool words in it that everyone will want to read. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce a fermentum nunc. Proin consequat dolor vitae velit lacinia blandit. Sed congue lacus nec nisi tempor lobortis. Curabitur felis urna, tempus quis laoreet quis, maximus vel ante. Vivamus fringilla ex mauris, et gravida urna placerat quis. Suspendisse dapibus sapien in interdum bibendum. Ut ut suscipit enim. Suspendisse iaculis iaculis diam sed tempus. Vivamus volutpat dolor vel metus suscipit tempor. Quisque efficitur purus id blandit ornare. Vestibulum massa libero, tempor in lacus at, ullamcorper suscipit dui. Maecenas feugiat nisi massa, eu hendrerit ex tincidunt non. Aliquam in eleifend nisl.



thian, Ghostbusters II + awesome internet people

index.html

```
<html>

<head>
  <!-- title and other meta data go in the "head" portion -->
  <title>my title</title>

  <!-- my style sheet -->
  <link rel="stylesheet" type="text/css" href="index.css" />
</head>

<body>
  <!-- all website content that will be visible to the user go in the body -->

  <!-- here is the text that I will display -->
  <h1> Title of an Awesome Website </h1>
  <h2> Subtitle </h2>
  <h3> Author </h3>
  <p> This is a paragraph. With lots of super cool words in it that everyone will want to read. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce a fermentum nunc. Proin consequat dolor vitae velit lacinia blandit. Sed congue lacus nec nisi tempor lobortis. Curabitur felis urna, tempus quis laoreet quis, maximus vel ante. Vivamus fringilla ex mauris, et gravida urna placerat quis. Suspendisse dapibus sapien in interdum bibendum. Ut ut suscipit enim. Suspendisse iaculis iaculis diam sed tempus. Vivamus volutpat dolor vel metus suscipit tempor. Quisque efficitur purus id blandit ornare. Vestibulum massa libero, tempor in lacus at, ullamcorper suscipit dui. Maecenas feugiat nisi massa, eu hendrerit ex tincidunt non. Aliquam in eleifend nisl.
  </p>

  <!-- here is an image I will display -->
  <div id="image">
    
    <div class="imageCredit"><i>Vigo the Catpathian</i>, Ghostbusters II + awesome internet people
    </div>
  </div>

  <!-- here is a menu. This will only be visible when the css and js files are linked in -->
  <div id="hamburger" onclick="toggleDropdown('dropdown')">
    <div></div>
    <div></div>
    <div></div>
  </div>
  <div id="dropdown" style="display:none">
    <div><a href="https://www.w3schools.com/css/css_dropdowns.asp" target="_blank">item 1</a></div>
    <div><a href="https://www.w3schools.com/css/css_dropdowns.asp" target="_blank">item 2</a></div>
    <div><a href="https://www.w3schools.com/css/css_dropdowns.asp" target="_blank">item 3</a></div>
  </div>

  <!-- load my javascript -->
  <script src="dropdown.js"></script>

</body>

</html>
```

Title of an Awesome Website

Subtitle

Author

- item 1
- item 2
- item 3

This is a paragraph. With lots of super cool words in it that everyone will want to read. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce a fermentum nunc. Proin consequat dolor vitae velit lacinia blandit. Sed congue lacus nec nisi tempor lobortis. Curabitur felis urna, tempus quis laoreet quis, maximus vel ante. Vivamus fringilla ex mauris, et gravida urna placerat quis. Suspendisse dapibus sapien in interdum bibendum. Ut ut suscipit enim. Suspendisse iaculis iaculis diam sed tempus. Vivamus volutpat dolor vel metus suscipit tempor. Quisque efficitur purus id blandit ornare. Vestibulum massa libero, tempor in lacus at, ullamcorper suscipit dui. Maecenas feugiat nisi massa, eu hendrerit ex tincidunt non. Aliquam in eleifend nisl.



index.html + index.css

```
<html>

<head>
  <!-- title and other meta data go in the "head" portion -->
  <title>my title</title>

  <!-- my style sheet -->
  <link rel="stylesheet" type="text/css" href="index.css" />
</head>

<body>
  <!-- all website content that will be visible to the user go in the body -->

  <!-- here is the text that I will display -->
  <h1> Title of an Awesome Website </h1>
  <h2> Subtitle </h2>
  <h3> Author </h3>
  <p> This is a paragraph. With lots of super cool words in it that everyone will want to read. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce a fermentum nunc. Proin consequat dolor vitae velit lacinia blandit. Sed congue lacus nec nisi tempor lobortis. Curabitur felis urna, tempus quis laoreet quis, maximus vel ante. Vivamus fringilla ex mauris, et gravida urna placerat quis. Suspendisse dapibus sapien in interdum bibendum. Ut ut suscipit enim. Suspendisse iaculis iaculis diam sed tempus. Vivamus volutpat dolor vel metus suscipit tempor. Quisque efficitur purus id blandit ornare. Vestibulum massa libero, tempor in lacus at, ullamcorper suscipit dui. Maecenas feugiat nisi massa, eu hendrerit ex tincidunt non. Aliquam in eleifend nisl.
</p>

  <!-- here is an image I will display -->
  <div id="image">
    </img>
    <div class="imageCredit"><i>Vigo the Catpathian</i>, Ghostbusters II + awesome internet people
  </div>
</div>

  <!-- here is a menu. This will only be visible when the css and js files are linked in -->
  <div id="hamburger" onclick="toggleDropdown('dropdown')">
    <div></div>
    <div></div>
    <div></div>
  </div>
  <div id="dropdown" style="display:none">
    <div><a href="https://www.w3schools.com/css/css_dropdowns.asp" target="_blank">item 1</a></div>
    <div><a href="https://www.w3schools.com/css/css_dropdowns.asp" target="_blank">item 2</a></div>
    <div><a href="https://www.w3schools.com/css/css_dropdowns.asp" target="_blank">item 3</a></div>
  </div>

  <!-- load my javascript -->
  <script src="dropdown.js"></script>

</body>

</html>
```

```
1 body {
2   margin:0;
3   font-family: Verdana;
4   text-align: left;
5 }
6 p {
7   text-align: justify;
8   font-size: 14px;
9   margin:20px 10px 10px 10px;
10 }
11 h1 {
12   font-family: Georgia;
13   background-color: #285667;
14   padding:10px;
15   margin:0;
16   font-size: 32px;
17   color: #94cfcf;
18   line-height: 60px;
19   border-bottom: 6px solid #5c8485;
20 }
21 h2 {
22   font-family: Georgia;
23   font-size: 26px;
24   margin:10px 0 0 10px;
25   padding:0;
26   color: #285667;
27   font-style: italic;
28 }
29 h3 {
30   font-family: Georgia;
31   font-size: 20px;
32   margin:10px 0 0 10px;
33   color: #285667;
34   padding:0;
35 }
36 img {
37   margin-left:20px;
38   width:95%;
39 }
40 #image{
41   margin:10px;
42 }
43 .imageCredit{
44   font-size: 11px;
45   color: #bd579e;
46   transform: rotate(-90deg);
47   transform-origin: left top;
48 }
49 #hamburger{
50   position: absolute;
51   top: 10px;
52   right: 10px;
53   cursor: pointer;
54 }
55 #hamburger div{
56   width: 22px;
57   height: 2px;
58   background-color: #d5e1f9;
59   margin: 5px 0;
60 }
61 #dropdown{
62   position: absolute;
63   top:180px;
64   right:0px;
65   display: none;
66   background-color: #5c8485;
67   color: #d5e1f9;
68   padding:6px;
69 }
70 #dropdown div{
71   padding:4px;
72 }
73 #dropdown a{
74   color: #d5e1f9;
75   text-decoration: none;
76 }
```

Title of an Awesome Website

Subtitle

Author

- item 1
- item 2
- item 3

This is a paragraph. With lots of super cool words in it that everyone will want to read. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce a fermentum nunc. Proin consequat dolor vitae velit lacinia blandit. Sed congue lacus nec nisi tempor lobortis. Curabitur felis urna, tempus quis laoreet quis, maximus vel ante. Vivamus fringilla ex mauris, et gravida urna placerat quis. Suspendisse dapibus sapien in interdum bibendum. Ut ut suscipit enim. Suspendisse iaculis iaculis diam sed tempus. Vivamus volutpat dolor vel metus suscipit tempor. Quisque efficitur purus id blandit ornare. Vestibulum massa libero, tempor in lacus at, ullamcorper suscipit dui. Maecenas feugiat nisi massa, eu hendrerit ex tincidunt non. Aliquam in eleifend nisl.



thian, Ghostbusters II + awesome internet people

index.html + index.css

```
<h1> Title of an Awesome Website </h1>
```

```
h1 {  
  font-family: Georgia;  
  background-color: #285667;  
  padding: 10px;  
  margin: 0;  
  font-size: 32px;  
  color: #94cfcc;  
  line-height: 60px;  
  border-bottom: 6px solid #5c8485;  
}
```

Title of an Awesome Website

index.html + index.css

```
<div class="imageCredit"><i>Vigo the Catpathian</i>, Ghostbusters II + awesome internet people</div>
```

```
.imageCredit{  
  font-size: 11px;  
  color: #bd579e;  
  transform: rotate(-90deg);  
  transform-origin: left top;  
}
```

Vigo the Catpathian, Ghostbusters II + awesome internet people

index.html + index.css + dropdown.js

```
<html>

<head>
  <!-- title and other meta data go in the "head" portion -->
  <title>my title</title>

  <!-- my style sheet -->
  <link rel="stylesheet" type="text/css" href="index.css" />
</head>

<body>
  <!-- all website content that will be visible to the user go in the body -->

  <!-- here is the text that I will display -->
  <h1> Title of an Awesome Website </h1>
  <h2> Subtitle </h2>
  <h3> Author </h3>
  <p> This is a paragraph. With lots of super cool words in it that everyone will want to read. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce a fermentum nunc. Proin consequat dolor vitae velit lacinia blandit. Sed congue lacus nec nisi tempor lobortis. Curabitur felis urna, tempus quis laoreet quis, maximus vel ante. Vivamus fringilla ex mauris, et gravida urna placerat quis. Suspendisse dapibus sapien in interdum bibendum. Ut ut suscipit enim. Suspendisse iaculis iaculis diam sed tempus. Vivamus volutpat dolor vel metus suscipit tempor. Quisque efficitur purus id blandit ornare. Vestibulum massa libero, tempor in lacus at, ullamcorper suscipit dui. Maecenas feugiat nisi massa, eu hendrerit ex tincidunt non. Aliquam in eleifend nisl.
</p>

  <!-- here is an image I will display -->
  <div id="image">
    </img>
    <div class="imageCredit"><i>Vigo the Cat</i>pathian</i>, Ghostbusters II + awesome internet people
  </div>
</div>

  <!-- here is a menu. This will only be visible when the css and js files are linked in -->
  <div id="hamburger" onClick="toggleDropdown('dropdown')">
    <div></div>
    <div></div>
    <div></div>
  </div>
  <div id="dropdown" style="display:none">
    <div><a href="https://www.w3schools.com/css/css_dropdowns.asp" target="_blank">item 1</a></div>
    <div><a href="https://www.w3schools.com/css/css_dropdowns.asp" target="_blank">item 2</a></div>
    <div><a href="https://www.w3schools.com/css/css_dropdowns.asp" target="_blank">item 3</a></div>
  </div>

  <!-- load my javascript -->
  <script src="dropdown.js"></script>

</body>

</html>
```

```
1 body {
2   margin:0;
3   font-family: Verdana;
4   text-align: left;
5 }
6 p {
7   text-align: justify;
8   font-size: 14px;
9   margin:20px 10px 10px 10px;
10 }
11 h1 {
12   font-family: Georgia;
13   background-color: #285667;
14   padding:10px;
15   margin:0;
16   font-size: 32px;
17   color: #94cfcf;
18   line-height: 60px;
19   border-bottom: 6px solid #5c8485;
20 }
21 h2 {
22   font-family: Georgia;
23   font-size: 26px;
24   margin:10px 0 0 10px;
25   padding:0;
26   color: #285667;
27   font-style: italic;
28 }
29 h3 {
30   font-family: Georgia;
31   font-size: 20px;
32   margin:10px 0 0 10px;
33   color: #285667;
34   padding:0;
35 }
36 img {
37   margin-left:20px;
38   width:95%;
39 }
40 #image{
41   margin:10px;
42 }
43 .imageCredit{
44   font-size: 11px;
45   color: #b4579e;
46   transform: rotate(-90deg);
47   transform-origin: left top;
48 }
49 #hamburger{
50   position: absolute;
51   top: 10px;
52   right: 10px;
53   cursor: pointer;
54 }
55 #hamburger div{
56   width: 22px;
57   height: 2px;
58   background-color: #d5e19f;
59   margin: 5px 0;
60 }
61 #dropdown{
62   position: absolute;
63   top:180px;
64   right:0px;
65   display: none;
66   background-color:#5c8485;
67   color:#d5e19f;
68   padding:6px;
69 }
70 #dropdown div{
71   padding:4px;
72 }
73 #dropdown a{
74   color:#d5e19f;
75   text-decoration: none;
76 }
```

Title of an Awesome Website

Subtitle

Author

This is a paragraph. With lots of super cool words in it that everyone will want to read. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce a fermentum nunc. Proin consequat dolor vitae velit lacinia blandit. Sed congue lacus nec nisi tempor lobortis. Curabitur felis urna, tempus quis laoreet quis, maximus vel ante. Vivamus fringilla ex mauris, et gravida urna placerat quis. Suspendisse dapibus sapien in interdum bibendum. Ut ut suscipit enim. Suspendisse iaculis iaculis diam sed tempus. Vivamus volutpat dolor vel metus suscipit tempor. Quisque efficitur purus id blandit ornare. Vestibulum massa libero, tempor in lacus at, ullamcorper suscipit dui. Maecenas feugiat nisi massa, eu hendrerit ex tincidunt non. Aliquam in eleifend nisl.

item 1
item 2
item 3

```
1 //this is a simple javascript function to toggle the display
  on/off for the dropdown menu
2 function toggleDropdown(id){
3   //grab the correct dropdown content element based on
  it's ID
4   var drop = document.getElementById(id);
5
6   //console.log is your best friend for debugging!
7   console.log(id, drop, drop.style.display);
8
9   //toggle the display style
10  if (drop.style.display == "block" ){
11    drop.style.display = "none";
12  } else {
13    drop.style.display = "block";
14  }
15
16 }
```

index.html + index.css + dropdown.js

```
<div id="hamburger" onclick="toggleDropdown('dropdown')">
  <div></div>
  <div></div>
  <div></div>
</div>
<div id="dropdown" style="display:none">
  <div><a href="https://www.w3schools.com/css/css_dropdowns.asp" target="_blank">item 1</a></div>
  <div><a href="https://www.w3schools.com/css/css_dropdowns.asp" target="_blank">item 2</a></div>
  <div><a href="https://www.w3schools.com/css/css_dropdowns.asp" target="_blank">item 3</a></div>
</div>


<!-- load my javascript -->
<script src="dropdown.js"></script>
```

```
#hamburger{
  position: absolute;
  top: 10px;
  right: 10px;
  cursor: pointer;
}
#hamburger div{
  width: 22px;
  height: 2px;
  background-color: #d5e19f;
  margin: 5px 0;
}
#dropdown{
  position: absolute;
  top: 80px;
  right: 0px;
  display: none;
  background-color: #5c8485;
  color: #d5e19f;
  padding: 6px;
}
#dropdown div{
  padding: 4px;
}
#dropdown a{
  color: #d5e19f;
  text-decoration: none;
}
```

```
function toggleDropdown(id){
  //grab the correct dropdown content element based on
  it's ID
  var drop = document.getElementById(id);

  //console.log is your best friend for debugging!
  console.log(id, drop, drop.style.display);

  //toggle the display style
  if (drop.style.display == "block" ){
    drop.style.display = "none";
  } else {
    drop.style.display = "block";
  }
}
```





Adding an Interactive Plot

- GitHub pages and `<iframe>` are your best friends for this.
 - Create an interactive figure that can be displayed as a website (e.g., using Bokeh or Plotly, as we've done in previous workshops).
 - Host your interactive figure online using a github.io page ([instructions here](#)), or any other web hosting service that you prefer.
 - Use an html `<iframe>` tag to bring the github.io (or other) page into your new website.
- See example on CodePen here : <https://codepen.io/ageller/pen/KKxppQX>
- Note, there are other ways to do this as well (e.g., include the interactive figure code directly within your website), but imho the iFrame method is the easiest way.



In Summary

HTML + CSS + JS are your tools for web development.
All you need is a browser, a text editor and Python.

HTML sets the structure (e.g., walls of the house).


CSS sets the style (e.g., color of the paint).

Javascript allows changes and actions (e.g., how to open the doors of the house).

The browser interprets this code to show the website.

The sky's the limit...

[Also, see this step-by-step tutorial on W3schools.](#)





Activities

For beginners (and/or if you don't have Python or you prefer not to run the website locally):

- Go to CodePen : <https://codepen.io/ageller/pen/mdWEPwV>

If instead you want to run and edit the files locally:

- Download (or clone) the files from the GitHub repo : <https://github.com/ageller/IntroToHTMLCSSJS>
- Start a web server (using python) and load the website in your browser.
- Open index.html, index.css and dropdown.js from the “examples/full/” directory in your text editor.

Once you have finished either of the above:

1. Use the inspect tool on the “Author” to view that element in the browser’s developer tools.
2. Within your HTML, CSS and/or JS code, change the text that currently says “Author” to your name.
3. Within your HTML, CSS and/or JS code, change the color of your name and underline it.
4. Within your HTML, CSS and/or JS code, create an interaction such that when you click on your name, the Catpathian image shrinks to half the page width.
5. *Bonus:* Modify this last interaction such that the image shrinks when you hover over your name, and then turns back to the normal size when your mouse is no longer over your name.