Noora Health - WhatsApp Norms Survey Analysis

Zezhen Wu

2025-09-06

Contents

TL;DR **1**

1. Summary Tables for Demographic Questions **2**

2. Summary Tables for Health Practices **17**

3. Summary Tables for Norms Questions **24**

4. Summary Tables for Barriers Questions **39**

TL;DR

The survey analysis covers 770 participants across three forms (2505202343, 2505202344, 2505202350), with barrier questions asked only in forms 2505202343 and 2505202344. All figures below are aggregate percentages.

State abbreviations - **PB:** Punjab
- **KT:** Karnataka
- **MP:** Madhya Pradesh
- **MH:** Maharashtra

1. High agreement with norms messages

- Overall agreement is very strong ($> 70\%$ across all items; most $> 80\%$, some $> 90\%$).
- Cultural acquiescence to Likert scales may inflate these percentages, but we should still use them to guide message design (e.g., **94.3%** of mothers in Karnataka agree that "Doing KMC helps babies bond with their caregivers/parents").

2. Barrier questions and framing effects

- Most participants report "no problem" with KMC, cord care, and diet.
- Positively framed statements see near-universal agreement, whereas negatively framed items (e.g., "I disapprove of putting oil, powder, ghee, ash, turmeric, or cow dung on a baby's cord") and nuanced diet statements ("It's good to eat all types of hot or cold food postpartum" and "Eating any type of hot or cold food won't negatively impact mother or baby") show greater response variability.

3. Self-reported KMC practice vs. historical benchmarks

- **Current self-reported KMC rate:** 51.4% overall (PB: 44.1%; KT: 49.6%; MP: 67.2%; MH: 57.9%).
- Substantially higher than the **8.1%** reported in Subramanian et al. (2020), likely reflecting differences in KMC explanation to participants and our use of convenience sampling.

1. Summary Tables for Demographic Questions

Select your state

State

Count (Percentage)

Karnataka

230 (29.9%)

Madhya Pradesh

122 (15.8%)

Maharashtra

114 (14.8%)

Punjab

304 (39.5%)

Total

770 (100.0%)

What is your relationship to the baby who was recently born?

What is your relationship to the baby who was recently born?

PB

KT

MP

MH

Total

Mother

275 (90.5%)

211 (91.7%)

88 (72.1%)

72 (63.2%)

646 (83.9%)

Father

19 (6.2%)

9 (3.9%)

22 (18%)

26 (22.8%)

76 (9.9%)

Other

2 (0.7%)

0 (0.0%)

8 (6.6%)

4 (3.5%)

14 (1.8%)

Maternal grandmother

1 (0.3%)

4 (1.7%)

2 (1.6%)

0 (0.0%)

7 (0.9%)

Paternal grandmother

3 (1%)

0 (0.0%)

1 (0.8%)

1 (0.9%)

5 (0.6%)

Missing

4 (1.3%)

6 (2.6%)

1 (0.8%)

11 (9.6%)

22 (2.9%)

Total

304 (39.5%)

230 (29.9%)

122 (15.8%)

114 (14.8%)

770 (100.0%)

What is baby's mother's age?

Karnataka

Madhya Pradesh

Maharashtra

Punjab

M = 24.97 (SD = 3.87)

M = 25.26 (SD = 3.72)

M = 25.66 (SD = 3.59)

M = 27.78 (SD = 4.37)

What was the type of delivery?

What was the type of delivery?

PB

KT

MP

MH

Total

C-section

191 (62.8%)

148 (64.3%)

35 (28.7%)

55 (48.2%)

429 (55.7%)

Normal

109 (35.9%)

76 (33%)

86 (70.5%)

48 (42.1%)

319 (41.4%)

Missing

4 (1.3%)

6 (2.6%)

1 (0.8%)

11 (9.6%)

22 (2.9%)

Total

304 (39.5%)

230 (29.9%)

122 (15.8%)

114 (14.8%)

770 (100.0%)

What is the sex of the baby?

What is the sex of the baby?

PB

KT

MP

MH

Total

Male

152 (50%)

121 (52.6%)

64 (52.5%)

47 (41.2%)

384 (49.9%)

Female

148 (48.7%)

103 (44.8%)

57 (46.7%)

56 (49.1%)

364 (47.3%)

Missing

4 (1.3%)

6 (2.6%)

1 (0.8%)

11 (9.6%)

22 (2.9%)

Total

304 (39.5%)

230 (29.9%)

122 (15.8%)

114 (14.8%)

770 (100.0%)

Is this mother's first baby?

Is this mother's first baby?

PB

KT

MP

MH

Total

Yes

164 (53.9%)

127 (55.2%)

58 (47.5%)

68 (59.6%)

417 (54.2%)

No

136 (44.7%)

97 (42.2%)

63 (51.6%)

35 (30.7%)

331 (43%)

Missing

4 (1.3%)

6 (2.6%)

1 (0.8%)

11 (9.6%)

22 (2.9%)

Total

304 (39.5%)

230 (29.9%)

122 (15.8%)

114 (14.8%)

770 (100.0%)

What is the birth weight of the baby (in grams)?

Karnataka

Madhya Pradesh

Maharashtra

Punjab

M = 3121.04 (SD = 2931.60)

M = 2615.87 (SD = 784.37)

M = 2522.57 (SD = 634.25)

M = 2561.95 (SD = 937.71)

What is mother's highest educatio

What is mother's highest educatio

PB

KT

MP

MH

Total

11th to degree/diploma

162 (58.9%)

115 (54.5%)

16 (18.2%)

46 (63.9%)

339 (52.5%)

6th to 10th standard

43 (15.6%)

75 (35.5%)

37 (42%)

17 (23.6%)

172 (26.6%)

Post graduate

60 (21.8%)

11 (5.2%)

24 (27.3%)

8 (11.1%)

103 (15.9%)

Don't know how to read or write

8 (2.9%)

7 (3.3%)

8 (9.1%)

1 (1.4%)

24 (3.7%)

Up to 5th standard

2 (0.7%)

3 (1.4%)

3 (3.4%)

0 (0.0%)

8 (1.2%)

Total

275 (42.6%)

211 (32.7%)

88 (13.6%)

72 (11.1%)

646 (100.0%)

What is your highest educational qualification? (answered by respondents who are not the mother)

What is your highest educational qualification?

PB

KT

MP

MH

Total

11th to degree/diploma

16 (64%)

2 (15.4%)

12 (36.4%)

16 (51.6%)

46 (45.1%)

6th to 10th standard

5 (20%)

4 (30.8%)

7 (21.2%)

8 (25.8%)

24 (23.5%)

Don't know how to read or write

1 (4%)

4 (30.8%)

7 (21.2%)

2 (6.5%)

14 (13.7%)

Post graduate

3 (12%)

2 (15.4%)

6 (18.2%)

2 (6.5%)

13 (12.7%)

Up to 5th standard

0 (0.0%)

0 (0.0%)

1 (3%)

2 (6.5%)

3 (2.9%)

Don't know

0 (0.0%)

1 (7.7%)

0 (0.0%)

1 (3.2%)

2 (2%)

Total

25 (24.5%)

13 (12.7%)

33 (32.4%)

31 (30.4%)

102 (100.0%)

What is the mother's occupation?

What is the mother's occupation?

PB

KT

MP

MH

Total

Homemaker

225 (81.8%)

177 (83.9%)

73 (83%)

62 (86.1%)

537 (83.1%)

Private job

22 (8%)

15 (7.1%)

4 (4.5%)

4 (5.6%)

45 (7%)

Self employed / small business

19 (6.9%)

3 (1.4%)

2 (2.3%)

0 (0.0%)

24 (3.7%)

Farmer

0 (0.0%)

8 (3.8%)

3 (3.4%)

3 (4.2%)

14 (2.2%)

Daily labourer

3 (1.1%)

3 (1.4%)

5 (5.7%)

2 (2.8%)

13 (2%)

Public sector job

6 (2.2%)

4 (1.9%)

1 (1.1%)

1 (1.4%)

12 (1.9%)

Unemployed

0 (0.0%)

1 (0.5%)

0 (0.0%)

0 (0.0%)

1 (0.2%)

Total

275 (42.6%)

211 (32.7%)

88 (13.6%)

72 (11.1%)

646 (100.0%)

What is your occupation? (answered by respondents who are not the mother)

What is your occupation?

PB

KT

MP

MH

Total

Private job

6 (24%)

6 (46.2%)

10 (30.3%)

12 (38.7%)

34 (33.3%)

Self employed / small business

7 (28%)

1 (7.7%)

4 (12.1%)

8 (25.8%)

20 (19.6%)

Daily labourer

4 (16%)

2 (15.4%)

5 (15.2%)

4 (12.9%)

15 (14.7%)

Farmer

1 (4%)

2 (15.4%)

7 (21.2%)

4 (12.9%)

14 (13.7%)

Homemaker

2 (8%)

2 (15.4%)

3 (9.1%)

2 (6.5%)

9 (8.8%)

Public sector job

4 (16%)

0 (0.0%)

2 (6.1%)

0 (0.0%)

6 (5.9%)

Unemployed

1 (4%)

0 (0.0%)

2 (6.1%)

1 (3.2%)

4 (3.9%)

Total

25 (24.5%)

13 (12.7%)

33 (32.4%)

31 (30.4%)

102 (100.0%)

Which of these categories do you belong to?

Which of these categories do you belong to?

PB

KT

MP

MH

Total

SC/ST/OBC

171 (56.2%)

120 (52.2%)

84 (68.9%)

65 (57%)

440 (57.1%)

General

125 (41.1%)

66 (28.7%)

17 (13.9%)

26 (22.8%)

234 (30.4%)

Don't know / no response

3 (1%)

19 (8.3%)

15 (12.3%)

0 (0.0%)

37 (4.8%)

Other

1 (0.3%)

19 (8.3%)

5 (4.1%)

12 (10.5%)

37 (4.8%)

Missing

4 (1.3%)

6 (2.6%)

1 (0.8%)

11 (9.6%)

22 (2.9%)

Total

304 (39.5%)

230 (29.9%)

122 (15.8%)

114 (14.8%)

770 (100.0%)

Does your/mother's family own a BPL/White Ration card?

Does your/mother's family own a BPL/White Ration card?

PB

KT

MP

MH

Total

Yes

147 (48.4%)

207 (90%)

91 (74.6%)

31 (27.2%)

476 (61.8%)

No

150 (49.3%)

17 (7.4%)

28 (23%)

69 (60.5%)

264 (34.3%)

Don't know

3 (1%)

0 (0.0%)

2 (1.6%)

3 (2.6%)

8 (1%)

Missing

4 (1.3%)

6 (2.6%)

1 (0.8%)

11 (9.6%)

22 (2.9%)

Total

304 (39.5%)

230 (29.9%)

122 (15.8%)

114 (14.8%)

770 (100.0%)

How many people are helping mother to take care of the baby?

Karnataka

Madhya Pradesh

Maharashtra

Punjab

M = 2.83 (SD = 1.90)

M = 3.52 (SD = 1.98)

M = 3.43 (SD = 1.67)

M = 3.54 (SD = 2.12)

What is your religion?

What is your religion?

PB

KT

MP

MH

Total

Hinduism

90 (29.6%)

187 (81.3%)

106 (86.9%)

81 (71.1%)

464 (60.3%)

Sikhism

194 (63.8%)

0 (0.0%)

0 (0.0%)

0 (0.0%)

194 (25.2%)

Islam

7 (2.3%)

35 (15.2%)

12 (9.8%)

8 (7%)

62 (8.1%)

Buddhism

0 (0.0%)

0 (0.0%)

1 (0.8%)

13 (11.4%)

14 (1.8%)

Christianity

7 (2.3%)

2 (0.9%)

1 (0.8%)

1 (0.9%)

11 (1.4%)

Other

2 (0.7%)

0 (0.0%)

0 (0.0%)

0 (0.0%)

2 (0.3%)

Jainism

0 (0.0%)

0 (0.0%)

1 (0.8%)

0 (0.0%)

1 (0.1%)

Missing

4 (1.3%)

6 (2.6%)

1 (0.8%)

11 (9.6%)

22 (2.9%)

Total

304 (39.5%)

230 (29.9%)

122 (15.8%)

114 (14.8%)

770 (100.0%)

2. Summary Tables for Health Practices

Have you done KMC (skin-to-skin care) at home?

Have you done KMC (skin-to-skin care) at home?

PB

KT

MP

MH

Total

Yes

134 (44.1%)

114 (49.6%)

82 (67.2%)

66 (57.9%)

396 (51.4%)

No

94 (30.9%)

72 (31.3%)

9 (7.4%)

19 (16.7%)

194 (25.2%)

Don't know

72 (23.7%)

38 (16.5%)

30 (24.6%)

18 (15.8%)

158 (20.5%)

Missing

4 (1.3%)

6 (2.6%)

1 (0.8%)

11 (9.6%)

22 (2.9%)

Total

304 (39.5%)

230 (29.9%)

122 (15.8%)

114 (14.8%)

770 (100.0%)

Has someone else in your family done KMC (skin-to-skin care) at home?

Has someone else in your family done KMC (skin-to-skin care) at home?

PB

KT

MP

MH

Total

No

161 (53%)

139 (60.4%)

44 (36.1%)

33 (28.9%)

377 (49%)

Yes

90 (29.6%)

55 (23.9%)

50 (41%)

55 (48.2%)

250 (32.5%)

Don't know

49 (16.1%)

30 (13%)

27 (22.1%)

15 (13.2%)

121 (15.7%)

Missing

4 (1.3%)

6 (2.6%)

1 (0.8%)

11 (9.6%)

22 (2.9%)

Total

304 (39.5%)

230 (29.9%)

122 (15.8%)

114 (14.8%)

770 (100.0%)

Who did this care? (among those who answer yes to the previous question)

Who did this care?

Karnataka

Madhya Pradesh

Maharashtra

Punjab

Who did this care? - Mother

14 (12.3%)

20 (24.4%)

43 (65.2%)

33 (24.6%)

Who did this care? - Father

14 (12.3%)

7 (8.5%)

24 (36.4%)

42 (31.3%)

Who did this care? - Maternal grandmother

16 (14.0%)

12 (14.6%)

22 (33.3%)

10 (7.5%)

Who did this care? - Paternal grandmother

3 (2.6%)

24 (29.3%)

14 (21.2%)

23 (17.2%)

Who did this care? - Other

4 (3.5%)

6 (7.3%)

14 (21.2%)

8 (6.0%)

Since the baby was born, has there been anything applied to the baby's cord that was not prescribed by the doctor?

Since the baby was born, has there been anything applied to the baby's cord that was not prescribed by the doctor?

PB

KT

MP

MH

Total

No

247 (81.2%)

204 (88.7%)

107 (87.7%)

99 (86.8%)

657 (85.3%)

Yes

53 (17.4%)

19 (8.3%)

14 (11.5%)

3 (2.6%)

89 (11.6%)

Don't know

0 (0.0%)

1 (0.4%)

0 (0.0%)

1 (0.9%)

2 (0.3%)

Missing

4 (1.3%)

6 (2.6%)

1 (0.8%)

11 (9.6%)

22 (2.9%)

Total

304 (39.5%)

230 (29.9%)

122 (15.8%)

114 (14.8%)

770 (100.0%)

What did you put on the baby's cord?

What did you put on the baby's cord?

Karnataka

Madhya Pradesh

Maharashtra

Punjab

What did you put on the baby's cord? - Talcum/babyPowder

7 (3.0%)

2 (1.6%)

0 (0.0%)

1 (0.3%)

What did you put on the baby's cord? - Oil or ghee

10 (4.3%)

11 (9.0%)

1 (0.9%)

35 (11.5%)

What did you put on the baby's cord? - Blue medicine

0 (0.0%)

1 (0.8%)

0 (0.0%)

0 (0.0%)

What did you put on the baby's cord? - Betadine (Surgical powder or medicine)

1 (0.4%)

1 (0.8%)

2 (1.8%)

16 (5.3%)

What did you put on the baby's cord? - Turmeric powder/oil with turmeric powder

2 (0.9%)

0 (0.0%)

0 (0.0%)

0 (0.0%)

What did you put on the baby's cord? - Don't Know

0 (0.0%)

0 (0.0%)

0 (0.0%)

1 (0.3%)

What did you put on the baby's cord? - Other

0 (0.0%)

0 (0.0%)

0 (0.0%)

0 (0.0%)

Since the baby was born, has the mother reduced or eliminated anything in her diet (food or water)?

Since the baby was born, has the mother reduced or eliminated anything in her diet (food or water)?

PB

KT

MP

MH

Total

No

200 (65.8%)

167 (72.6%)

88 (72.1%)

79 (69.3%)

534 (69.4%)

Yes

100 (32.9%)

57 (24.8%)

32 (26.2%)

23 (20.2%)

212 (27.5%)

Don't know

0 (0.0%)

0 (0.0%)

1 (0.8%)

1 (0.9%)

2 (0.3%)

Missing

4 (1.3%)

6 (2.6%)

1 (0.8%)

11 (9.6%)

22 (2.9%)

Total

304 (39.5%)

230 (29.9%)

122 (15.8%)

114 (14.8%)

770 (100.0%)

What did you reduce or eliminate in the diet?

What did you reduce or eliminate in the diet?

Karnataka

Madhya Pradesh

Maharashtra

Punjab

What did you reduce or eliminate in the diet? - Yogurt

1 (0.4%)

0 (0.0%)

0 (0.0%)

1 (0.3%)

What did you reduce or eliminate in the diet? - Citrus fruits

2 (0.9%)

0 (0.0%)

3 (2.6%)

2 (0.7%)

What did you reduce or eliminate in the diet? - Non-vegetarian food

2 (0.9%)

0 (0.0%)

2 (1.8%)

2 (0.7%)

What did you reduce or eliminate in the diet? - Lentils

1 (0.4%)

0 (0.0%)

1 (0.9%)

0 (0.0%)

What did you reduce or eliminate in the diet? - Don't Know

0 (0.0%)

0 (0.0%)

0 (0.0%)

1 (0.3%)

What did you reduce or eliminate in the diet? - Other

23 (10.0%)

5 (4.1%)

11 (9.6%)

18 (5.9%)

3. Summary Tables for Norms Questions

"Doing KMC is physically beneficial for babies' health (e.g., prevents illnesses and infections, helps them gain weight and grow faster, helps keep them warm)"

"Doing KMC is physically beneficial for babies' health (e.g., prevents illnesses and infections, helps them gain weight and grow faster, helps keep them warm)"

PB

KT

MP

MH

Total

Agree

269 (88.5%)

219 (95.2%)

115 (94.3%)

91 (79.8%)

694 (90.1%)

Don't know

12 (3.9%)

4 (1.7%)

5 (4.1%)

11 (9.6%)

32 (4.2%)

Disagree

18 (5.9%)

1 (0.4%)

1 (0.8%)

1 (0.9%)

21 (2.7%)

Don't want to respond

1 (0.3%)

0 (0.0%)

0 (0.0%)

0 (0.0%)

1 (0.1%)

Missing

4 (1.3%)

6 (2.6%)

1 (0.8%)

11 (9.6%)

22 (2.9%)

Total

304 (39.5%)

230 (29.9%)

122 (15.8%)

114 (14.8%)

770 (100.0%)

"Doing KMC helps babies bond with their caregivers/parents"

"Doing KMC helps babies bond with their caregivers/parents"

PB

KT

MP

MH

Total

Agree

283 (93.1%)

217 (94.3%)

117 (95.9%)

92 (80.7%)

709 (92.1%)

Don't know

9 (3%)

5 (2.2%)

2 (1.6%)

11 (9.6%)

27 (3.5%)

Disagree

8 (2.6%)

1 (0.4%)

2 (1.6%)

0 (0.0%)

11 (1.4%)

Don't want to respond

0 (0.0%)

1 (0.4%)

0 (0.0%)

0 (0.0%)

1 (0.1%)

Missing

4 (1.3%)

6 (2.6%)

1 (0.8%)

11 (9.6%)

22 (2.9%)

Total

304 (39.5%)

230 (29.9%)

122 (15.8%)

114 (14.8%)

770 (100.0%)

“Doing KMC helps babies sleep better, feel calmer and cry less”

“Doing KMC helps babies sleep better, feel calmer and cry less”

PB

KT

MP

MH

Total

Agree

57 (18.8%)

99 (43%)

16 (13.1%)

56 (49.1%)

228 (29.6%)

Don’t know

4 (1.3%)

2 (0.9%)

1 (0.8%)

7 (6.1%)

14 (1.8%)

Disagree

2 (0.7%)

1 (0.4%)

0 (0.0%)

0 (0.0%)

3 (0.4%)

Missing

241 (79.3%)

128 (55.7%)

105 (86.1%)

51 (44.7%)

525 (68.2%)

Total

304 (39.5%)

230 (29.9%)

122 (15.8%)

114 (14.8%)

770 (100.0%)

“Doing KMC keeps babies warm through body heat, even when their clothes are removed.”

“Doing KMC keeps babies warm through body heat, even when their clothes are removed.”

PB

KT

MP

MH

Total

Agree

56 (18.4%)

95 (41.3%)

15 (12.3%)

54 (47.4%)

220 (28.6%)

Don’t know

4 (1.3%)

5 (2.2%)

1 (0.8%)

5 (4.4%)

15 (1.9%)

Disagree

3 (1%)

2 (0.9%)

1 (0.8%)

4 (3.5%)

10 (1.3%)

Missing

241 (79.3%)

128 (55.7%)

105 (86.1%)

51 (44.7%)

525 (68.2%)

Total

304 (39.5%)

230 (29.9%)

122 (15.8%)

114 (14.8%)

770 (100.0%)

“Engaging in KMC is good for both babies and their caregivers/parents”

“Engaging in KMC is good for both babies and their caregivers/parents”

PB

KT

MP

MH

Total

Agree

277 (91.1%)

219 (95.2%)

118 (96.7%)

92 (80.7%)

706 (91.7%)

Don’t know

16 (5.3%)

4 (1.7%)

2 (1.6%)

9 (7.9%)

31 (4%)

Disagree

6 (2%)

1 (0.4%)

1 (0.8%)

0 (0.0%)

8 (1%)

Don’t want to respond

1 (0.3%)

0 (0.0%)

0 (0.0%)

2 (1.8%)

3 (0.4%)

Missing

4 (1.3%)

6 (2.6%)

1 (0.8%)

11 (9.6%)

22 (2.9%)

Total

304 (39.5%)

230 (29.9%)

122 (15.8%)

114 (14.8%)

770 (100.0%)

"I approve of other parents engaging in KMC with their babies"

"I approve of other parents engaging in KMC with their babies"

PB

KT

MP

MH

Total

Agree

268 (88.2%)

170 (73.9%)

109 (89.3%)

88 (77.2%)

635 (82.5%)

Disagree

22 (7.2%)

47 (20.4%)

8 (6.6%)

4 (3.5%)

81 (10.5%)

Don't know

8 (2.6%)

4 (1.7%)

4 (3.3%)

9 (7.9%)

25 (3.2%)

Don't want to respond

2 (0.7%)

3 (1.3%)

0 (0.0%)

2 (1.8%)

7 (0.9%)

Missing

4 (1.3%)

6 (2.6%)

1 (0.8%)

11 (9.6%)

22 (2.9%)

Total

304 (39.5%)

230 (29.9%)

122 (15.8%)

114 (14.8%)

770 (100.0%)

"I try my best to engage in KMC with the baby"

"I try my best to engage in KMC with the baby"

PB

KT

MP

MH

Total

Agree

276 (90.8%)

207 (90%)

103 (84.4%)

94 (82.5%)

680 (88.3%)

Disagree

19 (6.2%)

16 (7%)

12 (9.8%)

0 (0.0%)

47 (6.1%)

Don't know

4 (1.3%)

1 (0.4%)

6 (4.9%)

8 (7%)

19 (2.5%)

Don't want to respond

1 (0.3%)

0 (0.0%)

0 (0.0%)

1 (0.9%)

2 (0.3%)

Missing

4 (1.3%)

6 (2.6%)

1 (0.8%)

11 (9.6%)

22 (2.9%)

Total

304 (39.5%)

230 (29.9%)

122 (15.8%)

114 (14.8%)

770 (100.0%)

"KMC benefits all babies, no matter what their birth weight is"

"KMC benefits all babies, no matter what their birth weight is"

PB

KT

MP

MH

Total

Agree

55 (18.1%)

93 (40.4%)

15 (12.3%)

59 (51.8%)

222 (28.8%)

Don't know

5 (1.6%)

3 (1.3%)

2 (1.6%)

4 (3.5%)

14 (1.8%)

Disagree

3 (1%)

6 (2.6%)

0 (0.0%)

0 (0.0%)

9 (1.2%)

Missing

241 (79.3%)

128 (55.7%)

105 (86.1%)

51 (44.7%)

525 (68.2%)

Total

304 (39.5%)

230 (29.9%)

122 (15.8%)

114 (14.8%)

770 (100.0%)

"KMC is good for the baby, even if the baby is sick"

"KMC is good for the baby, even if the baby is sick"

PB

KT

MP

MH

Total

Agree

50 (16.4%)

90 (39.1%)

14 (11.5%)

54 (47.4%)

208 (27%)

Disagree

6 (2%)

9 (3.9%)

1 (0.8%)

5 (4.4%)

21 (2.7%)

Don't know

7 (2.3%)

3 (1.3%)

2 (1.6%)

4 (3.5%)

16 (2.1%)

Missing

241 (79.3%)

128 (55.7%)

105 (86.1%)

51 (44.7%)

525 (68.2%)

Total

304 (39.5%)

230 (29.9%)

122 (15.8%)

114 (14.8%)

770 (100.0%)

"Fathers should engage in KMC with their babies"

"Fathers should engage in KMC with their babies"

PB

KT

MP

MH

Total

Agree

270 (88.8%)

209 (90.9%)

108 (88.5%)

91 (79.8%)

678 (88.1%)

Disagree

18 (5.9%)

8 (3.5%)

9 (7.4%)

1 (0.9%)

36 (4.7%)

Don't know

11 (3.6%)

6 (2.6%)

4 (3.3%)

9 (7.9%)

30 (3.9%)

Don't want to respond

1 (0.3%)

1 (0.4%)

0 (0.0%)

2 (1.8%)

4 (0.5%)

Missing

4 (1.3%)

6 (2.6%)

1 (0.8%)

11 (9.6%)

22 (2.9%)

Total

304 (39.5%)

230 (29.9%)

122 (15.8%)

114 (14.8%)

770 (100.0%)

“I would like to do KMC with the baby”

“I would like to do KMC with the baby”

PB

KT

MP

MH

Total

Agree

281 (92.4%)

217 (94.3%)

112 (91.8%)

93 (81.6%)

703 (91.3%)

Disagree

13 (4.3%)

4 (1.7%)

6 (4.9%)

2 (1.8%)

25 (3.2%)

Don’t know

5 (1.6%)

1 (0.4%)

3 (2.5%)

8 (7%)

17 (2.2%)

Don’t want to respond

1 (0.3%)

2 (0.9%)

0 (0.0%)

0 (0.0%)

3 (0.4%)

Missing

4 (1.3%)

6 (2.6%)

1 (0.8%)

11 (9.6%)

22 (2.9%)

Total

304 (39.5%)

230 (29.9%)

122 (15.8%)

114 (14.8%)

770 (100.0%)

“Mothers should engage in KMC with their babies”

“Mothers should engage in KMC with their babies”

PB

KT

MP

MH

Total

Agree

56 (18.4%)

97 (42.2%)

13 (10.7%)

59 (51.8%)

225 (29.2%)

Don’t know

4 (1.3%)

1 (0.4%)

3 (2.5%)

4 (3.5%)

12 (1.6%)

Disagree

3 (1%)

3 (1.3%)

1 (0.8%)

0 (0.0%)

7 (0.9%)

Don't want to respond

0 (0.0%)

1 (0.4%)

0 (0.0%)

0 (0.0%)

1 (0.1%)

Missing

241 (79.3%)

128 (55.7%)

105 (86.1%)

51 (44.7%)

525 (68.2%)

Total

304 (39.5%)

230 (29.9%)

122 (15.8%)

114 (14.8%)

770 (100.0%)

"Families should do KMC with their babies"

"Families should do KMC with their babies"

PB

KT

MP

MH

Total

Agree

247 (81.2%)

184 (80%)

98 (80.3%)

85 (74.6%)

614 (79.7%)

Disagree

41 (13.5%)

36 (15.7%)

18 (14.8%)

5 (4.4%)

100 (13%)

Don't know

9 (3%)

3 (1.3%)

5 (4.1%)

9 (7.9%)

26 (3.4%)

Don't want to respond

3 (1%)

1 (0.4%)

0 (0.0%)

4 (3.5%)

8 (1%)

Missing

4 (1.3%)

6 (2.6%)

1 (0.8%)

11 (9.6%)

22 (2.9%)

Total

304 (39.5%)

230 (29.9%)

122 (15.8%)

114 (14.8%)

770 (100.0%)

4. Summary Tables for Barriers Questions

"It is risky to apply oil, powder, ghee, ash, turmeric, or cow dung on the baby's cord."

"It is risky to apply oil, powder, ghee, ash, turmeric, or cow dung on the baby's cord."

PB

KT

MP

MH

Total

Agree

53 (79.1%)

95 (88%)

13 (72.2%)

52 (70.3%)

213 (79.8%)

Disagree

7 (10.4%)

6 (5.6%)

4 (22.2%)

10 (13.5%)

27 (10.1%)

Don't know

3 (4.5%)

1 (0.9%)

0 (0.0%)

1 (1.4%)

5 (1.9%)

Missing

4 (6%)

6 (5.6%)

1 (5.6%)

11 (14.9%)

22 (8.2%)

Total

67 (25.1%)

108 (40.4%)

18 (6.7%)

74 (27.7%)

267 (100.0%)

"Parents and caregivers should avoid applying oil, powder, ghee, ash, turmeric, or cow dung on a baby's cord."

"Parents and caregivers should avoid applying oil, powder, ghee, ash, turmeric, or cow dung on a baby's cord."

PB

KT

MP

MH

Total

Agree

57 (85.1%)

95 (88%)

15 (83.3%)

55 (74.3%)

222 (83.1%)

Disagree

6 (9%)

7 (6.5%)

1 (5.6%)

8 (10.8%)

22 (8.2%)

Don't know

0 (0.0%)

0 (0.0%)

1 (5.6%)

0 (0.0%)

1 (0.4%)

Missing

4 (6%)

6 (5.6%)

1 (5.6%)

11 (14.9%)

22 (8.2%)

Total

67 (25.1%)

108 (40.4%)

18 (6.7%)

74 (27.7%)

267 (100.0%)

“Keeping the cord dry is the best way to prevent infection.”

“Keeping the cord dry is the best way to prevent infection.”

PB

KT

MP

MH

Total

Agree

60 (89.6%)

101 (93.5%)

17 (94.4%)

57 (77%)

235 (88%)

Don’t know

2 (3%)

1 (0.9%)

0 (0.0%)

3 (4.1%)

6 (2.2%)

Disagree

1 (1.5%)

0 (0.0%)

0 (0.0%)

3 (4.1%)

4 (1.5%)

Missing

4 (6%)

6 (5.6%)

1 (5.6%)

11 (14.9%)

22 (8.2%)

Total

67 (25.1%)

108 (40.4%)

18 (6.7%)

74 (27.7%)

267 (100.0%)

“The best way to properly care for a baby’s cord is to wash it with a gentle soap and water during baths and dry it immediately after.”

“The best way to properly care for a baby’s cord is to wash it with a gentle soap and water during baths and dry it immediately after.”

PB

KT

MP

MH

Total

Agree

54 (80.6%)

100 (92.6%)

15 (83.3%)

60 (81.1%)

229 (85.8%)

Disagree

6 (9%)

0 (0.0%)

2 (11.1%)

3 (4.1%)

11 (4.1%)

Don’t know

3 (4.5%)

2 (1.9%)

0 (0.0%)

0 (0.0%)

5 (1.9%)

Missing

4 (6%)

6 (5.6%)

1 (5.6%)

11 (14.9%)

22 (8.2%)

Total

67 (25.1%)

108 (40.4%)

18 (6.7%)

74 (27.7%)

267 (100.0%)

"I would avoid putting oil, powder, ghee, ash, turmeric, or cow dung on baby's cord because they can cause infection."

"I would avoid putting oil, powder, ghee, ash, turmeric, or cow dung on baby's cord because they can cause infection."

PB

KT

MP

MH

Total

Agree

55 (82.1%)

99 (91.7%)

16 (88.9%)

57 (77%)

227 (85%)

Disagree

7 (10.4%)

2 (1.9%)

1 (5.6%)

6 (8.1%)

16 (6%)

Don't know

1 (1.5%)

1 (0.9%)

0 (0.0%)

0 (0.0%)

2 (0.7%)

Missing

4 (6%)

6 (5.6%)

1 (5.6%)

11 (14.9%)

22 (8.2%)

Total

67 (25.1%)

108 (40.4%)

18 (6.7%)

74 (27.7%)

267 (100.0%)

"The most important thing about caring for a baby's cord is to keep it dry."

"The most important thing about caring for a baby's cord is to keep it dry."

PB

KT

MP

MH

Total

Agree

60 (89.6%)

102 (94.4%)

16 (88.9%)

62 (83.8%)

240 (89.9%)

Disagree

3 (4.5%)

0 (0.0%)

1 (5.6%)

1 (1.4%)

5 (1.9%)

Missing

4 (6%)

6 (5.6%)

1 (5.6%)

11 (14.9%)

22 (8.2%)

Total

67 (25.1%)

108 (40.4%)

18 (6.7%)

74 (27.7%)

267 (100.0%)

“I want to keep baby’s cord clean and dry.”

“I want to keep baby’s cord clean and dry.”

PB

KT

MP

MH

Total

Agree

62 (92.5%)

101 (93.5%)

17 (94.4%)

63 (85.1%)

243 (91%)

Disagree

1 (1.5%)

1 (0.9%)

0 (0.0%)

0 (0.0%)

2 (0.7%)

Missing

4 (6%)

6 (5.6%)

1 (5.6%)

11 (14.9%)

22 (8.2%)

Total

67 (25.1%)

108 (40.4%)

18 (6.7%)

74 (27.7%)

267 (100.0%)

“I disapprove of putting oil, powder, ghee, ash, turmeric, or cow dung on a baby’s cord.”

“I disapprove of putting oil, powder, ghee, ash, turmeric, or cow dung on a baby’s cord.”

PB

KT

MP

MH

Total

Agree

57 (85.1%)

68 (63%)

16 (88.9%)

59 (79.7%)

200 (74.9%)

Disagree

6 (9%)

34 (31.5%)

1 (5.6%)

4 (5.4%)

45 (16.9%)

Missing

4 (6%)

6 (5.6%)

1 (5.6%)

11 (14.9%)

22 (8.2%)

Total

67 (25.1%)

108 (40.4%)

18 (6.7%)

74 (27.7%)

267 (100.0%)

“Eating all kinds of nutritious foods, regardless of whether it is hot or cold food, helps a mother recover and produce more breastmilk.”

“Eating all kinds of nutritious foods, regardless of whether it is hot or cold food, helps a mother recover and produce more breastmilk.”

PB

KT

MP

MH

Total

Agree

46 (68.7%)

86 (79.6%)

12 (66.7%)

59 (79.7%)

203 (76%)

Disagree

15 (22.4%)

13 (12%)

5 (27.8%)

4 (5.4%)

37 (13.9%)

Don't know

2 (3%)

3 (2.8%)

0 (0.0%)

0 (0.0%)

5 (1.9%)

Missing

4 (6%)

6 (5.6%)

1 (5.6%)

11 (14.9%)

22 (8.2%)

Total

67 (25.1%)

108 (40.4%)

18 (6.7%)

74 (27.7%)

267 (100.0%)

“It’s good to eat all types of hot or cold food postpartum

“It’s good to eat all types of hot or cold food postpartum

PB

KT

MP

MH

Total

Agree

39 (58.2%)

74 (68.5%)

8 (44.4%)

41 (55.4%)

162 (60.7%)

Disagree

23 (34.3%)

28 (25.9%)

8 (44.4%)

22 (29.7%)

81 (30.3%)

Don’t know

1 (1.5%)

0 (0.0%)

1 (5.6%)

0 (0.0%)

2 (0.7%)

Missing

4 (6%)

6 (5.6%)

1 (5.6%)

11 (14.9%)

22 (8.2%)

Total

67 (25.1%)

108 (40.4%)

18 (6.7%)

74 (27.7%)

267 (100.0%)

Eating any type of hot or cold food won't negatively impact the mother or the baby (i.e., cause gas or sickness)."

Eating any type of hot or cold food won't negatively impact the mother or the baby (i.e., cause gas or sickness)."

PB

KT

MP

MH

Total

Agree

41 (61.2%)

78 (72.2%)

11 (61.1%)

46 (62.2%)

176 (65.9%)

Disagree

20 (29.9%)

23 (21.3%)

5 (27.8%)

15 (20.3%)

63 (23.6%)

Don't know

2 (3%)

1 (0.9%)

1 (5.6%)

2 (2.7%)

6 (2.2%)

Missing

4 (6%)

6 (5.6%)

1 (5.6%)

11 (14.9%)

22 (8.2%)

Total

67 (25.1%)

108 (40.4%)

18 (6.7%)

74 (27.7%)

267 (100.0%)

“I do my best to help the mother eat a variety of nutritious foods and avoid restricting her diet after delivery.”

“I do my best to help the mother eat a variety of nutritious foods and avoid restricting her diet after delivery.”

PB

KT

MP

MH

Total

Agree

9 (13.4%)

7 (6.5%)

1 (5.6%)

14 (18.9%)

31 (11.6%)

Disagree

0 (0.0%)

0 (0.0%)

1 (5.6%)

5 (6.8%)

6 (2.2%)

Don’t know

0 (0.0%)

0 (0.0%)

1 (5.6%)

0 (0.0%)

1 (0.4%)

Missing

58 (86.6%)

101 (93.5%)

15 (83.3%)

55 (74.3%)

229 (85.8%)

Total

67 (25.1%)

108 (40.4%)

18 (6.7%)

74 (27.7%)

267 (100.0%)

"It's not ok to reduce the amount of food or water from a mother's diet for the health of her or the baby."

"It's not ok to reduce the amount of food or water from a mother's diet for the health of her or the baby."

PB

KT

MP

MH

Total

Agree

58 (86.6%)

93 (86.1%)

13 (72.2%)

57 (77%)

221 (82.8%)

Disagree

5 (7.5%)

9 (8.3%)

4 (22.2%)

5 (6.8%)

23 (8.6%)

Don't know

0 (0.0%)

0 (0.0%)

0 (0.0%)

1 (1.4%)

1 (0.4%)

Missing

4 (6%)

6 (5.6%)

1 (5.6%)

11 (14.9%)

22 (8.2%)

Total

67 (25.1%)

108 (40.4%)

18 (6.7%)

74 (27.7%)

267 (100.0%)

"Even if the mom or baby is sick, the mom should not stop eating certain foods."

"Even if the mom or baby is sick, the mom should not stop eating certain foods."

PB

KT

MP

MH

Total

Agree

50 (74.6%)

86 (79.6%)

12 (66.7%)

52 (70.3%)

200 (74.9%)

Disagree

11 (16.4%)

15 (13.9%)

5 (27.8%)

9 (12.2%)

40 (15%)

Don't know

2 (3%)

1 (0.9%)

0 (0.0%)

2 (2.7%)

5 (1.9%)

Missing

4 (6%)

6 (5.6%)

1 (5.6%)

11 (14.9%)

22 (8.2%)

Total

67 (25.1%)

108 (40.4%)

18 (6.7%)

74 (27.7%)

267 (100.0%)

"Mothers should drink at least 2 Liters (or 8-10 glasses) of water a day to optimize milk production."

"Mothers should drink at least 2 Liters (or 8-10 glasses) of water a day to optimize milk production."

PB

KT

MP

MH

Total

Agree

61 (91%)

101 (93.5%)

15 (83.3%)

63 (85.1%)

240 (89.9%)

Disagree

1 (1.5%)

1 (0.9%)

1 (5.6%)

0 (0.0%)

3 (1.1%)

Don't know

1 (1.5%)

0 (0.0%)

1 (5.6%)

0 (0.0%)

2 (0.7%)

Missing

4 (6%)

6 (5.6%)

1 (5.6%)

11 (14.9%)

22 (8.2%)

Total

67 (25.1%)

108 (40.4%)

18 (6.7%)

74 (27.7%)

267 (100.0%)

Since the baby was born, has the mother reduced or eliminated anything in her diet (food or water)?

Since the baby was born, has the mother reduced or eliminated anything in her diet (food or water)?

PB

KT

MP

MH

Total

No

41 (61.2%)

77 (71.3%)

12 (66.7%)

49 (66.2%)

179 (67%)

Yes

22 (32.8%)

25 (23.1%)

5 (27.8%)

13 (17.6%)

65 (24.3%)

Don't know

0 (0.0%)

0 (0.0%)

0 (0.0%)

1 (1.4%)

1 (0.4%)

Missing

4 (6%)

6 (5.6%)

1 (5.6%)

11 (14.9%)

22 (8.2%)

Total

67 (25.1%)

108 (40.4%)

18 (6.7%)

74 (27.7%)

267 (100.0%)

"I do my best to (help the mother) eat a variety of nutritious foods and avoid restricting her diet after delivery."

"I do my best to (help the mother) eat a variety of nutritious foods and avoid restricting her diet after delivery."

PB

KT

MP

MH

Total

Agree

60 (89.6%)

89 (82.4%)

12 (66.7%)

54 (73%)

215 (80.5%)

Disagree

3 (4.5%)

13 (12%)

4 (22.2%)

9 (12.2%)

29 (10.9%)

Don't know

0 (0.0%)

0 (0.0%)

1 (5.6%)

0 (0.0%)

1 (0.4%)

Missing

4 (6%)

6 (5.6%)

1 (5.6%)

11 (14.9%)

22 (8.2%)

Total

67 (25.1%)

108 (40.4%)

18 (6.7%)

74 (27.7%)

267 (100.0%)

"I try to (make sure the mother) drink(s) at least 2 liters (or 8–10 glasses) of water a day to support healthy milk production."

"I try to (make sure the mother) drink(s) at least 2 liters (or 8–10 glasses) of water a day to support healthy milk production."

PB

KT

MP

MH

Total

Agree

61 (91%)

101 (93.5%)

15 (83.3%)

60 (81.1%)

237 (88.8%)

Disagree

2 (3%)

1 (0.9%)

2 (11.1%)

1 (1.4%)

6 (2.2%)

Don't know

0 (0.0%)

0 (0.0%)

0 (0.0%)

2 (2.7%)

2 (0.7%)

Missing

4 (6%)

6 (5.6%)

1 (5.6%)

11 (14.9%)

22 (8.2%)

Total

67 (25.1%)

108 (40.4%)

18 (6.7%)

74 (27.7%)

267 (100.0%)

What do you think makes it hard for families to practice KMC at home?

What do you think makes it hard for families to practice KMC at home?

Karnataka

Madhya Pradesh

Maharashtra

Punjab

What made it hard to practice KMC? - People think KMC is only for weak or small babies

0 (0.0%)

2 (11.1%)

4 (5.4%)

2 (3.0%)

What made it hard to practice KMC? - Mothers feel shy or uncomfortable opening their clothes

0 (0.0%)

0 (0.0%)

0 (0.0%)

4 (6.0%)

What made it hard to practice KMC? - Family elders say it's not needed

1 (0.9%)

1 (5.6%)

2 (2.7%)

2 (3.0%)

What made it hard to practice KMC? - Mothers are in pain or tired after delivery

0 (0.0%)

0 (0.0%)

0 (0.0%)

1 (1.5%)

What made it hard to practice KMC? - Lack of privacy at home

0 (0.0%)

3 (16.7%)

4 (5.4%)

1 (1.5%)

What made it hard to practice KMC? - Families don't understand KMC properly during the hospital session

0 (0.0%)

1 (5.6%)

4 (5.4%)

0 (0.0%)

What made it hard to practice KMC? - Families don't feel confident in doing KMC at home

0 (0.0%)

1 (5.6%)

5 (6.8%)

0 (0.0%)

What made it hard to practice KMC? - Families forgot or didn't think it was important

0 (0.0%)

1 (5.6%)

1 (1.4%)

0 (0.0%)

What made it hard to practice KMC? - Mothers are expected to help others, but feel uncomfortable asking for help with KMC

0 (0.0%)

1 (5.6%)

0 (0.0%)

0 (0.0%)

What made it hard to practice KMC? - Other (please type)

101 (93.5%)

13 (72.2%)

47 (63.5%)

57 (85.1%)

While many people selected "Other", most of them answered "No Problem."

Please tell us briefly what else makes it hard to do KMC.

Please tell us briefly what else makes it hard to do KMC.

No problem

Nothing difficult

Nothing difficult

NA

kmc ke bare pata nahi

Nothing

No any problem

Nothing

don't know

No problems

Mahiti nahi

Mahiti nahi

No any problem

Nothing problem

Grandparents says don't make the child naked by taking off her clothes

No information

Baby is crying

no

Not hard

Not hard task

Patha nhi

Don’t know

No problem

Pta nahi

If someone in family having any type of infection

Pata nhi

gharat koni nasat

Safayi da sab tu saddi problem

Skin problem na howe

because of hygiene

Nhi hota

If anyone in family having no any skin infection then no any problem

Not having proper knowledge about kmc

Koi nahi

Koi kathin nahi

Pata nhi

No problems

Don’t know

The child may get an infection

Timing problem

Nhi pata

Baby

Feeling shame

Nahi

Sirf maa hi kre bs

kmc ke bare kise ko pata hai o hi kr sakta

Nhi hota

No any hard task

Not hard task

Not any hard

What do you think makes it hard for families to follow dry cord care at home?

What do you think makes it hard for families to follow dry cord care at home?

Karnataka

Madhya Pradesh

Maharashtra

Punjab

What made it hard to practice dry cord care? - Family elders said to apply oil, powder, or home remedies

0 (0.0%)

2 (11.1%)

8 (10.8%)

15 (22.4%)

What made it hard to practice dry cord care? - Parents and caregivers are not convinced that dry cord care is enough

0 (0.0%)

1 (5.6%)

1 (1.4%)

2 (3.0%)

What made it hard to practice dry cord care? - Parents and caregivers are concerned that others would judge them for engaging in dry cord care

0 (0.0%)

0 (0.0%)

5 (6.8%)

1 (1.5%)

What made it hard to practice dry cord care? - They do not understand how to take care of the cord

0 (0.0%)

0 (0.0%)

1 (1.4%)

0 (0.0%)

What made it hard to practice dry cord care? - They thought applying oil or powder would help with healing or preventing infections

0 (0.0%)

0 (0.0%)

1 (1.4%)

0 (0.0%)

What made it hard to practice dry cord care? - The hospital did not explain cord care clearly

0 (0.0%)

0 (0.0%)

1 (1.4%)

0 (0.0%)

What made it hard to practice dry cord care? - They forgot what was said in the hospital session

0 (0.0%)

1 (5.6%)

0 (0.0%)

0 (0.0%)

What made it hard to practice dry cord care? - Other (please type)

102 (94.4%)

15 (83.3%)

50 (67.6%)

51 (76.1%)

Please tell us briefly what else makes it hard to do dry cord care.

0 (0.0%)

0 (0.0%)

0 (0.0%)

0 (0.0%)

Please tell us briefly what else makes it hard to do dry cord care.

Please tell us briefly what else makes it hard to do dry cord care.

No problem

Nothing difficult

Nothing difficult

No

NA

pata nahi

Nothing

No any problem

Nothing card is fine

Nothing

don't know

No problem

Mahiti nahi

No any problem

U

Second child can draw a dry cord

no

Not any hard issue

Not hard task

No any

Pata nhi

Nothing problem card is fine

Don’t know

Summer me dikkat andi hai, pasina anda

Nhi hai

Mahiti nahi

No any hard task

Log bolte hain lagane ko

Patha nhi

Because of mansoon

No problems

LSCs karan problem ati hai

Nhi pata

Interference of elders

Nahi

Nahi hota

Nahi

Humesha sukha rhta h

Nhi hota

Not any hard task

Not hard task

It fall while we were in hospital

What do you think makes it hard for mothers to eat a full and balanced diet after delivery?

What do you think makes it hard for mothers to eat a full and balanced diet after delivery?

Karnataka

Madhya Pradesh

Maharashtra

Punjab

What made it hard to eat a nutritious diet? - Family elders do not believe mothers should be eating certain foods post-delivery

1 (0.9%)

6 (33.3%)

14 (18.9%)

17 (25.4%)

What made it hard to eat a nutritious diet? - They were told to avoid cold, spicy, or hard foods

2 (1.9%)

1 (5.6%)

9 (12.2%)

1 (1.5%)

What made it hard to eat a nutritious diet? - Mother was not allowed to eat enough or certain foods or water by her family members, even if she prepared the food at home

0 (0.0%)

0 (0.0%)

1 (1.4%)

0 (0.0%)

What made it hard to eat a nutritious diet? - The hospital session said not to restrict food intake, but we don't believe that's the right approach

9 (8.3%)

3 (16.7%)

10 (13.5%)

3 (4.5%)

What made it hard to eat a nutritious diet? - We were afraid it would harm the baby or the mother (e.g., gas, pain, cold)

0 (0.0%)

3 (16.7%)

0 (0.0%)

1 (1.5%)

What made it hard to eat a nutritious diet? - Other (please type)

90 (83.3%)

8 (44.4%)

32 (43.2%)

47 (70.1%)

Please tell us briefly what else makes it hard for mothers to eat a healthy diet.

0 (0.0%)

0 (0.0%)

0 (0.0%)

0 (0.0%)

Please tell us briefly what else makes it hard for mothers to eat a healthy diet.

Please tell us briefly what else makes it hard for mothers to eat a healthy diet.

No problem

Nothing difficult

Nothing difficult

Water is not giving

NA

pata nahi

Nothing

pata nhi

Nothing

Take vedna hott asel tr

don’t know

Bed rest karan

No problem

Mahiti nahi

No any problem

No

No any problem

Some times food diet not maintained time to time

Not any hard task

no

No any

Mahiti

Busy schedule due to working family

Difficulty to eat hot foods

Stitches karan, bhukh nahi lgdi

don’t know

Digest karna muskil hunda hai

Don’t know

No

Care karne ke liye koi nhi hota isliye

Don’t eat hot foods

Having their own wish

Nahi hota

No problems

Don’t know

Bache de nal time nahi milda khane lyi

Dont know

Interference of elders

Nahi

Nahi koi problem nhi h

paternal no eat some food