




اباليك ودلايات وabajورات ونجف ليد لوکس

No.	Item No.	PHOTO	Qty (pcs)	U.PRICE	TOTAL
1	دلایة مفرد سلندر		1280	415	531200
2	دلایة مجوز سلندر		970	600	582000
3	دلایة هاند ميد ورده		510	0	0
4	abajورة تاتش		200	125	25000
5	abajورة ابيض 221		148	750	111000
6	abajورة 201		90	525	47250
7	abajورة شابوه كرستال 209		380	525	199500
8			20	400	8000
9			130		0
10			140		0
11			160		0
12			142		0
13			120		0
14	کلبس داخلي وخارجي		54		0

15	505 CH B		20	925	18500
16	535-2 / 500 CH B		6	1250	7500
17	535-2 / 500 GD B			1250	0
18	539-2 CH B		2	1050	2100
19	539-2 GD B			1050	0
20	542-2 CH B		14	1025	14350
21	546-1 / 2米5 CH B		6	1025	6150
22	546-1 / 2米5 GD B			1025	0
23	547-1 / 2米5 CH B		14	1025	14350
24	547-1 / 2米5 GD B		4	1025	4100
25	548-2 CH B		6	1025	6150
26	548-2 GD B			1025	0
27	549-2 CH B		2	1025	2050
28	549-2 GD B			1025	0
29	550-2 CH B		12	975	11700
30	550-2 GD B		6	975	5850


31	551-2 CH B		20	975	19500
32	551-2 GD B			975	0
33	553-2 CH B		6	1125	6750
34	553-2 GD B			1125	0
35	555-1 CH B		14	975	13650
36	555-1 GD B			975	0
37	557-1 CH B		21	975	20475
38	557-1 GD B			975	0
39	560-2/500+300 CH B		16	1085	17360
40	560-2/500+300 GD B			1050	0
41	562-2/500+300 CH B		8	1050	8400
42	562-2/500+300 GD B			1050	0
43	570-2 CH B		8	1150	9200
44	570-2 GD B			1150	0
45	571-2 CH B			1050	0
46	571-2 GD B		20	1050	21000

47	572 CH B		20	875	17500
48	572 GD B			875	0
49	576-1 CH B			950	0
50	576-1 GD B		2	950	1900
51	701-1 /250 CH B			650	0
52	701-1 /250 GD B		12	650	7800
53	760-3 GD B			725	0
54	760-3 WH B		20	725	14500
55	768-1/300 GD B		4	745	2980
56	771-1/400 GD B		12	900	10800
57	772-1/400 GD B		30	850	25500
58	773-1/400 GD B		44	850	37400
59	774-1/400 GD B		10	850	8500
60	775-1/400 GD B		20	850	17000



61	776-2/500 GD B		20	1200	24000
62	777-2/500 GD B		8	1200	9600
63	782-1 WH B		4	900	3600
64	782-1 GD B			1000	0
65	783-1 WH B		3	900	2700
66	783-1 GD B			1000	0
67	784-2 WH B		6	900	5400
68	784-2 GD B			1000	0
69	786-1 WH B		6	900	5400
70	786-1 GD B		2	1000	2000
71	787-1 WH B		20	900	18000
72	787-1 GD B			1000	0
73	789-1 WH B		12	850	10200


74	789-1 GD B		12	950	11400
75	791-1 WH B		2	925	1850
76	791-1 GD B			1050	0
77	792-2 WH B		14	925	12950
78	792-2 GD B		6	1050	6300
79	793-2 WH B		20	925	18500
80	793-2 GD B			1050	0
81	794-1 WH B		8	950	7600
82	794-1 GD B			1145	0
83	795-1 WH B		6	925	5550
84	795-1 GD B			1125	0
85	796-2 WH B		14	1025	14350
86	796-2 GD B			1165	0
87	797-2 WH B		16	1025	16400
88	797-2 GD B			1100	0
89	798-3 /400 WH B		4	1125	4500

90	798-3 /400 GD B			1265	0
91	799-3 /400 WH B		10	1125	11250
92	799-3 /400 GD B			1265	0
93	800-3 /400 WH B		8	1050	8400
94	800-3 /400 GD B			1150	0
95	801-3 /400 WH B		6	1125	6750
96	801-3 /400 GD B			1220	0
97	833-1 WH B		12	875	10500
98	833-1 CF B			900	0
99	832-1 FGD B			985	0
100	851-3 WH B		8	1100	8800
101	851-3 GD B			1200	0
102	852-3 WH B		18	1150	20700
103	852-3 GD B			1250	0
104	853-3 WH B		12	1150	13800
105	853-3 GD B			1250	0
106	854-3 / 400 WH B		2	1200	2400






107	854-3 / 400 GD B			1300	0
108	855-3 / 400 WH B		6	1200	7200
109	855-3 / 400 GD B			1300	0
110	856-3 / 400 WH B		18	1200	21600
111	856-3 / 400 GD B			1300	0
112	659-2 CH B		2	1250	2500
113	659-2 GD B		8	1250	10000
114	685 GD B		2	1550	3100
115	685 CH B			1550	0
116	686-2-500+300 CH B			1225	0
117	686-2-500+300 GD B		2	1225	2450
118	687-1 CH B		2	1325	2650
119	687-1 GD B			1325	0
120	689-1 CH B		6	1300	7800
121	689-1 GD B			1300	0
122	690-1 CH B		2	1325	2650


123	690-1 GD B			1325	0
124	698-1 CH B		6	1050	6300
125	698-1 GD B			1050	0
126	506 CH B			950	0
127	506 FGD B		4	950	3800
128	511-1/300 CH B		14	925	12950
129	452 WH B		26	1050	27300
130	457-1 GD B		8	800	6400
131	457-1 CH B		8	800	6400
132	459-1 CH B		4	800	3200
133	459-1 GD B			800	0
134	460-1 CH B		6	800	4800
135	483-1 CH B			950	0
136	483-1 GD B		2	950	1900


137	516 CH B		20	1225	24500
138	516 GD B			1225	0
139	518 CH B			1200	0
140	518 GD B		4	1200	4800
141	519 CH B		12	1200	14400
142	519 FGD B			1200	0
143	513/600 CH B		2	1350	2700
144	513/600 GD B		9	1350	12150
145	514/500+300 CH B		15	1830	27450
146	514/500+300 GD B		9	1830	16470
147	559-2/500+300 CH B			1050	0
148	559-2/500+300 GD B		28	1050	29400
149	577-1 CH B		12	950	11400
150	577-1 GD B		2	950	1900
151	602/500+300 WH B		4	1050	4200
152	602/500+300 CH B		32	1150	36800
153	602/500+300 GD B		4	1150	4600



154	603-1/300 WH B			650	0
155	603-1/300 CH B		2	700	1400
156	603-1/300 GD B			700	0
157	604-1 / 300 WH B		12	625	7500
158	604-1 / 300 CH B		12	675	8100
159	604-1 / 300 GD B		4	675	2700
160	605-1/300 WH B		2	625	1250
161	605-1/300 CH B		2	675	1350
162	605-1/300 GD B			675	0
163	608-1/300 WH B		2	650	1300
164	608-1/300 CH B			700	0
165	608-1/300 GD B			700	0
166	609-1 /300 WH B			650	0
167	609-1 /300 CH B		6	700	4200
168	609-1 /300 GD B			700	0
169	610-1 / 300 WH B			625	0
170	610-1 / 300 CH B		10	675	6750
171	610-1 / 300 GD B			675	0
172	612-3 WH-300+400+500 B		18	1250	22500
173	612-3 CH-300+400+500 B		14	1350	18900
174	612-3 GD-300+400+500 B			1350	0
175	614-1 WH B		18	950	17100
176	614-1 CH B		22	1050	23100
177	614-1 GD B			1050	0


178	613-3 WH-300+400+600 B		12	1150	13800
179	613-3 CH-300+400+600 B		8	1250	10000
180	613-3 GD-300+400+600 B			1250	0
181	615-1 WH B		14	925	12950
182	615-1 CH B		14	1025	14350
183	615-1 GD B		12	1025	12300
184	616-1 WH B		17	925	15725
185	616-1 CH B			1025	0
186	616-1 GD B		41	1025	42025
187	619-1 WH B		14	950	13300
188	619-1 CH B		12	1050	12600
189	619-1 GD B			1050	0
190	620-2 WH B		10	1150	11500
191	620-2 CH B			1250	0
192	620-2 GD B			1250	0
193	621-2 WH B		14	1150	16100
194	621-2 CH B		16	1250	20000
195	621-2 GD B		18	1250	22500
196	630-3 WH B		12	1125	13500
197	630-3 CH B		24	1225	29400
198	630-3 GD B			1225	0
199	631-3 WH B		6	1175	7050
200	631-3 GD B			1275	0
201	632-3 WH B		10	1175	11750

202	632-3 CH B		8	1275	10200
203	632-3 GD B		2	1275	2550
204	714 WH B		4	1300	5200
205	714 GD B			1400	0
206	715/500 WH B		33	1145	37785
207	715/500 GD B		21	1240	26040
208	719 /2 WH B		20	1145	22900
209	719 /2 GD B		36	1240	44640
210	721 WH B		12	1300	15600
211	721 GD B		23	1500	34500
212	727-3 WH B		20	1125	22500
213	727-3 GD B		6	1225	7350
214	728-3 WH B		20	1175	23500
215	728-3 GD B		48	1275	61200
216	729-3 WH B		20	1175	23500
217	729-3 GD B		12	1275	15300
218	730-3 WH B		8	1175	9400
219	730-3 GD B			1275	0
220	731-3 WH B		2	1175	2350
221	731-3 GD B		44	1275	56100
222	732-1 CH B		14	1200	16800
223	732-1 GD B			1200	0
224	2538-（600大）GD			830	0

225	2538-2 (600大) CH		14	830	11620
226	2558-1 GD			825	0
227	2558-1 CH		8	825	6600
228	2583-1 GD			1350	0
229	2583-1 CH		2	1350	2700
230	2563-1 CH		9	1325	11925
231	2579-2 GD			1275	0
232	2579-2 CH		12	1275	15300
233	2561-1 GD		6	1100	6600
234	2561-1 CH		14	1100	15400
235	2548-1 CH		14	1450	20300
236	2519 GD		18	1150	20700
237	2519 CH		16	1150	18400
238	2520 GD		4	1575	6300
239	2520 CH			1575	0
240	2553-2 GD		2	1250	2500




241	2553-2 CH			1250	0
242	2543-1 GD			1050	0
243	2543-1 CH		8	1050	8400
244	2536-3 (600大) GD			1400	0
245	2536-3 (600大) CH		4	1400	5600
246	656-2 CH B		2	1475	2950
247	656-2 GD B			1375	0
248	6592-1 GD		2	1100	2200
249	1411-1 WH		3	825	2475
250	1412 -1 GD		4	925	3700
251	1088-3 WH B		16	900	14400





252	1628-1 GD		42	1025	43050
253	T1017-2 GD		27	1025	27675
254	T1012-2 GD		4	925	3700
255	X1202-2 GD		30	1175	35250
256	X1202-2 WH			1095	0
257	X1050-2 GD		42	1150	48300
258	X1031-2 GD		46	1114.625	51272.75
259	X1031-2 WH			1045	0
260	X1051-2 GD		24	1285	30840
261	X1051-2 WH			1215	0
262	X1201-2 GD		52	1175	61100

263	X1201-2 WH	 		1095	0
264	X121-2 GD		46	1175	54050
265	X120-2 GD		34	1060	36040
266	X112-1 GD		24	785	18840
267	X107-1 GD		40	634.5	25380
268	X118-1 GD		12	840	10080
269	X118-1 WH			770	0
270	X1203-1 GD		32	845	27040
271	X113-1 GD		42	784.8	32961.6
272	X119-2 GD		72	1150	82800
273	X119-2 WH			1085	0




274	X1030-2 GD		28	1114.625	31209.5
275	X1030-2 WH		4	1045	4180
276	X115-1 GD		21	735	15435
277	X116-1 GD		10	915	9150
278	X116-1 WH		10	845	8450
279	5392 GD		20	1085	21700
280	971-2 GD			875	0
281	971-2 WH		14	775	10850
282	975-2 GD			1000	0
283	975-2 WH		10	900	9000
284	6587-2 GD		4	1050	4200
285	856-3 BK		2	1050	2100


286	856-3 GD			1150	0
287	856-3 CH		16	1150	18400
288	968-2 GD			1100	0
289	968-2 WH		12	1000	12000
290	969-2 GD			1100	0
291	969-2 WH		10	1000	10000
292	8825-1 GD			1085.4	0
293	8825-1 WH		8	1005	8040
294	8823-1 GD			1150	0
295	8823-1 WH		12	1050	12600


296	8323-3 WH		2	1200	2400
297	8359-3 GD			775	0
298	8359-3 WH		6	675	4050
299	8310-2 GD			1175	0
300	8310-2 WH		6	1135	6810
301	T1016-2 GD		25	1025	25625
302	T1013-2 GD		2	1025	2050
303	8833 GD		18	1240	22320
304	6566-2 GD		2	1025	2050
305	6567-2 GD		10	1000	10000


306	6567-2 WH		8	1000	8000
307	6567-2 BK			1000	0
308	6569-2 GD		2	1000	2000
309	6581-1 GD		18	800	14400
310	8828-2 GD		12	1075	12900
311	6568-2 GD		2	1000	2000
312	6568-2 WH		10	1000	10000
313	6568-2 BK			1000	0
314	8837 GD		27	1000	27000
315	8802-2 GD		3	1150	3450
316	8839 WH		18	925	16650
317	8839 GD			1025	0



318	8857-2 GD		14	1025	14350
319	6165-2 GD			1175	0
320	5389-1 GD		3	950	2850
321	5389-1 WH			850	0
322	5391-2 GD		48	925	44400
323	5391-2 WH			825	0
324	5381-2 GD		22	950	20900
325	5381-2 WH		16	850	13600
326	5383-2 GD		46	1114.625	51272.75
327	5383-2 WH		12	1050	12600

328	5385-1 GD			1115	0
329	5385-1 WH		4	1050	4200
330	8820-2 GD			1100	0
331	8820-2 WH		2	1000	2000
332	813-2 GD		16	1050	16800
333	813-2 WH			950	0
334	8285-500+300 GD		32	1000	32000
335	8286-500+300 GD		8	1000	8000
336	5971 WH		60	700	42000
337	دلایة لید کرسنال ثلاثی		90	845	76050
338	829-2 GD		10	1150	11500
339	829-2 WH			1050	0



340	713 / 600 WH B		20	1325	26500
341	713 / 600 GD B			1425	0
342	6589-2 GD		4	1050	4200
343	6585-2 GD		8	1050	8400
344	8319-1 GD		3	790	2370
345	8859-1 GD			825	0
346	8859-1 WH		12	825	9900
347	711-2/500+300 CH B		12	1200	14400
348	711-2/500+300 GD B		8	1200	9600
349	2501-1 GD			800	0
350	2501-1 CH		2	800	1600
351	2502-1 GD			800	0
352	2502-1 CH		12	800	9600
353	2517-1 GD		15	1100	16500


354	2517-1 CH			1100	0
355	2506-1 CH		6	800	4800
356	2508-1 GD			800	0
357	2508-1 CH		24	800	19200
358	5691-1 WH		14	850	11900
359	5691-1 GD			950	0
360	462-1 CH B		18	800	14400
361	462-1 GD B			800	0
362	451 WH B		15	1105	16575
363	507-1/400 CH B			925	0
364	507-1/400 GD B		12	925	11100
365	509-1/300 CH B			900	0
366	509-1/300 GD B		6	900	5400
367	552-2 CH B		10	950	9500



368	552-2 GD B			950	0
369	558-1 CH B			900	0
370	558-1 GD B		8	900	7200
371	524-1 CH B		4	1100	4400
372	525 CH B		15	1000	15000
373	525 GD B		12	1000	12000
374	479-1 CH B		20	1075	21500
375	479-1 GD B		12	1075	12900
376	790-1 WH B		18	850	15300
377	790-1 GD B			950	0
378	515 CH B		9	950	8550



379	515 GD B			950	0
380	502 CH B		10	900	9000
381	2169/200.400.600 BK		15	530	7950
382	2601-1 GD			1000	0
383	2601-1 CH		2	1000	2000
384	2603-1 CH		4	1000	4000
385	2595-1 CH		8	1125	9000
386	2573-2 500 GD			1350	0
387	2573-2 500 CH		8	1350	10800
388	2568-1 GD		3	675	2025
389	2568-1 CH		14	675	9450

390	2547-1 GD		4	1310	5240
391	2547-1 CH		21	1310	27510
392	2580-2 GD			1250	0
393	2580-2 CH		8	1250	10000
394	2514-3 GD		18	1275	22950
395	2514-3 CH		6	1275	7650
396	2533-1 GD			680	0
397	2533-1 CH		6	680	4080
398	2546-1 GD		3	1305	3915
399	2546-1 CH		24	1305	31320
400	2528-2 GD			1200	0

401	2528-2 CH		21	1200	25200
402	2503-1 GD			800	0
403	2503-1 CH		8	800	6400
404	2581-1 GD			1350	0
405	2581-1 CH		4	1350	5400
406	2567-1 GD			660	0
407	2567-1 CH		6	660	3960
408	2556-1 CH		16	825	13200
409	2534-1 GD			680	0
410	2534-1 CH		8	680	5440
411	2532-1 GD			680	0


412	2532-1 CH		14	680	9520
413	2540-1 GD		24	1050	25200
414	2540-1 CH		16	1050	16800
415	2541-1 GD		16	1050	16800
416	2541-1 CH		12	1050	12600
417	2609-1 GD		16	1000	16000
418	2609-1 CH		10	1000	10000
419	2555-1 GD			845	0
420	2555-1 CH		8	845	6760
421	2570-1 GD			755	0
422	2570-1 CH		8	755	6040

423	2571-1 GD		16	755	12080
424	2571-1 CH		16	755	12080
425	2505-1 GD		12	800	9600
426	2505-1 CH		18	800	14400
427	2041WH		56	730	40880
428	2041CH		16	830	13280
429	2041 GD			830	0
430	2576-2 GD			1250	0
431	2576-2 CH		14	1250	17500
432	2564-3 CH		4	1450	5800
433	2559-1 GD			900	0
434	2559-1 CH		4	900	3600


435	2522-1 GD			680	0
436	2522-1 CH		10	680	6800
437	2518-1 GD		8	1000	8000
438	2518-1 CH		12	1000	12000
439	2577-2 GD			1325	0
440	2577-2 CH		12	1325	15900
441	2578-2 GD		2	1300	2600
442	2578-2 CH		21	1300	27300
443	2527-2 GD			1305	0
444	2527-2 CH		15	1305	19575
445	2602-1 CH		14	1000	14000

446	595-2 /400 WH B			1025	0
447	595-2 /400 CH B			1125	0
448	595-2 /400 GD B		8	1125	9000
449	596-2 /400 WH B		18	1025	18450
450	596-2 /400 CH B		8	1125	9000
451	596-2 /400 GD B		10	1125	11250
452	2549-1 GD		4	1615	6460
453	2549-1 CH		6	1615	9690
454	2551-2 CH		3	1250	3750
455	2529-2 GD			1150	0
456	2529-2 CH		4	1150	4600
457	2593-2 GD			1125	0

458	2593-2 CH		6	1125	6750
459	330-1 BK B		5	760	3800
460	330-1 CH B			820	0
461	330-1 WH B			760	0
462	330-1 GD B			820	0
463	334 BK B			600	0
464	334 CH B			675	0
465	334 WH B		10	600	6000
466	334 GD B			675	0
467	340-2 BK B		18	1185	21330
468	340-2 CH B		6	1280	7680
469	341-2 BK B		6	1185	7110
470	341-2 CH B		17	1280	21760
471	341-2 WH B		21	1075	22575
472	341-2 GD B		12	1175	14100
473	346-2 BK B		20	1145	22900

474	346-2 CH B		22	1240	27280
475	346-2 WH B		24	1145	27480
476	346-2 GD B		8	1240	9920
477	347-2BK B		4	1140	4560
478	347-2 WH B		20	1140	22800
479	347-2 CH B			1240	0
480	347-2 GF B		16	1240	19840
481	348-2 CH B		12	1150	13800
482	348-2 GD B			1150	0
483	349-2 CH B		22	1125	24750
484	349-2 GD B		2	1125	2250

485	351-2 CH		16	1125	18000
486	351-2 GD		4	1125	4500
487	352-1 CH B		16	1100	17600
488	352-1 GD B		4	1100	4400
489	332-1 BK B			600	0
490	332-1 CH B		15	650	9750
491	332-1 WH B		5	600	3000
492	332-1 GD B			650	0
493	333-1 CH B		4	675	2700
494	350-2 CH B		22	1165	25630
495	350-2 GD B		14	1165	16310
496	354 CH B		5	1250	6250
497	354 WH B		20	1150	23000
498	354 GD B			1250	0
499	354 BK B			1150	0



500	1499-2 CH B		10	985	9850
501	1499-2 GD B			985	0
502	1486-2/600 CH B		2	1075	2150
503	1486-2/600 GD B			1075	0
504	1495-1 CH B		4	985	3940
505	1495-1 GD B			985	0
506	2410-2 WH B		6	1075	6450
507	2410-2 GD B			1175	0
508	2410-2 BK B			1105	0
509	1626-2 GD		20	1150	23000
510	1623-1 GD		40	1100	44000
511	1623-1 WH		20	1000	20000

512	2408-2 WH B		15	1065	15975
513	2408-2 GD B			1145	0
514	2408-2 BK B			1065	0
515	358-1 CH B		16	1125	18000
516	358-1 GD B		6	1125	6750
517	358-1 BK B		16	1030	16480
518	358-1 WH B		20	1030	20600
519	590-2 /400 WH B		38	1000	38000
520	590-2 /400 CH B		39	1100	42900
521	590-2 /400 GD B		41	1100	45100
522	591-2 /400 WH B		20	975	19500

523	591-2 /400 CH B		20	1050	21000
524	591-2 /400 GD B		10	1050	10500
525	592-2 /400 WH B			950	0
526	592-2 /400 CH B		22	1050	23100
527	592-2 /400 GD B			1050	0
528	593-2 /400 WH B		10	1000	10000
529	593-2 /400 CH B		8	1100	8800
530	593-2 /400 GD B			1100	0
531	594-2 /400 WH B		20	1000	20000
532	594-2 /400 CH B		14	1100	15400
533	594-2 /400 GD B		2	1100	2200
534	597-2 /400 WH B		22	1125	24750

535	597-2 /400 CH B		16	1225	19600
536	597-2 /400 GD B			1225	0
537	598-2 /400 WH B		8	1125	9000
538	598-2 /400 CH B			1225	0
539	598-2 /400 GD B			1225	0
540	657-2 CH B		8	1250	10000
541	657-2 GD B			1250	0
542	683-1 /280 CH B			680	0
543	683-1 /280 GD B		2	680	1360
544	679-1 /280 CH B		2	680	1360
545	679-1 /280 GD B			680	0
546	611-3 CH-350+550+750 B		20	1650	33000
547	611-3 GD-350+550+750 B			1650	0
548	611-3 WH-350+550+750 B		4	1475	5900

549	617-1 WH B		8	950	7600
550	617-1 CH B		6	1050	6300
551	617-1 GD B			1050	0
552	618-1 WH B		20	950	19000
553	618-1 CH B			1050	0
554	618-1 GD B			1050	0
555	2044 GD		4	1100	4400
556	2044 WH		20	1000	20000
557	674-1 CH B			1125	0
558	674-1 GD B		2	1125	2250
559	699 GD			1250	0

560	716/500 WH B		8	1300	10400
561	355-1 BK B			1075	0
562	355-1 CH B		5	1175	5875
563	355-1 WH B		24	1075	25800
564	355-1 GD B		24	1175	28200
565	356-1 BK B		15	1185	17775
566	356-1 CH B		18	1280	23040
567	356-1 WH B		21	1185	24885
568	356-1 GD B		21	1280	26880
569	357-1 BK B			950	0
570	357-1 CH B			1050	0
571	357-1 WH B		20	950	19000
572	357-1 GD B			1050	0

573	2406/45+30 WH B		56	710	39760
574	2406/45+30 BK B		28	710	19880
575	2499-2 CH B		20	1025	20500
576	2499-2 GD B		20	1025	20500
577	676-1 CH B		10	1150	11500
578	676-1 GD B			1150	0
579	627-2 WH B			1325	0
580	627-2 CH B		6	1425	8550
581	627-2 GD B			1425	0
582	495-1 CH B		8	625	5000
583	8838 GD		10	950	9500

584	523-1 CH B			950	0
585	523-1 GD B		4	950	3800
586	524-1 CH B		2	1100	2200
587	524-1 GD B			1100	0
588	2496-2 CH B		21	1025	21525
589	2496-2 GD B			1025	0
590	2498-2 CH B		8	1025	8200
591	2498-2 GD B		16	1025	16400
592	397-2 GD B		4	1300	5200
593	398-2/400 GD B		38	1275	48450
594	399-2/400 GD B		24	1300	31200

595	324-1 FGD B		1	1275	1275
596	810 WH B			1200	0
597	810 CH B		150	1300	195000
598	810 FGD B			1300	0