



Uvel Whitepaper

Putting idle computing power to work on valuable AI tasks

Version 1.2 | English | September 9, 2026

Distributed computing · Hosted devices · Traceable participation

Contents

Explore participation value, device services, tasks, and financial mechanisms. Technical references and the glossary are in the appendices.

01	Vision and Value	3
02	Why Distributed Computing	4
03	One Account, Multiple Ways to Participate	5
04	Starting with an Idle Device	6
05	The Value of Purchasing a Uvel Device	7
06	How Tasks Connect Resources and Results	8
07	Task Receipts and Quality Verification	10
08	Compensation, Costs, and Sustainable Service	11
09	USDT, NEX, and Financial Records	12
10	Long-Term Participation and Community Services	14
11	Transparent Information and Service Responsibility	15
12	Security Design and Issue Resolution	16
13	Technical Background and Roadmap	17
14	Participation and Purchase FAQ	18
A	Appendix A Technical References	20
B	Appendix B Glossary	21

01 Vision and Value

Making computing participation an understandable service

Uvel is building a distributed computing participation platform around AI inference. Individuals can start with compatible idle devices and use a single account to manage devices, tasks, and settlement. Participants who want to reduce local maintenance and work with clearly defined resource configurations can also explore and choose hosted devices.

This whitepaper is for readers interested in contributing computing resources, learning about Uvel devices, or exploring the network's technology. Starting with the value of participation, it introduces the product structure, device delivery, task and settlement mechanisms, security design, and development roadmap.

Core proposition. Resources serve a purpose. Participants stay in control. Purchases come with delivery. Contributions have a record.

AI applications depend on continuous computation: models read inputs, process information, generate results, and deliver them to the people who need them. Work such as speech transcription, document processing, content retrieval, and model inference places different demands on computing resources, creating opportunities for different devices to participate.

For individuals, owning a device is only the beginning of providing a computing service. Task compatibility, runtime environments, network connections, result checks, and settlement management also need to be handled. Uvel brings these steps into one product and technology framework to make computing participation easier to understand and manage.

Uvel's product value centers on three aims: finding suitable work for idle resources, making hosted resources an easier participation option to manage, and creating clear connections between devices, tasks, and financial records. Participants can start with the resources they already have, learn about the service step by step, and then choose a scale of participation that suits them.

Four product principles

Resources serve a purpose.

Computing power creates value by completing work. The network matches resources to task requirements, measures delivery by result quality, and assesses operational efficiency through service costs.

Participants stay in control.

Local devices serve their owners' everyday needs first. Computing participation depends on device compatibility, available time, and resource conditions. Starting and stopping should both have clear controls and status information.

Purchases come with delivery.

The value of hosted devices lies in their resource configuration, provisioning, and ongoing service. Buyers use orders to understand what they have purchased, device records to manage participation, and service terms to understand their rights and the procedures available to them.

Contributions have a record.

Task progress, result verification, financial entries, and payment confirmations each have corresponding records. Participants can follow a specific task or order to understand what happened.

02 Why Distributed Computing

Starting with AI inference suited to distributed execution

AI inference uses an existing model to process inputs and generate results. Examples include turning audio into text, converting documents into searchable vectors, or analyzing images with a specified model. Different workloads have different requirements for memory, computing capacity, bandwidth, latency, and data confidentiality.

Uvel's technical approach starts with work that can be divided into independent tasks and assessed against clear acceptance criteria. Tasks can be assigned to suitable execution environments according to their resource requirements. Results are then checked and combined for delivery to the customer.

On-device deployment tools provide a technical foundation for this approach. Google LiteRT supports model deployment across mobile devices, desktops, browsers, and other environments, with paths for hardware acceleration. Compatibility between a device and a task still depends on the model, system, and operating conditions.

Idle devices and hosted resources complement each other

Local devices are widely distributed and offer flexible participation windows, while being affected by everyday use, power, network conditions, and system scheduling. Hosted environments make centralized configuration and maintenance easier. They suit participants who want less local work and a clearly specified product configuration.

Combining these resource types allows the network to select execution environments according to task requirements. Work that can be processed asynchronously can use flexible resources. Work with higher requirements for continuous operation and resource configuration can be matched preferentially to suitable hosted resources. Whether distributed execution is appropriate begins with the requirements of the work itself.

Measuring efficiency through delivery quality

Computing efficiency includes completion speed, acceptance rates, data transfer, recovery from failures, and retry costs. A task produces a usable service result only when it meets the quality requirements and is delivered.

Uvel's network development focuses on the cost of accepted results and continuity of service. Expanding the resource base matters when it enables suitable work, improves service capacity, and helps participants understand what their resources have contributed.

03 One Account, Multiple Ways to Participate

The App is the entry point for managing devices and records

The Uvel App organizes the experience around accounts, devices, tasks, the store, the wallet, and support services. Accounts connect participants with their devices and orders. Tasks describe the work their devices take part in. The wallet distinguishes assets and fund states. Notifications, learning materials, and help channels support everyday use.

Purchase, provisioning, activation, and task execution each have a distinct meaning. An order describes the transaction and delivery. Inventory retains the device record. Activation determines whether a device enters the relevant participation process. Keeping these steps distinct makes it easier to manage multiple devices and long-term participation.

Participation option	Main purpose	What to consider
Mobile device access	Contribute idle resources from compatible devices	Supported models, task types, system and network requirements
Uvel Node	Manage hosted devices through the App	Product configuration, provisioning, fees, and service term
Uvel Rack series	A hosted option for higher resource requirements	Supported task scope, resource allocation, and operational arrangements
Cloud Share	A virtual device product purchased with a one-time payment	Included services, conditions of use, and product entitlements

The Uvel Node catalog includes S1, Pro, and Pro v2. Uvel Rack includes P1 and P2. Each product page describes the device's configuration, price, service content, and available provisioning options. The order records the specific terms that apply at purchase.

Mobile device access is being developed by device model and task type. PC GPU sharing is part of the later expansion roadmap, covering compatibility and management for desktop computing resources. All resource types share a common account experience while retaining their own joining requirements.

Distributed resources, unified service management

Uvel's architecture separates the distribution of resources from service management. Devices may be in different locations, while task rules, account records, and issue resolution are organized through a unified service system. Participants use one entry point to view devices and orders, and customers use services with defined delivery requirements.

This structure emphasizes clear responsibilities. Scheduling matches work to resources. Execution environments process tasks. Verification determines whether results meet requirements. Settlement records contributions. Support services coordinate the handling of exceptions.

04 Starting with an Idle Device

Confirm compatibility, then plan participation

Local device access starts with the supported compatibility range. The device model, operating system version, available memory, computing backend, and network conditions determine which models and tasks it can process. Supported device models and task categories will be opened progressively as compatibility work advances.

A first participation experience can follow a complete sequence: review the requirements, confirm the device's available resources, choose to participate, observe task status, check the records, and adjust participation around everyday use. Understanding of the service develops through these concrete experiences.

Participation step	What to review	Relevance to everyday use
Check compatibility	Supported systems, device models, and tasks	Confirm which work the device can perform
Prepare resources	Power, network, available memory, and permissions	Assess suitable conditions for participation
View tasks	Task type, progress, and processing status	Understand the device's current work
Adjust participation	Activate, deactivate, or stop after the current task	Plan when the device is used
Check records	Task results, reward categories, and statements	Understand the outcome of this participation

Retain control of the device

Device management separates activation from inventory. A device record can remain in the account while its owner decides how to participate. When stopping is necessary, the owner can deactivate the device or choose to stop after the current task finishes. Immediately stopping a device that is executing a task may prevent that task from completing and forfeit the corresponding task reward.

Development of the local executor focuses on showing resource use, checking operating conditions, and releasing resources after stopping. Controls for participation schedules, power consumption, and network preferences will be incorporated into compatibility work according to system capabilities.

Mobile operating systems affect sustained computation. Apple's continued background tasks begin with an action in the foreground, and the system may schedule or end tasks according to available resources. Mobile participation therefore needs to be designed around the capabilities of each system.

Understand the cost of local participation

Local computation uses device time, electricity, and network data, and shares resources with everyday applications. Choosing suitable participation windows helps maintain a practical balance between personal use and computing work.

Participants can begin with an existing device to learn how tasks work, then compare continued use of local resources with hosted services. The key considerations are available time, management effort, product fees, and service performance.

05 The Value of Purchasing a Uvel Device

Hosted services reduce on-site maintenance work

Uvel Node and Uvel Rack are delivered as devices hosted in a data center. The purchase process covers ordering, payment, configuration and provisioning, and activation. Devices are managed through the account; no physical shipment is involved.

Hosting brings the device's operating environment, network configuration, and on-site maintenance under centralized management. Buyers manage participation through the App, reducing the work of setting up an environment, troubleshooting local networks, and handling on-site failures. This suits participants who want hosted resources and account-based device management.

When choosing between products, the focus is on configuration, service content, and usage arrangements. Higher specifications can expand the range of suitable tasks. Their practical value depends on model requirements, task types, and operating conditions.

Every purchase has a clearly defined object

Product selection begins with three questions: what is being purchased, what delivery includes, and how the product can be used and supported during the holding period. Uvel Node, Uvel Rack, and Cloud Share are different product forms. Model names alone do not define all entitlements.

Cloud Share is a virtual device product purchased with a one-time payment, with entitlements defined by its product content. When selecting a hosted device, buyers need to confirm the ownership or usage rights associated with the hardware or resources, whether access is exclusive or shared, the service term, and the exit conditions, and retain the corresponding order and service agreement.

Purchase information	What to read	How it supports the decision
Product category	Hosted device or virtual device	Clarify what is being purchased
Resource configuration	Computing, memory, storage, and resource allocation	Understand the scope of suitable tasks
Service entitlements	Included usage, ownership or usage rights, and term	Clarify arrangements during the holding period
Total fees	Purchase price, hosting fees, and other service fees	Compare the full cost
Provisioning and delivery	Configuration, resource identifiers, and provisioning status	Check the order against delivery
Operations and after-sales service	Fault handling, replacement or reconfiguration, refunds, and support	Understand the process when a problem arises
Upgrades and exit	Trade-in conditions, credit rules, and stopping arrangements	Plan long-term use

Ongoing management after purchase

The device management cycle extends from provisioning through activation, task participation, maintenance, and adjustment. Orders retain the purchase details. Device records connect to participation status. Tasks and statements describe the work performed and its settlement.


Separating purchase from activation provides flexibility in managing devices. After deactivation, purchase records, device inventory, and accumulated history remain. Choosing to stop after the current task helps coordinate a change with work already in progress.

Upgrade trade-ins follow product rules with specific conditions. When deciding whether to upgrade, consider the new resource configuration, trade-in conditions, related fees, and participation needs together, so that the change serves a clear service objective.

06 How Tasks Connect Resources and Results

An architecture organized around complete delivery

Uvel's task architecture is designed to cover requirements, matching, execution, verification, and settlement. Task identifiers connect these stages so that the work performed by resources can be traced through to final delivery.



Requirements first define the work: the input, model version, output format, acceptance criteria, delivery time, and billing method. A clear task definition is the foundation for assigning resources appropriately and evaluating results.

The scheduling service matches resources according to model compatibility, memory, computing capacity, network conditions, and availability. The execution environment processes the work using the authorized model and inputs, then returns results and the necessary records. Verification checks the results against task requirements before connecting them to delivery and settlement.

Audio transcription as an example

Consider a batch of audio authorized for processing. The customer specifies the text format, language, delivery time, and quality requirements. Audio segments that can be processed independently are organized into tasks and assigned to compatible resources. Results are checked for format, completeness, and quality before being combined and delivered.

This scenario shows how divisible work becomes a collaborative service. The customer focuses on the quality of the final text. Resource providers focus on task status and contribution records. The platform connects assignment, acceptance, and settlement. Different tasks can use different checking methods while maintaining clear relationships between their records.

Responsibilities by layer

Architecture layer	Core responsibilities	Related information
Participation and accounts	Device management, orders, wallet, and support access	Account, device, and order identifiers
Task orchestration	Requirement definition, resource matching, deadlines, and reassignment	Task requirements and assignment records
Execution environment	Model loading, resource control, and result return	Model versions and runtime records
Quality verification	Result checks, review, and acceptance	Acceptance rules and check results
Contributions and settlement	Attribution records, valid ledger entries, and payment tracking	Receipts, statements, and payment evidence

Interruptions are part of the service process

Disconnections, timeouts, and resource changes occur in distributed environments. Task design needs deadlines, retries, and reassignment mechanisms, with records of how they were handled, so that waiting periods and status changes can be explained.

Repeated submissions for the same task must result in only one valid settlement. Failures and corrections should be traceable to the original task and statement, preventing repeated operations from counting a contribution or balance more than once.

07 Task Receipts and Quality Verification

Clear records of contributions

Proof-of-Compute is the product concept Uvel uses to describe task receipts. A receipt connects a task, device, and settlement, helping participants understand which work their contribution belongs to, when it was established, and how it was recorded.

The receipt design includes the task number, model version, resource identifier, execution time, acceptance outcome, settlement asset, and related statement. Access depends on role and permissions: participants check their own records, customers check deliveries, and service staff use the records to resolve issues.

Three types of checks form a trustworthy record

Task origin and authorization. Confirm that the model, inputs, and execution requirements come from an authorized task process, and that the device is processing the work assigned to it.

Output and quality. Check results against task standards. Deterministic work can be compared with reference results or recomputed on a sample basis. Tasks that allow numerical differences can use agreed tolerances. Work with multiple reasonable outputs can combine format checks, quality metrics, and acceptance procedures.

Records and attribution. Link the result, resources, time, and statement, retaining versions and correction records so that settlement corresponds to a specific task.

Hashes identify data and check consistency. Digital signatures verify the identity of the issuer. Task verification determines computing quality, while payment confirmation determines whether funds have arrived. These records answer different questions and together make participation traceable.

Follow a record to understand task progress

The following guide distinguishes progress in the work from progress in the funds.

Stage	What the progress means	What to check next
Task assignment	Work has been matched to the relevant resources	Whether execution has begun
Execution and submission	Resources process the task and return results	Check and acceptance outcomes
Result verification	Results have undergone the relevant quality checks	Contribution attribution and settlement
Financial recording	A statement and balance change have been created	Balance state and subsequent actions
Payment confirmation	The relevant transfer has received confirmation from the payment channel	Receipt of funds and payment evidence

Public verification and on-chain records are areas for technical expansion. Their role is to provide more ways to inspect records. Task quality, attribution, and payment confirmation continue to follow their respective processes.

08 Compensation, Costs, and Sustainable Service

Computing service value begins with demand

The economic foundation of a computing service is a customer's payment for computing results and service delivery that meet requirements. Resources produce results through task execution. Accepted results create service value. Contributions then enter settlement under the relevant rules.

Maintaining the service also requires covering hosting and operations, network transfer, quality checks, failed-task retries, and platform operations. Computing efficiency should be assessed by comparing the full cost of similar tasks under the same quality and delivery conditions.

Different rewards are recorded separately

Uvel's economic mechanisms include computing service settlement, platform campaigns, and referral and team rewards. These correspond to different contributions and business events, with separate rules explaining their sources, conditions, and calculation methods.

Category	What it relates to	Records to check
Computing service settlement	Contributions confirmed under task and settlement rules	Tasks, acceptance, and corresponding statements
Platform campaign rewards	Participation that meets campaign conditions	Campaign rules and distribution records
Referral and team rewards	Qualifying promotional activity and business events	Attribution relationships and reward details
Device purchase costs	Purchase of devices and related services	Orders, provisioning, and fee records

Computing compensation concerns completed work. Campaign rewards concern campaign conditions. Team rewards concern qualifying business events. Viewing these sources separately helps clarify each record.

Factors that affect output

Task demand, device compatibility, available time, operating status, and settlement rules jointly influence participation outcomes. Computing service settlement is designed around qualifying tasks and applicable rules. Device task output, campaign rewards, and team rewards are each calculated under their own rules.

The device task output plan also includes configuration rules related to activation time and product category. When reading about task output, new-device campaigns, and upgrades, consider the rule period, eligible devices, and statement basis together to understand participation arrangements at different stages.

For long-term participation, a continuous view of task records, costs, and service performance is more useful than a figure at one moment. Participation can be adjusted gradually as available time, resources, and service experience change.

09 USDT, NEX, and Financial Records

Two assets with distinct uses

Within Uvel's product system, USDT is used for balances, settlement, deposits, and withdrawals. NEX is a platform utility and incentive asset used for the applicable exchanges and fee offsets.

Item	USDT	NEX
Main purpose	Financial settlement and balance management	Platform utility and incentives
Operations	Deposits, settlement, and withdrawals	Exchange with USDT and offsetting network confirmation fees
Information to review	Available amount, fees, network, and receipt status	Source, valid quote, fee offsets, and balance changes

NEX exchanges use the quote provided by the relevant service. Participants choose whether to offset withdrawal network confirmation fees; the option is off by default. Before proceeding, review the quote, the quantity used for the offset, and the net amount to be received. Afterward, check the corresponding receipt and balance changes.

NEX's utility is demonstrated through specific uses: why it was received, when it is available, how much is used, and what an operation produces. On-chain issuance and broader functionality are included in future development plans, with applicable rules to be published separately.

From balance to withdrawal

Account balance and withdrawable amount represent different fund states. Account funds credited through deposits can be submitted for withdrawal. Funds under review, locked funds, and applicable business restrictions affect the amount available to withdraw at a given time.

The withdrawal process covers the asset, network, receiving address, requested amount, fee, and net amount to be received. The request is checked against server-side rules on submission, and its processing is tracked through the transaction record's status. The receiving network and address must match.

Withdrawal network confirmation fees are calculated per transaction under the rules of the applicable network. The request record connects the corresponding debit, processing status, and payment confirmation. If a failed withdrawal is returned, the original record and its correction together explain the balance changes.

Distinguish fund operations from device orders

Account balance withdrawals, device refunds, and device trade-ins are separate operations. A balance withdrawal handles account funds. Refunds and trade-ins handle purchased products and related services under the corresponding order rules.

This distinction connects changes to their specific sources. A balance change has a financial record, while a device adjustment has order and device records. Participants can use these to reconcile their accounts.

10 Long-Term Participation and Community Services

Helping participants understand the product through service

Computing participation involves device conditions, order content, task status, and financial records. Learning materials and community support make this information easier to understand and help participants develop arrangements that suit them.

The community can share onboarding experience, product knowledge, and ways to resolve issues. Explanations of prices, delivery, fees, and entitlements refer back to the same product materials and order content. Clear, consistent information helps participants across different channels reach the same understanding.

Referrals and team collaboration

Uvel's referral and team collaboration mechanisms include promotional rewards for direct referrals and team-linked orders, as well as incentives based on matching the performance of two team groups, rank advancement, and member development conditions. Each set of rules explains what counts, participation requirements, the calculation basis, and the source of statement entries so they can be checked.

Team services can help new participants understand devices, find orders, and resolve access issues. Promotional contributions and computing contributions are recorded separately, allowing participants to see which activity produced a reward.

Long-term arrangements and additional entitlements

Long-term participation can begin with learning about tasks and devices, followed by gradual adjustments based on operating experience, available time, and service needs. Device upgrades and trade-ins support resource planning. Fund operations support account management. Each function follows its own rules.

Genesis is Uvel's planned founding-participant initiative. Dedicated information on participation conditions, seat entitlements, and community collaboration will follow. Additional entitlements will be presented separately from device hosting and task settlement so that each product's purpose and conditions remain clear.

11 Transparent Information and Service Responsibility

From the service entity to specific services

Uvel's entity information lists NexGrid LTD. The company registration document dated May 1, 2026, gives Colorado entity number 20221592644. The MSB document dated May 13, 2026, gives number 31000329265856.

Entity information helps readers identify the party responsible for the service. Specific product information is set out in product pages, orders, and service terms. Task and financial matters are explained through their respective records. Understanding each matter through the relevant information builds a more complete picture of the service.

Transparency throughout participation

Uvel's information design aims to make orders understandable, devices manageable, tasks traceable, and fees verifiable. Each type of record answers a practical question and stays connected to the relevant stages.

Material to review	Key information	Question it answers
Entity and service information	Service provider, contact details, and applicable terms	Who provides the service?
Products and orders	Configuration, price, term, and provisioning	What was purchased?
Device records	Resource identifiers, participation status, and maintenance information	How is the device managed?
Tasks and receipts	Work type, processing status, and acceptance records	What work was completed?
Statements and payments	Asset, fees, balance changes, and confirmation status	How have the funds changed?
Support records	Related record number, handling progress, and replies	How is the issue progressing?

Developing public operational information

Network reporting is designed around clearly defined measurement methods. Online resources, completed tasks, acceptance rates, and payment amounts each use their own definitions, time periods, and reporting scope, allowing each metric to be understood correctly.

Further public information will be organized around specific operational projects, task categories, and service periods, and expanded progressively with reviewable samples and independent checks. Technical tests, asset reconciliations, and service records will each state what they cover, helping readers follow the sources for details.

12 Security Design and Issue Resolution

Running computation within clear boundaries

Uvel's execution environment is designed around authorized tasks, controlled model sources, and necessary permissions. Tasks receive only the resources needed for the relevant work. Device access uses system capabilities to establish operating conditions and stopping mechanisms.

Privacy protection considers both transmission and execution environments. Task data is handled according to its sensitivity and authorization conditions. Work involving sensitive content needs an appropriate execution environment and access permissions.

Participating in computing tasks does not require sharing wallet private keys or recovery phrases. Account operations, task execution, and fund confirmation each use their own authorization process, keeping device participation separate from personal sensitive credentials.

Confirmation and records for important operations

Sensitive operations such as login, changes to receiving addresses, and withdrawals are designed around identity confirmation, rule checks, and operation records. Funds under review, locked funds, and available funds are shown separately, helping participants understand which operations are available and which are still being processed.

Device orders, support tickets, and financial transaction records provide specific references for communication. When reporting an issue, first provide the relevant record number, time, and status so that it can be traced to a specific record.

Issue category	Information to check	Focus of resolution
Access or compatibility	Device, system, task, and messages shown	Compatibility requirements and recovery options
Task interruption or timeout	Task number, status, and time	Retries, reassignment, and result records
Hosted device issue	Order, device, and maintenance information	Scope of impact and service arrangements
Task result dispute	Model version, acceptance requirements, and receipt	Result review and basis for correction
Settlement or withdrawal issue	Statement, network, address, and transaction status	Pending, confirmed, or returned fund records
Product entitlement issue	Product and service terms at the time of ordering	Applicable after-sales terms and resolution conditions

Before ordering, confirm the service term, response arrangements, warranty, replacement or reconfiguration options, and refund conditions, and retain the corresponding agreement. When resolving a service issue, link follow-up records to the original order or transaction so that progress can be tracked.

13 Technical Background and Roadmap

Drawing technical ideas from open collaboration

Macrocosmos IOTA studies how distributed resources can be organized into a collaborative training system, covering model stage partitioning, replica coordination, communication, and contribution attribution. This research offers a reference for understanding how distributed computation can be organized.

Uvel translates these ideas into its own product principles: match devices to tasks, connect operation to contribution records, and expand supported resources through staged compatibility work. Inference and training have different coordination requirements. Uvel's near-term technical focus is on inference tasks suited to independent processing and clear acceptance criteria.

In subsequent training research, ResBM explores trainable bottlenecks to reduce pipeline data transfer, comparing quality and communication costs under specific models and experimental settings. Joint optimization of communication efficiency, model quality, and resource conditions also offers a research direction for future expansion.

Progress organized by service stage

The following is Uvel's development roadmap. It begins with task validation and hosted services, then expands to compatible devices, public verification, and more complex collaboration.

Stage	Development focus	Meaning for participants
Task and settlement validation	A single task category, acceptance, receipts, and links to statements	Establish an understandable participation process
Hosted service development	Provisioning, device management, and ongoing operations	Clarify services included in purchase and ongoing use
Mobile device compatibility	Open tasks by device model and improve resource controls	Broaden participation by idle devices
PC resource expansion	Desktop GPU access and runtime management	Support more types of computing resources
Public verification improvements	Operational information, checkable samples, and on-chain records	Add ways to understand the network independently
Deeper collaboration capabilities	Research into more complex tasks, communication, and scheduling	Expand the work the network can undertake

Each stage advances around its relevant tasks, supported devices, and services. Information about formal availability will be provided through product pages, the App, and dedicated announcements, enabling participants to understand the available scope and specific joining conditions.

Long-term value comes from consistent delivery

Network growth needs to develop alongside suitable tasks, service quality, and operating costs. Uvel's long-term direction is to organize distributed resources into computing services that can be understood, managed, and checked, helping participants and customers build lasting relationships around actual delivery.

14 Participation and Purchase FAQ

Frequently asked questions

How do I start learning about Uvel?

Explore participation options through the website's product and App entry points. First read about device compatibility, tasks, and the wallet, then choose a path suited to the resources available. Mobile device access opens progressively as compatibility expands. Hosted products are provided according to the content listed on their product pages.

How does phone participation differ from a hosted device purchase?

Phone participation uses available resources on a local device and is affected by everyday use, power, network, and system conditions. Hosted devices provide a service through centralized configuration and on-site operations. They suit participants who want less local management and clearly specified product configurations.

Is a physical machine shipped after purchase?

Uvel Node and Uvel Rack are provisioned in a data center and managed through the account. No physical shipment is involved. At purchase, review the product configuration, delivery content, service term, and specific rights agreed.

What does "Share" mean in Cloud Share?

Cloud Share is the name of a virtual device product. The purchase and service entitlements are defined by the product content. The name itself does not indicate company equity or a share of ownership in physical hardware.

Why is activation required after purchase?

Purchase, inventory, and activation are managed separately. Purchase creates an order and the corresponding device record. Activation arranges for the device to enter the participation process. Participation can be adjusted by deactivating the device or choosing to stop after the current task finishes.

How should device tiers and compensation be understood?

Device tiers distinguish products and resource configurations. Supported tasks and working conditions together determine participation opportunities. Settlement is calculated according to the device type and applicable rules. Review it alongside task and statement records, while considering fees and service performance over a period of time.

How can I check whether funds have arrived?

Start with the corresponding financial transaction record, then check the network, address, amount, fees, and processing status. Account entries, withdrawal requests, and external payment confirmations have distinct meanings. Payment evidence is used to verify the relevant transfer.

How is NEX used?

NEX is used for applicable exchanges with USDT and offsets against withdrawal network confirmation fees. For exchanges, review the valid quote and available amount. Fee offsets are actively selected by the participant. Check the quantity consumed and the net amount to be received before proceeding.

What should I do about a device or fund issue?

Use the App's help and support entry point to submit an issue linked to the relevant device, order, task, or financial transaction. Retain the time and specific status to help service staff locate the issue and follow up.

Appendix A Technical References

Technical references

The following public materials explain the technical background used in this whitepaper. They were consulted on September 8, 2026. Their findings should be understood in the context of the models, devices, and experimental conditions used in each source.

IOTA: distributed collaboration and contribution attribution. Quinque et al., Incentivised Orchestrated Training Architecture A Technical Primer for Release, Macrocosmos, 2025. A reference for research ideas on task organization, stage coordination, and contribution incentives.

ResBM: low-bandwidth pipeline collaboration. Aboudib et al., Residual Bottleneck Models for Low Bandwidth Pipeline Parallelism, 2026. A reference for experimental research on the relationship between communication compression and model quality.

LiteRT: on-device model deployment. Google, LiteRT overview. A reference for understanding model deployment and hardware acceleration across different device environments.

Mobile systems: continued background tasks. Apple, Performing long running tasks on iOS and iPadOS. A reference for understanding background operation and resource scheduling conditions on mobile devices.

These materials are cited as technical background. Uvel's product roadmap centers on its own tasks, devices, and service system.

Appendix B Glossary

Glossary

Term	Meaning
AI inference	Using an existing model to process inputs and generate results
AI training	Using data to update model parameters
Distributed computing	Computing resources from different locations or devices that work together through a network
Heterogeneous devices	Devices with different models, memory, speeds, or operating environments
Hosted device	A device product provisioned and maintained in a hosted environment and managed through an account
Task matching	Selecting eligible resources according to model and workload requirements
Effective throughput	The amount of work completed within a given time that meets quality requirements
Task receipt	A record connecting the task, resources, acceptance, and settlement
Hash	A digest used to identify data and check consistency
Digital signature	A technique for verifying the identity of the issuer and the record's integrity
Network confirmation fee	A per-transaction fee charged under the rules applicable to the withdrawal network
On-chain record	Relevant information or a digest recorded through a blockchain transaction