

Civil Adjudication of a Prediction-Market Resolution: An ADC Case Study of Israel’s December 2024 Entry into Syria

Codex, Jamie Stephens

September 19, 2026

Abstract

Incomplete working draft. This report examines an ADC adjudication of the Israel–Syria prediction-market proposition, configured for two research-capable Pi lawyers, nine jurors, six required votes, and the preponderance standard. The proceeding began at 14:32 UTC on September 19, 2026, and remains in progress.

1 Agent District Court and the adj Procedures

The AgentCourt `adj` repository executes disputes through five adjudication procedures [1]. Its programs prepare the case, start model participants, expose permitted actions, store evidence and filings, and record the result. An optional `adjservices` repository supplies managed services and presentation. The case examined here runs from `adj` through its unified `adjudicate` command, which selects a procedure and participant configuration from a settings file.

Simple obtains a binary decision and explanation from one model. Quick obtains one argument from each of two opposed lawyers and then asks a council for votes. Agent Arbitration (ARB) gives each side four advocacy opportunities before binary council voting, which continues until one side reaches the required vote count or the allowed rounds end. Agent Arbitration Degree (AARD, selected through the `arbd` identifier) gives each side the same four opportunities and asks council members for integer answers from 0 through 100. Agent District Court (ADC) adds a judge, a clerk, pleadings, discovery, motion practice, trial preparation, bench or jury proceedings, and judgment [2]. The earlier ARB report examines this market dispute under the arbitration sequence [3].

The lawyers, judge, clerk, and jurors in this case are model agents with assigned procedural authority. The case record retains their accepted decisions and explanations for examination.

1.1 Proposition input and civil procedure

ADC accepts a complaint, a proposition, or a prepared scenario. Complaint preparation uses model calls to normalize a dispute into a single claim and prepare private party strategies. Proposition preparation constructs a declaratory case without those intake calls. The Proponent occupies the plaintiff role and bears the burden of proof, while the Opponent occupies the defendant role. The programmatic Proposition Tribunal provides jurisdiction for the submitted proposition and limits relief to a declaration, with monetary damages fixed at zero [4].

An ADC opportunity identifies the actor, phase, allowed actions, fixed fields, and whether the actor may pass. A defendant can receive a preliminary opportunity to raise a supported dismissal ground, followed by an answer. The parties disclose relevant material, conduct discovery, prepare

technical reports, and decide whether to request summary judgment. Judicial rulings and party choices affect which opportunities follow. If the case reaches trial, the parties present openings, trial theories, exhibits, rebuttal, proposed instructions, and closings. A jury votes under the court’s instructions, or a judge enters bench findings and conclusions. The rules also encode post-judgment actions [5, 6].

The distinction between stored material and trial evidence affects every factual claim. ADC imports an initial document as a complaint attachment with a case-file identifier. A party offers a case file as an exhibit through an authorized action during an evidence phase. Technical reports state methods, results, and limitations of source work. Pleadings, reports, admitted exhibits, and argument have different functions in the record. A search result or a private research note can guide an advocate without becoming trial evidence.

1.2 Model participants and computer tools

The Go runtime calls the configured model directly for an internal role or exposes the role through a case-owned HTTP API. The ADC Model Context Protocol adapter presents that API to an external agent. The agent waits for its opportunity, reads the visible case record and tool schemas, performs research, sends work notes, and submits an allowed act. The runtime retains authority over acceptance, deadlines, and the next opportunity [4, 7].

Each Pi lawyer has a retained filesystem workspace. Its instructions authorize research, local execution, computer-use tools, and installation of additional tools when needed. Source captures, programs, and working documents persist across opportunities. The two lawyers in this case use GPT-5.6-sol with `xhigh` reasoning and Codex subscription authentication. Their web-search extension obtains search results separately from the ordinary Pi model call. The court’s judge and clerk use the default GPT-5.4 configuration.

The lawyer prompt requests a short work note after orientation, a further note after a material finding, failed approach, or changed theory, and a final note when the filing is ready. These notes state the advocate’s reported assessment, uncertainty, and next steps. They provide a contemporaneous research record without substituting for evidence submitted to the court. Quotations in this report use those submitted notes and court-facing acts. The retained participant logs provide separate evidence of tool calls and returned results.

Jurors receive the case record and the court’s instructions. The local launcher starts Pi juror processes that use ADC tools through MCP. Their role concerns jury selection and voting from the record. The lawyers carry the responsibility for developing factual sources and submitting the material on which the jury can rely.

1.3 Model-pool construction and jury sampling

A pool record describes a model configuration: model identifier, service endpoint, provider-route constraints, request parameters, and persona. Provider routes for one named model can differ in availability and supported requests. The installed pool therefore derives from configuration-level tests and behavior measurements [10, 11].

The generation procedure inventories provider endpoints and checks required tool support. It screens each candidate through a direct Quick-style `submit_council_vote` request and a Pi/MCP test following the ARB council sequence. Accepted configurations answer scored questions. The deliberation score uses twelve questions from Core20, the project’s twenty-question evaluation set. Those twelve span general knowledge, science and quantitative reasoning, and reasoning. The score calculates a fraction of correct completed answers per trial, excluding rows with response-

metadata errors, and averages over trials containing a counted answer. Separate measurements cover instruction following and evidence-tool use. The score describes that question set, without providing an adjudicative-accuracy estimate for this market dispute.

The run that generated the installed pool evaluated 419 configurations. Its strict deliberation-score threshold above 0.70, together with zero counted provider errors, retained 283. The next stage collected five responses to each of fourteen behavior prompts, called “genes” in the implementation. These prompts concern subjects such as values, justice, social issues, leadership, and training provenance. The run used a common generic persona. Requiring every selected response and embedding request to succeed left 265 configurations [10].

For each behavior prompt, the procedure embedded the responses, retained eight principal components, and selected a K-means cluster count from 2 through 20 by silhouette score. Each configuration received a representative label for each prompt. A unique modal label prevailed, while a tie used the sample nearest its assigned cluster center among the tied labels. The resulting fourteen-label tuple recorded the configuration’s observed grouping across the prompts.

Endpoint deduplication grouped rows with the same OpenRouter model identifier, endpoint model identifier, canonical slug, Hugging Face identifier, quantization, and input and output modalities. Representative selection ranked provider errors, deliberation score, capacity, uptime, latency, price, and stable endpoint identifiers. The sampling procedure then selected a cluster tuple uniformly and a representative within that tuple uniformly. The recorded build sampled without replacement and selected at most one row per model identifier. It produced 100 rows from 148 representatives, covering thirty provider names and 69 cluster tuples [10, 12]. Three later removals of unavailable configurations left the 97-row pool installed for this case.

Case-time selection operates on that installed pool. The shared selector chooses a least-used eligible service endpoint and then a least-used configuration at that endpoint, breaking ties with cryptographic randomness. A service endpoint here means OpenRouter or a configured direct provider API. Provider routes inside OpenRouter share its endpoint. The installed pool uses OpenRouter, so variation among its rows changes model configurations and provider routes while retaining the same intermediary. Duplicate configurations are permitted and receive separate participant identities. The least-used rule prefers unused configurations before repetition.

ADC tests an untested selected configuration with its production juror-vote tool before assigning it to an automatically generated candidate. Failed configurations can be replaced during selection. Voir dire adds the standard questionnaire, counsel’s questions, judicial screening, challenges for cause, and peremptory challenges [13]. The approved policy for this case calls for nine jurors and six concurring votes. ADC’s existing failure rules can remove a failed deliberating juror from the eligible body and reduce the effective threshold. The nominal policy and the eligible jury at verdict can therefore differ.

The preponderance standard governs each juror’s assessment of the claim. The concurrence rule governs how ADC combines those votes into a verdict. A juror’s reported confidence is a further part of its explanation. The vote count and self-reported confidence have no measured calibration as probabilities that the proposition is true.

1.4 Lean procedure and replay verification

ADC, ARB, and AARD use executable Lean rule engines. ADC’s Lean core defines the court state, role-visible views, procedural agenda, authorized decisions, validators, and transitions. Its Go runtime handles provider requests, external participants, time limits, attempt limits, case-file storage, and output records. Simple and Quick execute their shorter procedures without a Lean transition engine [7, 14].

ADC’s `apply_decision` operation checks the state version, opportunity identifier, role, decision kind, tool name, and fixed payload fields. A permitted pass updates the state according to that opportunity’s pass rule. A tool decision returns the authorized court action, which the runtime submits to the engine’s `step` operation. Deterministic procedural actions can also pass through `step`. This separation binds a model’s accepted act to the opportunity that authorized it.

The maintained ADC proofs establish properties of validation, role authority, state preservation, phase progression, docket effects, decision confinement, replay, and selected terminal outcomes. Some theorems quantify over states satisfying explicit hypotheses. Computed theorems check concrete states and certificate examples. Their scope follows their statements and the encoded procedure. They establish no general claim about the truth of retrieved evidence or the quality of a model’s legal interpretation [14].

The replay certificate distinguishes deterministic steps from opportunity decisions. A deterministic transition records its court action. An opportunity pass records the decision request. An opportunity tool transition records both that request and the executed action. Verification repeats the authorization check, requires its resulting action to match the recorded action, executes the transition, and compares the final state with the certificate’s claim and the saved case state. Evidence-byte custody and the historical truth of sources require examination of the accompanying record.

2 The Market Proposition and Case Setup

The submitted example asks whether Israel invaded Syria in 2024 under the resolution conditions of a Polymarket market. The operative condition requires Israel to commence a military offensive intended to establish control over any portion of Syria between September 12 and December 31, 2024, at 11:59 p.m. Eastern Time. The market counts the Golan Heights as Israeli territory. Its permitted sources include official confirmation by Syria, Israel, the United Nations, or a permanent member of the UN Security Council, as well as a consensus of credible reporting [15].

The 1974 Disengagement Agreement defines an area of separation between Line A and Line B, with the United Nations Disengagement Observer Force (UNDOF) stationed in that area. It places Israeli forces west of Line A, with a separate Line A-1 in the Quneitra area, and Syrian forces east of Line B. It places territory east of Line A under Syrian administration [16]. Those line references describe the deployment locations discussed in the case. The market’s Golan Heights exclusion remains a separate term that the parties must apply to the reported locations.

The initial document contains both those rules and the supplied rationale for Polymarket’s Yes resolution. That rationale connects the reported December 8 arrival of Israeli forces at the Syrian summit of Mount Hermon with Benjamin Netanyahu’s December 17 statement that forces would remain until an arrangement guaranteed Israel’s security. It also distinguishes the Syrian peak from the Golan Heights. Both lawyers therefore begin with an account favoring Yes already present. The proceeding tests the advocates’ and court’s handling of that supplied account and any subsequently developed evidence.

The ADC run uses fresh participant sessions and receives none of the earlier ARB filings, work notes, or verdict. Both runs use the same proposition, initial document, lawyer model configuration, enabled search, installed pool, and 25-minute turn timeouts. The ADC scenario permits up to 500 autopilot turns. ADC uses its required minimum of six concurring votes, approved by the operator for the nine-member jury. It retains its default judge, clerk, voir dire, policies, and checked-in prompts [21, input settings and generated scenario]. Procedural differences and fresh model responses prevent attribution of any difference between the runs to ADC alone.

3 The ADC Proceeding

The case began at 14:32 UTC on September 19, 2026. All times for the proceeding are UTC. The defendant read the market-rules attachment and declined the optional Rule 12 motion. Its reason distinguished pleading sufficiency from disputed proof:

Any disagreement concerns proof, not standing, ripeness, mootness, or pleading sufficiency.

Its answer admitted the governing market criteria, the present dispute, and the Tribunal’s authority to issue a declaration. It denied the compound proposition and required the plaintiff to prove the defined act, intent, location, timing, and source conditions. It treated the supplied marketplace resolution as an assertion requiring evidence [21, events 1–3].

The court selected jury trial and advanced the case to pretrial. The plaintiff inspected the initial attachment and prepared disclosures identifying public declarants and institutional custodians as potential sources. Its work note distinguished the supplied rationale from independent proof and identified zero monetary damages [21, events 4–6 and plaintiff work notes at 14:33:51–14:34:10].

3.1 The plaintiff’s source collection and technical report

Both parties completed initial disclosures before the plaintiff began its technical-report research at 14:34. Its stated plan was to test dates, movement beyond the excluded Golan, offensive conduct, and intent or duration. The lawyer searched official UN and Israeli sources and contemporaneous news reporting. It downloaded the Syrian and Israeli letters to the Security Council, installed Poppler, and extracted their text with `pdftotext`. Direct access to the AP article returned HTTP 403, while its PBS republication supplied the report. An attempted YouTube transcript extraction failed. The retained research therefore supports the lawyer’s use of documents and reporting, with no authenticated audiovisual source [21, plaintiff tool log and work notes at 14:34:59 and 14:41:52].

Four imports supplied the factual sources: Syria’s December 9 letter, Israel’s letter of the same date, UNDOF’s December 13 statement, and the AP/PBS article of December 17 [17, 18, 19, 20]. The lawyer retained source identifiers, URLs, and retrieval dates and marked the unrelated part omitted from the AP capture. The two diplomatic letters provided opposing governments’ accounts of the same deployment. Israel acknowledged deployment east of Line A while describing its measures as limited, temporary, and defensive. UNDOF’s statement supplied observations of increased movement and continued presence in the area of separation. The AP report supplied the claimed summit location beyond the Israel-held Golan and the reported retention and fortification statements [21, events 9–12, files 0002–0005].

The plaintiff imported its analysis as `file-0006` and filed TR-P1 at 14:46. The report found the proposition supported under preponderance, distinguishing source observations from its conclusions about offensive character and intent. Its central response to Israel’s account was:

Israel’s description of the operation as defensive and temporary bears on motive and duration, but does not negate an intent to exercise control in the meantime.

The report treated the reported movement, retention, fortification, and conditions for withdrawal as evidence of control intent. It identified geographic terminology as a limitation and relied on AP’s reported summit location. It acknowledged that it had conducted no independent coordinate measurement, witness interview, or audiovisual authentication. Its conclusion about the sources’ combined force remained the plaintiff’s position for examination by the defense and court [21, events 13–15 and file 0006].

3.2 The defense’s distinction between purpose and means

The defense filed TR-D1 at 14:49 after reading the imported text and obtaining the two official PDFs. It accepted entry east of Line A, continued presence at multiple positions, and substantial evidence of a later fortified hold at the Syrian summit. It disputed the inference that Israel commenced an offensive whose objective was territorial control. Its report treated temporary possession as a possible means of responding to a security emergency and relied on Israel’s contemporaneous account of that purpose. It expressly declined to make permanent annexation an element of the market definition [21, events 16–22 and file 0007].

The defense identified the consequence of the competing interpretation:

if “intended to establish control” includes any intended temporary security possession and “offensive” includes an unopposed protective deployment, plaintiff’s conclusion is substantially supported.

This concession narrowed the dispute. The parties substantially agreed on deployment and the evidence of later ground-holding, while assigning different significance to defensive purpose, temporary duration, and later fortification. The defense also separated a breach of the disengagement agreement from satisfaction of the market’s terms. Its report treated the absence of operational orders, independent coordinates, and additional imported reporting as limits on the proposed inference [21, file 0007, sections 3–7].

3.3 Interrogatories and the remaining factual dispute

Each side served five interrogatories, and both answered without objections. The plaintiff identified December 7–8 as the inferred commencement period, while acknowledging unknown participating units, exact coordinates, and operational orders. It identified no specific strike linked to taking a ground position and no established ground combat at the summit. Its answer explained why the December 17 evidence bore on earlier intent: the occupation and leadership statements concerned what it characterized as one continuing operation, with no evidence of an intervening change of plan. It also confined its source claim to official confirmation with AP corroboration, acknowledging that the imported record contained no multi-outlet reporting consensus [21, events 24–26].

The defense’s answers accepted the reported summit location and identified no contrary geographic source. It admitted that, by December 17, Israeli forces exercised “de facto interim military possession/control” over at least that position. It maintained that establishing territorial control had to be an objective at commencement and that tactical possession could serve a different objective. It also acknowledged that an unopposed operation could constitute an offensive and that temporary control could satisfy the definition. Both advocates therefore had to address the relation between the reported conduct and the operation’s purpose, with the same absence of internal orders [21, event 27].

3.4 Document production and source completeness

Each party served eight production requests directed to the available proof: source captures, original leadership statements, operational plans, visual or geographic material, occupation dates, and factual inputs to the technical reports. The defense requested the complete source behind the plaintiff’s AP excerpt. The plaintiff responded by retrieving the full PBS HTML page and importing it with response metadata and the filed excerpt as **file-0008**. The package identifies its retrieval during discovery, after preparation of the excerpt. It permits comparison with that later page

capture without establishing what the website returned at every earlier retrieval [21, events 28–29 and 38, file 0008].

The plaintiff completed its itemized response at 15:03, listing seven produced files. It reported no separate video, official transcript, operational order, map, or coordinate dataset in its possession. It also reported no document establishing whether the decision to hold or fortify the summit preceded December 17 or changed after commencement. The response left the plaintiff’s case dependent on the official representations, UNDOF observations, AP account, and the inference of continuity already stated in its interrogatory answers [21, event 49].

The defense imported its retained factual research as `file-0009`: downloaded official PDFs, extracted text, the UNDOF page capture, and a methods manifest. Its written response, accepted at 15:10, listed nine produced files. It identified no additional operational order, original leadership recording, map, or contrary factual source and reserved unfiled attorney mental impressions under a narrow work-product objection. The response stated that it withheld no responsive factual material. Discovery had added the source packages and explicit accounts of the parties’ missing evidence while preserving their disagreement about the inference from the available record [21, events 67 and 73, file 0009].

3.5 Admissions of conduct and limits on proof

The parties admitted every request in the opposing party’s set, with qualifications preserving the disputed inferences. The plaintiff’s answers to eighteen requests acknowledged the missing orders, combat evidence, coordinates, precise dates, original recordings, and reporting consensus. Its qualifications distinguished those gaps from the circumstantial case. For example, it admitted having no document fixing the date of the hold or fortification decision, adding that the absence did not establish that the decision arose only after commencement [21, events 79 and 82].

The defense answered twelve requests, admitting source authenticity, deployment, continued presence, and reported summit control. It admitted the absence of evidence showing a material change of purpose but disputed the inference that purpose therefore remained unchanged. Its answer to the eleventh request stated:

A security or defensive motive does not, by itself, preclude a finding that an organized cross-line military operation was offensive in method or intended to establish interim control.

The defense also admitted that an unopposed, temporary operation could satisfy the defined proposition. It reserved the question whether the evidence established those features for this operation at commencement. The admissions therefore reduced disputes about source authenticity and physical conduct while leaving the ultimate inference for adjudication [21, events 76 and 86].

3.6 The decisions to proceed to trial

Both parties declined Rule 37 discovery motions. They identified substantive answers, completed production, and admissions, with no concrete unresolved discovery failure. Both also declined Rule 56 summary-judgment motions. The plaintiff acknowledged that Israel’s temporary-and-defensive account supplied contrary circumstantial evidence that a jury could weigh. The defense acknowledged competing reasonable inferences from the physical chronology. Each side therefore chose to present the remaining classification and intent questions at trial [21, events 87–90].

The judge’s pretrial order carried forward the agreed chronology, source authenticity, evidentiary gaps, and qualifications on the admissions. It identified nine anticipated exhibits, subject to trial

objections beyond the authenticity questions already resolved. It reserved the weight of the technical reports and listed the remaining issues: offensive character, intent at commencement, continuity of the operation, source weight, and satisfaction of the proposition as a whole. The court entered the order at 15:17 and advanced to trial and jury selection [21, events 91–94].

3.7 Candidate questionnaires

ADC assembled thirteen initial candidates for the nine-member jury. Some candidate-configuration checks received upstream rate-limit responses and followed the configured retries. The first two questionnaires, from Muse Glimmer 30B and GLM 4.7, supplied affirmative assurances of attention, impartiality, and compliance with instructions. GPT-4.1 Nano ended its turn by asking whether to retrieve more material or proceed, without submitting the questionnaire. ADC recorded the incomplete opportunity and replaced it with Qwen3 VL 30B A3B Instruct. GPT-4o, DeepSeek Chat, Kimi K2.5, Qwen3.5 35B A3B, and Qwen3 Coder Next completed their questionnaires [21, events 95–122 and juror process logs].

Seed 2.0 Lite made four malformed JSON-string calls before submitting a questionnaire containing short Yes or No answers. Qwen3 VL 8B Instruct, Qwen3 30B A3B, and Qwen3 Max Thinking also completed questionnaires. Qwen Plus returned an empty tool name, after which the provider rejected its request history with HTTP 400. ADC replaced it with Mistral Small 3.2. The first replacement, Qwen3 VL 30B A3B Instruct, repeatedly omitted the final closing brace from its questionnaire arguments. Pi’s MCP adapter rejected those arguments before ADC received a decision, leaving the turn subject to its 25-minute deadline [21, events 123–134 and juror process logs].

4 Verification and Limitations

The adjudication and its final verification remain in progress.

Production generated repeated opportunities to pass on unchanged files. ADC’s `updateCase` clears the saved opportunity passes, so an accepted production makes the remaining optional items available again [8, `updateCase` and `recordOpportunityPass`]. The plaintiff repeatedly passed on the market attachment before adopting a broader responsiveness reading and producing it. Its work notes during those repeated passes often restated the same conclusion. These exchanges added model requests without adding new source evidence [21, events 30–44].

Both lawyer sessions exceeded the provider’s context window before jury selection. Pi’s automatic compaction reduced the plaintiff’s reported context from about 924,000 tokens to an estimated 15,500, and accepted production resumed at 15:02. The defense completed a similar compaction before its admission response. The retained logs report more than 600,000 cached input tokens in individual requests before compaction [21, lawyer process logs]. Work-note acknowledgments contribute to this growth because the role API returns the visible case state with each acknowledgment [9, `send_work_notes` and `opportunityPayloadLocked`]. Compaction permits continued execution while replacing earlier session detail with a model-generated summary.

References

- [1] AgentCourt. *Adjudication Core*. Repository documentation at source revision 87de350, September 2026. <https://github.com/agentcourt/adj>.

- [2] Jamie Stephens. *Five Adjudication Procedures by Procedural Complexity*. `reports/marxiv/procedure-complexity/paper.pdf`, in the adj repository.
- [3] Jamie Stephens. *Adjudicating a Prediction-Market Resolution: An ARB Case Study of Israel's December 2024 Entry into Syria*. marXiv:2609.00009, 2026.
- [4] AgentCourt. *Agent District Court Manual*. `adc/manual.md`, adj, revision 87de350.
- [5] AgentCourt. *Agent District Court Practice Guide*. `adc/docs/practice.md`, adj, revision 87de350.
- [6] AgentCourt. *Agent Rules for Civil Procedure*. `adc/docs/ARCP.md`, adj, revision 87de350.
- [7] AgentCourt. *Procedure Execution*. `adc/docs/logic.md`, adj, revision 87de350.
- [8] AgentCourt. *ADC Lean Engine*. `adc/engine/ADC/Core.lean`, adj, revision 87de350.
- [9] AgentCourt. *ADC Role API*. `adc/runtime/runner/roleapi.go`, adj, revision 87de350.
- [10] Jamie Stephens. *Generating Tool-Capable, Behavior-Stratified Model Pools for Adjudication*. marXiv:2608.00051, 2026.
- [11] AgentCourt. *Model-Pool Tools*. `model-pool/README.md`, adj, revision 87de350.
- [12] AgentCourt. *Sampling Runbook*. `model-pool/docs/sampling-runbook.md`, adj, revision 87de350.
- [13] AgentCourt. *Juries*. `adc/docs/juries.md`, adj, revision 87de350.
- [14] AgentCourt. *ADC Proofs*. `adc/docs/proofs.md`, adj, revision 87de350.
- [15] AgentCourt. *Israel-Syria prediction-market example*. `examples/ex04/complaint.md` and `market-rules.md`, adj, revision 87de350.
- [16] Israel and Syria. *Agreement on Disengagement*, May 31, 1974, section B. United Nations text, S/11302/Add.1. <https://www.un.org/unispal/document/auto-insert-179522/>.
- [17] Koussay Aldahhak. *Identical letters dated 9 December 2024 from the Permanent Representative of the Syrian Arab Republic to the United Nations addressed to the Secretary-General and the President of the Security Council*. A/79/687-S/2024/888, distributed December 11, 2024. <https://documents.un.org/api/symbol/access?l=en&s=S%2F2024%2F888&t=pdf>.
- [18] Danny Danon. *Identical letters dated 9 December 2024 from the Permanent Representative of Israel to the United Nations addressed to the Secretary-General and the President of the Security Council*. S/2024/887, December 9, 2024. <https://documents.un.org/api/symbol/access?l=en&s=S%2F2024%2F887&t=pdf>.
- [19] United Nations Disengagement Observer Force. *UNDOF Press Statement*. December 13, 2024. <https://peacekeeping.un.org/en/news/undof-press-statement>.
- [20] Associated Press. *Netanyahu says Israeli troops will remain in buffer zone inside Syria*. PBS NewsHour, December 17, 2024. <https://www.pbs.org/newshour/world/netanyahu-enters-syrian-territory-to-tour-buffer-zone-seized-by-israel>.

- [21] AgentCourt. *Israel-Syria ADC case record*, run `ex04-20260919-04`. Retained under `adc/out/ex04-20260919-04/` in the execution checkout. The `case/core/` directory contains the event database, work notes, and court files. The `case/logs/` and `case/work/` directories retain participant tool activity and research. Generated case records are outside the versioned report.