

PEGA As MCP

Step 1 : Create Service MCP rule : App Explorer -> Records -> Integration Services -> Service MCP

- Enable MCP Service checkbox to expose it as a service.
- Once enabled, Service URL would be generated to use MCP from external service.
- Transport type, Authentication type would be visible and by default selected as Streamable HTTP and OAuth 2.0.

The screenshot shows the 'Service MCP' configuration page in Pega. The page title is 'Service MCP' and the rule name is 'Pega MCP'. It is applied to '@baseclass' and is part of the 'Customer [Branch: BP-1]' ruleset. The status is 'Yes'. The 'MCP Service details' section includes a checkbox 'Enable MCP Service for Customer Service for Financial Services' which is checked. The 'Service endpoint URL' is 'https://dsupf9i.pegasys.net/prweb/app/customer-service-for-financial-services/api/service/v1/mcp/@baseclassPegaMCP'. The 'Transport Type' is 'Streamable HTTP', the 'Authentication Type' is 'OAuth 2.0', and the 'Version' is '01-01-01'. The 'Configure Clients' section shows a list of client applications: Cursor, VS Code, Codex CLI, claude.ai, Copilot Studio, Gemini CLI, and cURL / REST.

Step 2 : Create required tools with necessary actions to perform and add example phrases.

The screenshot shows the 'Tool' configuration page in Pega. The tool name is 'CreateCaseWithAssignmentDetails'. It is applied to '@baseclass' and is part of the 'Customer [Branch: BP-1]' ruleset. The status is 'Final' and 'Internal'. The 'Description' section contains the following text:
Purpose
To start a new case by identifying the necessary inputs.
When to use
Use this tool ONLY at the beginning of a case when initializing a new case based on user query.
What it does
* Identifies the case type from user query
* Returns a structured list of fields needed to begin the case
* Does NOT submit any data - only retrieves field requirements
Result
Returns `caseid` only with a successful message .
Important Notes
* Never call this tool after any tool failure until specifically asked for.
* This is a read-only operation - no data submission occurs
* No formatting rules apply here (formatting happens at submission time)
* Always follow this with `performassignment` to actually submit collected data
The 'Example phrases' section contains the text 'Can you create [case name] case' and a '+ Add example' link.

Step 3 : Choose action to perform (ex: automation to create case or send email or generate pdf)

The screenshot shows the 'Tool' configuration page in Pega, specifically the 'Action' tab. The tool name is 'CreateCaseWithAssignmentDetails'. The 'Category' is 'Automation'. The 'Ask for confirmation' checkbox is unchecked. The 'Resource' is '@baseclass' and the 'Automation' is 'Create case from Agent'. The 'Parameters' section shows the following table:

Name	Value
CaseTypeID	Param.CaseTypeClassNap
Content	Param.StartingFields
CurrentConvID	Param.CurrentConvID

Step 4 : Add created tools to Service MCP rule to access.

In this scenario, I have used multiple OOTB tools provided by PEGA with custom CreateCasewithAssignmentDetails tool.

SERVICE MCP

Pega MCP

APPLIES TO ID RULESET STATUS
@baseclass PegaMCP Customer [Branch: BP-1] Yes

DEFINITION CASE TYPES **TOOLS** TEST HISTORY

Actions

Tool	Category
CreateCaseWithAssignmentDetails	Automation
pxGetCaseTypes	Automation
pxGetStartingFieldsForCas	Automation
pxPerformAssignment	Automation
pyPostToPulse	Automation

+ Add

Step 5 : Create OAuth Client credentials for secured authentication.

Note : In this example I have used Oauth 2.0 Client credentials with Sample operator.

EDIT OAUTH 2.0 CLIENT REGISTRATION

CS_MCP_OAuth

DELETE Rule actions SAVE

ID RULESET
CS_MCP_OAuth No associated ruleset [Edit]

Client ID
78282376811463172771

Client secret
.....

Authorization endpoint
https://7dsupf9l.pegace.net/prweb/PRRestService/oauth2/v1/authorize

Access token endpoint
https://7dsupf9l.pegace.net/prweb/PRRestService/oauth2/v1/token

Token revocation endpoint
https://7dsupf9l.pegace.net/prweb/PRRestService/oauth2/v1/revoke

JWKS endpoint
https://7dsupf9l.pegace.net/prweb/PRRestService/oauth2/v1/token/keys

Token introspection endpoint
https://7dsupf9l.pegace.net/prweb/PRRestService/oauth2/v1/token/introspect

A secure TLS access token endpoint is required at runtime.

Regenerate client secret Revoke access and refresh token

Supported grant types

☐ Authorization code

☒ Client credentials

Set operator context using

☒ Operator ID ☐ Access group

Operator ID
ExternalMCPUser

☐ Password credentials

☐ SAML bearer

☐ JWT bearer


Token management

Token expiry


Access token lifetime (in seconds)
3600

Step 6 : Access the Pega MCP server with url available in MCP rule in any of required external sites.


Note : In this example I'm using postman to test the scenario's.



Step 7 : Post authentication, once MCP server is connected, all the available tools are shown under the message tab.



Step 8 : In our scenario, we are using Create case with assignment details as response. To successfully execute the this tools Case Type ID is mandatory with required fields as optional.



```

JSON
[
  {
    CurrentAddress.pyGUID : "c58639f5-b05d-4d14-8218-dd9a4435d17d"
    PrimaryResidence : "true"
    NewAddressLine1 : "5th Block, area A"
    NewAddressLine2 : "Bengaluru Urban"
    NewAddressStateProvince : "Karnataka"
    NewAddressCity : "Bengaluru"
    NewAddressPostalCode : "560100"
  }
]

```

"TADAAAAAA" we got the response back and successful case creation.

- i. **tools/call** has been sent to Pega MCP as request.
- ii. **tools/CreateCasewithAssignmentsDetails** call will receive the data back from Pega.

Step 10 : Let's verify the same in Pega now.

Address Change

Address Change > A-3007

Work Status

NEW

Customer Name

--

Requestor

--

Created

External MCP User 1 min. ago

Updated

External MCP User 1 min. ago

Details

Pulse

History

Collect and Validate New Address

Select Other Accounts

Update Address

EM Collect and Validate New Address

Collect new address details

Current Address

ACC-12345

True

is Primary address

New Address Line 1 *

5th Block, area A

New Address Line 2 *

Bengaluru Urban

New Address City *

Bengaluru

New Address State/Province *

Karnataka

New Address Postal Code *

560,100

Cancel

Fill with sample data

Next

Step 11 : Now let's try Perform assignment on the same case.

For this we have tool exposed as Perform assignment.

Note : This tool takes assignment content and case id as parameters to perform the action.

<https://7dsupf9kpegace.net/prweb/ap/customer-service/ap/serviceV1/mcp/@baseclassPegaMCP>

[Docs](#)
[Message](#)
[Authorization](#)
[Headers](#)
[Settings](#)

[Tools](#)
[Prompts](#)
[Resources](#)

AssignmentContent: string

JSON object with field data. Format by field type - Scalar: ("Field", "value") - Nested: ("Parent.Child", "value") (dot notation, not nested objects) - Single attachment: ("Attach", "id") - Multi-attachment: ("Attach", ["id1", "id2"]) (direct array, NOT JSON Patch) - Arrays/Lists: ("List", ["foo", "add", "path", "ListOf", "value", "..."]) Example with all types: ("Name", "John", "Address.City": "NYC", "Doc", "id123", "Photos": ["id1", "id2", "Items": [{"top": "add", "path": "ItemsOf", "value": "Item: X", "}], "Output valid JSON only - no markdown or text.

CurrentAddress.pyGUID: `"f1018c80-fe28-4bd8-a5cc-e4b2fe91f232"` "PrimaryResidence": "true", "NewAddressLine1": "5th Block, area A"

CaseID: string

Processing Case ID. This must be sent to processes the assignment inside in case

A-3007

5. PostToPulse

The tool should be able to post messages in a case conversation based on user instructions. It should understand both direct and contextual requests, such as sending updates, follow-ups, or notes. The tool

```

1 {
2   "method": "tools/call",
3   "params": {
4     "name": "Pegform_Assignment",
5     "arguments": {
6       "AssignmentContent": "{ \"CurrentAddress.pyGUID\" : \"f1018c80-fe28-4bd8-a5cc-e4b2fe91f232\",
7         \"PrimaryResidence\" : \"true\", \"NewAddressLine1\" : \"5th Block, area A\",
8         \"NewAddressLine2\" : \"Bengaluru Urban\", \"NewAddressStateProvince\" : \"Karnataka\",
9         \"NewAddressCity\" : \"Bengaluru\", \"NewAddressPostalCode\" : \"560100\" }",
10      "CaseID": "A-3007"
11    }
12  }

```

Step 12 : “ **TADAAAAAAAAA AGAIN** ”, the perform action works fine and case updated successfully.

<https://7dsup9t.pegaone.net/prweb/app/customer-service-for-financial-services/api/service/v1/mcp/@baseclassPegaMCP>

[Save](#)
[Share](#)

[HTTP](#)
<https://7dsup9t.pegaone.net/prweb/app/customer-service-for-financial-services/api/service/v1/mcp/@baseclassPegaMCP>

[Docs](#)
[Message](#)
[Authorization](#)
[Headers](#)
[Settings](#)

[Tools](#)
[Prompts](#)
[Resources](#)

AssignmentID : string

JSON object with field data. Format by field type - Scalar: {\"Field\": \"value\"} - Nested: {\"Parent.Child\": \"value\"} (dot notation, not nested objects) - Single attachment: {\"Attach\": \"id\"} - Multi-attachment: {\"Attach\": [\"id1\", \"id2\"]} (direct array, NOT .JSON Patch) - Array/Lists: {\"List\": {\"top\": \"add\", \"path\": \"A.ListOf\", \"value\": [...]}} Example with all types: {\"Name\": \"John\", \"Address.City\": \"NYC\", \"Doc\": \"id123\", \"Photos\": [\"id1\", \"id2\"], \"Items\": {\"top\": \"add\", \"path\": \"Items.Of\", \"value\": {\"A\": [...]}} Output valid JSON only - no markdown or text.

{\"CurrentAddress.pyGUID\": \"f1018c80-fe28-4db8-a5cc-e4b2fe9f232\", \"PrimaryResidence\": \"true\", \"NewAddressLine1\": \"5th Block, are...

CaseID : string

Processing Case ID. This must be sent to processes the assignment inside in case

A-3007

Response

Notifications

GAuth Debugger

Search

All messages

JSON

Preview

tools / Perform_Assignment	22:46:45.099	5	{\"text\": {\"Status\": \"CURRENT_STEP_COMPLETED\", \"Response\": \"Current step is complete. Proceed to the next step. IMPORTANT: Before prompting the user, apply the Mandatory Field Resolution sequence from your instructions - search the full conversation history for values that match any field in FieldList (including fields with anonlist options). Only prompt the user for fields that cannot be resolved from prior conversation context. Present resolved values as a confirmation summary. \": {\"CaseStatus\": \"New\", \"FieldList\": {\"Schema\": \"https://json-schema.org/draft-2020-12/schema\", \"type\": \"object\", \"whatNextForUser\": \"This is the next steps information to be displayed to the user after submission. Display the following text: [\\\", \"x-submissionFormat\": \"AssignmentContent value should be a valid JSON with valid syntax, in case if there is nothing to submit. Submit an empty array. If all the fields are readOnly, prompt user the fields along with their values if available and wait for user to review before calling poPerformAssignment tool. The readOnly message to user should be business friendly and not attribute or metadata type\", \"properties\": {\"UpdateData\": {\"x-currentValue\": \"Address change request with caseid : A-3007 submitted successfully\", \"type\": \"string\", \"title\": \"@BL[1].PrimaryResidence\": {\"x-currentValue\": true, \"type\": \"boolean\", \"title\": \"Primary Residence (Read-only)\", \"readOnly\": true, \"x-internalHint\": \"This is a Read-only field for
----------------------------	--------------	---	---

Step 13 : Now let's check the Pega case again.

0000 !!!!!. Case moved to **Review** step as we expected.

Address Change

Address Change A-3007

Work Status

NEW

Customer Name

Requestor

Created

5:03pm MCP User 1 min. ago

Updated

External MCP User 1 min. ago

Details

Pulse

History

Collect and Validate New Address

Select Other Accounts

Update Address

Collect and Validate New Address

Review

Address change request with caseld : A-3007 submitted successfully

New Address Details :

Primary Residence

New Address Line 2

New Address State/Province

2 Exit

Yes

Bengaluru Urban

Karnataka

New Address Line 1

New Address City

New Address Postal Code

5th Block, area A

Bengaluru

560,100

Cancel

Fill with sample data

Previous

Next

Details

Description

New Address City

New Address Line 1

New Address Line 2

New Address Postal Code

New Address State/Province

Notes

Primary Residence

Bengaluru

5th Block, area A

Bengaluru Urban

560,100

Karnataka

Yes

NEXT Scenario :

Now Let's try posting a message to pulse using MCP

For this, there's an OOTB tool called PostToPulse which accepts case id, work pool and message as parameters.

HTTPhttps://7dsupfl.pegace.net/prweb/app/customer-service-for-financial-services/api/service/v1/mcp/@baseclassPegaMCP

DocsMessageAuthorizationHeadersSettings

ToolsPromptsResources

PostToPulse

The tool should be able to post messages in a case conversation based on user instructions. It should understand both direct and contextual requests, such as sending updates, follow-ups, or notes. The tool needs to identify the correct case and ensure the message is accurately added to the conversation. If there is a message already in the instruction, ask for a confirmation before posting that as a comment. If not, ask for the message to be posted. While asking for confirmation, don't mention the Tool name Finally, it should confirm the message was posted successfully and provide any relevant feedback if needed.
Examples: - Add a pulse comment - Post a comment to the pulse - Post a message asking for more information - Share an update in the case thread - Can you add a message to this case? - Could you post an update in the conversation? - Post a reminder to follow up on this case. - Leave a note in the conversation - I need to add a note to this case

Context* : string

pyID of the case instance for which we are posting the message pulse

A-3007

WorkPool : string

WorkPool class to which this case belongs

Enter string

Message* : string

Take the Text Input from the users

Hi team, please verify the details before approval

```
1 {
2   "method": "tools/call",
3   "params": {
4     "name": "PostToPulse",
5     "arguments": {
6       "Context": "A-3007",
7       "Message": "Hi team, please verify the details before approval"
8     }
9   }
10 }
```

Yeypppp !!! Message posted

https://7dsupfl.pegace.net/prweb/app/customer-service-for-financial-services/api/service/v1/mcp/@baseclassPegaMCP

SaveShare

HTTPhttps://7dsupfl.pegace.net/prweb/app/customer-service-for-financial-services/api/service/v1/mcp/@baseclassPegaMCP

DocsMessageAuthorizationHeadersSettings

ToolsPromptsResources

PostToPulse

The tool should be able to post messages in a case conversation based on user instructions. It should understand both direct and contextual requests, such as sending updates, follow-ups, or notes. The tool needs to identify the correct case and ensure the message is accurately added to the conversation. If there is a message already in the instruction, ask for a confirmation before posting that as a comment. If not, ask for the message to be posted. While asking for confirmation, don't mention the Tool name Finally, it should confirm the message was posted successfully and provide any relevant feedback if needed.
Examples: - Add a pulse comment - Post a comment to the pulse - Post a message asking for more information - Share an update in the case thread - Can you add a message to this case? - Could you post an update in the conversation? - Post a reminder to follow up on this case. - Leave a note in the conversation - I need to add a note to this case

Context* : string

pyID of the case instance for which we are posting the message pulse

A-3007

WorkPool : string

WorkPool class to which this case belongs

Enter string

Message* : string

Take the Text Input from the users

Hi team, please verify the details before approval

```
1 {
2   "method": "tools/call",
3   "params": {
4     "name": "PostToPulse",
5     "arguments": {
6       "Context": "A-3007",
7       "Message": "Hi team, please verify the details before approval"
8     }
9   }
10 }
```

ResponseNotificationsOAuth Debugger

SearchAll messages

tools / PostToPulse	23:28:09.280
tools / call	23:28:03.900
tools / Perform_Assignment	22:46:45.099
tools / call	22:46:44.475
tools / CreateCaseWithAssignmentDetails	22:42:19.014
tools / call	22:42:18.410
Connected	22:39:24.215

JSONPreview

```
1 {
2   "content": {
3     "type": "text",
4     "text": "{}"
5   },
6   "isError": false,
7   "meta": {
8     "action": {
9       "name": "ppPostToPulse",
10      "className": "@baseclass"
11    },
12    "category": "Rule-Obj-Activity",
13    "updateDateTime": "20240606T092135.309 GMT"
14  }
15 }
16 }
```

Connected

let's verify again.

Address Change

Address Change - A-3007

Work Status

NEW

Customer Name

--

Requestor

--

Created

External MCP User 41 min ago

Updated

External MCP User 41 min ago

Details

Pulse

History

Collect and Validate New Address

Select Other Accounts

Update Address

Assignments

Collect and Validate New Address - Review

External MCP User - Urgency: 10

Go

Pulse

GMPost

EMExternal MCP User

NEW - POST

Hi team, please verify the details before approval

LEARNING NEVER ENDS !!!!!!!

HAPPY LEARNING