




Use Case – Creating a Pega Case from Claude through Pega Infinity 26 MCP Integration

Step-1: Create a Case Type with stages and steps configured




Step-2: Create a Tool rule and configure description and example phrases.





Step-3: Create a Service MCP rule and enable MCP Service and configure OAuth 2.0 Client Registration rule.



bsc87q14.pegace.net/prweb/PRAuth/app/demo-app/PSPBe_WZu4nJ2hKq1Ozt2Q*/!STANDARD

PEGAInfinity 26 DemoApp Configure Create Preview App

Home Service MCP Tool LoanRequestTool LoanMCPService PEGAAPP_DEMOAPP Loan Request

EDIT SERVICE MCP
LoanMCPService

APPLIES TO ID RULESET STATUS
@baseclass LoanMCPService DemoApp:01-01 Yes

OAuth 2.0 Client (Select preferred OAuth 2.0 Client)
PegaApp_DemoApp CLIENT ID: 13829017229792981823

OAuth Redirect URI
https://claude.ai/api/mcp/auth_callback Save

Connection Configuration

Claude.ai Custom Connector Setup
Path: claude.ai -> Customize -> Connectors -> + -> Add custom connector

Connector URL: 'https://bsc87q14.pegace.net/prweb/PRAuth/app/demo-app/api/service/v1/mcp/@baseclass!LoanMCPService'
Client ID: '13829017229792981823'
Client Secret: 'CLIENT_SECRET'
Token URL: 'https://bsc87q14.pegace.net/prweb/PRAuth/app/demo-app/api/service/v1/token'
Authorize URL: 'https://bsc87q14.pegace.net/prweb/PRAuth/app/demo-app/api/service/v1/authorize'

Pega Infinity Tests Alerts Logs Toggle XRay Tracer Clipboard Live UI Live Data Accessibility Performance

bsc87q14.pegace.net/prweb/PRAuth/app/demo-app/PSPBe_WZu4nJ2hKq1Ozt2Q*/!STANDARD

PEGAInfinity 26 DemoApp Configure Create Preview App

Home Service MCP Tool LoanRequestTool LoanMCPService PEGAAPP_DEMOAPP

EDIT SERVICE MCP
LoanMCPService


APPLIES TO ID RULESET STATUS
@baseclass LoanMCPService DemoApp:01-01 Yes

DEFINITION CASE TYPES TOOLS TEST HISTORY


Tool
LoanRequestTool
+ Add

Saddam Hussain - Rulesstack Pvt Ltd


Pega Infinity Tests Alerts Logs Toggle XRay Tracer Clipboard Live UI Live Data Accessibility Performance




Step-4: Create and configure OAuth 2.0 Client Registration rule.




Copy OAuth redirect URI from Service MCP rule and paste it in OAuth 2.0 Client Registration rule.



Step-5: Create and configure Operator ID rule with appropriate Access Group.










Register an Account in Claude and Login with Credentials






Step-5: Custom Connector Setup by using the OAuth 2.0 Client Registration details.







Enter the Operator ID and Password.




Now, Let's hit the MCP Service from the Claude and Create a Loan Request case.

The first screenshot shows the Claude AI interface with a sidebar on the left containing 'New', 'Projects', 'Artifacts', and 'Customize'. The main area displays a greeting: 'Good afternoon, Saddam Hussain' with a red asterisk icon. Below the greeting is a button labeled 'Create a Loan Request case'. The bottom of the interface shows 'Sonnet 5.5 Medium' and a red 'up' arrow button.

The second screenshot shows the same interface after clicking the button. The sidebar now includes 'Loan request case creation' under the 'Chats' section. The main area displays a 'Loan request case creation' header with a dropdown arrow. Below this is a 'Create a Loan Request case' button. A section titled 'Loaded tools, used Pega Infinity 26 DemoApp Integration' shows a search bar with 'Create Loan Request case' and a 'Loan Request Tool' result. The text reads: 'I've created Loan Request case L-3. Its status is New, and you can open it here: L-3. The case is waiting on the applicant details before it can move forward. Please send me:'. A list of required details is shown: First Name, Last Name, Date of Birth, Email Address, Phone Number, and PAN. Below this, it says 'I'll enter them and submit the step once you've shared them.' At the bottom, there is a text input field with a plus icon and the placeholder 'Write a message...'. The footer shows 'Claude is AI and can make mistakes. Please double-check responses.' and 'Sonnet 5.5 Medium'.

Successfully created a new L-3 case from Claude.


How to audit the complete MCP Conversations happened with MCP Service by external Agents



The screenshot shows the Pega Infinity interface. On the left, the 'ALL CLASSES' list includes 'Pega-Autopilot-Conversation'. The main panel displays a table titled 'Instances of Autopilot Conversation'. The table has columns: ID*, Title, Context ID, Create Operator, and Update datetime. Two instances are listed: PXCONV-2 and PXCONV-1. The 'ID*' column for PXCONV-2 is highlighted with a red box.

ID*	Title	Context ID	Create Operator	Update datetime
PXCONV-2	Autopilot Conversation	MCP_SERVICE	saddam@myorg.com	9/30/26 6:56 AM
PXCONV-1	Autopilot Conversation	MCP_SERVICE	saddam@myorg.com	9/30/26 6:56 AM

Open the instances to check request and response in detail.



The screenshot shows the Pega Infinity interface with the 'Coach Interaction: PXCONV-2' details. The interaction is titled 'Coach Interaction: PXCONV-2' and is associated with 'COACH: DemoApp' and 'WHO: Saddam Hussain'. The interaction occurred '23 minutes ago'. The details are organized into a list of steps, each with a title and a status (MCP). The steps are: System Instructions, Initialize Request, Initialize Response, Tools List Request, Tools List Response, Tool Call Request, and Tool Call Response. The 'Tool Call Request' and 'Tool Call Response' steps include a link to '@BASECLASSIPXCREATECASEWITHASSIGNMENTDETAILS'.

Step	Status
System Instructions	Agent Instructions
Initialize Request	MCP
Initialize Response	MCP
Tools List Request	MCP
Tools List Response	MCP
Tool Call Request	MCP
Tool Call Response	MCP

bsc87qi4.pegace.net/prweb/PRAuth/app/demo-app/PSPBe_WZu4nJ2hKq1Ozt2Q*/ISTANDARD

PEGAInfinity 26 DemoApp Configure Create Preview App Q Search Checked out: 1 Task Board DEVELOPMENT SH

CLASSES BRANCHES RECORDS FAVORITES

ALL CLASSES

Pega-Autopilot-Conversation

Pega-Autopilot-Conversation

- Data Model
- Process
- Reports
- Security
- SysAdmin
- Technical
- User Interface

PINNED CLASSES

You have no pinned Classes

Home Autopilot Conversation PXCONV-2

Coach Interaction: PXCONV-2

COACH: DemoApp WHO: Saddam Hussain WHEN: 23 minutes ago

Tool Call Request @BASECLASSIPXCREATECASEWITHASSIGNMENTDETAILS MCP

Plan

Tool Call ID
6704b436-48ac-4176-98c2-14226581e858

Function

Name
@BASECLASSIPXCREATECASEWITHASSIGNMENTDETAILS

Arguments

```
{ "CurrentConvID": "PXCONV-2", "CaseTypeClassName": "HyOrg-DemoApp-Work-LoanRequest", "StartingFields": null }
```

Tool Call Response @BASECLASSIPXCREATECASEWITHASSIGNMENTDETAILS MCP

Tool Call ID
6704b436-48ac-4176-98c2-14226581e858

Tool response

```
Show the Case ID which should be the value of "CaseURL": "https://bsc87qi4.pegace.net/prweb/PRAuth/app/demo-app/loan-requests/L-3?portalU003dwebPorta1", "CaseStatus": "New", "CasesToBeProcessed": "These are the cases created on w hich action is required. Share the details to fetch assignment details if the status is not resolved[{"CaseID": "L-3", "Status": "New"}]", "CaseID": "L-3", "FieldsList": [{"Instructions": "Submit valid JSON via A ssignmentContent. If nothing to submit, send empty array. If all fields are
```

Pega Infinity Tests Alerts Logs Toggle XRay Tracer Clipboard Live UI Live Data Accessibility Performance

Saddam Hussain - Rulesstack Pvt Ltd

-----Thank You-----