RoundFlow Frontend Wiring & Data Audit

Every screen, button and data display re-checked against the API: what is wired to a real endpoint, what is stubbed, what still shows dummy data, what changed since the last audit, and what the backend needs to build or confirm.

Prepared for	Backend engineering
Codebase	roundflow-frontend - branch new (incl. uncommitted changes)
Version	v2 - 21 October 2026 (supersedes the 16 Oct 2026 audit)
Scope	All routes, app shell, every modal / drawer / tab

Executive Summary (v2)

Summary: this is a full re-audit of every screen, button and data display. It covers branch "new" at commit 9c29780 plus the uncommitted working tree, as of 21 Oct 2026. Each finding from the 16 Oct audit was checked again in the code and marked STILL OPEN, FIXED or CHANGED, and the re-audit added 81 NEW findings. Since 16 Oct, three backend handoffs have been integrated into the frontend:

- multi-plan customers (servicePlans[]);
- the step-9 bulk import (POST /setup/step/9/bulk);
- the performance endpoints (batch planner occurrences and a paginated debt board).

Those integrations fixed or improved a small number of items. Most of the 16 Oct findings are still open, because they are waiting on backend endpoints or fields that don't exist yet.

SECURITY ALERT: the admin/admin dev login backdoor is STILL active in production builds. DEV_AUTH_BYPASS_ENABLED is hard-coded to true in src/lib/dev-auth-bypass.ts:17 with no import.meta.env.DEV check. It is also present in the local dist/ build from 17 Oct.

- **What it does:** anyone can open the full admin UI by typing admin/admin, or by setting a sessionStorage flag or dispatching a window event.
- **Why it matters for the backend:** API calls carry no token unless a real Supabase session is cached, so no data leaks today. But a real low-privilege user can open the admin UI and send their own real token to admin endpoints. Server-side role and tenant checks on every endpoint are therefore the only protection.
- **Fix:** frontend removes the backdoor; backend confirms it rejects the literal token "dev-auth-bypass-token".

Re-audit results at a glance

Area	Still open	Fixed	Changed	New
Dashboard, Shell, Quick Actions, Emergencies	23	0	0	13
Round Planner & Today's Work	13	0	1	15
Customers & Property Detail	17	1	3	12
Debt, Reports & Complaints	11	0	2	6
Settings, Technicians & Technician App	17	1	0	18
Setup Wizard & Authentication	24	2	2	17
Total (per-screen chapters)	**105**	**4**	**8**	**81**
Dummy-data register (production items)	26	1	2	5

What changed since 16 Oct (short version)

Fixed

- Step-9 CSV import now uses one bulk request instead of one request per row.
- Property Detail no longer invents "Window Cleaning"; it lists every service plan.
- /invites is now in OpenAPI.
- One dead-code default was removed.

Changed (improved, not finished)

- **Planner:** occurrences come from ceil(R/50) batch calls instead of R calls.

- **Debt:** the board is paginated, and tab counts use pageSize=1.
- **Property Detail:** pause windows are shown per plan; the invoice toast follows the real status; Change Frequency shows errors.
- **Setup:** the bulk-replace confirmation only appears when saved items would be deleted.

Regressions introduced by the recent integrations

- **Bulk import** drops landline and every service except the first, while still sending the summed price.
- **Debt tabs** briefly show the previous tab's rows (keepPreviousData), and the page isn't clamped when a bucket shrinks.
- **Multi-plan writes:** Change Frequency, Edit Customer and Pause/Resume can't say which plan they target.

Top backend priorities

1. **Enforce server-side security.** Enforce role, tenant and setup-complete on every endpoint, and reject setup writes after completion. Every client-side gate can be bypassed: the backdoor, the "skip setup" flag, and VITE_BYPASS_SETUP_GATE.
2. **Make GET /invites/:token work without a session.** Today Accept Invite is broken for every signed-out invitee.
3. **Add per-plan write endpoints** (e.g. PATCH /service-plans/:id with pause/resume), or accept servicePlanId on the existing PATCHes.
4. **Bring bulk import up to parity:**
   - accept landline and serviceIds[];
   - return a structured errors[] body;
   - return the committed count on partial failure;
   - support idempotency on retry.
5. **Remove the remaining fan-outs:**
   - technician info on the batch occurrences;
   - a cross-round day endpoint for stops (with lat/lng);
   - round names on GET /technicians.
6. **Add a templates API, SMS pricing and sendAt**, replacing the hard-coded templates, £0.10 per SMS and the fake "Schedule for later".
7. **Add a generate-visits endpoint** for rounds created after setup. Today those rounds never get recurring visits.
8. **Allow settings reads before setup is complete** (service areas, technicians, services). Workspaces that skipped setup can't use Add Round, Add Property or the One-off service list.
9. **Seed default services and templates server-side**, so the wizard stops saving its sample lists as the tenant's own.
10. **Regenerate OpenAPI** with /rounds, /dashboard, /today, /debt, /reports, /complaints, /messages, /invoices, /emergencies and /technicians, plus the three new shapes.

How to read this report

Each chapter starts with a "Changes since the 16 Oct audit" table. Then there is one table per screen, where each row is one button, control or data display with its endpoint and status. Each chapter ends with the hard-coded data found and the backend gaps.

Status	Meaning
WIRED	Calls a real endpoint and shows real data
PARTIAL	Wired, but some fields are dropped, approximated or mislabelled
STUB	Looks interactive but sends nothing (or only shows a toast)
DUMMY DATA	Shows made-up or hard-coded data as if it were real
MISSING	Needed, but no UI and/or no endpoint exists
BROKEN	Wired, but can't work as shipped
COMING SOON	Deliberately blurred or disabled

Status	Meaning
FRONTEND-ONLY	Local UI behaviour (navigation, client filters); needs no endpoint
BACKDOOR	Security bypass reachable in production
STILL OPEN	16 Oct finding that is unchanged
FIXED	16 Oct finding that is resolved
CHANGED	16 Oct finding that is partly addressed or behaves differently
NEW	Not in the 16 Oct report

Status counts by area (from every table in this report)

Area	Wired	Partial	Stub	Dummy data	Missing	Coming soon
Dashboard, App Shell, Quick Actions & Emergencies	40	7	1	3	1	3
Round Planner & Today's Work	26	6	6	7	2	1
Customers & Property Detail	17	20		5	2	1
Debt / Payment, Reports & Complaints	27	13	3	7	2	
Settings, Technicians & Technician App	20	9	1	5	5	3
Setup Wizard & Authentication	29	17	3	7	1	
Total	**159**	**72**	**14**	**34**	**13**	**8**

Counts are rows in the per-screen tables (one row = one button, control or data display). FRONTEND-ONLY rows (navigation, client filters, opening modals) are excluded from this matrix.

What Changed Since 16 Oct

Summary: this chapter brings together every FIXED and CHANGED item, then the most important NEW findings. The full list is in each area's chapter. Three backend handoffs were integrated between the two audits: multi-plan customers, the step-9 bulk import, and the performance endpoints (batch planner occurrences, paginated debt board). Each one fixed something, and each one also exposed new contract questions.

Fixed

Finding	Now	Where	What it means
Step-9 CSV import sent one POST /setup/step/9 per row	FIXED	setup.api.ts:99-102; ImportPropertiesPanel.tsx:305-373	One POST /setup/step/9/bulk. See the regressions below.
Property Detail fell back to "Window Cleaning", one service only	FIXED	customers/lib/mappers.ts:245-252; PropertyDetailScreen.tsx:510	All non-cancelled plans are listed with service, frequency, price, status and pause window.
/invites missing from OpenAPI	FIXED	types.gen.ts:215-360	/technicians is still missing.
Dead code propertyCount ?? 20	FIXED	setup/lib/mappers.ts:459	

Changed (improved, not finished)

Finding	Now	Where	What it means
Planner: one occurrences request per round	CHANGED	useRounds.ts:125-185	ceil(R/50) batch calls. R x GET /rounds/:id and R x day calls remain. The fallback fires only on 404 and isn't remembered.
Debt: 7 full board requests for tab counts	CHANGED	useDebt.ts:55-78	Still 7 calls, but pageSize=1. A failed count shows 0.
Debt: client-side search	CHANGED	DebtPaymentScreen.tsx:117-139	Now only searches the 50 loaded rows. Needs a search param on the board.
Property Detail: pause window / payment rule not shown	CHANGED	customers/lib/mappers.ts:166-169	Pause window shown per plan; payment rule still not shown.
Generate Invoice toast always "sent"	CHANGED	GenerateInvoiceModal.tsx:91-95	Follows the returned status. Email is still stubbed server-side.
Change Frequency hid 400 errors	CHANGED	ChangeFrequencyModal.tsx:72-93	Errors now shown.
Setup bulk-replace confirmation (steps 3/7)	CHANGED	SetupWizard.tsx:284-295,774-790	Only when saved items would be deleted; lists them. Still no ids sent.
Step 9 VAT / notes / scheduling inputs	CHANGED	AddPropertyStep.tsx:28-36	Intentionally hidden in the wizard.

Regressions from the recent integrations

Finding	Now	Where	What it means
Bulk import drops landline	NEW	setup/lib/mappers.ts:429-447	The old per-row path sent it. Backend: accept landline on the bulk item.
Bulk import sends only the first serviceId at the summed price	NEW	mappers.ts:444; ImportPropertiesPanel.tsx:121-124	One plan is created at the combined price. Backend: accept serviceIds[].
Bulk import errors: brittle 400 parsing, network failures reported as "nothing imported", retry duplicates	NEW	ImportPropertiesPanel.tsx:25-43,331-371	Backend: structured errors[], committed count, idempotency key.
Debt tabs show the previous bucket's rows while loading	NEW	useDebt.ts:47	Frontend bug (keepPreviousData). Will be fixed on the frontend.
Debt page not clamped after a mutation shrinks the bucket	NEW	DebtPaymentScreen.tsx:66-68, 388	Empty page, pager hidden. Frontend will clamp; backend may clamp too.
Planner batch: one bad id fails a 50-round chunk; a missing id isn't an error	NEW	useRounds.ts:144-176	Backend: report unknown ids per item; always return every requested id.
Multi-plan: Change Frequency, Edit Customer, Pause/Resume have no servicePlanId	NEW	ChangeFrequencyModal.tsx:75-78; EditCustomerRecordModal.tsx:214-240; properties.api.ts:27-31	Which plan changes is undefined. Backend: per-plan PATCH / pause / resume.

Finding	Now	Where	What it means
Primary plan CANCELLED still shows "Active"	NEW	customers/lib/mappers.ts:105-126	Frontend mapping; needs a CANCELLED branch.

Most important new findings (other)

Finding	Now	Where	What it means
Rounds created after setup never get recurring visits	NEW	CreateRoundModal.tsx:552-557; RouteGuards.tsx:66-68	Backend: POST /rounds/:id/generate-visits (or generate on create).
Quick actions blocked before setup in production	NEW	useSettings.ts:24-27; CreateRoundModal.tsx:406	Area / technician / service lists never load. Backend: allow these reads before setup.
Two technician role vocabularies; edit saves "Technician" by default	NEW	content/setup-wizard.ts:1014-1019; TechnicianForm.tsx:111,168-173	Backend: one role enum.
App Access toggle deactivates without confirmation	NEW	TechnicianForm.tsx:235-240	Frontend fix.
Errors shown as empty states across Dashboard / modals	NEW	TodayRoundsTable.tsx:88; DashboardCharts.tsx:93	Frontend fix.
Map pins go stale; geocode quota errors cached 24h	NEW	useGeocodedStops.ts:36-123	Backend: lat/lng on stops removes the cause.
"Today" computed in UTC (planner, one-off job, step 11)	NEW	planner.ts:78-80; AddOneOffJobModal.tsx:42	Backend: server-side "today" in the tenant timezone.
Step 10 save truncates multi-technician rounds	NEW	setup/lib/mappers.ts:460,469	Backend: decide one or many per round.
handleForbidden is dead code; 403 mutations are silent	NEW	lib/errors.ts:22-51; QueryProvider.tsx:29-31	Backend: return 403 codes; frontend wires them.
Accept Invite "Log in instead" loses the token	NEW	AcceptInvite.tsx:301-306	Frontend fix, plus GET /invites/:token without auth.
Customers search loses focus on every keystroke; rows keyed by customerId	NEW	CustomersScreen.tsx:209-211, 326	Frontend fixes.
Status enum mismatch risk: 'complete' vs 'completed'	NEW	dashboard.api.ts:20; rounds.api.ts:100	Backend: confirm the /dashboard/rounds values.

Dashboard, App Shell, Quick Actions & Emergencies

Summary: almost nothing here has changed since 16 Oct. The only change in this area is the new planner batch endpoint, and it doesn't reach the dashboard: the dashboard map still makes one GET /rounds/:id/planner/occurrences/:date request per round. Every baseline finding is still open. The re-audit added 13 new findings. The most important:

- Rounds created from the "Add Round" quick action after setup never get recurring visits.
- The quick-action modals are blocked in production for workspaces that skipped setup.
- Failures show up as empty states ("No rounds scheduled for today").
- Map pins go stale.

The dev auth backdoor (admin/admin) still ships to production.

Changes since the 16 Oct audit

Previous finding	Now	Evidence	Note
Refresh doesn't refresh map stop queries	STILL OPEN	query-keys.ts:158-160	Map keys sit under ['rounds',…].
"Auto-refresh every minute" true only for kpis/alerts/rounds	STILL OPEN	useDashboard.ts:24,33,42	Technician KPIs, charts and the map never poll.
Setup card dismiss lasts one browser session	STILL OPEN	setup-deferred.ts:19-26	
Clean Unpaid / Monthly Revenue fixed to GBP	STILL OPEN	dashboard/lib/mappers.ts:18-26	
Alert cards open the target page with no filter	STILL OPEN	pages/Dashboard.tsx:12-16	No target page reads URL params.
Alert counts stay on a skeleton forever on error	STILL OPEN	DashboardCards.tsx:74	
Today's Stops: one request per round (N+1)	STILL OPEN	DashboardScreen.tsx:66-71; useRounds.ts:188-203	The planner batch endpoint doesn't cover the day endpoint.
Map uses the UTC date	STILL OPEN	planner.ts:67,78-80	
A failed stops request shows "No stops"	STILL OPEN	DashboardScreen.tsx:71,91,132	Map errors are also left out of the error banner.
No lat/lng; browser geocoding; planned stops, not GPS	STILL OPEN	useGeocodedStops.ts:44-123	
Technician side list grouped by name	STILL OPEN	GpsTrackingPanel.tsx:60-72	
Technician chips filter tiles only; charts ignore them	STILL OPEN	useDashboard.ts:54-60	
Time on Job / Strikes / Damages / Upsells / Revenue per Hour never read	STILL OPEN	mappers.ts:170-178; TechnicianKpis.tsx:149-155	
paymentHolds mapped but never shown; ETA always "—"	STILL OPEN	mappers.ts:114,117	
Row click / View All ignores the round	STILL OPEN	DashboardScreen.tsx:159-160	
Bell downloads every active emergency to count them; 0 on error	STILL OPEN	useEmergencies.ts:29-32	
Sign out: Supabase only, no backend logout	STILL OPEN	Dashboard.tsx:24-31	Query cache is cleared.
Bulk Message: hard-coded templates, body read-only, 1 credit, £0.10, propertyCount as recipients, Schedule stub, SMS only	STILL OPEN	content/dashboard.ts:197-223; BulkMessageModal.tsx:71-97	Correction: Weather Delay is 179 characters (2 SMS).
One-off: services empty before setup; technicians from /technicians; UTC date; dashboard not refreshed	STILL OPEN	AddOneOffJobModal.tsx:42,94-98; useVisits.ts:10-13	
Create Round: areas skeleton before setup; pending invites selectable; non-atomic save	STILL OPEN	CreateRoundModal.tsx:406,432,531-550	Retrying after a partial failure duplicates the round.
Add Property: 7 collected fields dropped (frequency, VAT, preferred day, customer notes, start date, round day, technician); response ignored; serviceIds not in OpenAPI	STILL OPEN	AddPropertyModal.tsx:186-204, 416-443	
Emergencies: no pagination; free-text location; detail has no error state; replacement list failure shows "No other active technicians"	STILL OPEN	emergencies.api.ts:52-53; EmergencyDetailPanel.tsx:32,119,164	

Previous finding	Now	Evidence	Note
Report Emergency modal unreachable on the web	STILL OPEN	TodaysWorkScreen.tsx:131; RouteGuards.tsx:20	
NEW - dev auth backdoor ships to production	NEW	dev-auth-bypass.ts:17	admin/admin opens the full shell as a fake ADMIN. API calls fail locally (no token), so no data leaks today. See the overview.
NEW - map pins go stale	NEW	useGeocodedStops.ts:53,104-123	Re-runs only when the address set changes; colours, price and technician filter don't update when a stop is completed or reassigned. Also affects the planner.
NEW - map default centre hard-coded to Newcastle	NEW	GpsTrackingPanel.tsx:221	Visible before pins fit.
NEW - errors shown as empty states	NEW	TodayRoundsTable.tsx:88; TechnicianKpis.tsx:87; DashboardCharts.tsx:93; BulkMessageModal.tsx:143; CreateRoundModal.tsx:612,714	"No rounds scheduled for today", "No active technicians yet", "No data yet", "No active rounds".
NEW - rounds created after setup never get recurring visits	NEW	CreateRoundModal.tsx:552-557,801-807; RouteGuards.tsx:66-68	The modal says "generate visits from Setup", but completed users can't open /setup and no generate-visits endpoint exists.
NEW - GET /settings/services fires on every page	NEW	AddPropertyModal.tsx:226; AddOneOffJobModal.tsx:89; AppShell.tsx:95-104	Modals always mounted; query not gated on open.
NEW - technician eligibility differs per modal	NEW	AddOneOffJobModal.tsx:96; CreateRoundModal.tsx:432; AddPropertyModal.tsx:257	One-off hides pending but shows inactive; the others do the opposite.
NEW - One-off round dropdown includes DRAFT rounds	NEW	AddOneOffJobModal.tsx:101	
NEW - day lists disagree	NEW	AddPropertyModal.tsx:43-51; CreateRoundModal.tsx:34	Add Property has no Sunday; Create Round does. Both values are dropped anyway.
NEW - reassign toast reads " successfully reassigned to …" when names are null	NEW	EmergencyDetailPanel.tsx:61	Reassign doesn't refresh ['dashboard'].
NEW - possible status enum mismatch	NEW	dashboard.api.ts:20 vs rounds.api.ts:100	Dashboard expects 'complete', Today expects 'completed'. If /dashboard/rounds sends 'completed', the badge is blank.
NEW - quick-action mutations never refresh ['dashboard']	NEW	useRounds.ts:39; useProperties.ts:19-24; useVisits.ts:10-13	KPIs lag up to 60s; technician KPIs and charts until a manual refresh.
NEW - GET /settings/message-templates returns a status object, not bodies	NEW	settings.api.ts:112-113	Bulk Message can't use it.

Dashboard (/dashboard)

Element	Endpoint	Status	Notes
Title, today's date	none	FRONTEND-ONLY	Browser clock.
"Last updated HH:MM"	derived from the 5 queries	WIRED	Newest dataUpdatedAt.
Refresh	refetches the 5 GET /dashboard/*	WIRED	Map stop queries not refreshed.
"Auto-refresh every minute"	none	PARTIAL	Only kpis, alerts, rounds poll.
Error banner	the 5 GETs	WIRED	Map errors excluded.
Workspace Setup card + Continue	GET /setup/status	WIRED	Dismiss is sessionStorage only.
KPI Jobs Today / Open Complaints	GET /dashboard/kpis	WIRED	
KPI Clean Unpaid / Monthly Revenue	GET /dashboard/kpis	WIRED	GBP fixed.
Alert counts (Skipped / Failed payments / Complaint revisits)	GET /dashboard/alerts	WIRED	Skeleton forever on error.
Alert card click	none	FRONTEND-ONLY	No filter passed.
Today's Stops data	GET /dashboard/rounds + one day request per round	WIRED (N+1)	UTC date; failure shows "No stops".

Element	Endpoint	Status	Notes
Map pins + info window	browser Google Geocoding	PARTIAL	Planned stops, not GPS. Pins go stale. Newcastle default centre.
"Setup needed" overlay	none	COMING SOON	No VITE_GOOGLE_MAPS_API_KEY.
Technicians side list / filter	derived from stops	WIRED	Grouped by name.
Technician chips, Monthly/Yearly	GET /dashboard/technician-kpis?period=	WIRED	Filter tiles only; no polling.
Tiles: Jobs Completed, Value, Complaints, Issues	GET /dashboard/technician-kpis	WIRED	Summed client-side.
Tiles: Time on Job, Strikes, Damages, Upsells	none	COMING SOON	Always "—"; fields never read.
6M/12M charts	GET /dashboard/charts?range=	WIRED	Empty, zero or failed all show "No data yet".
Revenue Per Hour	none	COMING SOON	Field never read.
Today's Rounds table	GET /dashboard/rounds	WIRED	Failure shows "No rounds scheduled". Status enum risk.
ETA	etaMinutes	PARTIAL	Backend sends null.
Payment holds per round	paymentHolds	MISSING	Mapped, no column.
Row click / View All	none	FRONTEND-ONLY	Round id ignored.

App Shell (every protected page)

Element	Endpoint	Status	Notes
Emergency bell badge	GET /emergencies?status=ACTIVE every 60s	WIRED	Counts returned rows; 0 on error. ADMIN/MANAGER only.
Nav links (9), collapse, mobile drawer	none	FRONTEND-ONLY	
Quick actions (Add Round / Add Property / Bulk Message / One-off Job)	none	FRONTEND-ONLY	All four modals always mounted.
Sign out	Supabase signOut	WIRED	No backend logout.
admin/admin login	none	BACKDOOR	Not gated to DEV; reachable in production.

Bulk Message modal

Element	Endpoint	Status	Notes
Round dropdown	GET /rounds?status=ACTIVE	WIRED	Failure shows "No active rounds".
Template dropdown / preview	none	DUMMY DATA	3 hard-coded templates; body read-only.
Characters / "1 SMS credit per customer"	none	DUMMY DATA	Weather Delay is 2 SMS.
Exclude payment-hold	excludePaymentHold	WIRED	
Recipients count	none	PARTIAL	propertyCount; not deduplicated; ignores holds.
Total cost	none	DUMMY DATA	£0.10 per SMS.
Send now / Schedule	none	STUB	Schedule shows "not available yet".
Send	POST /messages/bulk {roundId, channel:'sms', body, excludePaymentHold}	WIRED	409 = GoHighLevel not connected. Subtitle says SMS/WhatsApp.

Add One-off Job modal

Element	Endpoint	Status	Notes
Customer / property search	GET /customers?search=	WIRED	Debounced.
Service type	GET /settings/services	WIRED	Empty in production before setup. Fetched while closed.
Date / price	none	FRONTEND-ONLY	UTC date default; "£" fixed.

Element	Endpoint	Status	Notes
Technician	GET /technicians	WIRED	Shows inactive, hides pending.
Round	GET /rounds	WIRED	DRAFT rounds included.
Payment method / notes	none	FRONTEND-ONLY	Sent on create.
Create	POST /visits	WIRED	Doesn't refresh dashboard KPIs.

Create Round modal (5 steps)

Element	Endpoint	Status	Notes
Step 1: name, day, frequency, description	none	FRONTEND-ONLY	Sent at save.
Step 2: existing areas	GET /settings/service-areas	WIRED	Skeleton forever in production before setup. Failure shows "No service areas yet".
Step 2: Add Service Area	POST /settings/service-areas	WIRED	Not gated; the only workaround.
Step 3: properties	GET /customers?search=	WIRED	
Step 4: technician	GET /settings/technicians	WIRED	Pending invites selectable.
Step 5: review + value	derived	FRONTEND-ONLY	
"Generate visits from Setup" notice	none	BROKEN	Completed users can't open /setup.
Save Round	POST /rounds, PUT /rounds/:id/technicians, N x PATCH /properties/:id	WIRED	Non-atomic; retry duplicates; no recurring visits.

Add Property modal

Element	Endpoint	Status	Notes
Customer, contact, address, postcode, type	POST /properties	WIRED	
Service area (required)	GET /settings/service-areas	WIRED	Production before setup: empty list, can't save. DEV: "(sample)" options.
Services multi-select + price	serviceIds[] + serviceId	WIRED	serviceIds not in OpenAPI.
Cleaning frequency, VAT, preferred day, customer notes	not sent	PARTIAL	Collected, then dropped.
Payment method, next visit date, risk/access notes	POST /properties	WIRED	
Start date	fallback for nextDueDate	PARTIAL	
Assign now: round	roundId	WIRED	
Assign now: round day, technician	not sent	PARTIAL	Pre-filled, then dropped.
Save	POST /properties	WIRED	Response ignored. DEV fake save.

Emergencies (/emergencies)

Element	Endpoint	Status	Notes
Tabs Active / Resolved / All	GET /emergencies?status=	WIRED	60s polling; no pagination or date range.
Refresh, error banner	GET /emergencies	WIRED	
Table	GET /emergencies	WIRED	lastLocation is free text.
Detail panel	GET /emergencies/:id	WIRED	Skeleton forever on error.
Replacement technicians	GET /emergencies/:id/available-technicians	WIRED	Failure shows "No other active technicians"; fetched for resolved too.
Confirm reassignment	POST /emergencies/:id/reassign	WIRED	Handles 400/404/409. Toast needs names in the response.
Report Emergency	POST /emergencies	BROKEN	Unreachable on the web (technicians are redirected).

Dummy / hard-coded data found

- content/dashboard.ts:204-223: Bulk Message templates. Visible in production.
- content/dashboard.ts:197,209,215,221: £0.10 per SMS and 1 credit per customer. Visible in production.
- BulkMessageModal.tsx:71,189: recipients = propertyCount, labelled "customers". Visible in production.
- GBP / "£" fixed: mappers.ts:18-26, GpsTrackingPanel.tsx:294, BulkMessageModal.tsx:23-25, AddOneOffJobModal.tsx:265. Visible in production.
- mappers.ts:170-178, TechnicianKpis.tsx:149-155: Phase-2 tiles and Revenue per Hour placeholders. Visible in production.
- GpsTrackingPanel.tsx:221: Newcastle default centre. Visible in production.
- AddPropertyModal.tsx:56-77,406-413: "(sample)" areas/technicians/services/rounds and a fake save. DEV only.
- dev-auth-bypass.ts:17-20,81-99: admin/admin backdoor with a fake ADMIN profile. Ships to production.
- Dead code: sample rounds (Alnwick Monday 32 …) at content/dashboard.ts:198-203.

Backend gaps

Dashboard

- One "today's stops" endpoint with lat/lng (e.g. GET /dashboard/stops?date=), replacing the fan-out and browser geocoding.
- Server-side "today" in the tenant timezone.
- Live technician positions, if "GPS tracking" is literal.
- Fill etaMinutes, timeOnJobMinutes, strikes, damages, upsells, revenuePerHour (FE must also read them).
- technicianIds filter on /dashboard/charts.
- Filters on Today's Work, Debt and Complaints so alert cards can deep-link.
- Tenant currency.
- Confirm the /dashboard/rounds status values.

Bulk messages

- Templates endpoint (current GET returns a status object).
- SMS price, credit balance, segment and cost calculation.
- Dry-run recipient count (dedupe + hold exclusion).
- sendAt, or confirm scheduling is out of scope.
- Channel choice.

Emergencies

- Lightweight active count for the bell (or in /dashboard/alerts).
- Pagination and date range.
- Guarantee names in the reassign response.
- Confirm the mobile app owns POST /emergencies.

Create Round

- Atomic create (technicianIds[] + propertyIds[] on POST /rounds, or idempotency keys).
- POST /rounds/:id/generate-visits (or equivalent) for rounds created after setup.

Add Property

- Accept or document cleaningFrequency, vat, preferredDay, startDate, customerNotes, technicianId, roundDay.
- serviceIds[] in OpenAPI.

Technicians and setup gating

- Consolidate /technicians and /settings/technicians; one "assignable" rule.

- Confirm /settings/service-areas, /settings/technicians and /settings/services may be read before setup is complete, so the frontend gate can be relaxed.

OpenAPI

- Add /dashboard/*, /emergencies*, /messages/bulk, /rounds* (including the new batch route) and /technicians.

Security

- Confirm the backend rejects the literal token dev-auth-bypass-token.

Round Planner & Today's Work

Summary: since 16 Oct one thing changed. The planner's occurrence summaries now come from the batch endpoint GET /rounds/planner/occurrences in chunks of up to 50 rounds, with a fallback to the old per-round endpoint on a 404. Two per-round fan-outs remain on every load: GET /rounds/:id (only for technician names on calendar cards) and GET /rounds/:id/planner/occurrences/:date (List/Map day stops, re-fired for each date viewed). Every other 16 Oct finding is still open: Weather Hold has no backend, "Updated 18:10" is hard-coded, the round-actions button is dead, SMS templates and credit price are hard-coded, and the Push Missed message is never sent. The new batch route is not in OpenAPI either.

Requests per planner load, with R = number of rounds and "All rounds" selected:

- **Calendar:** GET /rounds + GET /settings/round-settings + GET /technicians + ceil(R/50) batch calls + R x GET /rounds/:id.
- **List or Map adds:** R x GET /rounds/:id/planner/occurrences/:date, for every date viewed.
- **Backend without the batch route:** add ceil(R/50) 404s plus R per-round calls, on every fetch (the fallback isn't remembered).
- **Refresh:** all of the above again, including the R detail calls.

Changes since the 16 Oct audit

Previous finding	Now	Evidence	Note
Occurrences fan-out: one call per round	CHANGED	useRounds.ts:125-185; rounds.api.ts:58-65,195-208	Now ceil(R/50) batch calls. CONTRACT-DIFF (not in OpenAPI).
Round detail per round (technician names)	STILL OPEN	useRounds.ts:205-216	R requests; refetched on Refresh and every rounds mutation.
Day stops per round (List/Map)	STILL OPEN	useRounds.ts:187-203	R requests per date.
Estimated Duration / Time = stops x 20 minutes	STILL OPEN	planner.ts:59,177	
Calendar technician is round-level; technician filter disabled in Calendar	STILL OPEN	planner.ts:220-226; RoundPlannerScreen.tsx:254	
Detail panel: no error state	STILL OPEN	RoundPlannerDetailPanel.tsx:105-111	
Weather Hold: hard-coded label, condition and reschedule never sent, fixed SMS, success with no request when notify is off	STILL OPEN	WeatherHoldModal.tsx:35-77; content/round-planner.ts:145,169-171	Notify defaults to off, so the default path does nothing.
Message Customers: hard-coded templates, £0.10 price, "Schedule for later" ignored, "Change" dead	STILL OPEN	MessageCustomersModal.tsx:51,70-96,142-144; content/round-planner.ts:192-228	
Map: browser geocoding, info window has no round/technician	STILL OPEN	useGeocodedStops.ts; RoundPlannerMapView.tsx:230-236	
Today's Work: "Updated 18:10", no polling behind "LIVE", "£" hard-coded, dead round-actions kebab	STILL OPEN	content/todays-work.ts:95; useToday.ts:10-16; TodaysWorkRoundsTable.tsx:115-122	
Reassign: pending invites listed; fake tech-N id possible	STILL OPEN	ReassignTechnicianModal.tsx:60-67; settings/lib/mappers.ts:207	
Push Missed: reason sent as a label; message never sent	STILL OPEN	PushMissedJobsModal.tsx:73,137-145	
Close Day: result ignored, 400 swallowed	STILL OPEN	CloseOperationalDayModal.tsx:131,140	
Report Emergency: technicianId from the round, not the signed-in user	STILL OPEN	ReportEmergencyModal.tsx:25,61	
NEW - batch fallback only on exactly 404	NEW	useRounds.ts:143	If an old backend answers 400/405 (e.g. "invalid id 'planner'"), the planner errors instead of falling back. Backend should register the static route before /rounds/:id.
NEW - fallback never remembered	NEW	useRounds.ts:135-149	Old backend: a 404 plus R calls on every fetch.
NEW - one bad round fails up to 50	NEW	useRounds.ts:144-146	A failure fails the whole chunk; before, each round failed alone. Server should report unknown ids per item.

Previous finding	Now	Evidence	Note
NEW - missing round in the batch response isn't an error	NEW	useRounds.ts:173-176	It just shows no cards. Contract should guarantee every requested id comes back.
NEW - Map view has no date controls and no loading state	NEW	RoundPlannerScreen.tsx:312-316; RoundPlannerMapView.tsx:104-124	Shows "No stops on this date" while loading.
NEW - geocode quota errors cached as "not found" for 24h; pin colours go stale	NEW	useGeocodedStops.ts:36,103; geocode-cache.ts:14	SKIPPED shows as a scheduled pin.
NEW - a day with only SKIPPED stops left shows "In progress" forever	NEW	planner.ts:124-131	No skippedCount.
NEW - "today" is the UTC date	NEW	planner.ts:78-80; PushMissedJobsModal.tsx:60-67	Wrong day for UK users between 00:00 and 01:00 BST.
NEW - Today KPI "Scheduled Stops" actually shows all stops	NEW	features/today/lib/mappers.ts:68	Includes completed and skipped.
NEW - "Updated HH:MM" stamped even when the refresh fails	NEW	use-todays-work-interactions.ts:43-49	
NEW - Reassign / Push Missed still offered after the day is closed	NEW	TodaysWorkScreen.tsx:108-109	Backend must reject them.
NEW - hasIssue ignored (only issueFlag shown)	NEW	features/today/lib/mappers.ts:132	
NEW - Close Day and Push Missed count "unfinished" differently	NEW	CloseOperationalDayModal.tsx:34-37,102	Close Day includes in-progress; with 0 unfinished it silently sends mark_as_skipped.
NEW - double error toasts on planner/today mutations	NEW	QueryProvider.tsx:25-37	409/5xx show the global and the modal toast.
NEW - technicians can open both screens; GET /today returns every round	NEW	AppShell.tsx:42-45	Backend must decide whether technician responses are scoped.

Round Planner (/round-planner): data and layout

Element	Endpoint	Status	Notes
Rounds list	GET /rounds	WIRED	Archived filtered client-side; drafts included.
Round settings (currency, cycle length)	GET /settings/round-settings	WIRED	Defaults GBP and 28 days hide missing data.
Technicians (filter options)	GET /technicians	WIRED	
Occurrences, all rounds	GET /rounds/planner/occurrences?roundIds=(max 50)&from&to	WIRED	New batch endpoint. CONTRACT-DIFF.
Occurrences fallback	GET /rounds/:id/planner/occurrences, once per round	WIRED (N+1)	Only on a 404; not remembered.
Round detail per round	GET /rounds/:id, once per round	WIRED (N+1)	Remaining fan-out #1 (technician names only).
Day stops per round (List/Map)	GET /rounds/:id/planner/occurrences/:date, once per round	WIRED (N+1)	Remaining fan-out #2.
Refresh	refetch + invalidate rounds.*	WIRED	Re-fires everything.
Round / period select, prev/today/next, view toggle	none	FRONTEND-ONLY	
Search	none	FRONTEND-ONLY	Calendar matches round name only.
Technician filter	none	FRONTEND-ONLY	Disabled in Calendar.
Status filter	none	FRONTEND-ONLY	SKIPPED only under "All".
+ Add Round	opens CreateRoundModal	FRONTEND-ONLY	Create Round is non-atomic (see Dashboard chapter).
KPIs: Total Stops, Round Value, Completion %, Payment Holds, Issues	summed from batch occurrences	WIRED	Computed before filters.
KPI: Estimated Duration	none	DUMMY DATA	stops x 20 minutes.
Calendar card: name, stops, value, chips, status	batch occurrences + GET /rounds	WIRED	Status derived client-side.
Calendar card: technician	GET /rounds/:id	PARTIAL	Round-level ("James +1"), not who works that date.

Round Detail panel, Weather Hold, Message Customers

Element	Endpoint	Status	Notes
Detail: stops list	GET /rounds/:id/planner/occurrences/:date	WIRED	No error state ("No stops on this date").
Detail: metrics	batch occurrences	WIRED	
Detail: Estimated Time	none	DUMMY DATA	stops x 20 minutes.
Weather Hold: "Scheduled" label	none	DUMMY DATA	Hard-coded.
Weather Hold: condition / rescheduling	none	STUB	Never sent; nothing is rescheduled.
Weather Hold: message preview + "147 characters"	none	DUMMY DATA	Fixed rain text, also the body actually sent.
Weather Hold: Apply (notify on)	POST /messages/bulk {roundId, channel:'sms', body}	PARTIAL	Whole round, not this date's stops.
Weather Hold: Apply (notify off, the default)	none	STUB	Success toast with no request.
Message: "N recipients"	none	PARTIAL	Client estimate; the send is round-wide.
Message: "Change" recipients	none	STUB	No onClick.
Message: template select	none	DUMMY DATA	3 hard-coded templates.
Message: credits / cost	none	DUMMY DATA	£0.10 per SMS, "1 SMS credit" regardless of length.
Message: variable chips	none	FRONTEND-ONLY	Backend must substitute all 6 variables.
Message: Send now / Schedule for later	none	STUB	"Schedule for later" sends immediately.
Message: channel, exclude holds, Send	POST /messages/bulk {roundId, channel, body, excludePaymentHold}	WIRED	409 means GoHighLevel not connected.

List view & Map view

Element	Endpoint	Status	Notes
List: day nav, rows, expanded row, View Full Details	day endpoint x R	WIRED	Unknown statuses fall back to SCHEDULED.
List: Bulk Message Round	POST /messages/bulk	WIRED	Doesn't pre-select the planner round; hard-coded templates and price.
List: Add One-off Job	POST /visits	WIRED	Pre-selects the round.
Visit actions (complete / skip / reorder / reschedule)	none	MISSING	No UI and no endpoint.
Map: not-configured overlay	none	COMING SOON	VITE_GOOGLE_MAPS_API_KEY missing.
Map: date selection	none	MISSING	No date controls in Map.
Map: pins + info window	day endpoint + Google geocoding in the browser	WIRED	No lat/lng from API. Info window: address, customer, price only.
Map: stops sidebar	day endpoint	WIRED	No loading state.

Today's Work (/todays-work)

Element	Endpoint	Status	Notes
Aggregate load	GET /today	WIRED	No polling.
"Updated 18:10"	none	DUMMY DATA	Hard-coded until a manual refresh.
LIVE / CLOSED badge	GET /today (dayClosed)	PARTIAL	"LIVE" is only a label.
KPI "Scheduled Stops"	GET /today (kpi.totalStops)	PARTIAL	Shows all stops, not just scheduled.
KPIs: In Progress, Completed, Skipped, Issues, Payment Holds, Value	GET /today	WIRED	"£" hard-coded; null shows £0.

Element	Endpoint	Status	Notes
Search / Show only problems	none	FRONTEND-ONLY	Search can't match properties.
Rounds table	GET /today (rounds)	WIRED	One technician per round.
Round actions kebab	none	STUB	No onClick.
Technician Workload cards	GET /today (technicians)	WIRED	
Round detail: jobs list	GET /rounds/:id/today	WIRED	Read-only. A failure silently falls back to aggregate counts.
Reassign Technician	GET /settings/technicians; POST /rounds/:id/reassign	WIRED	Pending invites listed; offered after the day is closed.
Push Missed: date, reason, technician, notify	POST /rounds/:id/push-missed	WIRED	Reason sent as a display label.
Push Missed: message textarea	none	STUB	Never sent.
Close Day	POST /today/close {unfinishedAction}	PARTIAL	Result ignored; 400 swallowed; copy unconfirmed.
Report Emergency (technicians)	POST /emergencies	WIRED	technicianId from the round, not auth.

Dummy / hard-coded data found

- content/todays-work.ts:95: "Updated 18:10". Visible in production.
- content/round-planner.ts:145,169-171: Weather Hold label, fixed rain SMS, fake character count. Visible in production.
- WeatherHoldModal.tsx:76-77: success toast with no request (the default path). Visible in production.
- content/round-planner.ts:192-228 and content/dashboard.ts:197-221: hard-coded templates and £0.10 per SMS. Visible in production.
- features/rounds/lib/planner.ts:59: 20 minutes per stop. Visible in production.
- features/today/lib/mappers.ts:15-18: "£" hard-coded, null as £0. Visible in production.
- features/settings/lib/mappers.ts:207: fake technician id tech-N, can be POSTed. Visible in production.
- Dead code (not rendered): James/Sarah, £178, "Tuesday 19 May".

Backend gaps

Batch occurrences endpoint

- Add it to OpenAPI.
- Register it before /rounds/:id so old deploys 404.
- Return every requested id in order, with [] when empty.
- Report unknown ids per item rather than failing the request.
- Confirm the 50-id limit.

Remaining fan-outs

- Put technician info on each batch occurrence, to remove R x GET /rounds/:id.
- Add a cross-round day endpoint, e.g. GET /rounds/planner/occurrences/:date?roundIds=, to remove R day calls per date.

Planner data

- Occurrence fields: skippedCount, inProgressCount, server status, estimated duration.
- lat/lng on property stops.

Weather Hold

- Endpoint: POST /rounds/:id/occurrences/:date/weather-hold {condition, rescheduleMode, notifyCustomers, message}.

Bulk messages

- Date targeting.
- sendAt, or confirm it's unsupported so "Schedule for later" can be removed.

- Dry-run endpoint for recipient count and cost.
- Variable substitution.
- Credit price source.
- Templates.

Today's Work actions

- Push Missed: message field and a reason enum; reject when the day is closed.
- Reassign: reject when the day is closed; confirm pending technicians and what notify does.
- Close Day: confirm the side effects, return the target date, return field-level 400s.

Today's Work data

- Live updates or an agreed refetch interval.
- Currency.
- Multiple technicians per round.
- Fill issueFlag when hasIssue is true.
- Decide technician scoping.

Emergencies

- Derive technicianId from auth.
- Limit technicians to their own rounds.

Visit and round operations

- Complete / skip / reorder visit endpoints.
- Planner UI for the existing PATCH /rounds/:id and PUT /rounds/:id/technicians.
- Atomic Create Round.
- Matching ids between /technicians and /settings/technicians.

Customers & Property Detail

Summary: the new multi-plan read path works. The Service Plan tab lists every plan with its own status, frequency, price, next due, last completed, payment method and pause window, and Service Type no longer invents "Window Cleaning".

But multi-plan stops at display. Edit Customer, Change Frequency, Pause/Resume and CSV import still each send one value per property or customer, so the backend must say which plan each write changes. Almost every other 16 Oct finding is still open. The re-audit also found new bugs: Customers search loses focus on every keystroke; list rows are keyed by customer, so Assign can hit the wrong property; and the Edit modal can't save a customer with no plan price.

Changes since the 16 Oct audit

Previous finding	Now	Evidence	Note
Service Type falls back to "Window Cleaning"; one service shown	FIXED	features/customers/lib/mappers.ts:245-252; PropertyDetailScreen.tsx:510	Names of all non-cancelled plans, else "—".
Pause window / payment rule returned but not shown	CHANGED	mappers.ts:166-169	Pause window now shown per plan. paymentRule still not shown.
Generate Invoice toast always says "sent"	CHANGED	GenerateInvoiceModal.tsx:91-95	Toast now follows the returned status. Email delivery is still stubbed server-side.
Change Frequency hid 400 errors	CHANGED	ChangeFrequencyModal.tsx:72-93	Errors now shown.
Customer list capped at 100 rows, pagination ignored	STILL OPEN	CustomersScreen.tsx:81-89	
Search has no debounce	STILL OPEN	CustomersScreen.tsx:70,83	Now worse; see the new focus bug below.
Status / overdue / unassigned filters client-side only	STILL OPEN	CustomersScreen.tsx:46-65,101-106	API status param exists but is never sent.
Payment status "none" shows as "paid"	STILL OPEN	mappers.ts:73-79,128-137	
PAUSED and payment hold both show "Hold"; CANCELLED shows "Active"	STILL OPEN	mappers.ts:63-71,105-115	
Assign to Round swallows 400 errors	STILL OPEN	AssignToRoundModal.tsx:65	
Customers CSV import: one POST per row, fields dropped	STILL OPEN	CustomersScreen.tsx:184-207	The shared panel now supports bulk, but only the Setup Wizard uses it.
Property Detail resolves the customer from the first 100 rows (no GET /properties/:id)	STILL OPEN	pages/PropertyDetail.tsx:45-50	
Single-property customer detail	STILL OPEN	mappers.ts:188	
Visit History Technician/Price "—"; Payments Round "—"	STILL OPEN	mappers.ts:282,285,306	
Notes attribution "Admin - 25 Jun 2026"; Technician saved as INTERNAL; no edit/delete	STILL OPEN	content/property-detail.ts:527-529; mappers.ts:336-340	
Edit Customer: two non-atomic calls; reduced dropdowns overwrite values	STILL OPEN	EditCustomerRecordModal.tsx:57-74,135-154,220-240	
Pause reason not persisted; 400 swallowed; "1 SMS" counter	STILL OPEN	PauseServiceModal.tsx:77,83	
Send Message templates hard-coded; no WhatsApp	STILL OPEN	content/property-detail.ts:252-269	
Saved Invoice: static line item, Visit Date/Technician "—", no subtotal/VAT, RoundFlow logo	STILL OPEN	SavedInvoiceModal.tsx:232,262,294,299	
Invoice Preview PDF ignores due date and notes	STILL OPEN	InvoicePreviewModal.tsx:57-75	
Delete Property / Delete Customer / Add Second Property have no UI	STILL OPEN	useProperties.ts:78; useCustomers.ts:37,61,69	
NEW - search loses focus on every keystroke	NEW	CustomersScreen.tsx:209-211	Every new query swaps the whole page for a skeleton, unmounting the search box. Frontend bug.

Previous finding	Now	Evidence	Note
NEW - list rows keyed by customerId	NEW	mappers.ts:89; CustomersScreen.tsx:96-99,326	For multi-property customers: duplicate React keys, and Assign can open the wrong property.
NEW - multi-plan: Change Frequency is property-level	NEW	ChangeFrequencyModal.tsx:58, 75-78	Each plan now has its own frequency. Which plan changes is undefined.
NEW - multi-plan: Edit Customer sends one plan's price / clean method / payment method	NEW	EditCustomerRecordModal.tsx: 88-93,230-232	No servicePlanId in the update; other plans could be overwritten.
NEW - multi-plan: Pause/Resume are property-level	NEW	properties.api.ts:27-31	No per-plan pause, though per-plan pause windows are now shown.
NEW - multi-plan: summary mixes the client's "primary plan" with standingInfo	NEW	mappers.ts:152-154,192	Assumes the backend uses the same first-ACTIVE rule. Price shows the primary plan only, not a total.
NEW - multi-plan: list row frequency/price meaning undefined	NEW	types.gen.ts CustomerListRow	Primary plan or sum? Row doesn't list services.
NEW - Edit modal blocks valid saves	NEW	EditCustomerRecordModal.tsx: 53-55,201,210	A customer with no plan price can't be saved (even contact-only edits). Phone is required though the API accepts null.
NEW - Notes can post to the wrong id	NEW	mappers.ts:203	If property is null, the id falls back to the customer id: POST /properties/<customerId>/notes.
NEW - Invoice Preview Download PDF unreachable	NEW	GenerateInvoiceModal.tsx:316	Only Print shows in this flow.
NEW - "window cleaning" hard-coded in pause SMS and message templates	NEW	content/property-detail.ts:228,252-269	Whatever service the tenant actually runs.
NEW - double error toasts	NEW	QueryProvider.tsx:25-37	Non-400 errors show both the global and the component toast in most modals.

Customers list (/customers)

Element	Endpoint	Status	Notes
Page load / skeleton	GET /customers?pageSize=100	BROKEN	Skeleton replaces the whole screen on every new search, so the search box loses focus.
Customer list	GET /customers?search=&roundId=&pageSize=100	PARTIAL	No paging. Rows keyed by customerId.
"Showing N customers"	derived	PARTIAL	Counts the filtered page, not the server total.
Search	GET /customers?search=	PARTIAL	No debounce. Must match name, address and postcode.
Metric tiles: Total / Active / Payment Holds / Amount Due	GET /customers (summary)	WIRED	Confirm whether summary respects search/round filters.
Round filter	GET /rounds?status=ACTIVE; roundId to /customers	PARTIAL	Active rounds only. "Not Assigned" is client-side.
Status multi-select	none	FRONTEND-ONLY	Filters the loaded page only.
Row: name, address, amount-due chip	GET /customers	WIRED	
Row: status badge	status, onHold	PARTIAL	PAUSED and hold both "Hold".
Row: round / frequency / price / technician / next due	GET /customers	PARTIAL	Single frequency/price under multi-plan.
Row: payment status	paymentStatus	PARTIAL	"none" shows as "paid".
Row click	none	FRONTEND-ONLY	Opens /properties/:propertyId.
Assign to Round & Technician	GET /rounds; PATCH /properties/:id {roundId}	WIRED	Technician is read-only. A 400 is swallowed. Can target the wrong property for multi-property customers.
Import from CSV/Excel	POST /properties x N	PARTIAL	CONTRACT-DIFF serviceIds[]. One summed price per row. No "assign later". Duplicates checked only within the file. Drops propertyType, frequency, payment method, notes.

Property Detail (/properties/:propertyId)

Element	Endpoint	Status	Notes
Resolve customer without nav state	GET /customers?pageSize=100	PARTIAL	First 100 only, else "Property not found".
Customer detail	GET /customers/:customerId	WIRED	Single property; the :propertyId URL param is ignored when nav state is present.
Header: name, address, round chip	GET /customers/:id	WIRED	
Header: status badge	property.status + primary plan + standingInfo	PARTIAL	CANCELLED shows "Active".
Edit / Pause / Send Message buttons	open modals	FRONTEND-ONLY	Shown to all roles; submit disabled for non-admins.
Resume Service	POST /properties/:id/resume	WIRED	Property-level, not per plan. Hidden in hold status.
Property Information card	GET /customers/:id	PARTIAL	Raw enums (FLAT_APARTMENT). Price, next due and clean method from the primary plan only.
Payment & Status card	standingInfo + primary plan	PARTIAL	"none" shows as "paid". Raw Next Visit Status.
Overview: address, notes, contact	GET /customers/:id	WIRED	CONTRACT-DIFF landline.
Service Plan: top Frequency / Plan Status	standingInfo / primary plan	PARTIAL	Single values under multi-plan.
Service Plan: Service Type	servicePlans[].serviceName	WIRED	Fixed.
Service Plan: "Services on this property" list	GET /customers/:id servicePlans[]	WIRED	CONTRACT-DIFF. Per-plan status, frequency, price, next due, last completed, payment method, pause window, Primary badge.
Service Plan: per-plan payment rule / clean method	(returned by API)	MISSING	Not displayed.
Service Plan: per-plan actions (pause, frequency, price, cancel)	none	MISSING	No per-plan write endpoints exist.
Visit History: date, round	GET /customers/:id	WIRED	
Visit History: Technician / Price	none	DUMMY DATA	Always "—".
Visit History: status / payment badges	row status	PARTIAL	Only COMPLETED vs scheduled; PAID vs pending.
Visit History: Generate invoice / Draft / Sent	opens invoice modals	WIRED	Offered on future visits too.
Payments: date, technician, amount, invoice, transaction	GET /customers/:id	WIRED	
Payments: Round sub-line	none	DUMMY DATA	Always "—".
Notes: list / Save note	GET /customers/:id; POST /properties/:id/notes	WIRED	Can post to the wrong id if property is missing. No edit/delete.
Notes: attribution line	none	DUMMY DATA	"Admin - 25 Jun 2026".
Notes: "Technician" category	POST /properties/:id/notes	PARTIAL	Saved as INTERNAL.
Photos tab	none	COMING SOON	tabs.photos is returned but ignored.

Property Detail modals

Element	Endpoint	Status	Notes
Edit Customer: contact, address, notes	PATCH /customers/:id	WIRED	Phone required though the API accepts null.
Edit Customer: property type / clean method / payment method	PATCH /customers/:id	BROKEN	Reduced dropdowns overwrite values: FLAT/OFFICE/CONSERVATORY become HOUSE, STRIPE/CHEQUE become GOCARDLESS, other clean methods become Water Fed Pole.
Edit Customer: price	PATCH /customers/:id {price}	PARTIAL	Which plan? Blocks saving when there's no plan price.
Edit Customer: frequency	PATCH /properties/:id {cleaningFrequency}	PARTIAL	Second call, not atomic. Which plan?
Change Frequency	PATCH /properties/:id {cleaningFrequency}	PARTIAL	CONTRACT-DIFF. Property-level. Current value from standingInfo.

Element	Endpoint	Status	Notes
Pause Service	POST /properties/:id/pause {reason, start, end}, then optional POST /messages/send	PARTIAL	Reason not persisted. A 400 is swallowed. Property-level. "1 SMS" counter fixed.
Send Message: channel / message / send	POST /messages/send {propertyId, channel, body}	WIRED	No WhatsApp. No phone/email check. Blank " - " contact line.
Send Message: templates	none	DUMMY DATA	Hard-coded with "between 8am and 12pm" and "window cleaning".
Generate Invoice: preview, number, notes, email option, create	GET /invoices/preview; POST /invoices	WIRED	Due date defaults to today + 14 on the client. Confirm the preview invoice number is reserved.
Invoice Preview: Print	GET /invoices/preview/pdf?visitId=	PARTIAL	PDF ignores due date and notes.
Invoice Preview: Download PDF	GET /invoices/preview/pdf	BROKEN	Unreachable in this flow.
Saved Invoice: load, Print, Download, Send now	GET /invoices/:id; /pdf; POST /invoices/:id/send	WIRED	Email delivery stubbed server-side.
Saved Invoice: line item, Visit Date, Technician, Bill To, logo	none	DUMMY DATA	"Window Cleaning Service"; "—"; live customer data not an invoice snapshot; RoundFlow logo. No subtotal/VAT.

Dummy / hard-coded data found

- content/property-detail.ts:252-269 and 228: hard-coded message templates and pause SMS, with "8am and 12pm" and "window cleaning". Visible in production.
- content/property-detail.ts:527-529: note attribution "Admin - 25 Jun 2026". Visible in production.
- content/property-detail.ts:504 and SavedInvoiceModal.tsx:262,294,299: invoice line "Window Cleaning Service"; Visit Date/Technician "—". Visible in production.
- InvoicePreviewModal.tsx:157 and SavedInvoiceModal.tsx:232: RoundFlow logo on customer invoices. Visible in production.
- features/customers/lib/mappers.ts:282,285,306: Visit History Technician/Price and Payments Round "—". Visible in production.
- mappers.ts:73-79: payment status "none" shown as "paid". Visible in production.
- EditCustomerRecordModal.tsx: reduced dropdowns and defaults overwrite real values on save. Visible in production.
- Fixed since 16 Oct: the "Window Cleaning" Service Type fallback.
- Dead code (not rendered): metrics 5/2/1/£84, INV-2026-217, support@roundflow.co.uk, 23/06/2026.

Backend gaps

Multi-plan contract (new, highest priority)

- Add servicePlans[] and ServicePlanView.cleaningFrequency to OpenAPI.
- Return primaryServicePlanId, or document how standingInfo picks its plan.
- Define CustomerListRow frequency/price under multi-plan; consider services[].
- Per-plan write endpoints, e.g. PATCH /service-plans/:id and POST /service-plans/:id/pause|resume.
- Until then, document what property/customer-level writes do on multi-plan properties.
- Per-service price on create/import (services: [{serviceId, price, cleaningFrequency}]).

Customers list

- Reliable pagination.
- Server-side status/overdue/unassigned filters.
- Confirm one row per property with propertyId always present.
- Confirm whether summary follows the filters.

Property lookup

- GET /properties/:id (or ?propertyId=).
- Customer detail selectable by property.

- PATCH /customers/:id must say which property it edits.

Missing fields

- landline
- VisitHistoryRow technicianName, amount, invoiceId/invoiceStatus
- PaymentRow roundName
- InvoiceRecord line items, visit date, technician, subtotal/VAT, payment method, bill-to snapshot, tenant branding

Invoices

- Real email delivery.
- Preview PDF should accept dueDate and notes.
- Confirm the preview invoice number is reserved.

Messaging

- Real templates (tenant arrival window and service name).
- Clear error when the customer has no phone/email.

Edit customer

- cleaningFrequency on PATCH /customers/:id, so the edit is one atomic call.
- Allow a null phone.

Notes and pause

- TECHNICIAN NoteType.
- Note edit/delete.
- Persist the pause reason.
- Confirm auto-resume and that visits/payments are suspended during a pause.

Import

- A bulk import usable after setup (or allow POST /setup/step/9/bulk from /customers).
- Server-side duplicate check.
- Accept propertyType, frequency, payment method and notes per row.

Debt / Payment, Reports & Complaints

Summary: since 16 Oct the only change in this area is debt board pagination. GET /debt/board now returns 50 rows per page, and the bucket tab counts ask for one row per bucket and read pagination.total instead of downloading every bucket. Every other baseline finding is still open. Paging introduced new frontend problems: switching tabs briefly shows the previous bucket's rows, a mutation can leave you on an empty page with no pager, and search and select-all only cover the loaded page. Reports and Complaints have no code changes since 16 Oct.

Changes since the 16 Oct audit

Previous finding	Now	Evidence	Note
Bucket counts: 7 full board requests	CHANGED	useDebt.ts:55-78	Partly fixed. Still 7 calls, but pageSize=1 reading pagination.total. A failed count still shows 0.
Search is client-side only	CHANGED	DebtPaymentScreen.tsx:117-139	Now searches only the 50 loaded rows. Label reads "matching on this page".
Select-all / row checkboxes do nothing	STILL OPEN	DebtPaymentScreen.tsx:148-181	Now page-scoped. Selection is never cleared across pages or tabs.
KPIs ignore filters; no retry on errors	STILL OPEN	debt.api.ts:112; mappers.ts:111-121	
Bucket alert dots hard-coded	STILL OPEN	content/debt-payment.ts:116-122	
Detail panel: Round / Next Visit / Phone / Email "—"; Recent Visits empty; Invoice Date = due date	STILL OPEN	features/debt/lib/mappers.ts:172-184	
Pause/Resume fields discarded; stale dates 2025-05-22 / 2025-06-01	STILL OPEN	content/debt-payment.ts:268,287	Line numbers moved.
Payment Link: method and expiry not sent; no URL returned	STILL OPEN	SendPaymentLinkModal.tsx:35-36,56-59	
Bad-debt / hold: per invoice or per customer unclear	STILL OPEN	debt.api.ts:84-92	
Bulk debt actions missing	STILL OPEN	—	
Invoice modal: static "Window Cleaning Service" line; Visit Date / Technician "—"; no subtotal/VAT	STILL OPEN	SavedInvoiceModal.tsx:262,294,299,305-311	
Reports: no trends, export always type=visits, single-point "today" chart, no pagination, activity "by ADMIN"	STILL OPEN	ReportsScreen.tsx; reports mappers.ts	No code changes.
Complaints: fake resolution note, "RoundFlow Team" author, no title/description in detail, no message count, primary-property address	STILL OPEN	ComplaintsScreen.tsx:173-178, 463-465,662	No code changes.
NEW - switching tabs shows the previous bucket's rows	NEW	useDebt.ts:47; DebtPaymentScreen.tsx:346	keepPreviousData means the skeleton never shows after the first load. The old bucket's rows, pager and total stay under the new tab until data arrives, and the detail badge is wrong. Frontend bug.
NEW - page not clamped after a mutation	NEW	DebtPaymentScreen.tsx:66-68, 388	If a flag/hold action shrinks the bucket while on the last page, the page comes back empty, and the pager is hidden. Backend can clamp the page; frontend can clamp to totalPages.
NEW - pager ignores search	NEW	DebtPaymentScreen.tsx:388-394	Shows server totals while a search filters the current page.
NEW - detail panel behaviour inconsistent with paging	NEW	DebtPaymentScreen.tsx:143-146	Closes on page change but not tab change. Vanishes when search or a mutation removes the row.
NEW - Reports: period selector only in the Revenue card	NEW	ReportsScreen.tsx:144-185	Focused views can't change period. Status filter and Export show in views where they do nothing. KPI grid has no non-403 error state.

Previous finding	Now	Evidence	Note
NEW - Complaints: revisit picker closes before the API answers; Ctrl+Enter only (no Cmd on Mac); duplicate list keys in Log Complaint customer search	NEW	ComplaintsScreen.tsx:613-617, 691; LogComplaintModal.tsx:186	Minor frontend issues.

Debt / Payment Risk Board (/debt-payment)

Element	Endpoint	Status	Notes
Role gate (admin/manager only)	none	FRONTEND-ONLY	No router-level role guard. GET /rounds still fires for every role.
KPI: Total Outstanding (+ customers)	GET /debt/kpis	WIRED	Non-403 errors show "—" with no retry.
KPI: Failed GoCardless / Due Before Clean / Hold Next Clean / Bad Debt	GET /debt/kpis	WIRED	Helper text is static.
KPIs vs round/method filters	GET /debt/kpis (no params)	PARTIAL	KPIs ignore filters.
Search	none	FRONTEND-ONLY	Only the 50 loaded rows. A customer on another page can't be found.
Round filter / payment-method filter	roundId / paymentMethod on GET /debt/board	WIRED	Changing a filter resets to page 1. No Standing Order option.
Bucket tabs (7)	GET /debt/board?bucket=&page=&pageSize=50	WIRED	Previous bucket's rows show briefly after switching (new bug).
Bucket counts	7 x GET /debt/board?pageSize=1 (pagination.total)	PARTIAL	Lighter than before, but still 7 calls. A failure shows 0.
Bucket red alert dot	none	DUMMY DATA	Hard-coded per tab.
Results label	GET /debt/board (pagination.total)	WIRED	While searching, shows on-page matches only.
Pager "Showing x–y of N" + Previous/Next	GET /debt/board?page=n	WIRED	Hidden when there's one page. Not clamped after mutations.
Select-all / row checkboxes	none	STUB	Page-scoped; nothing uses the selection.
Bulk actions	none	MISSING	No UI, no endpoint.
Card: name, address, amount, method, last contact	GET /debt/board	WIRED	
Card: Send Reminder	POST /debt/:invoiceId/remind	WIRED	
Card: View Invoice	GET /invoices/:id	WIRED	
Menu: Flag / Clear Bad Debt	PATCH /debt/:invoiceId/bad-debt {flag}	WIRED	Refreshes KPIs, counts and pages.
Menu: Hold / Clear Hold	PATCH /debt/:invoiceId/hold {flag}	WIRED	

Debt Customer Detail Panel & modals

Element	Endpoint	Status	Notes
Name, address, outstanding, method, last contact, next-clean blocked	GET /debt/board	WIRED	Bucket badge is wrong while old rows show after a tab switch.
Overdue days / Invoice Date	derived from dueDate	PARTIAL	"Invoice Date" shows the due date.
Round / Next Visit / Phone / Email	none	DUMMY DATA	Always "—". GET /customers/:id has phone/email/round but isn't called.
GoCardless ID	none	DUMMY DATA	Never populated.
Recent Visits	none	DUMMY DATA	Always empty.
Pause / Resume buttons	open modals	FRONTEND-ONLY	Both shown whatever the hold state.
Send Reminder: channel, template, message, send	POST /debt/:invoiceId/remind {channel, message}	WIRED	Templates are local copy. Defaults to Email with no check the customer has one.
Payment Link: method, expiry	not sent	STUB	
Payment Link: Generate & Send	POST /debt/:invoiceId/payment-link {message}	PARTIAL	No URL or expiry returned.

Element	Endpoint	Status	Notes
Pause: reason, from-date (2025-05-22), notify + SMS	not sent	STUB	Only {flag:true} is sent.
Resume: from-date (2025-06-01), notify; "Confirmed next due date"	not sent / none	DUMMY DATA	Only {flag:false}. Next due always "—".
Invoice modal: load, Print, Download PDF, Send Now	GET /invoices/:id, GET /invoices/:id/pdf, POST /invoices/:id/send	WIRED	
Invoice modal: line item, Visit Date, Technician, subtotal/VAT	none	DUMMY DATA	Static "Window Cleaning Service". Visit Date and Technician "—". No subtotal/VAT.

Reports & History (/reports-history)

No code changes since 16 Oct.

Element	Endpoint	Status	Notes
KPIs: Total Revenue, Completed Visits, Completed Rounds, Undone Payments	GET /reports/summary?period	WIRED	No trends. Non-403 errors show "—".
Period Daily / Weekly / Monthly	period=today/last7/last30	WIRED	Only inside the Revenue card. No custom range. Not applied to activity.
Status filter	status on /reports/visits and export	PARTIAL	No IN_PROGRESS. Shown in views where it does nothing.
Export	GET /reports/export?type=visits (CSV)	PARTIAL	Always type=visits. No loading/disabled state.
Revenue chart	GET /reports/revenue?granularity=daily	PARTIAL	"Today" is one point labelled 00:00.
Technician Performance + View All	GET /reports/technicians?period	WIRED	No pagination.
Visit History + View All	GET /reports/visits?period&status	WIRED	No pagination.
System Activity Log + View All	GET /reports/activity	PARTIAL	No period or type sent. "by ADMIN". No pagination.
Section Retry buttons	refetch	WIRED	

Complaints (/complaints)

No code changes since 16 Oct.

Element	Endpoint	Status	Notes
Filter tabs All / My Work	GET /complaints?assignedTo=me	WIRED	status and technicianId filters not exposed.
Search	GET /complaints?search=	WIRED	
Complaint list	GET /complaints	WIRED	No pagination.
Card: technician name	GET /technicians (client lookup)	PARTIAL	"Unassigned" if the lookup misses.
Card: message icon	none	PARTIAL	No count.
Detail: title / description	none	MISSING	Never shown. GET /complaints/:id unused.
Detail: address	GET /customers/:customerId	PARTIAL	Primary property, not the complaint's property.
Assign Technician	POST /complaints/:id/assign-technician	WIRED	Inactive technicians selectable.
Schedule Revisit	POST /complaints/:id/schedule-revisit {revisitDate}	WIRED	No minimum date. Picker closes before the result.
Mark In Review / Reopen	POST /complaints/:id/mark-in-review, /reopen	WIRED	
Resolve	POST /complaints/:id/resolve (no body)	PARTIAL	No notes. Copy promises a customer notification.
Resolution note bubble	none	DUMMY DATA	Client-only, lost on reload, claims a revisit happened.
Message thread	GET /complaints/:id/messages	PARTIAL	Outbound author "RoundFlow Team". Channel ignored.

Element	Endpoint	Status	Notes
Reply + Send	POST /complaints/:id/messages {body}	WIRED	Delivery unconfirmed.
Log Complaint: search, title, issue type, description, priority, technician, submit	GET /customers?search=, GET /technicians, POST /complaints	WIRED	Issue types are a hard-coded free-text list.

Dummy / hard-coded data found

- content/debt-payment.ts:268 and 287: stale Pause/Resume dates (2025-05-22, 2025-06-01). Visible in production.
- content/debt-payment.ts:116-122: hard-coded bucket alert dots. Visible in production.
- features/debt/lib/mappers.ts:172-184: Round/Phone/Email/Next Visit "—", recent visits empty, Invoice Date = due date. Visible in production.
- SavedInvoiceModal.tsx:294: static "Window Cleaning Service" line item. Visible in production.
- ComplaintsScreen.tsx:173-178 and 662: fake resolution note; "RoundFlow Team" author. Visible in production.
- Dead code (not rendered): debt metrics £2,264, invoiceModal "James Smith"; reports £24,903 / +8.6%, "Cycle: 6 May – 2 Jun"; useComplaint hook.

Backend gaps

Debt

- search on /debt/board (client search only covers 50 rows now).
- Bucket counts in one call instead of 7.
- Clamp an out-of-range page and echo it back.
- Confirm {rows, pagination} is always returned (the bare-array fallback means full downloads again).
- KPI filters.
- Board fields or a GET /debt/:invoiceId detail endpoint: phone, email, round, next visit, invoice date, mandate id, recent visits.
- Hold endpoint with reason, date, notify and message.
- Payment link: provider, expiry, URL.
- Clarify invoice vs customer scope for bad-debt and hold.
- Bulk action endpoint (consider "all matching filter").
- STANDING_ORDER enum.

Invoices

- GET /invoices/:id needs line items, technician, visit date, customer block, payment method, subtotal/VAT.

Reports

- Trends, hourly granularity, pagination, activity period and actor name, custom range, confirm export types.

Complaints

- technicianName, messageCount, the complaint property's address, resolvedAt/resolvedBy/notes.
- Resolve with notes.
- Message author.
- Reply delivery confirmation.
- Revisit date validation.
- Active flag on technicians.
- Issue-type enum.
- Pagination.

Settings, Technicians & Technician App

Summary: nothing in this area has changed since 16 Oct, and every baseline finding is still open. One backend item moved: /invites is now in the generated OpenAPI, while /technicians is still missing. The re-audit found 18 new issues. The most important:

- The two technician screens store roles differently, so editing a technician can overwrite the role.
- Edits made in Settings don't refresh the Technicians page.
- The "App Access" toggle deactivates a technician with no confirmation.
- With setup skipped in production, every Settings panel stays on a loading skeleton forever.

Accept Invite remains broken for signed-out invitees.

Changes since the 16 Oct audit

Previous finding	Now	Evidence	Note
Add /invites to OpenAPI	FIXED	types.gen.ts:215-360	All three /invites paths are now in the spec. /technicians still missing.
Global handler hides 400s; double toasts on 409/5xx	STILL OPEN	QueryProvider.tsx:25-37	
Settings section not in the URL (breaks Stripe callback)	STILL OPEN	SettingsScreen.tsx:104	
Settings data only loads once setup is complete	STILL OPEN	useSettings.ts:24-27	With setup skipped in production, every panel shows a skeleton forever.
Missing settings shown as defaults and saved (Europe/London, GBP, VAT on, debt hold on, Mon–Fri, 4-week)	STILL OPEN	settings/lib/mappers.ts:91-143; lib/cycle-length.ts:21-23	
bankDetails / payment rule / reminder timings CONTRACT-DIFFs	STILL OPEN	settings.api.ts:18-22; mappers.ts:30-41,146-150	
GoCardless spec still a body-less stub; no Disconnect	STILL OPEN	types.gen.ts:1664-1700	
Stripe: JWT in URL; callback only handled on Payment Setup; /settings/integrations not a route	STILL OPEN	settings.api.ts:65-69; SettingsScreen.tsx:452-467	
SMS Templates: six hard-coded samples; real response ignored; no CRUD	STILL OPEN	SettingsScreen.tsx:840; content/setup-wizard.ts:465-502	Lines moved from 461-498.
Settings technicians: raw role slug, no email, silent 400, no confirmations, no reactivation	STILL OPEN	SettingsScreen.tsx:923-1059	
Service areas: comma-joined sectors, silent 400, no confirm, no edit	STILL OPEN	SettingsScreen.tsx:1144-1166; useSettings.ts:164-179	
Services: GBP always, Default = category, silent 400, modal closes early, no delete confirm	STILL OPEN	SettingsScreen.tsx:1342-1474; AddServiceModal.tsx:84-94	
Technicians list: N+1 round fan-out; "Available" always; "Today's jobs" "—"; badge 'available'	STILL OPEN	TechniciansScreen.tsx:82-100; technicians/lib/mappers.ts:33-82	
Performance (This Month) coming soon	STILL OPEN	TechnicianOverview.tsx:310-314	
Add Technician: 503 leaves the form open (duplicate risk)	STILL OPEN	TechniciansScreen.tsx:154-157	
"Update James's personal details"; "App invite already sent" always shown; Resend shown when active	STILL OPEN	content/technicians.ts:80,94; TechnicianForm.tsx:216-219	
Conversation / Photos sample data outside the blur; dead buttons	STILL OPEN	TechnicianPhotos.tsx:43-45,207-221,269-274	
Accept Invite broken when signed out	STILL OPEN	api/client.ts:29-31; AcceptInvite.tsx:36	Create-account path is now graded BROKEN too (unreachable behind the preview).
NEW - Settings technician edits don't refresh /technicians	NEW	useSettings.ts:201-234	Technicians page stale for up to 30s.

Previous finding	Now	Evidence	Note
NEW - two role vocabularies	NEW	content/setup-wizard.ts:1014-1019; TechnicianForm.tsx:168-173	Settings uses slugs (lead-technician), Technicians uses labels (Lead Technician). A role set in Settings doesn't match the edit dropdown.
NEW - edit writes a role the user never chose	NEW	technicians/lib/mappers.ts:76; TechnicianForm.tsx:111	A blank role is saved as "Technician" on any save.
NEW - "App Access Active" toggle deactivates with no confirmation	NEW	TechnicianForm.tsx:235-240,313	Bypasses the Danger Zone modal. Also the only way to reactivate.
NEW - only the first service area is kept	NEW	mappers.ts:80; TechnicianForm.tsx:66,112	Saving may drop other area assignments.
NEW - Default Area dropdown never loads when setup is skipped	NEW	TechnicianForm.tsx:49,185	Uses the setup-gated service-areas query.
NEW - conversation/photos URLs show the list while loading, and stay on it if not found	NEW	TechniciansScreen.tsx:251-298	
NEW - detail silently falls back to the list row on error	NEW	TechniciansScreen.tsx:111-113	No error, no workload.
NEW - wrong round status labels on detail	NEW	mappers.ts:38-57	Completed and not-started rounds both "Available"; not-started technicians "In Progress".
NEW - service modal rejects a £0 price	NEW	AddServiceModal.tsx:79	API allows free services.
NEW - SMS panel has no error branch	NEW	SettingsScreen.tsx:842-876	On failure it still shows the sample templates.
NEW - empty Settings tables have no empty-state text	NEW	content/setup-wizard.ts:983,1033	Copy exists, unused.
NEW - Stripe: no token means a raw 401 on the API host; error/cancel return not handled	NEW	settings.api.ts:67-68	
NEW - GoCardless environment not shown after connecting	NEW	GET /settings/payment returns booleans only	
NEW - Accept Invite "Log in instead" loses the invite token	NEW	AcceptInvite.tsx:301-306	The user may be set up as a new tenant instead of joining.
NEW - invite accepted twice on sign-up with an immediate session	NEW	AcceptInvite.tsx:143; lib/auth.tsx	Relies on accept being idempotent.
NEW - business profile save always sends bankDetails	NEW	settings/lib/mappers.ts:110	If the GET ever masks them, a name-only edit could clear them.
NEW - Settings deactivate/delete leaves the menu open on error	NEW	SettingsScreen.tsx:934-942	Unhandled rejection.

Settings (/settings)

Element	Endpoint	Status	Notes
Sidebar sections	none	FRONTEND-ONLY	Not in the URL.
Panel data gating	GET /setup/status	PARTIAL	Skeleton forever when setup was skipped (production).
Business profile load / fields / save	GET/PATCH /settings/business-profile	WIRED	Timezone/currency defaults saved; only 3 currencies.
Bank details	PATCH (bankDetails)	WIRED	CONTRACT-DIFF. Always sent on save.
Payment: connected badges	GET /settings/payment	WIRED	No GoCardless environment shown.
Payment: Connect GoCardless form	POST /settings/payment/gocardless/connect {accessToken, environment}	WIRED	CONTRACT-DIFF (spec is a stub).
Payment: Connect Stripe	redirect to GET /settings/stripe/authorize?access_token=JWT	PARTIAL	Not in OpenAPI; JWT in URL; no-token and cancel cases unhandled.
Payment: ?stripe=connected return	GET /settings/payment (refetch)	PARTIAL	Only when Payment Setup is open.
Payment: Disconnect	none	MISSING	
Payment rule / VAT / debt hold	PATCH /settings/payment	WIRED	CONTRACT-DIFF rule mapping; null shown as defaults and saved.
Round settings: cycle, working days	PATCH /settings/round-settings	WIRED	Unknown cycle shown as 4-week, saved as 28.

Element	Endpoint	Status	Notes
Round settings: reminder timings	PATCH	PARTIAL	Not in the GET response type.
Round settings: clean methods / auto-generate / reminder time	none	MISSING	Copy only.
SMS Templates: load	GET /settings/message-templates	PARTIAL	Response ignored; no error branch.
SMS Templates: list	none	DUMMY DATA	Six sample templates shown as the tenant's.
SMS Templates: create / edit / delete	none	MISSING	PATCH/DELETE not in OpenAPI.
Technicians: table	GET /settings/technicians	WIRED	Raw role slug; no empty state.
Technicians: add	POST /settings/technicians	WIRED	No email; silent 400; doesn't refresh /technicians.
Technicians: deactivate / delete	PATCH / DELETE /settings/technicians/:id	WIRED	No confirmation; no error handling.
Technicians: reactivate	none	MISSING	
Service areas: list / add / delete	GET/POST/DELETE /settings/service-areas	WIRED	Silent 400 on add; no delete confirmation.
Service areas: edit	PATCH /settings/service-areas/:id	MISSING	Hook unused.
Services: list / toggle / delete	GET/PATCH/DELETE /settings/services	WIRED	GBP always; silent 400; no delete confirmation.
Services: add / edit modal	POST / PATCH /settings/services	PARTIAL	Closes before the request finishes; rejects £0.
Services: "Default" tag	derived from category	PARTIAL	Real category lost.

Technicians (/technicians)

Element	Endpoint	Status	Notes
List + KPI cards	GET /technicians	WIRED	/technicians not in OpenAPI.
Round names per technician	GET /rounds + N x GET /rounds/:id	WIRED (N+1)	
Card status / today's jobs	derived / none	PARTIAL	Always "Available"; jobs always "—".
Per-round badge	none	DUMMY DATA	Hard-coded 'available'.
Send Message / View Photos	navigate to conversation	COMING SOON	Both open the same page.
Detail: header, activity, info, workload	GET /technicians/:id	WIRED	Silent fallback on error; wrong status labels.
Detail: Performance	none	COMING SOON	
Add Technician (+ invite)	POST /technicians {…, sendInvite}	WIRED	Blank role saved as "Technician"; 503 duplicate risk.
Edit: save	PATCH /technicians/:id	WIRED	Role default, role vocabulary mismatch, single area.
Edit: "Update James's…" / "App invite already sent."	none	DUMMY DATA	Hard-coded.
Edit: Resend invite	POST /invites	WIRED	Shown even when active.
Edit: App Access toggle	PATCH {active}	WIRED	Deactivates with no confirmation.
Edit: Deactivate (Danger Zone)	PATCH {active:false}	WIRED	Confirmation modal.
Conversation page	none	DUMMY DATA	"Conversation with James" outside the blur; chat sample behind it.
Photos page header	none	DUMMY DATA	"12 Market Street - John Smith - 3/08/2025" not blurred.
Approve All / View Customer Profile / Contact Technician	none	STUB	Toast only or no onClick.

Accept Invite & Technician App

Element	Endpoint	Status	Notes
Invite preview	GET /invites/:token	BROKEN	Client throws "Not signed in" before sending when there's no session.

Element	Endpoint	Status	Notes
Create account & join	Supabase signUp, then POST /invites/:token/accept	BROKEN	Unreachable behind the preview. Accept may fire twice.
Accept (signed in)	POST /invites/:token/accept	WIRED	
Log in instead	none	PARTIAL	Invite token not carried over.
Technician App landing	GET /auth/me	COMING SOON	"The app is on its way".

Dummy / hard-coded data found

- content/setup-wizard.ts:465-502: six sample templates shown as the tenant's. Visible in production.
- content/technicians.ts:80,94: "Update James's personal details", "App invite already sent." Visible in production.
- content/technicians.ts:104-105,146,177-224: "Conversation with James" and sample photo-job header outside the blur. Visible in production.
- technicians/lib/mappers.ts:66,76,86-91; TechnicianForm.tsx:111: 'available' badge, "Technician" role default (saved), performance "—"/0. Visible in production.
- Settings defaults saved on the next save (timezone, currency, rule, VAT, debt hold, working days, cycle). Visible in production.
- Service catalogue: "Window Cleaning" for unknown/default category; £ always.
- Dead code (not rendered): "£1,880", "£21.65"; useConnectPayment.

Backend gaps

Message templates

- PATCH/DELETE in OpenAPI.
- Confirm GET returns MessageTemplateView[].
- Channel enum casing.

Payment providers

- Stripe: confirm ?access_token= or provide a one-time authorize URL; redirect to /settings?section=payment-setup&stripe=connected (plus error/cancel); add to OpenAPI.
- GoCardless: update the spec, validate the token, return the environment.
- Disconnect for both providers.

Settings fields

- Align "Monthly Invoice" with COLLECT_ON_DATE (plus a date field if needed).
- Return preCleanReminderTimings; add clean methods / auto-generate / reminder time if wanted.
- Typed bankDetails; say whether GET masks them.
- Services: isDefault field; confirm £0 is allowed.
- Service areas: postcodeSectors: string[].

Technicians

- Consolidate or document /settings/technicians vs /technicians.
- Role enum.
- /technicians in OpenAPI.
- Round names and today's stats on the list (kills the N+1).
- Performance metrics, on-shift status, invite metadata.
- Multi-area semantics.
- Whether POST /technicians with sendInvite is atomic on 409/503.

Invites

- Confirm GET /invites/:token needs no auth.

- Confirm accept is idempotent.

Not built

- Technician chat.
- Job photos.
- Customer id on photo jobs.

Setup Wizard & Authentication

Summary: the only change here since 16 Oct is the step-9 CSV/XLSX import. It now sends one POST /setup/step/9/bulk instead of one request per row, which fixes the previous "bulk import endpoint" gap. But the new path drops fields the old one sent:

- landline;
- every service except the first, while still sending the combined price.

Its error handling is also fragile:

- network failures are reported as "nothing was imported";
- a retry after a partial failure duplicates rows;
- pressing Enter in a price box jumps to step 10 and loses the import.

Every other baseline finding is still open:

- Sample services and templates are saved as the tenant's own.
- Payment "Connect" only flips a boolean.
- Step 11 Continue can generate a duplicate cycle, and the new copy now invites it.
- Accept Invite is broken for signed-out users.
- The admin/admin backdoor is active in production builds.

Changes since the 16 Oct audit

Previous finding	Now	Evidence	Note
Step 9 CSV import = N x POST /setup/step/9	FIXED	setup.api.ts:99-102; useSetup.ts:196-211; ImportPropertiesPanel.tsx:305-373	One POST /setup/step/9/bulk. See the new regressions below.
Dead code propertyCount ?? 20	FIXED	setup/lib/mappers.ts:459	
Bulk-replace confirm modal (steps 3/7)	CHANGED	SetupWizard.tsx:284-295,774-790	Now only when saved items would be deleted, and it lists them. Still no ids sent.
Step 9 VAT / customer notes / scheduling hidden	CHANGED	AddPropertyStep.tsx:28-36	Intentionally not rendered; still a backend gap if wanted.
Step 11 Continue can generate a duplicate cycle	STILL OPEN (worse copy)	SetupWizard.tsx:361-364,474-477; ActivateSystemStep.tsx:120-125	New banner "N visits already generated. You can continue…", but Continue regenerates with no confirmation.
Step 3: 6 sample services shown when [] and saved on Continue	STILL OPEN	mappers.ts:152-154; content/setup-wizard.ts:838-890	
Step 5: 6 seeded templates saved on Continue	STILL OPEN	mappers.ts:210-214; content/setup-wizard.ts:465-502	
Step 2: Connect GoCardless / Stripe only flips a boolean	STILL OPEN	PaymentSetupStep.tsx:58-61,93-110	Disconnect too.
Step 4: 4 of 5 controls never saved	STILL OPEN	mappers.ts:180-196	Only defaultCycleLength.
Step 6: email and default area dropped; no invites sent	STILL OPEN	mappers.ts:261-285	
Accept Invite broken for signed-out invitees	STILL OPEN	client.ts:29-32; AcceptInvite.tsx:36	"Not signed in" before any request.
Production backdoor (admin/admin)	STILL OPEN	dev-auth-bypass.ts:17	See the overview. Also in the local dist/ built 17 Oct.
Continue silently disabled for non-admins	STILL OPEN	SetupWizard.tsx:389,768	
"Skip setup" = localStorage flag; "Skip this step" = React state	STILL OPEN	setup-deferred.ts:1-11; useWizardStep.ts:41-51	
Error banner only for 400/409; no field mapping	STILL OPEN (corrected)	SetupWizard.tsx:371-382; QueryProvider.tsx:25-38	422/5xx/network get a generic toast; 401/403 are silent; 409 shows twice.
Launch enabled on step12.allComplete, handler needs status.allRequiredComplete	STILL OPEN	SetupWizard.tsx:483-486,718-720	Can silently do nothing.

Previous finding	Now	Evidence	Note
Step 1: not prefilled from signup company name; company/VAT number can't be cleared; Account Name spaces stripped	STILL OPEN	mappers.ts:85-115; BankDetailsFields.tsx:45	
Step 2: "Monthly Invoice" sent as COLLECT_ON_DATE	STILL OPEN	mappers.ts:64-65	
Steps 3/5/7: no ids, "Default" = first row, no edit	STILL OPEN	mappers.ts:165-178,227-234,305-311	
Step 6: ids churn; "Round" column shows area text; deleting an accepted technician silently ignored	STILL OPEN	mappers.ts:271-285; TechnicianManagementStep.tsx:332	
Step 8: no round id; re-POSTs on every Continue	STILL OPEN	mappers.ts:345-352	Frequency now prefilled from step 4.
Step 9: multi-service doesn't round-trip; no edit/delete; footer Continue discards draft	STILL OPEN	mappers.ts:382-418; AddPropertyStep.tsx:282-305	
Step 9 import: no duplicate check against existing customers	STILL OPEN	property-csv.ts:206-211	
Step 10: one technician per round; server totals ignored; pending technicians assignable	STILL OPEN	mappers.ts:450-493	
Step 11: response ignored; cycleWeeks default 8	STILL OPEN	mappers.ts:495-508	
Step 12: "Technicians will receive app invitations" untrue	STILL OPEN	content/setup-wizard.ts:1409	Now hedged "if configured".
Login Remember me does nothing; Google first login creates a tenant; signup companyName not persisted; recovery session creates a tenant	STILL OPEN	Login.tsx:37,119-128; auth.tsx:71-126	
/auth/me called twice; failure leaves role undefined	STILL OPEN	auth.tsx:75; AppBootstrapProvider.tsx:43-84	
NEW - bulk import drops landline (regression)	NEW	mappers.ts:429-447	Parser reads it; the old per-row path sent it.
NEW - bulk import drops serviceIds[] (regression)	NEW	mappers.ts:444; ImportPropertiesPanel.tsx:121-124,299-300	Only the first service is sent, at the summed price of all ticked services.
NEW - 400 per-row error parsing is fragile	NEW	ImportPropertiesPanel.tsx:25-43,350-353; client.ts:70-77	Expects a JSON array inside the error string; row = 1-based index into properties[]. Structured errors keys are discarded by the client.
NEW - network / CORS / 401 / 403 / 409 / 413 / 422 reported as "Nothing was imported"	NEW	ImportPropertiesPanel.tsx:370-371	Batches may have committed.
NEW - no idempotency on retry	NEW	ImportPropertiesPanel.tsx:331-337	Retry after a 5xx duplicates committed rows.
NEW - silent no-op when canMutate is false	NEW	SetupWizard.tsx:429,443	Single add resets the draft as if saved; import claims N rows weren't created.
NEW - every imported row is HOUSE / FOUR_WEEKLY	NEW	content/setup-wizard.ts:1328-1329	Not shown or editable. Inactive services are also offered.
NEW - Enter in the import price box jumps to step 10	NEW	AddPropertyStep.tsx:182,204-215	Panel sits inside the wizard form; parsed import lost.
NEW - handleForbidden is dead code	NEW	lib/errors.ts:22-51	SETUP_INCOMPLETE / SETUP_ALREADY_COMPLETE / ROLE_FORBIDDEN never handled; 403 mutations silent.
NEW - step 6 "View technician details" bounces to /setup	NEW	TechnicianManagementStep.tsx:365-374	Loses unsaved edits.
NEW - step 10 truncates multi-technician rounds	NEW	mappers.ts:460,469	Any save, including save-on-leave, sends one technician.
NEW - double error display on step 9 single add	NEW	useSetup.ts:183-194	Inline + toast.
NEW - Signup network exception shows nothing	NEW	Signup.tsx:39-74	No catch.
NEW - Forgot Password accepts an empty email	NEW	ForgotPassword.tsx:17-38	
NEW - Terms / Privacy point at roundflow.example	NEW	content/site.ts:27-30	Visible in production.

Previous finding	Now	Evidence	Note
NEW - PKCE links only work in the same browser	NEW	supabase.ts:21	Supabase config / UX note.
NEW - wizard gating depends on /setup/status including steps 9-12	NEW	wizard.ts:22-31	

Wizard shell (/setup)

Element	Endpoint	Status	Notes
Route guard	none	FRONTEND-ONLY	Completed users redirected unless the gate is bypassed (.env sets it).
Stepper / Back	POST /setup/step/N if dirty (1-8, 10)	WIRED	Forward clicks clamped.
Continue (1-8, 10, 11)	POST /setup/step/N, always	WIRED	Disabled for non-admins with no message. Step 11 regenerates.
Continue (step 9)	none	FRONTEND-ONLY	Discards an unsaved draft.
Launch (step 12)	POST /setup/complete	PARTIAL	Can silently no-op; 400/403 silent.
Skip setup / Skip this step	none	FRONTEND-ONLY / STUB	localStorage / React state.
Error banner	—	PARTIAL	400/409 inline only; no field mapping.
Bulk-replace confirm	POST /setup/step/3 or /7	WIRED	Only when saved items would be deleted.

Steps 1-8

Element	Endpoint	Status	Notes
1: name, phone, email, working days, timezone, currency	POST /setup/step/1	WIRED	Not prefilled from signup. Currencies GBP/USD/EUR.
1: company number / VAT number	POST /setup/step/1	PARTIAL	Can't be cleared (undefined sent).
1: bank details	bankDetails	PARTIAL	CONTRACT-DIFF; Account Name spaces stripped.
2: Connect / Disconnect GoCardless, Stripe	gocardlessConnected / stripeConnected	STUB	Boolean flip, no OAuth.
2: Connected badge	GET /setup/step/2	DUMMY DATA	Client-set boolean.
2: payment rule, VAT, debt hold	POST /setup/step/2	WIRED	Monthly Invoice = COLLECT_ON_DATE.
3: service list	GET /setup/step/3	DUMMY DATA when []	Six samples saved on Continue.
3: add / edit / toggle / delete	POST /setup/step/3	WIRED	No id; Default toggle dropped; "Default" = row 1.
4: default cycle	defaultCycleLength	WIRED	
4: clean methods, auto-generate, reminder timing, reminder time	none	DUMMY DATA	Reset on every load.
5: template list	GET /setup/step/5	DUMMY DATA when []	Six seeds saved on Continue.
5: edit body	POST /setup/step/5	WIRED	Body only; no add/delete/subject.
6: name, mobile, role	POST /setup/step/6	WIRED	Only new/pending rows; no ids.
6: email, default area	not sent	PARTIAL	No invites sent.
6: "Round" column	none	DUMMY DATA	Shows area text.
6: View technician details	none	BROKEN	Bounces to /setup.
6: delete accepted technician	POST /setup/step/6	PARTIAL	Silently kept.
7: add / delete area	POST /setup/step/7	WIRED	No id; first = default; no edit; notes always ''.
8: first round	POST /setup/step/8	WIRED	No round id; re-POST on every Continue.

Step 9 — Add Property & CSV import

Element	Endpoint	Status	Notes
Details, plan, risk, assign fields	POST /setup/step/9	WIRED	

Element	Endpoint	Status	Notes
Services multi-select + price auto-sum	serviceId + serviceIds[]	PARTIAL	CONTRACT-DIFF; doesn't round-trip; inactive services offered.
Add Property button	POST /setup/step/9	WIRED	409/5xx shown twice; silent no-op without role.
Added properties list	GET /setup/step/9	WIRED	No edit/delete.
Enter key in any field	none	BROKEN	Submits the wizard form, jumps to step 10.
Upload / paste / Preview / Clear	none	FRONTEND-ONLY	Rows skipped for missing name/address/postcode, bad postcode, in-paste duplicate.
Service area / Round (all rows)	serviceAreaId, roundId	WIRED	Both required.
Per-row service checkboxes	serviceId (first only)	PARTIAL	serviceIds[] dropped; price = sum.
Per-row price	price	WIRED	> 0.
Remove row / Restore all	none	FRONTEND-ONLY	Renumbers "#".
Import N properties	POST /setup/step/9/bulk {properties:[…]}	PARTIAL	Landline and serviceIds dropped; HOUSE/FOUR_WEEKLY hard-coded; results[] ignored.
Import errors: 400	parsed from the error string	PARTIAL	"Row N - Name — field: message". Brittle.
Import errors: 5xx	—	PARTIAL	Partial-save warning; no committed count; retry duplicates.
Import errors: network / other	—	BROKEN	Says nothing was imported.

Steps 10-12

Element	Endpoint	Status	Notes
10: round assignments table	GET /setup/step/10	WIRED	
10: technician options	GET /setup/step/6	PARTIAL	Pending technicians included.
10: assign / edit	POST /setup/step/10	PARTIAL	One technician per round; truncates extras.
10: totals, workload bars, status badges	none	FRONTEND-ONLY	Server totals and workload ignored.
11: "N visits already generated" banner	GET /setup/step/11	WIRED	Copy invites Continue, which regenerates.
11: all / selected rounds, start date	generateAll / roundIds / startDate	WIRED	UTC start date.
11: cycle length	cycleWeeks	PARTIAL	Default 8; ignores step 4.
11: Generate / Continue	POST /setup/step/11	PARTIAL	No confirmation; response ignored.
12: checklist, Ready panel	GET /setup/step/12	WIRED	
12: "What happens next?"	none	DUMMY DATA	Invitation line untrue.

Authentication

Element	Endpoint	Status	Notes
Login: email + password	Supabase signInWithPassword, then GET /auth/me (404 -> accept invite or POST /auth/signup)	WIRED	
Login: admin / admin	none	BACKDOOR	Active in production.
Login: Remember me	none	STUB	Session always persisted.
Login / Signup: Google	Supabase OAuth -> /auth/callback	WIRED	First login silently creates a tenant.
Signup form	Supabase signUp	WIRED	No strength rule; no catch for network errors.
Signup: duplicate detection, resend	Supabase	WIRED	
Post-confirm provisioning	POST /auth/signup {name, companyName}	PARTIAL	companyName not used in step 1.
Terms / Privacy links	none	DUMMY DATA	roundflow.example.

Element	Endpoint	Status	Notes
Auth callback	Supabase exchangeCodeForSession + provisioning	WIRED	PKCE same-browser only.
Forgot password	Supabase resetPasswordForEmail	WIRED	Empty email accepted.
Reset password	Supabase updateUser	WIRED	Profile-less recovery user gets POST /auth/signup.
Accept Invite: preview	GET /invites/:token	BROKEN	Client throws "Not signed in" before sending.
Accept Invite: create account & join	Supabase signUp + POST /invites/:token/accept	BROKEN	Unreachable behind the preview.
Accept Invite: accept (signed in)	POST /invites/:token/accept	WIRED	
Accept Invite: Log in instead	none	PARTIAL	Token not carried over.
Bootstrap	GET /setup/status, GET /auth/me	WIRED	/auth/me twice; failure leaves role undefined.
403 code handling	—	MISSING	handleForbidden is dead code.

Security-sensitive dev paths

SECURITY ALERT: the dev auth backdoor is still compiled into production builds. DEV_AUTH_BYPASS_ENABLED = true (dev-auth-bypass.ts:17) has no import.meta.env.DEV check anywhere.

Three triggers

- admin / admin on /login.
- sessionStorage 'rf-dev-auth-bypass' = '1', then reload.
- A window event 'rf-dev-auth-bypass' carrying any session object.

Effect

- The UI renders as ADMIN with setup complete.
- Requests carry whatever real Supabase token is cached; with none, they fail with 401.
- A real low-privilege user therefore gets the admin UI and sends their real token to admin endpoints. Only server-side role and tenant checks protect the data.

Other bypasses

- VITE_BYPASS_SETUP_GATE=true is set in the local .env. It isn't in git, but any local production build compiles it in.
- The "Skip setup" localStorage flag.
- Auto-provisioning of any profile-less session (POST /auth/signup).

Dummy / hard-coded data found

- content/setup-wizard.ts:838-890: six sample services. Saved on Continue. Visible in production.
- content/setup-wizard.ts:465-502: six seeded templates. Saved on Continue. Visible in production.
- content/setup-wizard.ts:933-939: step-4 settings never saved.
- content/setup-wizard.ts:1328-1329: HOUSE / FOUR_WEEKLY on every imported property. Visible in production.
- content/setup-wizard.ts:1388: cycleWeeks 8. content/setup-wizard.ts:1406-1410: invitation copy.
- PaymentSetupStep.tsx: "Connected" badge from a client boolean.
- content/site.ts:27-30: roundflow.example legal links. Visible in production.
- dev-auth-bypass.ts:30-99: fake "Dev Admin" session and profile. Active in production.
- Dead but bundled: content/setup-wizard.ts:504-594 (Alnwick/Bamburgh rounds, tech-james-smith …); AssignRoundStep.tsx, PlaceholderStep.tsx.

Backend gaps

Bulk import (POST /setup/step/9/bulk)

- Confirm the 400 shape. Prefer a structured errors[] {row, field, message} with row = 1-based index into properties[] (FE client must pass it through).
- Accept landline and serviceIds[] (parity with the single endpoint).
- On partial failure, return the committed count and the first failed row.
- Idempotency (import id or client row key) or server dedupe.
- Duplicate detection against existing customers.
- Max rows / payload size; whether phone is required.
- Default cleaningFrequency / propertyType.
- Add /setup/step/9/bulk, steps 9-12, serviceIds, landline, bankDetails to OpenAPI.

Invites and auth

- GET /invites/:token without a session (FE client must allow it; confirm CORS).
- Persist companyName and return it in step 1.
- Require explicit signup intent so profile-less Google/recovery sessions don't create tenants.
- Return 403 codes SETUP_INCOMPLETE / SETUP_ALREADY_COMPLETE / ROLE_FORBIDDEN (FE must wire handleForbidden).

Wizard steps

- Step 1: accept null to clear companyNumber / VAT; bankDetails in OpenAPI.
- Step 2: real GoCardless / Stripe connect; reject client-set *Connected booleans.
- Steps 3/5/7: accept ids (upsert); isDefault for services; seed defaults server-side; notes on areas.
- Step 4: cleanMethods, autoGenerateVisits, reminderTimings[], reminderTimesOfDay[].
- Step 6: email and serviceAreaId on TechnicianInput; send invites; stable ids.
- Step 8: upsert semantics or a round id.
- Step 9: return serviceIds[]; edit/delete; frequency precedence.
- Step 10: cap to one technician or let the FE send all.
- Step 11: idempotent per start date or an explicit "another cycle" flag; cycleWeeks vs round frequency.
- Step 12: keep allComplete and allRequiredComplete consistent; /setup/status must include steps 9-12.

Enforcement

- Every client gate is bypassable. Enforce role, tenant and setup-complete on every endpoint, and reject setup-step writes after completion.

Dummy & Hard-coded Data Register

Summary: the 16 Oct register listed 29 production items. 1 is fixed (the Property Detail "Window Cleaning" service type, replaced by the multi-plan list), 2 have changed, and 26 are still open. The re-audit added 9 new items: 5 production (A-N1 to A-N5), 3 response-shape fallbacks (B-N1 to B-N3) and 1 missing-data item (C-N1). All dev-only, coming-soon and dead-code items are still present. The local dist/ build from 17 Oct still contains the admin/admin backdoor (dist/assets/auth-Cgtb2myz.js).

Changes since the 16 Oct audit

Previous item	Now	Evidence	Note
admin/admin backdoor (High)	STILL OPEN	dev-auth-bypass.ts:17-20; Login.tsx:49-58,96	Hard-coded true; "admin" passes because the form has noValidate. In dist/.
Wizard step 3: 6 sample services saved (High)	STILL OPEN	content/setup-wizard.ts:838-881	
Weather Hold fake success (High)	STILL OPEN	WeatherHoldModal.tsx:50-78	
Technician Conversation / Photos "James", "12 Market Street" (High)	STILL OPEN	content/technicians.ts:104-109, 146,177-224	Unknown job id falls back to the first sample.
Edit Customer Record writes coerced values (High)	STILL OPEN (CHANGED context)	EditCustomerRecordModal.tsx: 57-98,214-240	Now also prefilled from the primary plan only.
Settings SMS templates show wizard seeds	STILL OPEN	SettingsScreen.tsx:837-878	
Bulk Message templates / £0.10 / recipients	STILL OPEN	content/dashboard.ts:197-223	
Message Customers templates / £0.10 / schedule ignored	STILL OPEN	MessageCustomersModal.tsx:3 7-96	
Property Detail Send Message "8am–12pm" templates	STILL OPEN	content/property-detail.ts:252-2 68	
Payment status "none"/unknown shows "paid"	STILL OPEN	customers/lib/mappers.ts:73-79, 128-137	
Today's Work "Updated 18:10" + LIVE	STILL OPEN	content/todays-work.ts:94-95	
Notes "attributed to Admin - 25 Jun 2026"	STILL OPEN	content/property-detail.ts:527-5 29	
Technician edit "Update James's…"	STILL OPEN	content/technicians.ts:80	
Debt Pause/Resume stale dates; only {flag} sent	STILL OPEN	content/debt-payment.ts:268,28 7	
Saved Invoice: single line, Visit Date/Technician "—", RoundFlow logo	STILL OPEN	SavedInvoiceModal.tsx:232-299	Payment method from the primary plan, not the invoice.
Property Detail "Window Cleaning" service type	FIXED	content/property-detail.ts:374; PropertyDetailScreen.tsx:474	Multi-plan list with per-plan service, frequency, price, status.
Complaints client-only resolution note; "RoundFlow Team"	STILL OPEN	ComplaintsScreen.tsx:169-178, 662	
Debt detail panel "—" fields	STILL OPEN	debt/lib/mappers.ts:172-184	
Debt tab red dot	STILL OPEN (CHANGED)	DebtPaymentScreen.tsx:324-32 6	Counts now real (pagination.total); dot still static.
Send Payment Link method/expiry not sent	STILL OPEN	SendPaymentLinkModal.tsx:35-59	
Visit History technician/price "—"; Payments round "—"	STILL OPEN	customers/lib/mappers.ts:282,2 85,306	
Add Property quick action fields dropped	STILL OPEN	AddPropertyModal.tsx:186-205, 416-438	
Push Missed message not sent	STILL OPEN	PushMissedJobsModal.tsx:73,1 37-145	
Wizard step 4 settings never saved	STILL OPEN	setup/lib/mappers.ts:180-199	
Wizard step 5 seeded templates	STILL OPEN	content/setup-wizard.ts:465-502	
Planner duration = stops x 20 min	STILL OPEN	planner.ts:59,177	
Money always GBP; Today null shows £0	STILL OPEN	8 mappers	Only the Round Planner reads the currency setting. New multi-plan card also uses £.

Previous item	Now	Evidence	Note
Settings defaults saved on next Save	STILL OPEN	settings/lib/mappers.ts:83-146	
Signup legal links roundflow.example	STILL OPEN	content/site.ts:28-29	
Dev-only fallbacks, coming-soon items, dead fake records	STILL OPEN	see B, C, D	None removed.

A. Fake or hard-coded data visible in production

Severity	Screen	What is fake	Evidence	Real source
HIGH	Login, whole app	admin/admin gives a fake ADMIN session with setup complete	dev-auth-bypass.ts:17-99; Login.tsx:49-58	Remove. Only Supabase + GET /auth/me.
HIGH	Setup step 3	6 sample services saved to the tenant on Continue	content/setup-wizard.ts:838-881	Server-seeded catalogue or empty state
HIGH	Planner, Weather Hold	Success with no request; fixed "heavy rain" SMS; condition and reschedule ignored	WeatherHoldModal.tsx:50-78	POST weather-hold endpoint
HIGH	Technicians, Conversation / Photos	"James", "12 Market Street - John Smith" outside the blur	content/technicians.ts:104-224	Messaging + photo endpoints
HIGH	Property Detail, Edit Customer Record	Coerces STRIPE/CHEQUE to GOCARDLESS, FLAT/OFFICE to HOUSE, missing method to Water Fed Pole, unknown frequency to FOUR_WEEKLY; sends every field	EditCustomerRecordModal.tsx:57-240	Full enums; send only changed fields
MED	NEW A-N1: Setup step 9 bulk import	Several services ticked and price summed, but only the first serviceId sent; landline dropped	setup/lib/mappers.ts:429-448	serviceIds[] + landline on the bulk item
MED	NEW A-N2: Edit Customer Record / Change Frequency (multi-plan)	Prefilled from the primary plan; PATCHes carry no servicePlanId, so which plan changes is undefined	EditCustomerRecordModal.tsx:214-240; ChangeFrequencyModal.tsx:75-78	Per-plan PATCH
MED	Settings, SMS Templates	Wizard seed templates shown as the tenant's	SettingsScreen.tsx:837-878	Templates list API
MED	Bulk Message	3 templates; 1 credit; £0.10; recipients = propertyCount	content/dashboard.ts:197-223	Templates, pricing, dry-run count
MED	Planner, Message Customers	Templates; £0.10; "Schedule for later" sends now	MessageCustomersModal.tsx:34-179	Templates, sendAt, pricing
MED	Property Detail, Send Message	"between 8am and 12pm" templates	content/property-detail.ts:252-268	Templates API
MED	Customers / Property Detail	Payment status "none"/unknown shows "paid"	customers/lib/mappers.ts:73-137	Distinct "none" state
MED	Today's Work	"Updated 18:10"; LIVE with no polling	content/todays-work.ts:94-95	dataUpdatedAt; polling
MED	Property Detail, Notes	"attributed to Admin - 25 Jun 2026"	content/property-detail.ts:527-529	Current user + today
MED	Technicians, Edit	"Update James's personal details"	content/technicians.ts:80	technician.name
MED	Debt, Pause / Resume	2025 default dates; fields collected, only {flag} sent	DebtPauseServiceModal.tsx:34-57	Extend PATCH /debt/:id/hold
MED	Saved Invoice modal	One "Window Cleaning Service" line; Visit Date, Technician "—"; RoundFlow logo	SavedInvoiceModal.tsx:232-299	Line items etc. on GET /invoices/:id
MED	Complaints	Client-only resolution note; "RoundFlow Team" author	ComplaintsScreen.tsx:169-178,662	Resolution note + author fields
LOW	Debt detail panel	Round, phone, email, next visit "—"; Invoice Date = dueDate	debt/lib/mappers.ts:172-184	Fields on board or a detail endpoint
LOW	Debt tabs	Static red dot even at 0	DebtPaymentScreen.tsx:324-326	Derive from count
LOW	NEW A-N3: Debt board	Search only filters the loaded page of 50; counts show 0 while loading or on error	DebtPaymentScreen.tsx:91-138	search param on GET /debt/board
LOW	Debt, Send Payment Link	Method and expiry not sent	SendPaymentLinkModal.tsx:35-59	method / expiryDays
LOW	Property Detail history	Technician, price, round "—"	customers/lib/mappers.ts:282-306	technicianName, price, roundName

Severity	Screen	What is fake	Evidence	Real source
LOW	NEW A-N4: Property Detail plan status	Primary plan CANCELLED still shows "Active"	customers/lib/mappers.ts:105-126	Map CANCELLED
LOW	Add Property quick action	6 fields collected, not sent	AddPropertyModal.tsx:186-438	Accept or drop
LOW	NEW A-N5: Setup step 9 single add	VAT, start date, preferred day, next visit, customer notes not sent	AddPropertyStep.tsx:529-626	Add to SetupStep9Input or remove
LOW	Push Missed	Message not sent	PushMissedJobsModal.tsx:73-145	message field
LOW	Setup step 4 / step 5	Settings never saved; seeded templates	content/setup-wizard.ts:465-502,933-939	RoundSettingsInput; server templates
LOW	Round Planner	20 minutes per stop	planner.ts:59,177	Duration field
LOW	Money everywhere	Always £	8 mappers	Business currency
LOW	Settings	Defaults shown and saved	settings/lib/mappers.ts:83-146	Show "not set"
LOW	Signup	roundflow.example legal links	content/site.ts:28-29	Real URLs

B. Dev-only fallbacks, bypasses and response-shape shims

What	Evidence	Controlled by	Risk
Auth backdoor admin/admin (BACKDOOR)	dev-auth-bypass.ts:17-99; auth.tsx:177-293; dist/assets/auth-Cgtb2myz.js	Nothing: hard-coded true	Live in production. Server role checks are the only protection.
Setup-gate bypass	env.ts:36-38; .env:3	DEV, or VITE_BYPASS_SETUP_GATE=true (set locally)	A build from this .env skips onboarding.
Add Property "(sample)" options + fake save	AddPropertyModal.tsx:53-92,406-447	import.meta.env.DEV	Low; unreachable in production.
Skip-setup flag	setup-deferred.ts	User	Backend must enforce setup rules.
Vite proxy / React Query Devtools	env.ts:17-27; QueryProvider.tsx:45	Dev builds	None.
NEW B-N1: debt board bare-array shim	debt.api.ts:114-127	Response shape	Old backend: page ignored; 7 count queries download full buckets.
NEW B-N2: planner batch 404 fallback	useRounds.ts:135-150	404 from the batch route	Silently fans out R requests.
NEW B-N3: legacy single servicePlan fallback	customers/lib/mappers.ts:144-149	Response shape	Harmless; remove later.

C. Coming-soon / disabled UI

Screen	Element	Status	Blocked on
Technicians	Conversation, photo archive, Approve All	COMING SOON	Messaging and photo APIs
Property Detail	Photos tab	COMING SOON	Visit photos API
Technician detail	Performance (This Month)	COMING SOON	Per-technician metrics
Dashboard	Time on Job / Strikes / Damages / Upsells; Revenue per Hour	COMING SOON	Phase-2 fields
Dashboard	ETA	PARTIAL	etaMinutes always null
Dashboard / Planner	Maps "Setup needed" overlay	COMING SOON	VITE_GOOGLE_MAPS_API_KEY
Settings	SMS Templates editing	COMING SOON	Templates CRUD
Bulk Message	Schedule	STUB	sendAt
Technician login	/technician-app	COMING SOON	Mobile app
Complaints	NEW C-N1: message count on cards	MISSING	messageCount on GET /complaints

D. Legitimately static content and dead code

Legitimate static content

- Copy in src/content/*.ts, option lists that mirror API enums, and editable starter message text.
- Computed defaults: invoice due = today + 14; DEBT_BOARD_PAGE_SIZE = 50 and PLANNER_BATCH_MAX_ROUNDS = 50 mirror server limits (please confirm).
- Input placeholders (07123 456789, NE66 1AA, "e.g. James Smith").

Dead fake records

Bundled but never rendered; recommend deleting:

- Debt: £2,264 / £460, invoiceModal "James Smith".
- Today's Work: James/Sarah, £178, "Tuesday 19 May".
- Reports: £24,903 / £12,345.
- Customers: 5/2/1/£84.
- Technicians: £1,880 / £21.65.
- Dashboard: Alnwick/Morpeth/Bamburgh rounds.
- Property detail: INV-2026-217, support@roundflow.co.uk.
- Setup: defaultAssignRounds.
- Orphaned components: AssignRoundStep, PlaceholderStep, AppModulePlaceholder/ModulePlaceholder.

Appendix: Endpoint Inventory & Contract Diffs

Summary: the frontend calls the backend only through 17 modules in src/api/*.api.ts, with 127 wrapper methods. Every wrapper has at least one caller. Since 16 Oct, three new endpoint shapes have been added:

- GET /rounds/planner/occurrences (batch);
- POST /setup/step/9/bulk;
- a paginated GET /debt/board.

CustomerDetail now returns servicePlans[]. types.gen.ts was last regenerated on 27 Aug 2026, so most post-setup endpoints are still not in OpenAPI.

Endpoints by module

Module	Endpoints	Used by
auth	GET /auth/me; POST /auth/signup; GET+PATCH /auth/me/preferences	Bootstrap, signup provisioning. Preferences have no UI.
setup	GET /setup/status; GET+POST /setup/step/1..11; NEW POST /setup/step/9/bulk; GET /setup/step/12; POST /setup/complete	Setup Wizard, bootstrap. Bulk is used only by the wizard CSV import.
customers	GET /customers (paged); POST /customers; GET /customers/:id (now servicePlans[]); PATCH; DELETE; POST /customers/:id/properties	Customers list, Property Detail, search pickers, Edit Customer Record
properties	POST /properties; PATCH /properties/:id; POST /properties/:id/pause, /resume; GET+POST /properties/:id/notes; DELETE	Add Property, Customers-page CSV import (still one POST per row), Change Frequency, Assign to Round, Create Round, Pause/Resume, Notes
rounds	GET /rounds; GET/POST/PATCH /rounds/:id; PUT /rounds/:id/technicians; NEW GET /rounds/planner/occurrences?roundIds=(max 50)&from&to; GET /rounds/:id/planner/occurrences (404 fallback only); GET /rounds/:id/planner/occurrences/:date; GET /rounds/:id/today; POST /rounds/:id/push-missed, /reassign	Planner (batch); Dashboard map and planner day view (still one per round per date); Technicians fan-out; Today's Work; Create Round
today	GET /today; POST /today/close	Today's Work
visits	POST /visits	Add One-off Job
dashboard	GET /dashboard/kpis, /alerts, /rounds, /technician-kpis, /charts	Dashboard (60s polling on 3)
emergencies	GET /emergencies[?status]; GET /emergencies/:id; GET …/available-technicians; POST …/reassign; POST /emergencies	Emergencies, bell, Report Emergency
messages	POST /messages/send; POST /messages/bulk	Send Message, Pause notify, Message Customers, Weather Hold, Bulk Message
invoices	GET /invoices/preview?visitId=; POST /invoices; POST /invoices/:id/send; GET /invoices/:id; GET /customers/:id/invoices; GET /invoices/:id/pdf; GET /invoices/preview/pdf	Invoice modals, Property Detail, Debt preview
debt	GET /debt/kpis; GET /debt/board (NOW paginated: page, pageSize returns {rows, pagination}); POST /debt/:id/remind, /payment-link; PATCH /debt/:id/bad-debt, /hold	Debt: one paged board query + 7 count queries (pageSize=1)
reports	GET /reports/summary, /revenue, /technicians, /visits, /activity; GET /reports/export	Reports & History

Module	Endpoints	Used by
complaints	GET /complaints; GET /complaints/:id; POST /complaints; POST …/mark-in-review, /schedule-revisit, /resolve, /reopen, /assign-technician; GET+POST …/messages	Complaints
settings	GET+PATCH business-profile, round-settings, payment; POST /settings/payment/gocardless/connect; GET /settings/stripe/authorize (redirect, token in query); CRUD services, service-areas, technicians; GET /settings/message-templates	Settings, wizard pickers, quick-action modals
technicians	GET /technicians; GET /technicians/:id; POST; PATCH	Technicians, pickers
invites	POST /invites; GET /invites/:token; POST /invites/:token/accept	Technician invite, Accept Invite

The PATCH/DELETE /settings/message-templates/:id calls listed on 16 Oct no longer exist in the frontend.

Plumbing with no UI

Hook	Endpoint	Meaning
useDeleteProperty	DELETE /properties/:id	No delete-property button
useDeleteCustomer	DELETE /customers/:id	No delete-customer button
useCreateCustomer	POST /customers	Customers only created via properties / setup
useAddCustomerProperty	POST /customers/:id/properties	No "add second property" UI
useUpdateRound	PATCH /rounds/:id	No edit / rename / archive round UI
useUpdateServiceArea	PATCH /settings/service-areas/:id	No edit-area UI
usePropertyNotes	GET /properties/:id/notes	Notes come from GET /customers/:id
useComplaint	GET /complaints/:id	Detail reuses the list row
useRoundOccurrences	GET /rounds/:id/planner/occurrences	Only reached via the batch 404 fallback
usePreferences / useUpdatePreferences	GET/PATCH /auth/me/preferences	No toggle
useConnectPayment	POST /settings/payment/:provider/connect	Old stub, superseded

CONTRACT-DIFF inventory (frontend types not in OpenAPI)

Endpoint / field	Evidence	Note
NEW GET /rounds/planner/occurrences (batch)	rounds.api.ts:58	Response [{roundId, occurrences[]}] in request order; max 50 ids
NEW CustomerDetail.servicePlans[] / tabs.servicePlans[]	types.ts:40	Legacy servicePlan kept optional
NEW ServicePlanView.cleaningFrequency	types.ts:83	Per-plan frequency
NEW POST /setup/step/9/bulk	types.ts:139	No landline; single serviceId. 400 body parsed from the string "Validation failed: [{row,field,message}]"; please return structured JSON
NEW GET /debt/board pagination {rows, pagination}	debt.api.ts:65	No search param
/rounds* (CRUD, today, push-missed, reassign, planner)	rounds.api.ts:98,163	
/setup/step/9-12 types; serviceIds[] on step 9 and POST /properties	types.ts:21,109,133	
PropertyUpdateInput.cleaningFrequency	types.ts:34	Which plan does it update with multi-plan?
CustomerListRow.paymentStatus "none"; CustomerListResult.pagination; customer.landline	types.ts:64,72; customers/lib/mappers.ts:233	

Endpoint / field	Evidence	Note
preCleanReminderTimings in the GET response	settings/lib/mappers.ts:146	Input schema only
bankDetails (business profile and setup step 1)	settings.api.ts:18; setup.api.ts:27	
"Monthly Invoice" sent as COLLECT_ON_DATE	settings/lib/mappers.ts:33; setup/lib/mappers.ts:64	Label / enum mismatch
/auth/me/preferences; POST /customers/:id/properties	auth.api.ts:14; customers.api.ts:53	
/messages, /invoices, /today, /emergencies, /complaints, /dashboard, /reports, /debt, /technicians	each *.api.ts:3	Whole modules missing from OpenAPI
GET /settings/stripe/authorize; POST /settings/payment/gocardless/connect	settings.api.ts:60-77	Untagged; not in OpenAPI
visitHistory invoiceId / invoiceStatus	customers/lib/mappers.ts:264-267	Untagged, undocumented
GET /settings/message-templates returns a deferred stub	settings.api.ts:112-113	Real list still missing
Stale tags: /auth/signup, POST /customers body, DELETE /customers/:id, DELETE /properties/:id	auth.api.ts:21 etc.	Now in OpenAPI; frontend tags to be removed

Request to the backend

Regenerate the OpenAPI spec and include:

- every endpoint above marked "whole module missing";
- the three new shapes (batch occurrences, step 9 bulk, paginated debt board);
- servicePlans[].

Then we can regenerate types.gen.ts and delete the CONTRACT-DIFF overrides.