

# Rendez-vous

One room, one agent, one artifact — many humans, on the surfaces they already use.

#### THE PROBLEM

## Work is multiplayer. Agents are single-player.

- Every agent lives in exactly one person's window.

#### THE CONSEQUENCE

## So the human becomes the integration layer.

- Copy-paste relay between two separate chat windows.
- Screenshots of chats, forwarded to the other side.
- “Let me ask the AI and get back to you.”
- The second person never sees the context.
- The deliverable dies inside one private thread.

#### THE SOLUTION

## One agent. Many humans. No new app.

- One agent session, many humans, on their own surfaces.
- No install. No shared login. No new app.

**Sandboxes are now commodity — nine partners, one API call, each single-principal.**

THE PRODUCT WORKING

# Two people, two surfaces, one artifact, attributed.

- 0s** A real phone types “new” on Telegram — the room exists
- 86.5s** Cold boot — session and artifact ready
- +~20s** A second person joins from the laptop
- live** Every message attributed: [Bob · room-web], [phone · messenger]
- ~33s** The agent finds the artifact and edits it, unaided

Delivery confirmed on the phone.

#### HOW WE BUILT IT

## Every message becomes one artifact.

- Messenger — WhatsApp, Telegram: quick text in, terse replies out.
- Email — reply-to-thread turns, a per-turn digest back.
- Room-web — laptop, full transcript, the live artifact.

```
agentpush ingress
  → room  (many contacts, one session)
  → fan-out (by presence tier)
  → e2b sandbox
  → artifact URL
```

**Built on our own open-source runtime — unmodified,  
from npm.**

#### THE DESIGNED CALL

## Credentials are per-member, not per-room.

- A shared room key is shared with anyone holding the code.
- Each member attaches their own tools over rendezvous — nothing inherited.
- Revocation is an unpair, not a key rotation.

## Work leaves the room — on purpose.

- 1 Jeremy asks the room to build a presentation, then reviews it live at the artifact URL
- 2 He asks for a PDF
- 3 **THE CONFIRMATION GATE**  
the room previews it first — recipient, channel, subject, the rendered artifact — and sends only when a member explicitly confirms
- 4 the PDF reaches Jeremy's own messenger, and by email, a client who is not a member of the room
- 5 every send lands in the shared transcript: who asked, who confirmed, what was sent, to whom

**Every other capability keeps work inside the room. This one lets it leave — with authority, not just relay.**

Run end-to-end through the room's own commands — the email leg verified.

# The room is the primitive.

The runtime is a detail.

# One shape, five independent bugs.

- 1

FOUND LIVE, TONIGHT

a killed session still answers 200 — resume reported success doing nothing
- 2

queue: true omitted — a mid-turn prompt is silently dropped
- 3

the resume cursor freezes — every reply after it vanishes
- 4

an account-pinned route never fires — filtered out silently
- 5

the agent proposes rebuilding a Gmail capability it already had

Four of these five lost data quietly. This one reported success while doing nothing.

None crash. All look like working code or correct config.

## Four things we haven't proven yet.

- Resume-after-kill: fixed, but not yet re-proved on a phone.
- Paused sandboxes expire in 20 to 60 minutes.
- WhatsApp: not provisioned — no number, no key.
- Shared inbound routing risks a responder double reply.

## It failed at the auth gate, not the swap.

- Tested live: the swap alone hit a login wall first.
- installAdapters installs the binary — not a login.

```
agent_start({ adapter: "codex", model: "gpt-5.2-codex", ... })
```

```
→ 500 sandbox_proxy_failed  
  "no codex login found — run `codex login`"
```

```
box destroyed on failure — boots used: 1 of 1
```

**The credential model — device-auth — is the real second-brain work, not the adapter swap.**

docs/CODEX-FLIP.md — variant A only; B and C untested (1-boot budget).

## Why a room, not two people and one bot.

- 1 the agent asks Alice for the product shot
- 2 the agent asks Bob for the one-line positioning
- 3 each answers on their own channel, in their own time
- 4 the agent synthesizes both into the deck — sent as a PDF

**The agent addresses each member individually and reconciles what they contribute.**

Specced, not yet built.