

## Work is multiplayer. Agents are single-player.

- Every agent you use today lives in exactly one person's window.
- So the human becomes the integration layer: copy-paste between two chat windows.
- A screenshot forwarded to the other side. “Let me ask the AI and get back to you.”
- The second person never sees the context.
- The deliverable dies inside one private thread.

# Four members. Four surfaces. One session.

| MEMBER    | SURFACE                         | SENDS                           | RECEIVES                            | JOINED BY              |
|-----------|---------------------------------|---------------------------------|-------------------------------------|------------------------|
| Alice     | phone — Telegram                | text, voice notes, photos       | terse replies, voice, files         | texting “new”          |
| Bob       | laptop — room web view          | text                            | full transcript + the live artifact | scanning a QR          |
| Atlas     | local desktop agent — a machine | what only a local machine knows | the same transcript as the humans   | the same two endpoints |
| the inbox | email                           | reply-to-thread                 | a per-turn digest, deliverables     | replying once          |

No install. No shared login. No new app. The room models members, not humans — which is why a machine joins the same way a person does.

IT WORKS — LIVE, ON REAL SURFACES


# Not a mock. A real phone, a real thread, a real artifact.

|          |                                                                                 |
|----------|---------------------------------------------------------------------------------|
| 0s       | A real phone types “new” on Telegram — the room exists                          |
| 86.5s    | Cold boot: agent session and shared artifact both ready                         |
| join     | A second person joins from a laptop; a desktop agent joins as a member          |
| voice in | A voice note is transcribed and attributed to whoever sent it                   |
| image in | A photo is described by the agent and written into the artifact                 |
| private  | “@me” — one member gets the answer, the others see only that a whisper happened |
| out      | The agent replies with a voice note, and attaches real files                    |
| resume   | Killed mid-session, the room comes back still knowing what was discussed        |

Every row observed end to end on live infrastructure, not described.

# One pipeline, four layers, one seam that matters.

- agentpush — every channel behind one API, in and out. The room never learns a provider's quirks.
- Rendez-vous — the room: members, attribution, fan-out by presence tier, the authority to send.
- agentproto — our own open-source agent runtime. Unmodified, straight from npm.
- e2b — one sandbox per room, holding the shared artifact. OpenAI for voice and vision, canvakit for the PDF.



**The runtime sits under a clean seam. That is the whole claim: swap it and the room does not move.**

Built against five silent upstream failures we found and fixed on the way — none of which crashed, all of which lost data or reported success while doing nothing.

## A room with a notion of authority, not a relay.

- 1 A member asks the room for the deliverable — a PDF of what everyone just built
- 2 **THE CONFIRMATION GATE**  
the room previews it first: recipient, channel, subject, the rendered document — and sends nothing until a member explicitly confirms
- 3 it lands on a phone as a real file, and in an inbox, addressed to someone who was never in the room
- 4 the send is written into the shared transcript: who asked, who confirmed, what, to whom

**Every other capability keeps work inside the room. This one lets it leave — under the members' control, on the record.**



# The room is the primitive.

The runtime is a detail.

## One shape, five independent silent failures.

- 1** **FOUND LIVE, ON A PHONE**  
a killed session still answers 200 — resume reported success in 0.7s having resumed nothing
- 2** omit queue: true and a message arriving mid-turn is rejected and lost
- 3** the fan-out cursor freezes on resume — every reply after it vanishes
- 4** an account-pinned inbound route is filtered out and never fires
- 5** the agent proposes rebuilding a Gmail capability the workspace already brokered

**Four of these lost data quietly. One reported success while doing nothing. None crash; all look like working code or correct configuration.**

Each one is fixed, with a regression test. This is why the room records who asked and who confirmed.

## What we have not proven.

- Paused sandboxes expire in 20–60 minutes. One did, live, mid-rehearsal — the room advertised a dead link until we made box liveness its own fact.
- WhatsApp is not provisioned: no number, no key. The room is channel-agnostic by construction, so it is a config change, not code.
- We share an existing workspace's Telegram routing; a catch-all route there could fire alongside ours.
- Swapping the runtime for Codex failed at the auth gate, not the swap — a fresh box has no login. The credential model is the real work.