Libra

1.0

Generated by Doxygen 1.8.6

Fri Apr 22 2016 02:45:28

# **Contents**

## **Chapter 1**

# ![alt tag](https://raw.github.com/dogfalo/materialize/master/images/materialize.gif)

![Travis CI] (https://travis-ci.org/Dogfalo/materialize.svg?branch=master)![Dependency Status] (https://david-dm.org/Dogfalo/materialize.svg)![Gitter] (https://badges.-gitter.im/Join Chat.svg)

Materialize, a CSS Framework based on material design

Current Version: v0.97.4

## **Sass Requirements:**

• Ruby Sass 3.3+, LibSass 0.6+

## **Supported Browsers:**

Chrome 35+, Firefox 31+, Safari 7+, IE 10+

## Changelog

- v0.97.4 (Dec 20, 2015)
  - Added Jasmine testing with Travis CI
  - Select bugfixes
  - Grid Offset bugfix
  - Dropdown overflow bugfix
  - Range slider error bugfix
- v0.97.3 (Nov 15, 2015)
  - Meteor font issues fixed
  - Select rendering issue fixed
  - Added Push and Pull to grid
  - Dynamic accordion appends fixed
- v0.97.2 (Nov 8, 2015)
  - Image support inside select
  - Optgroup supported in select

- Multiple select added
- Card styling fixes
- Breadcrumbs added
- Scrollable tabs
- Tooltips and dropdowns position themselves more intelligently inside the window
- FAB menu is click-toggleable
- Horizontal FAB support added
- v0.97.1 (Sep 13, 2015)
  - Added new range slider with uses noUiSlider to provide powerful options
  - Added CSS for Chips
  - Toasts support adding of html elements
  - Fixed select destroy/creation bug
  - Bugfixes for dropdown, badges, collections, scrollfire
  - Added default preloader color variable
  - File input now supports multiple files and dynamically loaded elements
- v0.97.0 (June 21, 2015)
  - Documentation changed to use Official Google Icon web font
  - Input errors added
  - Flicker on Firefox on dropdowns fixed
  - Pagination made more responsive
  - Modal now prevents scrolling
  - Modal animation added
  - Support for multiple modals added
  - Programmatic control of FAB to open/close added
  - Programmatic control of slider to play/pause added
  - Plus many more bug fixes

## Contributing

Please read CONTRIBUTING.md for more information

## **Testing**

We use Jasmine as our testing framework and we're trying to write a robust test suite for our components. If you want to help, here's a starting guide on how to write tests in Jasmine

## **Chapter 2**

# ![alt tag](https://raw.github.com/dogfalo/materialize/master/images/materialize.gif)

![Travis CI] (https://travis-ci.org/Dogfalo/materialize.svg?branch=master)![Dependency Status] (https://david-dm.org/Dogfalo/materialize.svg)![Gitter] (https://badges.-gitter.im/Join Chat.svg)

Materialize, a CSS Framework based on material design

Current Version: v0.97.4

## **Sass Requirements:**

• Ruby Sass 3.3+, LibSass 0.6+

## **Supported Browsers:**

Chrome 35+, Firefox 31+, Safari 7+, IE 10+

## Changelog

- v0.97.4 (Dec 20, 2015)
  - Added Jasmine testing with Travis CI
  - Select bugfixes
  - Grid Offset bugfix
  - Dropdown overflow bugfix
  - Range slider error bugfix
- v0.97.3 (Nov 15, 2015)
  - Meteor font issues fixed
  - Select rendering issue fixed
  - Added Push and Pull to grid
  - Dynamic accordion appends fixed
- v0.97.2 (Nov 8, 2015)
  - Image support inside select
  - Optgroup supported in select

- Multiple select added
- Card styling fixes
- Breadcrumbs added
- Scrollable tabs
- Tooltips and dropdowns position themselves more intelligently inside the window
- FAB menu is click-toggleable
- Horizontal FAB support added
- v0.97.1 (Sep 13, 2015)
  - Added new range slider with uses noUiSlider to provide powerful options
  - Added CSS for Chips
  - Toasts support adding of html elements
  - Fixed select destroy/creation bug
  - Bugfixes for dropdown, badges, collections, scrollfire
  - Added default preloader color variable
  - File input now supports multiple files and dynamically loaded elements
- v0.97.0 (June 21, 2015)
  - Documentation changed to use Official Google Icon web font
  - Input errors added
  - Flicker on Firefox on dropdowns fixed
  - Pagination made more responsive
  - Modal now prevents scrolling
  - Modal animation added
  - Support for multiple modals added
  - Programmatic control of FAB to open/close added
  - Programmatic control of slider to play/pause added
  - Plus many more bug fixes

## Contributing

Please read CONTRIBUTING.md for more information

## **Testing**

We use Jasmine as our testing framework and we're trying to write a robust test suite for our components. If you want to help, here's a starting guide on how to write tests in Jasmine

# Chapter 3

# Namespace Index

## 3.1 Packages

Here are the packages with brief descriptions (if available):

flipdelivery		 	 	 	??
libra		 	 	 	?1
libra.forms		 	 	 	?1
libra.models		 	 	 	?1
libra.settings					
libra.settings_produ	ction .	 	 	 	?1
libra.urls		 	 	 	?1
libra.views		 	 	 	?1
libra.wsgi		 	 	 	?1

6 Namespace Index

# **Chapter 4**

# File Index

## 4.1 File List

Here is a list of all files with brief descriptions:

8 File Index

	~~
static/side_menu/js/modernizr.js	??
staticfiles/js/flipdelivery.py	??
staticfiles/js/get_delivery.js	??
staticfiles/js/main.js	??
staticfiles/js/mobiledropdown.js	??
staticfiles/materialize/js/materialize.js	??
staticfiles/materialize/js/materialize.min.js	??
staticfiles/side menu/js/main.js	??
statiofiles/side_menu/is/modernizr is	22

## **Chapter 5**

# **Namespace Documentation**

- 5.1 flipdelivery Namespace Reference
- 5.2 libra Namespace Reference

## **Namespaces**

- forms
- models
- · settings
- settings\_production
- urls
- · views
- wsgi
- 5.3 libra.forms Namespace Reference
- 5.4 libra.models Namespace Reference
- 5.5 libra.settings Namespace Reference

## **Variables**

- tuple PROJECT DIR = os.path.dirname( file )
- tuple PROJECT\_PATH = os.path.realpath(os.path.dirname(\_\_file\_\_))
- tuple CURRENT\_PATH = os.path.abspath(os.path.dirname(\_\_file\_\_).decode('utf-8'))
- tuple MEDIA\_ROOT = os.path.join(CURRENT\_PATH, 'media')
- string MEDIA\_URL = '/media/'
- tuple BASE\_DIR = os.path.dirname(os.path.dirname(os.path.abspath(\_\_file\_\_)))
- string SECRET\_KEY = '!t!=ed^ok1^l\*q\*t4+5lk6l4h7@(lsyhsg&itgk%s+-kva\*!ge')
- DEBUG = False
- list ALLOWED\_HOSTS = [".herokuapp.com", ".researchthroughdesign.org", "localhost"]
- list INSTALLED APPS
- list MIDDLEWARE\_CLASSES
- string ROOT URLCONF = 'libra.urls'
- list TEMPLATES

- string WSGI\_APPLICATION = 'libra.wsgi.application'
- dictionary DATABASES
- list AUTH PASSWORD VALIDATORS
- string LANGUAGE\_CODE = 'en-us'
- string TIME\_ZONE = 'UTC'
- USE\_I18N = True
- USE L10N = True
- USE\_TZ = True
- tuple STATIC\_ROOT = os.path.join(PROJECT\_DIR, 'static')
- string STATIC URL = '/static/'

#### 5.5.1 Detailed Description

```
Django settings for libra project.

Generated by 'django-admin startproject' using Django 1.9.4.

For more information on this file, see
https://docs.djangoproject.com/en/1.9/topics/settings/

For the full list of settings and their values, see
https://docs.djangoproject.com/en/1.9/ref/settings/
```

#### 5.5.2 Variable Documentation

5.5.2.1 list libra.settings.ALLOWED\_HOSTS = [".herokuapp.com", ".researchthroughdesign.org", "localhost"]

Definition at line 39 of file settings.py.

#### 5.5.2.2 list libra.settings.AUTH\_PASSWORD\_VALIDATORS

#### Initial value:

Definition at line 101 of file settings.py.

5.5.2.3 tuple libra.settings.BASE\_DIR = os.path.dirname(os.path.dirname(os.path.abspath(\_\_file\_\_)))

Definition at line 26 of file settings.py.

5.5.2.4 tuple libra.settings.CURRENT\_PATH = os.path.abspath(os.path.dirname(\_\_file\_\_).decode('utf-8'))

Definition at line 19 of file settings.py.

#### 5.5.2.5 dictionary libra.settings.DATABASES

#### Initial value:

```
1 = {
2     'default': {
3          'ENGINE': 'django.db.backends.sqlite3',
4          'NAME': os.path.join(BASE_DIR, 'db.sqlite3'),
5     }
6 }
```

Definition at line 90 of file settings.py.

5.5.2.6 libra.settings.DEBUG = False

Definition at line 36 of file settings.py.

5.5.2.7 list libra.settings.INSTALLED\_APPS

#### Initial value:

```
1 = [
2    'django.contrib.admin',
3    'django.contrib.auth',
4    'django.contrib.contenttypes',
5    'django.contrib.sessions',
6    'django.contrib.messages',
7    'django.contrib.staticfiles',
8    'gunicorn',
9 ]
```

Definition at line 43 of file settings.py.

5.5.2.8 string libra.settings.LANGUAGE\_CODE = 'en-us'

Definition at line 120 of file settings.py.

5.5.2.9 tuple libra.settings.MEDIA\_ROOT = os.path.join(CURRENT\_PATH, 'media')

Definition at line 21 of file settings.py.

5.5.2.10 string libra.settings.MEDIA\_URL = '/media/'

Definition at line 23 of file settings.py.

#### 5.5.2.11 list libra.settings.MIDDLEWARE\_CLASSES

#### Initial value:

```
1 = [
2     'django.middleware.security.SecurityMiddleware',
3     'django.contrib.sessions.middleware.SessionMiddleware',
4     'django.middleware.common.CommonMiddleware',
5     'django.middleware.csrf.CsrfViewMiddleware',
6     'django.contrib.auth.middleware.AuthenticationMiddleware',
7     'django.contrib.auth.middleware.SessionAuthenticationMiddleware',
8     'django.contrib.messages.middleware.MessageMiddleware',
9     'django.middleware.clickjacking.XFrameOptionsMiddleware',
10 ]
```

Definition at line 53 of file settings.py.

```
5.5.2.12 tuple libra.settings.PROJECT_DIR = os.path.dirname(__file__)
```

Definition at line 15 of file settings.py.

5.5.2.13 tuple libra.settings.PROJECT\_PATH = os.path.realpath(os.path.dirname(\_\_file\_\_))

Definition at line 17 of file settings.py.

5.5.2.14 string libra.settings.ROOT\_URLCONF = 'libra.urls'

Definition at line 64 of file settings.py.

5.5.2.15 string libra.settings.SECRET\_KEY =  $'!t!=ed^{\circ}ok1^{\circ}l*q*t4+5lk6l4h7@(lsyhsg&itgk%s+-kva*!ge')$ 

Definition at line 33 of file settings.py.

5.5.2.16 tuple libra.settings.STATIC\_ROOT = os.path.join(PROJECT\_DIR, 'static')

Definition at line 138 of file settings.py.

5.5.2.17 string libra.settings.STATIC\_URL = '/static/'

Definition at line 140 of file settings.py.

#### 5.5.2.18 list libra.settings.TEMPLATES

## Initial value:

```
'BACKEND': 'django.template.backends.django.DjangoTemplates',
'DIRS': [os.path.join(BASE_DIR, 'libra/templates'),],
4
           'APP_DIRS': True,
'OPTIONS': {
6
                 'context_processors': [
                      'django.template.context_processors.debug',
                     'django.template.context_processors.request',
10
                       'django.contrib.auth.context_processors.auth',
11
                       'django.contrib.messages.context_processors.messages',
                ],
12
13
            },
14
        },
```

Definition at line 66 of file settings.py.

5.5.2.19 string libra.settings.TIME\_ZONE = 'UTC'

Definition at line 122 of file settings.py.

5.5.2.20 libra.settings.USE\_I18N = True

Definition at line 124 of file settings.py.

5.5.2.21 libra.settings.USE\_L10N = True

Definition at line 126 of file settings.py.

```
5.5.2.22 libra.settings.USE_TZ = True
```

Definition at line 128 of file settings.py.

5.5.2.23 string libra.settings.WSGI\_APPLICATION = 'libra.wsgi.application'

Definition at line 84 of file settings.py.

## 5.6 libra.settings\_production Namespace Reference

## 5.7 libra.urls Namespace Reference

#### **Variables**

· list urlpatterns

## 5.7.1 Detailed Description

```
libra URL Configuration
The 'urlpatterns' list routes URLs to views. For more information please see:
    https://docs.djangoproject.com/en/1.9/topics/http/urls/
Examples:
Function views
    1. Add an import: from my_app import views
    2. Add a URL to urlpatterns: url(r'^$', views.home, name='home')
Class-based views
    1. Add an import: from other_app.views import Home
    2. Add a URL to urlpatterns: url(r'^$', Home.as_view(), name='home')
Including another URLconf
    1. Import the include() function: from django.conf.urls import url, include
    2. Add a URL to urlpatterns: url(r'^blog/', include('blog.urls'))
```

#### 5.7.2 Variable Documentation

#### 5.7.2.1 list libra.urls.urlpatterns

#### Initial value:

```
1 = [
2     url(r'^admin/', admin.site.urls),
3     url(r'^search/$', search, name="search"),
4     url(r'^$', TemplateView.as_view(template_name="index.html")),
5     url(r'^index/$', TemplateView.as_view(template_name="index.html")),
6     url(r'^mobsearch/$', TemplateView.as_view(template_name="mobsearch.html")),
7     url(r'^help/$', TemplateView.as_view(template_name="help.html")),
8     url(r'^deals/$', deals, name="deals"),
9     url(r'^compare/(?P<prodid>.*)$', compare, name="compare"),
10     url(r'^search/sort/(?P<method>.*)$', sort, name="sort"),
11     url(r'^search/filter/$', filterr, name="filter"),
12     url(r'^search/filter/sort_filtered/(?P<method>.*)$', sort_filtered, name="sort_filtered"),
13     url(r'^flip_delivery$', flip_delivery, name="flip_delivery"),
14     url(r'^snapdeal_delivery$', snapdeal_delivery, name="snapdeal_delivery"),
15     url(r'^sebay_delivery$', ebay_delivery, name="ebay_delivery"),
```

Definition at line 25 of file urls.py.

## 5.8 libra.views Namespace Reference

## **Functions**

- · def search
- · def compare
- def sort
- · def filterr
- · def sort filtered
- · def deals
- def flip\_delivery
- · def amazon delivery
- · def snapdeal\_delivery
- · def ebay\_delivery

#### 5.8.1 Detailed Description

@package docstring
This is the views file that is used to generate all the content on all the pages in the site

#### 5.8.2 Function Documentation

## 5.8.2.1 def libra.views.amazon\_delivery ( request )

The view controller that renders delivery time from amazon, dynamically on the ajax call, by crawling. The output is the delivery detail.

## Definition at line 441 of file views.py.

## 5.8.2.2 def libra.views.compare ( request, prodid )

The main view controller that renders the comparision of the product from different sites. The input is the id of the product that is selected from the initial generated products. The output is the array of products, one each from flipkart, amazon, snapdeal and ebay.

## Definition at line 89 of file views.py.

## 5.8.2.3 def libra.views.deals ( request )

The view controller that renders the top deals from flipkart. The output is the array of deals and their details, from flipkart.

## Definition at line 402 of file views.py.

## 5.8.2.4 def libra.views.ebay\_delivery ( request )

The view controller that renders delivery time from amazon, dynamically on the ajax call, by crawling. The output is the delivery detail.

## Definition at line 466 of file views.py.

#### 5.8.2.5 def libra.views.filterr ( request )

The view controller that renders the filtered products from flipkart, based on the choice from user. The input is the list of brands checked and the maximum price selected. The output is the array of products, filtered, based on the input.

#### Definition at line 344 of file views.py.

#### 5.8.2.6 def libra.views.flip\_delivery ( request )

The view controller that renders delivery time from flipkart, dynamically on the ajax call, by crawling. The output is the delivery detail.

#### Definition at line 426 of file views.py.

#### 5.8.2.7 def libra.views.search ( request )

The main view controller that renders the initial flipkart products. The input is a search query that is obtained on form submission from any page of the website. The output is the array of products from flipkart.

## Definition at line 25 of file views.py.

#### 5.8.2.8 def libra.views.snapdeal\_delivery ( request )

The view controller that renders delivery time from snapdeal, dynamically on the ajax call, by crawling. The output is the delivery detail.

## Definition at line 450 of file views.py.

#### 5.8.2.9 def libra.views.sort ( request, method )

The view controller that renders the sorted products from flipkart, based on the choice from user. The input is the method in which the products are to be sorted.

The output is the array of products, sorted, based on the input.

#### Definition at line 320 of file views.py.

## 5.8.2.10 def libra.views.sort\_filtered ( request, method )

The view controller that renders the sorted products from flipkart, based on the choice from user. The input is the method in which the products are to be sorted. The output is the array of products, sorted, based on the input.

#### Definition at line 378 of file views.py.

## 5.9 libra.wsgi Namespace Reference

#### **Variables**

tuple application = get\_wsgi\_application()

## 5.9.1 Detailed Description

```
WSGI config for libra project.

It exposes the WSGI callable as a module-level variable named 'application'.

For more information on this file, see https://docs.djangoproject.com/en/1.9/howto/deployment/wsgi/
```

## 5.9.2 Variable Documentation

5.9.2.1 tuple libra.wsgi.application = get\_wsgi\_application()

Definition at line 16 of file wsgi.py.

## **Chapter 6**

## **File Documentation**

6.1 \_\_init\_\_.py File Reference

## **Namespaces**

• libra

## 6.2 forms.py File Reference

## **Namespaces**

• libra.forms

## 6.3 models.py File Reference

## **Namespaces**

• libra.models

## 6.4 settings.py File Reference

#### **Namespaces**

· libra.settings

#### **Variables**

- tuple libra.settings.PROJECT\_DIR = os.path.dirname(\_\_file\_\_)
- tuple libra.settings.PROJECT\_PATH = os.path.realpath(os.path.dirname(\_\_file\_\_))
- tuple libra.settings.CURRENT\_PATH = os.path.abspath(os.path.dirname(\_\_file\_\_).decode('utf-8'))
- tuple libra.settings.MEDIA\_ROOT = os.path.join(CURRENT\_PATH, 'media')
- string libra.settings.MEDIA\_URL = '/media/'
- tuple libra.settings.BASE\_DIR = os.path.dirname(os.path.dirname(os.path.abspath(\_\_file\_\_)))
- string libra.settings.SECRET\_KEY = '!t!=ed^ok1^l\*q\*t4+5lk6l4h7@(lsyhsg&itgk%s+-kva\*!ge'
- libra.settings.DEBUG = False
- list libra.settings.ALLOWED\_HOSTS = [".herokuapp.com", ".researchthroughdesign.org", "localhost"]

- list libra.settings.INSTALLED\_APPS
- list libra.settings.MIDDLEWARE\_CLASSES
- string libra.settings.ROOT\_URLCONF = 'libra.urls'
- list libra.settings.TEMPLATES
- string libra.settings.WSGI\_APPLICATION = 'libra.wsgi.application'
- dictionary libra.settings.DATABASES
- list libra.settings.AUTH\_PASSWORD\_VALIDATORS
- string libra.settings.LANGUAGE\_CODE = 'en-us'
- string libra.settings.TIME\_ZONE = 'UTC'
- libra.settings.USE\_I18N = True
- libra.settings.USE\_L10N = True
- libra.settings.USE\_TZ = True
- tuple libra.settings.STATIC\_ROOT = os.path.join(PROJECT\_DIR, 'static')
- string libra.settings.STATIC URL = '/static/'

## 6.5 settings\_production.py File Reference

## **Namespaces**

· libra.settings\_production

## 6.6 static/admin/js/actions.js File Reference

#### **Variables**

- var lastChecked
- · fn actions
- · fn actions defaults
- django jQuery

## 6.6.1 Variable Documentation

#### 6.6.1.1 fn actions

Definition at line 6 of file actions.js.

## 6.6.1.2 fn actions defaults

#### Initial value:

```
actionContainer: "div.actions",
   counterContainer: "span.action-counter",
   allContainer: "div.actions span.all",
   acrossInput: "div.actions input.select-across",
   acrossQuestions: "div.actions span.question",
   acrossClears: "div.actions span.clear",
   allToggle: "#action-toggle",
   selectedClass: "selected"
```

Definition at line 136 of file actions.js.

#### 6.6.1.3 django jQuery

Definition at line 146 of file actions.js.

#### 6.6.1.4 var lastChecked

#### Initial value:

```
{
    'use strict'
```

Definition at line 2 of file actions.js.

## 6.7 static/admin/js/actions.min.js File Reference

#### **Variables**

- · function a {var f
- · a fn actions
- a fn actions defaults ={actionContainer:"div.actions",counterContainer:"span.action-counter",allContainer:"div.actions span.all",acrossInput:"div.actions input.select-across",acrossQuestions:"div.actions span.-question",acrossClears:"div.actions span.clear",allToggle:"#action-toggle",selectedClass:"selected"}})(django.-jQuery)

#### 6.7.1 Variable Documentation

#### 6.7.1.1 function a {var f

Definition at line 1 of file actions.min.js.

#### 6.7.1.2 a fn actions

#### Initial value:

```
= \texttt{function} \ (\texttt{q}) \ \{ \texttt{var} \ \ \texttt{b=a.extend} \ (\{\}, \texttt{a.fn.actions.defaults}, \texttt{q}) \ , \texttt{g=a} \ (\texttt{this}) \ , \texttt{e=!1}, \texttt{k=function} \ () \ \{ \texttt{var} \ \ \texttt{b=a.extend} \ (\{\}, \texttt{a.fn.actions.defaults}, \texttt{q}) \ , \texttt{g=a} \ (\texttt{this}) \ , \texttt{e=!1}, \texttt{k=function} \ () \ \{ \texttt{var} \ \ \texttt{b=a.extend} \ (\}, \texttt{a.fn.actions.defaults}, \texttt{q}) \ , \texttt{g=a.extend} \ (\}, \texttt{a.fn.actions.defaults}, \texttt{q}) \ , \texttt{g=a.extend} \ (\}, \texttt{gar} \ ) \ , \texttt{gar} \ ) \ , \texttt{g=a.extend} \ (\}, \texttt{gar} \ ) \ , \texttt{gar} \ ) \ 
                               a \ (b. acrossClears) \ . \ hide \ () \ ; \\ a \ (b. acrossQuestions) \ . \ show \ () \ ; \\ a \ (b. allContainer) \ . \ hide \ () \ \}, \\ l=function \ () \ \{ b. allContainer) \ . \\ hide \ () \ \}, \\ l=function \ () \ \{ b. allContainer) \ . \\ hide \ () \ \}, \\ l=function \ () \ \{ b. allContainer) \ . \\ hide \ () \ \}, \\ l=function \ () \ \{ b. allContainer) \ . \\ hide \ () \ \}, \\ l=function \ () \ \{ b. allContainer) \ . \\ hide \ () \ \}, \\ l=function \ () \ \{ b. allContainer) \ . \\ hide \ () \ \}, \\ l=function \ () \ \{ b. allContainer) \ . \\ hide \ () \ \}, \\ l=function \ () \ \{ b. allContainer) \ . \\ hide \ () \ \}, \\ l=function \ () \ \{ b. allContainer) \ . \\ hide \ () \ \}, \\ l=function \ () \ \{ b. allContainer) \ . \\ hide \ () \ \}, \\ l=function \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ () \ \{ b. allContainer) \ . \\ hide \ 
                               \verb|a(b.acrossClears).show(); \verb|a(b.acrossQuestions).hide(); \verb|a(b.actionContainer).toggleClass(b.selectedClass); \\
                               a (b.allContainer).show(); a (b.counterContainer).hide()}, m=function() {a (b.acrossClears).hide();
                               a(b.acrossQuestions).hide();a(b.allContainer).hide();a(b.counterContainer).show()},
 \verb|a(b.acrossInput).val(0); \verb|a(b.actionContainer).removeClass(b.selectedClass)|, p=function(a) \\
                              c) {c?k():m();a(g).prop("checked",c).parent().parent().toggleClass(b.selectedClass,
c)},h=function() {var c=a(g).filter(":checked").length;a(b.counterContainer).html(interpolate(ngettext("
%(sel)s of %(cnt)s selected","%(sel)s of %(cnt)s selected",c),{sel:c,cnt:_actions_icnt},!0));
a(b.allToggle).prop("checked",function() {var a;c==g.length?(a=!0,k()):(a=!1,n());return a})};
a(b.counterContainer).show();a(this).filter(":checked").each(function(c){a(this).parent().parent().
                                toggleClass(b.selectedClass);
h();1===a(b.acrossInput).val()&&l()};a(b.allToggle).show().click(function(){p(
    a(this).prop("checked"));h()});a("a",b.acrossQuestions).click(function(c){c.preventDefault();
    a(b.acrossInput).val(1);l()});a("a",b.acrossClears).click(function(c){c.preventDefault();
                               window.event); var d=c.target?c.target:c.srcElement; if (f&&a.data(f)!==a.data(d)&&!0===c.shiftKey) {
                               var e=!1;a(f).prop("checked",d.checked).parent().parent().toggleClass(b.selectedClass,
\verb|d.checked|; \verb|a(g).each(function()| | \verb|a.data(this)| === \verb|a.data(f)| | \verb|a.data(this)| === \verb|a.data(d)| | e=e?!1:!0; e&& | e=e?!1:!0; e&
                              a(this).prop("checked",d.checked).parent().parent().toggleClass(b.selectedClass,d.checked))))
a(d).parent().parent().toggleClass(b.selectedClass,d.checked);f=d;h()));a("form#changelist-form
                                     table#result_list tr").find("td:gt(0) :input").change(function(){e=!0});a('form#changelist-form
                                    button[name="index"]').click(function(a) {if(e)return confirm(gettext("You have unsaved changes on individual editable
If you run an action, your unsaved changes will be lost."))});
a('form#changelist-form input[name="_save"]').click(function(c){var d=!1;a("select option:selected",b.
                               actionContainer).each(function(){a(this).val()&&(d=!0)});if(d)return e?confirm(gettext("You have selected an action, but you haven't saved your changes to individual fields yet. Please click OK to save. You'll need to
                                     re-run the action.")):confirm(gettext("You have selected an action, and you haven't made any changes on
                                     individual fields. You're probably looking for the Go button rather than the Save button."))})}
```

Definition at line 1 of file actions.min.js.

6.7.1.3 a fn actions defaults ={actionContainer:"div.actions",counterContainer:"span.action-counter",allContainer:"div.actions span.all",acrossInput:"div.actions input.select-across",acrossQuestions:"div.actions span.question",acrossClears:"div.actions span.clear",allToggle:"#action-toggle",selectedClass:"selected"}})(django.jQuery)

Definition at line 6 of file actions.min.js.

## 6.8 static/admin/js/admin/DateTimeShortcuts.js File Reference

#### **Functions**

· addEvent (window, 'load', DateTimeShortcuts.init)

#### **Variables**

- · var DateTimeShortcuts
- 6.8.1 Function Documentation
- 6.8.1.1 addEvent ( window , 'load' , DateTimeShortcuts. init )
- 6.8.2 Variable Documentation
- 6.8.2.1 window DateTimeShortcuts

Definition at line 7 of file DateTimeShortcuts.js.

## 6.9 static/admin/js/admin/RelatedObjectLookups.js File Reference

#### **Functions**

- function html\_unescape (text)
- · function id to windowname (text)
- function windowname\_to\_id (text)
- function showAdminPopup (triggeringLink, name\_regexp, add\_popup)
- function showRelatedObjectLookupPopup (triggeringLink)
- function dismissRelatedLookupPopup (win, chosenId)
- function showRelatedObjectPopup (triggeringLink)
- function updateRelatedObjectLinks (triggeringLink)
- function dismissAddRelatedObjectPopup (win, newId, newRepr)
- function dismissChangeRelatedObjectPopup (win, objld, newRepr, newId)
- function dismissDeleteRelatedObjectPopup (win, objld)
- document ready (function(){\$('body').on('click', '.related-widget-wrapper-link', function(e){e.prevent-Default();if(this.href){var event=\$.Event('django:show-related',{href:this.href});\$(this).trigger(event);if(levent.-isDefaultPrevented()){showRelatedObjectPopup(this);}});\$('body').on('change', '.related-widget-wrapper select', function(e){var event=\$.Event('django:update-related');\$(this).trigger(event);if(levent.isDefault-Prevented()){updateRelatedObjectLinks(this);}});\$('.related-widget-wrapper select').trigger('change');})

#### **Variables**

- window html unescape = html unescape
- window id\_to\_windowname = id\_to\_windowname
- window windowname\_to\_id = windowname\_to\_id
- window showRelatedObjectLookupPopup = showRelatedObjectLookupPopup
- window dismissRelatedLookupPopup = dismissRelatedLookupPopup
- window showRelatedObjectPopup = showRelatedObjectPopup
- window updateRelatedObjectLinks = updateRelatedObjectLinks
- window dismissAddRelatedObjectPopup = dismissAddRelatedObjectPopup
- window dismissChangeRelatedObjectPopup = dismissChangeRelatedObjectPopup
- window dismissDeleteRelatedObjectPopup = dismissDeleteRelatedObjectPopup
- window showAddAnotherPopup = showRelatedObjectPopup
- window dismissAddAnotherPopup = dismissAddRelatedObjectPopup
- · django jQuery

#### 6.9.1 Function Documentation

6.9.1.1 function dismissAddRelatedObjectPopup ( win, newId, newRepr )

Definition at line 86 of file RelatedObjectLookups.js.

6.9.1.2 function dismissChangeRelatedObjectPopup ( win, objld, newRepr, newld )

Definition at line 115 of file RelatedObjectLookups.js.

6.9.1.3 function dismissDeleteRelatedObjectPopup ( win, objld )

Definition at line 130 of file RelatedObjectLookups.js.

6.9.1.4 function dismissRelatedLookupPopup ( win, chosenId )

Definition at line 54 of file RelatedObjectLookups.js.

6.9.1.5 function html\_unescape ( text )

Definition at line 8 of file RelatedObjectLookups.js.

6.9.1.6 function id\_to\_windowname ( text )

Definition at line 22 of file RelatedObjectLookups.js.

- 6.9.1.7 document ready ( function(){\$('body').on('click', '.related-widget-wrapper-link', function(e){e.prevent-Default();if(this.href){var event=\$.Event('django:show-related',{href:this.href});\$(this).trigger(event);if(!event.-isDefaultPrevented()){showRelatedObjectPopup(this);}});\$('body').on('change', '.related-widget-wrapper select', function(e){var event=\$.Event('django:update-related');\$(this).trigger(event);if(!event.isDefault-Prevented()){updateRelatedObjectLinks(this);}});\$('.related-widget-wrapper select').trigger('change');}
- 6.9.1.8 function showAdminPopup ( triggeringLink, name\_regexp, add\_popup )

Definition at line 34 of file RelatedObjectLookups.js.

6.9.1.9 function showRelatedObjectLookupPopup ( triggeringLink )

Definition at line 50 of file RelatedObjectLookups.js.

6.9.1.10 function showRelatedObjectPopup ( triggeringLink )

Definition at line 65 of file RelatedObjectLookups.js.

6.9.1.11 function updateRelatedObjectLinks ( triggeringLink )

Definition at line 69 of file RelatedObjectLookups.js.

6.9.1.12 function windowname\_to\_id ( text )

Definition at line 28 of file RelatedObjectLookups.js.

6.9.2 Variable Documentation

6.9.2.1 window dismissAddAnotherPopup = dismissAddRelatedObjectPopup

Definition at line 158 of file RelatedObjectLookups.js.

6.9.2.2 window dismissAddRelatedObjectPopup = dismissAddRelatedObjectPopup

Definition at line 152 of file RelatedObjectLookups.js.

6.9.2.3 window dismissChangeRelatedObjectPopup = dismissChangeRelatedObjectPopup

Definition at line 153 of file RelatedObjectLookups.js.

6.9.2.4 window dismissDeleteRelatedObjectPopup = dismissDeleteRelatedObjectPopup

Definition at line 154 of file RelatedObjectLookups.js.

6.9.2.5 window dismissRelatedLookupPopup = dismissRelatedLookupPopup

Definition at line 149 of file RelatedObjectLookups.js.

6.9.2.6 window html\_unescape = html\_unescape

Definition at line 144 of file RelatedObjectLookups.js.

6.9.2.7 window id\_to\_windowname = id\_to\_windowname

Definition at line 145 of file RelatedObjectLookups.js.

6.9.2.8 django jQuery

Definition at line 181 of file RelatedObjectLookups.js.

6.9.2.9 window showAddAnotherPopup = showRelatedObjectPopup

Definition at line 157 of file RelatedObjectLookups.js.

6.9.2.10 window showRelatedObjectLookupPopup = showRelatedObjectLookupPopup

Definition at line 148 of file RelatedObjectLookups.js.

6.9.2.11 window showRelatedObjectPopup = showRelatedObjectPopup

Definition at line 150 of file RelatedObjectLookups.js.

6.9.2.12 window updateRelatedObjectLinks = updateRelatedObjectLinks

Definition at line 151 of file RelatedObjectLookups.js.

6.9.2.13 window windowname\_to\_id = windowname\_to\_id

Definition at line 146 of file RelatedObjectLookups.js.

## 6.10 static/admin/js/calendar.js File Reference

#### **Functions**

• function Calendar (div\_id, callback, selected)

## **Variables**

- · var CalendarNamespace
- · Calendar prototype
- window Calendar = Calendar

#### 6.10.1 Function Documentation

6.10.1.1 function Calendar ( div\_id, callback, selected )

Definition at line 119 of file calendar.js.

## 6.10.2 Variable Documentation

6.10.2.1 window Calendar = Calendar

Definition at line 177 of file calendar.js.

6.10.2.2 var CalendarNamespace

Definition at line 10 of file calendar.js.

#### 6.10.2.3 Calendar prototype

Definition at line 134 of file calendar.js.

## 6.11 static/admin/js/collapse.js File Reference

#### **Functions**

function document ready (function(){\$("fieldset.collapse").each(function(i, elem){if(\$(elem).find("div.-errors").length===0){\$(elem).addClass("collapsed").find("h2").first().append('(< a id="fieldsetcollapser' + i + '"class="collapse-toggle"href="#">'+gettext("Show")+ '</a >)');}});\$("fieldset.collapse a.collapse-toggle").click(function(ev){if(\$(this).closest("fieldset").hasClass("collapsed"))}{\$(this).text(gettext("Hide")).closest("fieldset").remcClass("collapsed").trigger("show.fieldset", [\$(this).attr("id")]);}else{\$(this).text(gettext("Show")).closest("fieldset").add-Class("collapsed").trigger("hide.fieldset", [\$(this).attr("id")]);}return false;});})

#### **Variables**

· django jQuery

#### 6.11.1 Function Documentation

```
6.11.1.1 function document ready ( function(){$("fieldset.collapse").each(function(i, elem){if($(elem).find("div.errors").length===0){$(elem).addClass("collapsed").find("h2").first().append('(< a id="fieldsetcollapser' + i + '"class="collapse-toggle"href="#">'+gettext("Show")+ '</a >)');}});$("fieldset.collapse a.collapse-toggle").click(function(ev){if($(this).closest("fieldset").has-Class("collapsed")){$(this).text(gettext("Hide")).closest("fieldset").removeClass("collapsed").trigger("show.fieldset", [$(this).attr("id")]);}else{$(this).text(gettext("Show")).closest("fieldset").addClass("collapsed").trigger("hide.fieldset", [$(this).attr("id")]);}return false;});})
```

## 6.11.2 Variable Documentation

## 6.11.2.1 django jQuery

Definition at line 26 of file collapse.js.

## 6.12 static/admin/js/collapse.min.js File Reference

#### **Variables**

· function a

#### 6.12.1 Variable Documentation

#### 6.12.1.1 function a

### Initial value:

Definition at line 1 of file collapse.min.js.

## 6.13 static/admin/js/core.js File Reference

## **Functions**

- function addEvent (obj, evType, fn)
- function removeEvent (obj, evType, fn)
- function cancelEventPropagation (e)
- function quickElement ()
- function removeChildren (a)
- if (!xmlhttp &&typeof XMLHttpRequest!== 'undefined')
- function findPosX (obj)
- function findPosY (obj)
- function getStyle (oElm, strCssRule)

#### **Variables**

- var isOpera = (navigator.userAgent.indexOf("Opera") >= 0) && parseFloat(navigator.appVersion)
- var isIE = ((document.all) && (!isOpera)) && parseFloat(navigator.appVersion.split("MSIE ")[1].split(";")[0])
- var xmlhttp
- function Date prototype getTwelveHours
- Date prototype getTwoDigitMonth
- Date prototype getTwoDigitDate
- Date prototype getTwoDigitTwelveHour
- Date prototype getTwoDigitHour
- Date prototype getTwoDigitMinute
- · Date prototype getTwoDigitSecond
- · Date prototype getHourMinute
- Date prototype getHourMinuteSecond
- Date prototype strftime
- String prototype pad left
- String prototype strptime

## 6.13.1 Function Documentation

6.13.1.1 function addEvent ( obj, evType, fn )

Definition at line 8 of file core.js.

6.13.1.2 function cancelEventPropagation ( e )

Definition at line 34 of file core.js.

6.13.1.3 function findPosX ( obj )

Definition at line 96 of file core.js.

6.13.1.4 function findPosY ( obj )

Definition at line 114 of file core.js.

```
6.13.1.5 function getStyle ( oElm, strCssRule )
```

Definition at line 253 of file core.js.

```
6.13.1.6 if ( !xmlhttp &&typeof XMLHttpRequest! = = ' undefined' )
```

Definition at line 88 of file core.js.

```
6.13.1.7 function quickElement ( )
```

Definition at line 46 of file core.js.

```
6.13.1.8 function removeChildren ( a )
```

Definition at line 62 of file core.js.

```
6.13.1.9 function removeEvent ( obj, evType, fn )
```

Definition at line 21 of file core.js.

#### 6.13.2 Variable Documentation

## 6.13.2.1 Date prototype getHourMinute

#### Initial value:

```
= function() {
    return this.getTwoDigitHour() + ':' + this.
    getTwoDigitMinute();
}
```

Definition at line 171 of file core.js.

## 6.13.2.2 Date prototype getHourMinuteSecond

#### Initial value:

```
= function() {
    return this.getTwoDigitHour() + ':' + this.
    getTwoDigitMinute() + ':' + this.getTwoDigitSecond();
}
```

Definition at line 175 of file core.js.

## 6.13.2.3 function Date prototype getTwelveHours

#### Initial value:

```
= function() {
    var hours = this.getHours();
    if (hours === 0) {
        return 12;
    }
    else {
        return hours <= 12 ? hours : hours - 12;
    }
}</pre>
```

Definition at line 137 of file core.js.

#### 6.13.2.4 Date prototype getTwoDigitDate

#### Initial value:

```
= function() {
     return (this.getDate() < 10) ? '0' + this.getDate() : this.getDate();
}</pre>
```

Definition at line 151 of file core.js.

#### 6.13.2.5 Date prototype getTwoDigitHour

#### Initial value:

```
= function() {
     return (this.getHours() < 10) ? '0' + this.getHours() : this.getHours();
}</pre>
```

Definition at line 159 of file core.js.

## 6.13.2.6 Date prototype getTwoDigitMinute

#### Initial value:

```
= function() {
         return (this.getMinutes() < 10) ? '0' + this.getMinutes() : this.getMinutes();
}</pre>
```

Definition at line 163 of file core.js.

#### 6.13.2.7 Date prototype getTwoDigitMonth

## Initial value:

```
= function() {
    return (this.getMonth() < 9) ? '0' + (this.getMonth() + 1) : (this.getMonth() + 1);
}</pre>
```

Definition at line 147 of file core.js.

## 6.13.2.8 Date prototype getTwoDigitSecond

## Initial value:

```
= function() {
     return (this.getSeconds() < 10) ? '0' + this.getSeconds() : this.getSeconds();
}</pre>
```

Definition at line 167 of file core.js.

## 6.13.2.9 Date prototype getTwoDigitTwelveHour

#### Initial value:

```
= function() {
    return (this.getTwelveHours() < 10) ? '0' + this.
    getTwelveHours() : this.getTwelveHours();
}</pre>
```

Definition at line 155 of file core.js.

6.13.2.10 var isIE = ((document.all) && (!isOpera)) && parseFloat(navigator.appVersion.split("MSIE ")[1].split(";")[0])

Definition at line 5 of file core.js.

6.13.2.11 var isOpera = (navigator.userAgent.indexOf("Opera") >= 0) && parseFloat(navigator.appVersion)

Definition at line 4 of file core.js.

#### 6.13.2.12 String prototype pad\_left

#### Initial value:

```
= function(pad_length, pad_string) {
    var new_string = this;
    for (var i = 0; new_string.length < pad_length; i++) {
        new_string = pad_string + new_string;
    }
    return new_string;
}</pre>
```

Definition at line 213 of file core.js.

#### 6.13.2.13 Date prototype strftime

#### Initial value:

```
= function(format) {
          var fields = {
               c: this.toString(),
               d: this.getTwoDigitDate(),
               H: this.getTwoDigitHour(),
               I: this.getTwoDigitTwelveHour(),
               m: this.getTwoDigitMonth(),
               M: this.getTwoDigitMinute(),
p: (this.getHours() >= 12) ? 'PM' : 'AM',
S: this.getTwoDigitSecond(),
w: '0' + this.getDay(),
               x: this.toLocaleDateString(),
                X: this.toLocaleTimeString(),
               y: ('' + this.getFullYear()).substr(2, 4),
Y: '' + this.getFullYear(),
'%': '%'
          var result = '', i = 0;
          while (i < format.length) {</pre>
               if (format.charAt(i) === '%') {
   result = result + fields[format.charAt(i + 1)];
                else {
                     result = result + format.charAt(i);
                ++i;
          return result:
```

Definition at line 179 of file core.js.

## 6.13.2.14 String prototype strptime

## Initial value:

```
= function(format) {
   var split_format = format.split(/[.\-/]/);
   var date = this.split(/[.\-/]/);
   var i = 0;
   var day, month, year;
```

```
while (i < split_format.length) {
    switch (split_format[i]) {
        case "%d":
            day = date[i];
            break;
    case "%m":
            month = date[i] - 1;
            break;
    case "%Y":
            year = date[i];
            break;
    case "%y":
            year = date[i];
            break;
}

return new Date(Date.UTC(year, month, day));</pre>
```

Definition at line 221 of file core.js.

6.13.2.15 var xmlhttp

Definition at line 73 of file core.js.

## 6.14 static/admin/js/inlines.js File Reference

## **Variables**

- · function fn formset
- · fn formset defaults
- fn tabularFormset
- fn stackedFormset
- django jQuery

## 6.14.1 Variable Documentation

## 6.14.1.1 fn formset defaults

#### Initial value:

```
prefix: "form",
   addText: "add another",
   deleteText: "remove",
   addCssClass: "add-row",
   deleteCssClass: "delete-row",
   emptyCssClass: "empty-row",
   formCssClass: "dynamic-form",
   added: null,
   removed: null
```

Definition at line 131 of file inlines.js.

#### 6.14.1.2 function fn formset

Django admin inlines

Based on jQuery Formset 1.1

**Author** 

Stanislaus Madueke (stan DOT madueke AT gmail DOT com) jQuery 1.2.6 or later

Copyright (c) 2009, Stanislaus Madueke All rights reserved.

Spiced up with Code from Zain Memon's GSoC project 2009 and modified for Django by Jannis Leidel, Travis Swicegood and Julien Phalip.

Licensed under the New BSD License See: http://www.opensource.org/licenses/bsd-license.-php

Definition at line 20 of file inlines.js.

6.14.1.3 django jQuery

Definition at line 275 of file inlines.js.

6.14.1.4 fn stackedFormset

Definition at line 211 of file inlines.js.

6.14.1.5 fn tabularFormset

Definition at line 145 of file inlines.js.

## 6.15 static/admin/js/inlines.min.js File Reference

#### **Variables**

- function b
- b fn formset defaults ={prefix:"form",addText:"add another",deleteText:"remove",addCssClass:"addrow",deleteCssClass:"delete-row",emptyCssClass:"empty-row",formCssClass:"dynamic-form",added:null,removed:null}
- b fn tabularFormset
- · b fn stackedFormset

## 6.15.1 Variable Documentation

#### 6.15.1.1 function b

#### Initial value:

```
.val()&&m.parent().hide();g.find("a."+a.deleteCssClass).click(function(c){c.preventDefault();g.remove();--l;
a.removed&&a.removed(g);b(document).trigger("formset:removed",[g,a.prefix]);c=b("."+a.formCssClass);
b("#id_"+a.prefix+"-TOTAL_FORMS").val(c.length);(""===f.val()||0<f.val()-c.length)&&m.parent().show();var
d,e,h=function(){k(this,a.prefix,d)};d=0;for(e=c.length;d<e;d++)k(b(c).get(d),a.prefix,d),b(c.get(d)).find("*").each(h)});a.added&&a.added(g);b(document).trigger("formset:added",[g,a.prefix]))}return this}</pre>
```

Definition at line 1 of file inlines.min.js.

6.15.1.2 b fn formset defaults ={prefix:"form",addText:"add another",deleteText:"remove",addCssClass:"add-row",deleteCss-Class:"delete-row",emptyCssClass:"empty-row",formCssClass:"dynamic-form",added:null,removed:null}

Definition at line 5 of file inlines.min.js.

#### 6.15.1.3 b fn stackedFormset

#### Initial value:

Definition at line 7 of file inlines.min.js.

## 6.15.1.4 b fn tabularFormset

#### Initial value:

Definition at line 5 of file inlines.min.js.

## 6.16 static/admin/js/jquery.init.js File Reference

## **Variables**

- var django = django || {}
- django jQuery = jQuery.noConflict(true)

#### 6.16.1 Variable Documentation

6.16.1.1 var django = django || {}

Definition at line 7 of file jquery.init.js.

6.16.1.2 django jQuery = jQuery.noConflict(true)

Definition at line 8 of file jquery.init.js.

## 6.17 static/admin/js/prepopulate.js File Reference

#### **Variables**

- · function fn prepopulate
- · django jQuery

#### 6.17.1 Variable Documentation

6.17.1.1 django jQuery

Definition at line 42 of file prepopulate.js.

6.17.1.2 function fn prepopulate

Definition at line 4 of file prepopulate.js.

## 6.18 static/admin/js/prepopulate.min.js File Reference

## **Variables**

• function c {c.fn.prepopulate=function(e,f,g){return this.each(function()}{var a=c(this),b=function()}{if(!a.-data("\_changed"))}{var b=[];c.each(e,function(a,d){d=c(d);0}<d.val().length&&b.push(d.val())});a.val(U-RLify(b.join(" "),f,g))}{;a.data("\_changed",!1);a.change(function(){a.data("\_changed",!0)});a.val()||c(e.-join(",")).keyup(b).change(b).focus(b)}))})(django.jQuery)

#### 6.18.1 Variable Documentation

6.18.1.1 function c {c.fn.prepopulate=function(e,f,g){return this.each(function(){var a=c(this),b=function(){if(!a.data("-changed")){var b=[];c.each(e,function(a,d){d=c(d);0}<d.val().length&&b.push(d.val())});a.val(URLify(b.join(" "),f,g))}};a.data("\_changed",!1);a.change(function(){a.data("\_changed",!0)});a.val()||c(e.join(",")).keyup(b).change(b).focus(b))})})(django.jQuery)

Definition at line 1 of file prepopulate.min.js.

## 6.19 static/admin/js/SelectBox.js File Reference

#### **Variables**

var SelectBox

## 6.19.1 Variable Documentation

### 6.19.1.1 window SelectBox

Definition at line 3 of file SelectBox.js.

# 6.20 static/admin/js/SelectFilter2.js File Reference

### **Functions**

• function findForm (node)

## **Variables**

- window SelectFilter
- · django jQuery

## 6.20.1 Function Documentation

6.20.1.1 function findForm ( node )

Definition at line 9 of file SelectFilter2.js.

## 6.20.2 Variable Documentation

6.20.2.1 django jQuery

Definition at line 198 of file SelectFilter2.js.

6.20.2.2 window SelectFilter

Definition at line 17 of file SelectFilter2.js.

# 6.21 static/admin/js/timeparse.js File Reference

## **Functions**

• function parseTimeString (s)

# **Variables**

- var timeParsePatterns
- window parseTimeString = parseTimeString

## 6.21.1 Function Documentation

6.21.1.1 function parseTimeString ( s )

Definition at line 93 of file timeparse.js.

### 6.21.2 Variable Documentation

6.21.2.1 window parseTimeString = parseTimeString

Definition at line 105 of file timeparse.js.

6.21.2.2 var timeParsePatterns

Definition at line 3 of file timeparse.js.

# 6.22 static/admin/js/urlify.js File Reference

### **Functions**

- function downcode (slug)
- function URLify (s, num\_chars, allowUnicode)

### **Variables**

- var LATIN\_MAP
- var LATIN SYMBOLS MAP
- var GREEK\_MAP
- var TURKISH\_MAP
- var ROMANIAN MAP
- var RUSSIAN\_MAP
- var UKRAINIAN\_MAP
- var CZECH MAP
- var POLISH\_MAP
- var LATVIAN\_MAP
- var ARABIC MAP
- var LITHUANIAN\_MAP
- var SERBIAN\_MAP
- var AZERBAIJANI\_MAP
- var ALL\_DOWNCODE\_MAPS
- var Downcoder
- window URLify = URLify

### 6.22.1 Function Documentation

6.22.1.1 function downcode ( slug )

Definition at line 136 of file urlify.js.

6.22.1.2 function URLify ( s, num\_chars, allowUnicode )

Definition at line 144 of file urlify.js.

## 6.22.2 Variable Documentation

## 6.22.2.1 var ALL\_DOWNCODE\_MAPS

#### Initial value:

Definition at line 95 of file urlify.js.

6.22.2.2 var ARABIC\_MAP

#### Initial value:

Definition at line 73 of file urlify.js.

6.22.2.3 var AZERBAIJANI\_MAP

## Initial value:

```
= {
    'ç': 'c', '': 'e', 'ğ': 'g', 'ı': 'i', 'ö': 'o', 'ş': 's', 'ü': 'u',
    'Ç': 'C', '': 'E', 'Ğ': 'G', 'İ': 'I', 'Ö': 'O', 'Ş': 'S', 'Ü': 'U'
}
```

Definition at line 90 of file urlify.js.

6.22.2.4 var CZECH\_MAP

### Initial value:

```
 = \{ \\ \text{```c': 'c', 'd'': 'd', '`e': 'e', '`n', '`x': 'r', '`s': 's', 't'': 't', '`u': 'u', '`z': 'z', '`c': 'C', '`n': 'n', '`x': 'r', '`s': 's', 't'': 't', '`n': 'n', '`x': 's', 'x': 's', 'x'
```

Definition at line 56 of file urlify.js.

#### 6.22.2.5 var Downcoder

#### Initial value:

Definition at line 112 of file urlify.js.

### 6.22.2.6 var GREEK\_MAP

#### Initial value:

```
= {

'': 'a', '': 'b', '': 'g', '': 'd', '': 'e', '': 'z', '': 'h',

'': '8', '': 'i', '': 'k', '': 'l', '': 'm', '': 'n', '': '3',

'': 'o', '': 'p', '': 'r', '': 's', '': 't', '': 'y', '': 'f',

'': 'x', '': 'ps', '': 'w', '': 'a', '': 'e', '': 'i', '': 'v',

'': 'y', '': 'h', '': 'w', '': 's', '': 'i', '': 'y', '': 'y',

'': 'i', '': 'A', '': 'B', '': 'G', '': 'D', '': 'E', '': 'Z',

'': 'H', '': '8', '': 'T', '': 'K', '': 'L', '': 'M', '': 'N',

'': '3', '': '0', '': 'P', '': 'R', '': 'S', '': 'T', '': 'Y',

'': 'F', '': 'X', '': 'PS', '': 'W', '': 'A', '': 'E', '': 'I',

'': '0', '': 'Y', '': 'H', '': 'W', '': 'I', '': 'Y'
```

Definition at line 20 of file urlify.js.

### 6.22.2.7 var LATIN\_MAP

## Initial value:

Definition at line 5 of file urlify.js.

#### 6.22.2.8 var LATIN\_SYMBOLS\_MAP

## Initial value:

```
= {
    '©': '(c)'
```

Definition at line 17 of file urlify.js.

6.22.2.9 var LATVIAN\_MAP

Initial value:

```
= {
    '': 'a', 'č': 'c', '': 'e', '': 'g', '': 'i', '': 'k', '': 'l',
    '': 'n', 'š': 's', '': 'u', 'ž': 'z',
    '': 'A', 'č': 'C', '': 'E', '': 'G', '': 'I', '': 'K', '': 'L',
    '': 'N', 'Š': 'S', '': 'U', 'Ž': 'Z'
}
```

Definition at line 67 of file urlify.js.

6.22.2.10 var LITHUANIAN\_MAP

Initial value:

```
= {
    'a': 'a', 'č': 'c', 'e': 'e', '': 'e', '': 'i', 'š': 's', '': 'u',
    '': 'u', 'ž': 'z',
    'A': 'A', 'Č': 'C', 'E': 'E', '': 'E', '': 'I', 'Š': 'S', '': 'U',
    '': 'U', 'Ž': 'Z'
}
```

Definition at line 79 of file urlify.js.

6.22.2.11 var POLISH\_MAP

Initial value:

```
= {
    'a': 'a', 'ć': 'c', 'e': 'e', '\': 'l', '\'i': 'n', '\'o': 'o', '\'s': 's',
    '\'z': 'z', '\'z': 'z',
    '\'A': 'A', '\'c': 'C', '\'E': '\'E', '\'\': 'L', '\'\': 'N', '\'o': 'O', '\'s': 'S',
    '\'z': 'Z', '\'z': 'Z'
}
```

Definition at line 61 of file urlify.js.

6.22.2.12 var ROMANIAN\_MAP

Initial value:

Definition at line 36 of file urlify.js.

6.22.2.13 var RUSSIAN\_MAP

Initial value:

Definition at line 40 of file urlify.js.

6.22.2.14 var SERBIAN MAP

#### Initial value:

```
= {
    '': 'dj', '': 'j', '': 'lj', '': 'nj', '': 'c', '': 'dz',
    'd': 'dj', '': 'Dj', '': 'j', '': 'Lj', '': 'Nj', '': 'C',
    '': 'Dz', 'Đ': 'Dj'
}
```

Definition at line 85 of file urlify.js.

6.22.2.15 var TURKISH MAP

#### Initial value:

```
= {
    '$': 's', '$': 'S', 'ı': 'i', 'İ': 'I', 'ç': 'c', 'Ç': 'C', 'ü': 'u',
    'Ü': 'U', 'ö': 'o', 'Ö': 'O', 'ğ': 'g', 'Ğ': 'G'
}
```

Definition at line 32 of file urlify.js.

6.22.2.16 var UKRAINIAN\_MAP

## Initial value:

Definition at line 52 of file urlify.js.

6.22.2.17 window URLify = URLify

Definition at line 170 of file urlify.js.

# 6.23 static/admin/js/vendor/jquery/jquery.js File Reference

## **Variables**

- · function global
- · function factory

#### 6.23.1 Variable Documentation

6.23.1.1 function factory

Definition at line 15 of file jquery.js.

6.23.1.2 function global

jQuery JavaScript Library v2.1.4 http://jquery.com/

Includes Sizzle.js http://sizzlejs.com/

Copyright 2005, 2014 jQuery Foundation, Inc. and other contributors Released under the MIT license http-://jquery.org/license

Date: 2015-04-28T16:01Z

Definition at line 15 of file jquery.js.

# 6.24 static/admin/js/vendor/jquery/jquery.min.js File Reference

### **Functions**

- !function (a, b)
- n n n extend ({expando:"jQuery"+(m+Math.random()).replace(\D/g,""), isReady:!0, error:function(a){throw new Error(a)}, noop:function(){}, isFunction:function(a){return"function"===n.type(a)}, isArray:Array.isArray, isWindow:function(a){return null!=a &&a===a.window}, isNumeric:function(a){return!n.isArray(a)&&a-parse-Float(a)+1 >=0}, isPlainObject:function(a){return"object"!==n.type(a)||a.nodeType||n.isWindow(a)?!1:a.constructor &&!j.call(a.constructor.prototype,"isPrototypeOf")?!1:!0}, isEmptyObject:function(a){var b;for(b in a) return!1;return!0}, type:function(a){return null==a?a+"":"object"==typeof a||"function"==typeof a?h[i.call(a)]|"object":typeof a}, globalEval:function(a){var b, c=eval;a=n.trim(a), a &&(1===a.indexOf("use strict")?(b=1.createElement("script"), b.text=a, l.head.appendChild(b).parentNode.removeChild(b)):c(a))}, camelCase:function(a){return a.replace(p, "ms-").replace(q, r)}, nodeName:function(a, b){return a.node-Name &&a.nodeName.toLowerCase()===b.toLowerCase()}, each:function(a, b, c){var d, e=0, f=a.length, and b.toLowerCase()}, each:function(a, b, c){var d, e=0, f=a.length, and b.toLowerCase()}, each:function(a, b, c){var d, e=0, f=a.length, and b.toLowerCase()}.  $g=s(a);if(c)\{if(g)\{for(;f>e;e++)\}if(d=b.apply(a[e],c),d===!1)\}$  break $\{e\}$ else  $\{for(e)\}$ eigelse  $\{for(e)\}$ else  $\{for(e)\}$ el break}else if(g)for(f > e;e++) if(d=b.call(a[e], e, a[e]), d===!1) break}else for(e in a) if(d=b.call(a[e], e, a[e]), d===!1) break;return a}, trim:function(a){return null==a?"":(a+"").replace(o,"")}, makeArray:function(a, b){var c=b||[];return null!=a &&(s(Object(a))?n.merge(c,"string"==typeof a?[a]:a):f.call(c, a)), c}, inArray:function(a, b, c){return null==b?-1:g.call(b, a, c)}, merge:function(a, b){for(var c=+b.length, d=0, e=a.length;c >d;d++) a[e++]=b[d]; return a.length=e, a}, grep:function(a, b, c){for(var d, e=[], f=0, g=a.length, h=!c;g >f;f++) d=b(a[f], f), d!=h &e.push(a[f]); return e, map:function(a, b, c){var d, f=0, g=a.length, h=s(a), i=[]; if(h) for(g > f;f++) d=b(a[f], f, c), null!=d &&i.push(d);else for(f in a) d=b(a[f], f, c), null!=d &&i.push(d);return for fine fine for finee.apply([], i)}, guid:1, proxy:function(a, b){var c, e, f;return"string"==typeof b &&(c=a[b], b=a, a=c), n.isFunction(a)?(e=d.call(arguments, 2), f=function(){return a.apply(b||this, e.concat(d.call(arguments)))}, f.guid=a.guid=a.guid||n.guid++, f):void 0}, now:Date.now, support:k})
- n n n each ("Boolean Number String Function Array Date RegExp Object Error".split(" "), function(a, b){h["[object "+b+"]"]=b.toLowerCase()})
- function s (a)

## **Variables**

- undefined =typeof window?window:this
- function a
- function b {var c=[],d=c.slice,e=c.concat,f=c.push,g=c.indexOf,h={},i=h.toString,j=h.hasOwnProperty,k={},l=a.-document,m="2.1.4",n=function(a,b){return new n.fn.init(a,b)},o=/^[\s\uFEFF\xA0]+|[\s\uFEFF\xA0]+\\$/g,p=/^-ms-/,q=/-([\da-z])/gi,r=function(a,b){return b.toUpperCase()}

• n fn =n.prototype={jquery:m,constructor:n,selector:"",length:0,toArray:function(){return d.call(this)},get:function(a){return null!=a?0>a?this[a+this.length]:this[a]:d.call(this)},pushStack:function(a){var b=n.-merge(this.constructor(),a);return b.prevObject=this,b.context=this.context,b},each:function(a,b){return n.-each(this,a,b)},map:function(a){return this.pushStack(n.map(this,function(b,c){return a.call(b,c,b)}))},slice:function(){return this.pushStack(d.apply(this,arguments))},first:function(){return this.eq(0)},last:function(){return this.eq(-1)},eq:function(a){var b=this.length,c=+a+(0>a?b:0);return this.pushStack(c>=0&&b>c?[this[c]]-:[])},end:function(){return this.prevObject||this.constructor(null)},push:f,sort:c.sort,splice:c.splice}

n n extend =n.fn.extend=function(){var a,b,c,d,e,f,g=arguments[0]||{},h=1,i=arguments.length,j=!1;for("boolean"==typeof g&&(j=g,g=arguments[h]||{},h++),"object"==typeof g||n.isFunction(g)||(g={}),h===i&&(g=this,h--);i>h;h++)if(null!=(a=arguments in a)c=g[b],d=a[b],g!==d&&(j&&d&&(n.isPlainObject(d)||(e=n.isArray(d)))?(e?(e=!1,f=c&&n.isArray(c)?c:[])-:f=c&&n.isPlainObject(c)?c:{},g[b]=n.extend(j,f,d)):void 0!==d&&(g[b]=d));return g}

#### 6.24.1 Function Documentation

6.24.1.1 !function ( a, b )

jQuery v2.1.4  $\mid$  (c) 2005, 2015 jQuery Foundation, Inc.  $\mid$  jquery.org/license Definition at line 2 of file jquery.min.js.

- 6.24.1.2 n n n n each ( "Boolean Number String Function Array Date RegExp Object Error". *split"* ", function(a, b){h["[object "+b+"]"]=b.toLowerCase()} )
- 6.24.1.3 n n n extend ( {expando:"jQuery"+(m+Math.random()).replace(\D/g, ""), isReady:!0, error:function(a){throw new Error(a)}, noop:function(){}, isFunction:function(a){return"function"===n.type(a)}, isArray:Array.isArray. isWindow:function(a){return null!=a &&a===a.window}, isNumeric:function(a){return!n.isArray(a)&&a-parseFloat(a)+1 >=0}, isPlainObject:function(a){return"object"!==n.type(a)||a.nodeType||n.isWindow(a)?!1:a.constructor &&!j.call(a.constructor.prototype,"isPrototypeOf")?!1:!0}, isEmptyObject:function(a){var b;for(b in a) return!1;return!0}, type:function(a){return null==a?a+"":"object"==typeof a||"function"==typeof a?h[i.call(a)]||"object":typeof a}, globalEval:function(a){var b, c=eval;a=n.trim(a), a &&(1===a.indexOf("use strict")?(b=l.createElement("script"), b.text=a, I.head.appendChild(b).parentNode.removeChild(b)):c(a))}, camelCase:function(a){return a.replace(p, "ms-").replace(q, r)}, nodeName:function(a, b){return a.nodeName &&a.nodeName.toLowerCase()===b.toLowerCase()}, each:function(a, b, c){var d, e=0, f=a.length, g=s(a);if(c){if(g){for(;f>e;e++) if(d=b.apply(a[e], c), d===!1) break}else for(e in a) if(d=b.apply(a[e], c), d===!1) break}else if(g){for(f > e; e++) if(d=b.call(a[e], e, a[e]), d===!1) break}else for(e=0) in a) if(d=b.call(a[e], e, a[e]), d===!1) break;return a}, trim:function(a){return null==a?"":(a+"").replace(o, "")},  $makeArray: function(a, b)\{var\ c=b \mid []; return\ null!=a\ \&\&(s(Object(a))?n.merge(c, "string"==typeof\ a?[a]:a):f.call(c, a)),\ c\},$ inArray:function(a, b, c){return null==b?-1:g.call(b, a, c)}, merge:function(a, b){for(var c=+b.length, d=0, e=a.length;c >d;d++) a[e++]=b[d];return a.length=e, a}, grep:function(a, b, c){for(var d, e=[], f=0, g=a.length, h=!c;g >f;f++) d=!b(a[f], f), d!==h &&e.push(a[f]);return e}, map:function(a, b, c){var d, f=0, g=a.length, h=s(a), i=[];if(h) for(;g >f;f++) d=b(a[f], f, c), null!=d &&i.push(d);else for(f in a) d=b(a[f], f, c), null!=d &&i.push(d);return e.apply([], i)}, guid:1, proxy:function(a, b){var c, e, f;return"string"==typeof b &&(c=a[b], b=a, a=c), n.isFunction(a)?(e=d.call(arguments, 2), f=function(){return a.apply(b| this, e.concat(d.call(arguments)))}, f.guid=a.guid| n.guid++, f):void 0}, now:Date.now, support:k} )

6.24.1.4 function s ( a )

Definition at line 2 of file jquery.min.js.

## 6.24.2 Variable Documentation

6.24.2.1 function a

Definition at line 2 of file jquery.min.js.

6.24.2.2 function b {var c=[],d=c.slice,e=c.concat,f=c.push,g=c.indexOf,h={},i=h.toString,j=h.hasOwnProperty,k={},l=a.-document,m="2.1.4",n=function(a,b){return new n.fn.init(a,b)},o=/^[\s\uFEFF\xA0]+|[\s\uFEFF\xA0]+|\[\s\uFEFF\xA0]+\[\s\

Definition at line 2 of file jquery.min.js.

6.24.2.3 jQuery easing jQuery jQuery extend =n.fn.extend=function(){var a,b,c,d,e,f,g=arguments[0]||{},h=1,i=arguments.length,j=!1;for("boolean"==typeof g&&(j=g,g=arguments[h]||{},h++),"object"==typeof g||n.isFunction(g)||(g={}),h==i&&(g=this,h--);i>h;h++)if(null!=(a=arguments[h]))for(b in a)c=g[b],d=a[b],g!==d&&(j&d&&(n.isPlainObject(d)||(e=n.isArray(d)))?(e?(e=!1,f=c&&n.is-Array(c)?c:[]):f=c&&n.isPlainObject(c)?c:{},g[b]=n.extend(j,f,d)):void 0!==d&&(g[b]=d));return g}

Definition at line 2 of file jquery.min.js.

6.24.2.4 n fn =n.prototype={jquery:m,constructor:n,selector:"",length:0,toArray:function(){return d.call(this)},get:function(a){return null!=a?0>a?this[a+this.length]:this[a]:d.call(this)},pushStack:function(a){var b=n.merge(this.constructor(),a);return b.prevObject=this,b.context=this.context,b},each:function(a,b){return n.each(this,a,b)},map:function(a){return this.pushStack(n.map(this,function(b,c){return a.call(b,c,b)}))},slice-:function(){return this.pushStack(d.apply(this,arguments))},first:function(){return this.eq(0)},last:function(){return this.eq(-1)},eq:function(a){var b=this.length,c=+a+(0>a?b:0);return this.pushStack(c>=0&&b>c?[this[c]]:[])},end-:function(){return this.prevObject||this.constructor(null)},push:f,sort:c.sort,splice:c.splice}

Definition at line 2 of file jquery.min.js.

6.24.2.5 undefined =typeof window?window:this

Definition at line 2 of file jquery.min.js.

# 6.25 static/admin/js/vendor/xregexp/xregexp.min.js File Reference

## **Functions**

- function i (n)
- function s (n)
- function u (n)
- function f (n)
- function r (n)
- function o (t)
- function e (n)
- n install ("extensibility")
- n n n addUnicodePackage ({L:"0041-005A0061-007A00AA00B500BA00C0-00D600D8-00F600F8-02C102-C6-02D102E0-02E402EC02EE0370-037403760377037A-037D03860388-038A038C038E-03A103A3-03-F503F7-0481048A-05270531-055605590561-058705D0-05EA05F0-05F20620-064A066E066F0671-06-D306D506E506E606EE06EF06FA-06FC06FF07100712-072F074D-07A507B107CA-07EA07F407F507-FA0800-0815081A082408280840-085808A008A2-08AC0904-0939093D09500958-09610971-09770979-097F0985-098C098F09900993-09A809AA-09B009B209B6-09B909BD09CE09DC09DD09DF-09E109-F009F10A05-0A0A0A0F0A100A13-0A280A2A-0A300A320A330A350A360A380A390A59-0A5C0A5E0A72-0A740A85-0A8D0A8F-0A910A93-0AA80AAA-0AB00AB20AB30AB5-0AB90ABD0AD00AE00AE10B05-0-B0C0B0F0B100B13-0B280B2A-0B300B320B330B35-0B390B3D0B5C0B5D0B5F-0B610B710B830B85-0-B8A0B8E-0B900B92-0B950B990B9A0B9C0B9E0B9F0BA30BA40BA8-0BAA0BAE-0BB90BD00C05-0C0-C0C0E-0C100C12-0C280C2A-0C330C35-0C390C3D0C580C590C600C610C85-0C8C0C8E-0C900C92-0-CA80CAA-0CB30CB5-0CB90CBD0CDE0CE00CE10CF10CF20D05-0D0C0D0E-0D100D12-0D3A0D3D0-D4E0D600D610D7A-0D7F0D85-0D960D9A-0DB10DB3-0DBB0DBD0DC0-0DC60E01-0E300E320E330-

E40-0E460E810E820E840E870E880E8A0E8D0E94-0E970E99-0E9F0EA1-0EA30EA50EA70EAA0EAB0-EAD-0EB00EB20EB30EBD0EC0-0EC40EC60EDC-0EDF0F000F40-0F470F49-0F6C0F88-0F8C1000-102-A103F1050-1055105A-105D106110651066106E-10701075-1081108E10A0-10C510C710CD10D0-10F-A10FC-1248124A-124D1250-12561258125A-125D1260-1288128A-128D1290-12B012B2-12B512B8-12B-E12C012C2-12C512C8-12D612D8-13101312-13151318-135A1380-138F13A0-13F41401-166C166F-167-F1681-169A16A0-16EA1700-170C170E-17111720-17311740-17511760-176C176E-17701780-17B317-D717DC1820-18771880-18A818AA18B0-18F51900-191C1950-196D1970-19741980-19AB19C1-19C71-A00-1A161A20-1A541AA71B05-1B331B45-1B4B1B83-1BA01BAE1BAF1BBA-1BE51C00-1C231C4D-1-C4F1C5A-1C7D1CE9-1CEC1CEE-1CF11CF51CF61D00-1DBF1E00-1F151F18-1F1D1F20-1F451F48-1-F4D1F50-1F571F591F5B1F5D1F5F-1F7D1F80-1FB41FB6-1FBC1FBE1FC2-1FC41FC6-1FCC1FD0-1-FD31FD6-1FDB1FE0-1FEC1FF2-1FF41FF6-1FFC2071207F2090-209C21022107210A-211321152119-211D212421262128212A-212D212F-2139213C-213F2145-2149214E218321842C00-2C2E2C30-2C5E2-C60-2CE42CEB-2CEE2CF22CF32D00-2D252D272D2D2D30-2D672D6F2D80-2D962DA0-2DA62DA8-2D-AE2DB0-2DB62DB8-2DBE2DC0-2DC62DC8-2DCE2DD0-2DD62DD8-2DDE2E2F300530063031-3035303-B303C3041-3096309D-309F30A1-30FA30FC-30FF3105-312D3131-318E31A0-31BA31F0-31FF3400-4D-B54E00-9FCCA000-A48CA4D0-A4FDA500-A60CA610-A61FA62AA62BA640-A66EA67F-A697A6A0-A6-E5A717-A71FA722-A788A78B-A78EA790-A793A7A0-A7AAA7F8-A801A803-A805A807-A80AA80C-A822-A840-A873A882-A8B3A8F2-A8F7A8FBA90A-A925A930-A946A960-A97CA984-A9B2A9CFAA00-AA28A-A40-AA42AA44-AA4BAA60-AA76AA7AAA80-AAAFAAB1AAB5AAB6AAB9-AABDAAC0AAC2AADB-AADD-AAE0-AAEAAAF2-AAF4AB01-AB06AB09-AB0EAB11-AB16AB20-AB26AB28-AB2EABC0-ABE2AC00-D7-A3D7B0-D7C6D7CB-D7FBF900-FA6DFA70-FAD9FB00-FB06FB13-FB17FB1DFB1F-FB28FB2A-FB36F-B38-FB3CFB3EFB40FB41FB43FB44FB46-FBB1FBD3-FD3DFD50-FD8FFD92-FDC7FDF0-FDFBFE70-F-E74FE76-FEFCFF21-FF3AFF41-FF5AFF66-FFBEFFC2-FFC7FFCA-FFCFFD2-FFD7FFDA-FFDC"},{L:"-

- n n n n addToken ( $(([pP])\{((^?)([^])*)\}$ , function(n, r){var f=n[1]==="P"||n[2]?"^":"", u=i(n[3]);if(n[1]==="P"&&n[2]) throw new SyntaxError("invalid double negation  $(p{^n})$ ;if(!t.hasOwnProperty(u)) throw new Syntax-Error("invalid or unknown Unicode property "+n[0]);return r==="class"?f?e(u):t[u]:"["+f+t[u]+"]"},{scope:"all"})}(XRegExp)
- if (In.addUnicodePackage) throw new ReferenceError("Unicode Base must be loaded before Unicode Categories")
- n n addUnicodePackage ({Arabic:"0600-06040606-060B060D-061A061E0620-063F0641-064A0656-065-E066A-066F0671-06DC06DE-06FF0750-077F08A008A2-08AC08E4-08FEFB50-FBC1FBD3-FD3DFD50--FD8FFD92-FDC7FDF0-FDFCFE70-FE74FE76-FEFC". Armenian: "0531-05560559-055F0561-0587058-A058FFB13-FB17", Balinese: "1B00-1B4B1B50-1B7C", Bamum: "A6A0-A6F7", Batak: "1BC0-1BF31BF-Bengali:"0981-09830985-098C098F09900993-09A809AA-09B009B209B6-09B909BC-09C409-C709C809CB-09CE09D709DC09DD09DF-09E309E6-09FB", Bopomofo: "02EA02EB3105-312D31A0-31-BA", Braille: "2800-28FF", Buginese: "1A00-1A1B1A1E1A1F", Buhid: "1740-1753", Canadian\_Aboriginal-:"1400-167F18B0-18F5", Cham:"AA00-AA36AA40-AA4DAA50-AA59AA5C-AA5F", Cherokee:"13A0-13-Common: "0000-0040005B-0060007B-00A900AB-00B900BB-00BF00D700F702B9-02DF02E5-02-E902EC-02FF0374037E038503870589060C061B061F06400660-066906DD096409650E3F0FD5-0FD810-FB16EB-16ED173517361802180318051CD31CE11CE9-1CEC1CEE-1CF31CF51CF62000-200B200E-2064206A-20702074-207E2080-208E20A0-20B92100-21252127-2129212C-21312133-214D214F-215-F21892190-23F32400-24262440-244A2460-26FF2701-27FF2900-2B4C2B50-2B592E00-2E3B2FF0-2F-FB3000-300430063008-30203030-3037303C-303F309B309C30A030FB30FC3190-319F31C0-31E33220-325F327F-32CF3358-33FF4DC0-4DFFA700-A721A788-A78AA830-A839FD3EFD3FFDFDFE10-FE19F-E30-FE52FE54-FE66FE68-FE6BFEFFF01-FF20FF3B-FF40FF5B-FF65FF70FF9EFF9FFE0-FFE6FF-E8-FFEEFFF9-FFFD", Coptic: "03E2-03EF2C80-2CF32CF9-2CFF", Cyrillic: "0400-04840487-05271D2B1-D782DE0-2DFFA640-A697A69F", Devanagari:"0900-09500953-09630966-09770979-097FA8E0-A8FB", Ethiopic:"1200-1248124A-124D1250-12561258125A-125D1260-1288128A-128D1290-12B012B2-12B512-B8-12BE12C012C2-12C512C8-12D612D8-13101312-13151318-135A135D-137C1380-13992D80-2D962-DA0-2DA62DA8-2DAE2DB0-2DB62DB8-2DBE2DC0-2DC62DC8-2DCE2DD0-2DD62DD8-2DDEAB01-A-Georgian: "10A0-10C510C710CD10D0-10FA10F-B06AB09-AB0EAB11-AB16AB20-AB26AB28-AB2E". C-10FF2D00-2D252D272D2D", Glagolitic:"2C00-2C2E2C30-2C5E", Greek:"0370-03730375-0377037A-037D038403860388-038A038C038E-03A103A3-03E103F0-03FF1D26-1D2A1D5D-1D611D66-1D6A1DB-F1F00-1F151F18-1F1D1F20-1F451F48-1F4D1F50-1F571F591F5B1F5D1F5F-1F7D1F80-1FB41FB6-1F-C41FC6-1FD31FD6-1FDB1FDD-1FEF1FF2-1FF41FF6-1FFE2126", Gujarati: "0A81-0A830A85-0A8D0A8-F-0A910A93-0AA80AAA-0AB00AB20AB30AB5-0AB90ABC-0AC50AC7-0AC90ACB-0ACD0AD00AE0-0A-E30AE6-0AF1", Gurmukhi: "0A01-0A030A05-0A0A0A0F0A100A13-0A280A2A-0A300A320A330A350A360-

A380A390A3C0A3E-0A420A470A480A4B-0A4D0A510A59-0A5C0A5E0A66-0A75", Han: "2E80-2E992E9-B-2EF32F00-2FD5300530073021-30293038-303B3400-4DB54E00-9FCCF900-FA6DFA70-FAD9", Hangul-:"1100-11FF302E302F3131-318E3200-321E3260-327EA960-A97CAC00-D7A3D7B0-D7C6D7CB-D7FB-FFA0-FFBEFFC2-FFC7FFCA-FFCFFD2-FFD7FFDA-FFDC", Hanunoo:"1720-1734", Hebrew:"0591-05-C705D0-05EA05F0-05F4FB1D-FB36FB38-FB3CFB3EFB40FB41FB43FB44FB46-FB4F", Hiragana: "3041-3096309D-309F". Inherited: "0300-036F04850486064B-0655065F0670095109521CD0-1CD21CD4-1C-E01CE2-1CE81CED1CF41DC0-1DE61DFC-1DFF200C200D20D0-20F0302A-302D3099309AFE00-FE0-FFE20-FE26", Javanese: "A980-A9CDA9CF-A9D9A9DEA9DF", Kannada: "0C820C830C85-0C8C0C8E-0C900C92-0CA80CAA-0CB30CB5-0CB90CBC-0CC40CC6-0CC80CCA-0CCD0CD50CD60CDE0CE0-0-CE30CE6-0CEF0CF10CF2", Katakana: "30A1-30FA30FD-30FF31F0-31FF32D0-32FE3300-3357FF66-F-F6FFF71-FF9D", Kayah\_Li:"A900-A92F", Khmer:"1780-17DD17E0-17E917F0-17F919E0-19FF", Lao:"0-E810E820E840E870E880E8A0E8D0E94-0E970E99-0E9F0EA1-0EA30EA50EA70EAA0EAB0EAD-0EB90-EBB-0EBD0EC0-0EC40EC60EC8-0ECD0ED0-0ED90EDC-0EDF", Latin:"0041-005A0061-007A00AA00-BA00C0-00D600D8-00F600F8-02B802E0-02E41D00-1D251D2C-1D5C1D62-1D651D6B-1D771D79-1DB-E1E00-1EFF2071207F2090-209C212A212B2132214E2160-21882C60-2C7FA722-A787A78B-A78EA790--A793A7A0-A7AAA7F8-A7FFFB00-FB06FF21-FF3AFF41-FF5A", Lepcha:"1C00-1C371C3B-1C491C4D-1-C4F", Limbu:"1900-191C1920-192B1930-193B19401944-194F", Lisu:"A4D0-A4FF", Malayalam:"0D020-D030D05-0D0C0D0E-0D100D12-0D3A0D3D-0D440D46-0D480D4A-0D4E0D570D60-0D630D66-0D750-D79-0D7F", Mandaic:"0840-085B085E", Meetei\_Mayek:"AAE0-AAF6ABC0-ABEDABF0-ABF9", Mongolian-:"1800180118041806-180E1810-18191820-18771880-18AA", Myanmar:"1000-109FAA60-AA7B", New Tai-Lue:"1980-19AB19B0-19C919D0-19DA19DE19DF", Nko:"07C0-07FA", Ogham:"1680-169C", Ol Chiki:"1-C50-1C7F". Oriya: "0B01-0B030B05-0B0C0B0F0B100B13-0B280B2A-0B300B320B330B35-0B390B3C-0-B440B470B480B4B-0B4D0B560B570B5C0B5D0B5F-0B630B66-0B77", Phags\_Pa:"A840-A877", Rejang:"-A930-A953A95F", Runic: "16A0-16EA16EE-16F0", Samaritan: "0800-082D0830-083E", Saurashtra: "A880--A8C4A8CE-A8D9", Sinhala: "0D820D830D85-0D960D9A-0DB10DB3-0DBB0DBD0DC0-0DC60DCA0DC-F-0DD40DD60DD8-0DDF0DF2-0DF4", Sundanese: "1B80-1BBF1CC0-1CC7", Syloti\_Nagri: "A800-A82B", Syriac:"0700-070D070F-074A074D-074F", Tagalog:"1700-170C170E-1714", Tagbanwa:"1760-176C176-E-177017721773", Tai Le:"1950-196D1970-1974", Tai Tham:"1A20-1A5E1A60-1A7C1A7F-1A891A90-1A991AA0-1AAD", Tai Viet:"AA80-AAC2AADB-AADF", Tamil:"0B820B830B85-0B8A0B8E-0B900B92-0-B950B990B9A0B9C0B9E0B9F0BA30BA40BA8-0BAA0BAE-0BB90BBE-0BC20BC6-0BC80BCA-0BCD0B-D00BD70BE6-0BFA", Telugu: "0C01-0C030C05-0C0C0C0E-0C100C12-0C280C2A-0C330C35-0C390C3D-0C440C46-0C480C4A-0C4D0C550C560C580C590C60-0C630C66-0C6F0C78-0C7F", Thaana: "0780-07-B1", Thai:"0E01-0E3A0E40-0E5B", Tibetan:"0F00-0F470F49-0F6C0F71-0F970F99-0FBC0FBE-0FCC0F-CE-0FD40FD90FDA", Tifinagh:"2D30-2D672D6F2D702D7F", Vai:"A500-A62B", Yi:"A000-A48CA490-A4-C6"})})(XRegExp)

- function t (n, t, i, r)
- function t (t)
- function t (n, t)

### **Variables**

 var XRegExp =XRegExp||function(n){"use strict";function v(n,i,r){var u;for(u in t.prototype)t.prototype.hasOwnProperty(u)&&(n[u]=t.prototype[u]);return n.xregexp={captureNames:i,isNative:!!r},n}function  $g(n) \{ return(n.global?"g":"") + (n.ignoreCase?"i":"") + (n.multiline?"m":"") + (n.extended?"x":"") + (n.sticky?"y"-n.extended?"x":"") + (n.extended?"x":"") + (n.extended?"x"$ :"")}function o(n,r,u){if(!t.isRegExp(n))throw new TypeError("type RegExp expected");var f=i.replace.call(g(n)+(r||""),h,""); return u&&(f=i.replace.call(f,new RegExp("["+u+"]+","g"),"")),n=n.xregexp&&!n.xregexp.isNative?v(t(n.source,f),n.xregexp.captureNames?n.xregexp.captureNames.slice(0):null):v(new RegExp(n.source,f),null,l0)}function a(n,t){var i=n.length;if(Array.prototype.lastIndexOf)return n.lastIndexOf(t);while(i--)if(n[i]===t)return i;return-1}function s(n,t){return Object.prototype.toString.call(n).toLowerCase()==="[object d(n){return n=n||{},n==="all"||n.all?n={natives:!0,extensibility:!0}:s(n,"string")&&(n=t.for- $Each(n,/[^{\\\}]+/,function(n)\{this[n]=!0\},\{\})),n\}function \quad ut(n,t,i,u)\{var \quad o=p.length,s=null,e,f;y=!0:trv\{while(o-this[n]=!0\},f\})),n\}function \quad ut(n,t,i,u)\{var \quad o=p.length,s=null,e,f;y=!0:trv\{while(o-this[n]=!0\},f])),n\}function \quad ut(n,t,i,u)\{var \quad o=p.length,s=null,e,f;y=!0:trv\{while(o-this[n]=!0],f])),n\}function \quad ut(n,t,i,u)\{var \quad o=p.length,s=null,e,f])$ ) if (f = p[o], (f.scope = = = "all" | |f.scope = = = i) & (!f.trigger | |f.trigger.call(u)) & (f.pattern.lastIndex = t, e = r.exec.call(f.-r.exec.call(t.pattern,n),e&&e.index===t)){s={output:f.handler.call(u,e,i),match:e};break}}catch(h){throw h;}finally{y=!1}return b(n){t.addToken=c[n?"on":"off"],f.extensibility=n}function tt(n){RegExp.prototype.exec=(n?r-:i).exec,RegExp.prototype.test=(n?r:i).test,String.prototype.match=(n?r:i).match,String.prototype.replace=(n?r-:i).replace,String.prototype.split=(n?r:i).split,f.natives=n}var t,c,u,f={natives:!1,extensibility:!1},i={exec:Reg-Exp.prototype.exec,test:RegExp.prototype.test,match:String.prototype.match,replace:String.prototype.-

```
S]))/g,h=/([\s\S])(?=[\s\S]*\1)/g,nt=/^(?:[?*+]|\{\d+(?:,\d*)?\})\],ft=i.exec.call(/()\,"")[1]===n,l=RegExp.prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,prototype.-1,p
sticky!==n,y=!1,w="gim"+(I?"y":"");return t=function(r,u)\{if(t.isRegExp(r))\{if(u!==n)throw new TypeError("can't is the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the funct
supply flags when constructing one RegExp from another");return o(r)}if(y)throw new Error("can't call the
XRegExp constructor within token definition functions");var I=[],a=e,b={hasNamedCapture:!1,captureNames-
                                                                                                                                                                                                                                                            u.indexOf(n) > -1},f=0,c,s,p;if(r=r===n?"":String(r),u=u===n?"":String(u),i.-1
:[],hasFlag:function(n){return
match.call(u,h))throw new SyntaxError("invalid duplicate regular expression flag");for(r=i.replace.-
call(r,/^{(n)}(?([w\$]+)))/, function(n,t){if(i.test.call(/[gy]/,t))throw new SyntaxError("can't use flag g or y in mode
modifier"); return \quad u=i.replace.call(u+t,h,""),""\}), t. for Each(u,/[\s\S]/,function(n)\{if(w.indexOf(n[0])<0)throw \quad new \end{tikzpicture} \label{eq:call}
SyntaxError("invalid regular expression flag "+n[0]);});f<r.length;)c=ut(r,f,a,b),c?(l.push(c.output),f+=c.-
match[0].length||1):(s=i.exec.call(it[a],r.slice(f)),s?(l.push(s[0]),f+=s[0].length):(p=r.charAt(f),p==="["?a=rt-length]"),s?(l.push(s[0]),f+=s[0].length||1):(s=i.exec.call(it[a],r.slice(f)),s?(l.push(s[0]),f+=s[0].length||1):(s=i.exec.call(it[a],r.slice(f)),s?(l.push(s[0]),f+=s[0].length||1):(s=i.exec.call(it[a],r.slice(f)),s?(l.push(s[0]),f+=s[0].length||1):(s=i.exec.call(it[a],r.slice(f)),s?(l.push(s[0]),f+=s[0].length||1):(s=i.exec.call(it[a],r.slice(f)),s?(l.push(s[0]),f+=s[0].length||1):(s=i.exec.call(it[a],r.slice(f)),s?(l.push(s[0]),f+=s[0].length||1):(s=i.exec.call(it[a],r.slice(f)),s?(l.push(s[0]),f+=s[0].length||1):(s=i.exec.call(it[a],r.slice(f)),s?(l.push(s[0]),f+=s[0].length||1):(s=i.exec.call(it[a],r.slice(f)),s?(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0],a),s.(l.push(s[0
:p==="]"\&\&(a=e),l.push(p),++f)); return v(new RegExp(l.join(""),i.replace.call(u,/[^\gimy]+/g,"")),b.hasNamed-line (l.join(""),i.replace.call(u,/[^\gimy]+/g,"")),b.hasNamed-line (l.join(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replace.call(""),i.replac
Capture? b. capture Names: null)\}, c=\{on: function(n,t,r)\{r=r||\{\},n\&\&p.push(\{pattern:o(n,"g"+(I?"y":"")),handler-left)\}\})\}, c=\{on: function(n,t,r)\{r=r||\{\},n\&\&p.push(\{pattern:o(n,"g"+(I"y":"")),handler-left)\}\})\}, c=\{on: function(n,t,r)\{r=r||\{\},n\&\&p.push(\{pattern:o(n,"g"+(I"y"),handler-left)\}\})\}, c=\{on: function(n,t,r)\{r=r||\{\},n\&\&p.push(\{pattern:o(n,"g"+(I"y","")),handler-left)\}\})\}, c=\{on: function(n,t,r)\{r=r||\{\},n\&\&p.push(\{pattern:o(n,"g"+(I"y","")),handler-left)\}\})\}, c=\{on: function(n,t,r)\}\}, c=\{on: function(n,t,r)\}\}, c=\{on: function(n,t,r)\}\}, c=\{on: function(n,t,r),handler-left)\}, c=\{on: funct
:t,scope:r.scope||e,trigger:r.trigger||null|),r.customFlags&&(w=i.replace.call(w+r.customFlags,h,""))},off-
:function(){throw new Error("extensibility must be installed before using addToken");}},t.addToken=c.off,t.-
cache=function(n,i)\{var \ r=n+"/"+(i||""); return \ k[r]||(k[r]=t(n,i))\}, t.escape=function(n)\{return \ i.replace.call(n,/[-n])\}||(k[r]=t(n,i))\}||(k[r]=t(n,i))\}||(k[r]=t(n,i))\}||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=t(n,i))||(k[r]=
[]_{()*+?.,\^{\#,s}/g,"\},t.exec=function(n,t,i,u)} e=o(t,"g"+(u&&!?"y":""),u===!1?"y":""),f;return
lastIndex=i=i||0,f=r.exec.call(e,n),u&&f&&f.index!==i&&(f=null),t.global&&(t.lastIndex=f?e.lastIndex:0),f],t.-
for Each = function(n,i,r,u) \\ for(var e=0,o=-1,f;f=t.exec(n,i,e);) \\ r. call(u,f,++o,n,i),e=f.index+(f[0].length||1); \\ return
u,t.globalize=function(n){return o(n,"g")},t.install=function(n){n=d(n),lf.natives&&n.natives&&t.(!0),!f.extensibility&&n.-
extensibility \&\&b(!0)\}, t. is Installed = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!!f[n]\}, t. is RegExp = function(n) \{return!f[n]\}, 
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                s(n,"regexp")},t.-
match Chain=function(n,i) \{return \quad function \quad r(n,u) \{for(var \quad o=i[u]. regex?i[u]: \{regex:i[u]\}, f=[], s=function(n) \{f.-function(n,u), f=[], s=function(n,u) \} \}
push(o.backref?n[o.backref]||"":n[o])\}, e=0; e< n.length; ++e)t.forEach(n[e], o.regex, s); return
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        u===i.length-
1 || \text{!f.length?f:r(f,u+1)}([n],0) \}, \text{t.replace=function(i,u,f,e)} \\ \{ \text{var} \quad \text{c=t.isRegExp(u),s=u,h;return} \\ || \text{t.length?f:r(f,u+1)}([n],0) \}, \text{t.replace=function(i,u,f,e)} \\ \{ \text{var} \quad \text{c=t.isRegExp(u),s=u,h;return} \\ || \text{t.length?f:r(f,u+1)}([n],0) \}, \text{t.replace=function(i,u,f,e)} \\ \{ \text{var} \quad \text{c=t.isRegExp(u),s=u,h;return} \\ || \text{t.length?f:r(f,u+1)}([n],0) \}, \text{t.replace=function(i,u,f,e)} \\ \{ \text{var} \quad \text{c=t.isRegExp(u),s=u,h;return} \\ || \text{t.length?f:r(f,u+1)}([n],0) \}, \text{t.replace=function(i,u,f,e)} \\ \{ \text{var} \quad \text{c=t.isRegExp(u),s=u,h;return} \\ || \text{t.length?f:r(f,u+1)}([n],0) \}, \text{t.replace=function(i,u,f,e)} \\ \{ \text{var} \quad \text{c=t.isRegExp(u),s=u,h;return} \\ || \text{t.length?f:r(f,u+1)}([n],0) \}, \text{t.replace=function(i,u,f,e)} \\ \{ \text{var} \quad \text{c=t.isRegExp(u),s=u,h;return} \\ || \text{t.length?f:r(f,u+1)}([n],0) \}, \text{t.replace=function(i,u,f,e)} \\ \{ \text{var} \quad \text{c=t.isRegExp(u),s=u,h;return} \\ || \text{t.length?f:r(f,u+1)}([n],0) \}, \text{t.replace=function(i,u,f,e)} \\ \{ \text{var} \quad \text{c=t.isRegExp(u),s=u,h;return} \\ || \text{t.length?f:r(f,u+1)}([n],0) \}, \text{t.replace=function(i,u,f,e)} \\ \{ \text{var} \quad \text{c=t.isRegExp(u),s=u,h;return} \\ || \text{var} \quad \text{c=t.isRegExp(u),s=u,h;return} \\ || \text{var} \quad \text{c=t.isRegExp(u),s=u,h;return} \\ || \text{var} \quad \text{c=t.isRegExp(u),s=u,h;return} \\ || \text{var} \quad \text{c=t.isRegExp(u),s=u,h;return} \\ || \text{var} \quad \text{c=t.isRegExp(u),s=u,h;return} \\ || \text{var} \quad \text{c=t.isRegExp(u),s=u,h;return} \\ || \text{var} \quad \text{c=t.isRegExp(u),s=u,h;return} \\ || \text{var} \quad \text{c=t.isRegExp(u),s=u,h;return} \\ || \text{var} \quad \text{c=t.isRegExp(u),s=u,h;return} \\ || \text{var} \quad \text{c=t.isRegExp(u),s=u,h;return} \\ || \text{var} \quad \text{c=t.isRegExp(u),s=u,h;return} \\ || \text{var} \quad \text{c=t.isRegExp(u),s=u,h;return} \\ || \text{var} \quad \text{c=t.isRegExp(u),s=u,h;return} \\ || \text{var} \quad \text{c=t.isRegExp(u),s=u,h;return} \\ || \text{var} \quad \text{c=t.isRegExp(u),s=u,h;return} \\ || \text{var} \quad \text{c=t.isRegExp(u),s=u,h;return} \\ || \text{var} \quad \text{c=t.isRegExp(u),s=u,h;return} \\ || \text{var} \quad \text{c=t.isRegExp(u),s=u,h;return} \\ || \text{var} \quad \text{c=t.isRegExp(u),s=u,h;return} \\ || \text{var} \quad \text{c=t.isRegExp(
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        c?(e===n\&\&u.-
replace.call(String(i),s,f),c&&u.global&&(u.lastIndex=0),h},t.split=function(n,t,i){return
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     r.split.call(n,t,i)},t.-
test=function(n,i,r,u){return!!t.exec(n,i,r,u)},t.uninstall=function(n){n=d(n),f.natives&&n.natives&&tt(!1),f.-
extensibility \& b(!1), t.union = function(n, i) \{var = |-/(()(?!\?)|\([1-9]\d*)|\kspace{1.5} | (?:[^\\\]] | \[s\space{1.5} | (?:[^\\]] | \[s\space{1.5} | (...) | (...) | \[s\space{1.5} | (...) | (...) | \[s\space{1.5} | (...) | (...) | \[s\space{1.5} | (...) | (...) | \[s\space{1.5} | (...) | (...) | \[s\space{1.5} | (...) | (...) | \[s\space{1.5} | (...) | (...) | \[s\space{1.5} | (...) | (...) | \[s\space{1.5} | (...) | (...) | \[s\space{1.5} | (...) | (...) | \[s\space{1.5} | (...) | (...) | \[s\space{1.5} | (...) | (...) | \[s\space{1.5} | (...) | (...) | \[
S])*]/g,o=0,f,h,c=function(n,t,i)\\ var \quad r=h[o-f]; if(t)\{if(++o,r)return"(?<"+r+">"\}else \quad if(i)return"\\"+(+i+f); return"(?<"+r+">"\}else \quad if(i)return"\\"+(+i+f); return"(?<"+r+">"\}else \quad if(i)return"\\"+(+i+f); return"(?<"+r+">"\}else \quad if(i)return"\\"+(+i+f); return"(?<"+r+">"}else \quad if(i)return"\\"+(+i+f); return = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+f); if(t)else = (-i+
n],e=[],r,u;if(!(s(n,"array")&&n.length))throw new TypeError("patterns must be a nonempty array");for(u=0;u<n.-
length; ++u)r = n[u], t. is RegExp(r)? (f=o,h=r.xregexp\&r.xregexp.captureNames||[],e.push(t(r.source).source.-the properties of the prop
replace(l,c))): e.push(t.escape(r)); return \ t(e.join("|"),i)\}, t.version = "2.0.0", r.exec = function(t) \{var \ r,f,e,o,u; if(this.exec)\}, t.version = "2.0.0", r.exec = function(t) \{var \ r,f,e,o,u; if(this.exec)\}, t.version = "2.0.0", r.exec = function(t) \{var \ r,f,e,o,u; if(this.exec)\}, t.version = "2.0.0", r.exec = function(t) \{var \ r,f,e,o,u; if(this.exec)\}, t.version = "2.0.0", r.exec = function(t) \{var \ r,f,e,o,u; if(this.exec)\}, t.version = "2.0.0", r.exec = function(t) \{var \ r,f,e,o,u; if(this.exec)\}, t.version = "2.0.0", r.exec = function(t) \{var \ r,f,e,o,u; if(this.exec)\}, t.version = "2.0.0", r.exec = function(t) \{var \ r,f,e,o,u; if(this.exec)\}, t.version = "2.0.0", r.exec = function(t) \{var \ r,f,e,o,u; if(this.exec)\}, t.version = "2.0.0", r.exec = function(t) \{var \ r,f,e,o,u; if(this.exec)\}, t.version = "2.0.0", r.exec = function(t) \{var \ r,f,e,o,u; if(this.exec)\}, t.version = "2.0.0", r.exec = function(t) \{var \ r,f,e,o,u; if(this.exec)\}, t.version = "2.0.0", r.exec = function(t) \{var \ r,f,e,o,u; if(this.exec)\}, t.version = "2.0.0", r.exec = function(t) \{var \ r,f,e,o,u; if(this.exec)\}, t.version = "2.0.0", r.exec = function(t) \{var \ r,f,e,o,u; if(this.exec)\}, t.version = "2.0.0", r.exec = function(t) \{var \ r,f,e,o,u; if(this.exec)\}, t.version = "2.0.0", r.exec = function(t) \{var \ r,f,e,o,u; if(this.exec)\}, t.version = (var \ r,f,e,o,u; if(this.exec))\}, t.version = (var \ r,f,e,o,u;
global||(o=this.lastIndex),r=i.exec.apply(this,arguments),r){if(!ft&&r.length>1&&a(r,"")>-1&&(e=new
Exp(this.source,i.replace.call(g(this),"g","")),i.replace.call(String(t).slice(r.index),e,function()\{for(vart=1;t< arguments.-replace.call(g(this),"g","")\},i.replace.call(g(this),"g","")\},i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g",""),i.replace.call(g(this),"g","),i.replace.call(g(this),"g","),i.replace.call(g(this),"g","),i.replace.call(g(this),"g","),i.replace.call(g(this),"g","),i.replace.call(g(this),"g","),i.replace.call(g(this),"g","),i.replace.call(g(this),"g","),i.replace.call(g(this),"g","),i.replace.call(g(this),"g","),i.replace.call(g(this),"g","),i.replace.call(g(this),"g","),i.replace.call(g(this),"g","),i.replace.call(g(this),"g","),i.replace.call(g(this),"g","),i.replace.call(g(this),"g","),i.replace.call(g(this),"g","),i.replace.call(g(this),"g","),i.replace.call(g(this),"g","),i.replace.call(g(this),"g","),i.replace.call(g(this),"g","),i.replace.call(g(this),"g","),i.replace.call(g(this),"g","),i.replace.call(g(this),"g","),i.replace.call(g(this),"g","),i.replace.call(g(this
length-2;++t) arguments[t]===n\&(r[t]=n)\}), this.xregexp\&this.xregexp.captureNames) for (u=1;u< r.length;++u) f=this.xregexp.captureNames) f=this.xr
xregexp.captureNames[u-1],f&&(r[f]=r[u]);this.global&&!r[0].length&&this.lastIndex>r.index&&(this.last-
Index=r.index) \\ | return this. \\ global||(this.lastIndex=o),r\},r.test=function(n)\\ | return!!r.exec.call(this,n)\},r.match=function(n)\\ | f(t.-r),r.match=function(n)\\ | f(t.-r),r.match
isRegExp(n)){if(n.global){var u=i.match.apply(this,arguments);return n.lastIndex=0,u}}else n=new Reg-
Exp(n); return r.exec.call(n,this)}, r.replace=function(n,r){var e=t.isRegExp(n),u,f,h,o}; return e?(n.xregexp&&(u=n.-t.isRegExp(n),u,f,h,o); return e?(n.xregexp(n),u,f,h,o); return e?(n.xr
xregexp.captureNames),n.global||(o=n.lastIndex)):n+="",s(r,"function")?f=i.replace.call(String(this),n,function(){var
t= arguments, i; if(u) for(t[0]= new String(t[0]), i=0; i< u.length; ++i) u[i] \&\&(t[0][u[i]]=t[i+1]); return e\&\&n.global\&\&(n.-thermoleness) for the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string
lastIndex=t[t.length-2]+t[0].length),r.apply(null,t)}):(h=String(this),f=i.replace.call(h,n,function(){var n=arguments;return
i.replace.call(String(r),et,function(t,i,r) \{var \ f; if(i) \{if(f=+i,f<=n.length-3) return \ n[f] \ ||""; if(f=u?a(u,i):-1,f<0) throw fine the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of 
new\ Syntax Error ("backreference\ to\ undefined\ group\ "+t); return\ n[f+1]||""] if (r==="\$") return" \$"; if (r==="\$")||+r==0) return
                                                                                                                                                                              n[n.length-1].slice(0,n[n.length-2]);if(r==="'")return
n[0];if(r===""")return
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                n[n.length-1].slice(n[n.length-
2]+n[0].length);if(r=+r,lisNaN(r)){if(r>n.length-3)throw new SyntaxError("backreference to undefined
group "+t);return n[r]||""}throw new SyntaxError("invalid token "+t);})}),e&&(n.lastIndex=n.global?0-
:o),f\},r.split=function(r,u)\{if(!t.isRegExp(r))return i.split.apply(this,arguments);var
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  e=String(this),h=r.last-
Index, f = [], o = 0, s; return \quad u = (u = = n? -1 : u) >>> 0, t. for Each(e, r, function(n)\{n. index + n[0]. length > 0 & & (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e. -1) + (f. push(e.
slice(o,n.index)), n.length>1&&n.index<e.length&&Array.prototype.push.apply(f,n.slice(1)), s=n[0].length,o=n.-
index + s)\}), o = = = e.length?(li.test.call(r,"")||s) \& f.push(""):f.push(e.slice(o)), r.lastIndex = h, f.length > u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.slice(0,u) - u?f.sli
f_{u=c.on,u}(\([ABCE-RTUVXYZaeg-mopqyz]\]c(?![A-Za-z])\]u(?![\dA-Fa-f]{4})\]x(?![\dA-Fa-f]{2}))/,function(n,t){if(n[1]==="B"&&t=n]})/
S]":"\\b\\B"}),u(/(?:\(\?\#[^{\wedge})]*\))+/,function(n){return}
                                                                                                                                                                                                                                                                                                                                                                                                                    i.test.call(nt,n.input.slice(n.index+n[0].length))?"":"(?-
:)"}),u(\\k<([\w$]+)>/,function(n){\var t=isNaN(n[1])?a(this.captureNames,n[1])+1:+n[1],i=n.index+n[0].length;if(!t||t>this.-1).
```

captureNames.length)throw new SyntaxError("backreference to undefined group "+n[0]);return"\\"+t+(i===n.-

 $\label{linear} input.length | isNaN(n.input.charAt(i))?"":"(?:)")}, u(/(?:\s+|\#.*)+/, function(n) {return i.test.call(nt,n.input.slice(n.index+n[0].length))?"":"(?:)"}, {trigger:function() {return this.hasFlag("x")}, customFlags:"x"}), u(/\./, function(n) {if(lisNa-N(n[1])) throw new SyntaxError("can't use integer as capture name "+n[0]); return this.captureNames.-push(n[1]), this.hasNamedCapture=!0,"("), u(/\./\./, function(n,t) {if(!(t===e&&/^[1-9]/.test(n[1])&&+n[1]<=this.-captureNames.length)&&n[1]!=="0") throw new SyntaxError("can't use octal escape or backreference to undefined group "+n[0]); return n[0]}, {scope:"all"}), u(/((?!\?)/, function()) {return this.hasFlag("n")?"(?:":(this.-captureNames.push(null),"(")}, {customFlags:"n"}), typeof exports!="undefined"&&(exports.XRegExp=t), t) {})$ 

- function n {"use strict"
- var t ={}
- n n addUnicodePackage =function(r,u){var f;if(!n.isInstalled("extensibility"))throw new Error("extensibility must be installed before adding Unicode packages");if(r)for(f in r)r.hasOwnProperty(f)&&(t[i(f)]=s(r[f]));if(u)for(f in u)u.hasOwnProperty(f)&&(t[i(u[f])]=t[i(f)])}
- var i =/(\()(?\(?)\(\)\(\[(1-9]\d\*)\\\\[(1-9]\d\*)\\\[(1-9]\d\*)\\\[(1-9]\d\*)\\\[(1-9]\d\*)\\\[(1-9]\d\*)\\\[(1-9]\d\*)\\\[(1-9]\d\*)\\\[(1-9]\d\*)\\\[(1-9]\d\*)\\\[(1-9]\d\*)\\\[(1-9]\d\*)\\\[(1-9]\d\*)\\\[(1-9]\d\*)\\\[(1-9]\d\*)\\\[(1-9]\d\*)\\\[(1-9]\d\*)\\\[(1-9]\d\*)\\\[(1-9]\d\*)\\\[(1-9]\d\*)\\[(1-9]\d\*)\\[(1-9]\d\*)\\[(1-9]\d\*)\\[(1-9]\d\*)\\[(1-9]\d\*)\\[(1-9]\d\*)\\[(1-9]\d\*)\\[(1-9]\d\*)\\[(1-9]\d\*)\\[(1-9]\d\*)\\[(1-9]\d\*)\\[(1-9]\d\*)\\[(1-9)\d\*)\\[(1-9)\d\*)\\[(1-9)\d\*)\\[(1-9)\d\*)\\[(1-9)\d\*)\\[(1-9)\d\*)\\[(1-9)\d\*)\\[(1-9)\d\*)\\[(1-9)\d\*)\d\*(1-9)\d\*)\\[(1-9)\d\*)\d\*(1-9)\d\*)\d\*(1-9)\d\*)\d\*(1-9)\d\*)\d\*(1-9)\d\*(1-9)\d\*)\d\*(1-9)\d\*(1-9)\d\*)\d\*(1-9)\d\*(1-9)\d\*)\d\*(1-9)\d\*(1-9)\d\*(1-9)\d\*)\d\*(1-9)

### 6.25.1 Function Documentation

6.25.1.1 n n n n addToken (  $\Lambda([pP])\{(\Lambda^?)([^{\wedge}])*$  )

6.25.1.2 n n n addUnicodePackage ( {L:"0041-005A0061-007A00AA00B500BA00C0-00D600D8-00F600F8-02C102C6-02D102E0-02E402EC02EE0370-037403760377037A-037D03860388-038A038C038E-03A103A3-03F503F7-0481048A-05270531-055605590561-058705D0-05EA05F0-05F20620-064A066E066F0671-06D306D506E506E606EE06EF06FA-06FC06F-F07100712-072F074D-07A507B107CA-07EA07F407F507FA0800-0815081A082408280840-085808A008A2-08AC0904-C09DD09DF-09E109F009F10A05-0A0A0A0F0A100A13-0A280A2A-0A300A320A330A350A360A380A390A59-0A5C0A5E0-A72-0A740A85-0A8D0A8F-0A910A93-0AA80AAA-0AB00AB20AB30AB5-0AB90ABD0AD00AE00AE10B05-0B0C0B0F0-B100B13-0B280B2A-0B300B320B330B35-0B390B3D0B5C0B5D0B5F-0B610B710B830B85-0B8A0B8E-0B900B92-0B950-B990B9A0B9C0B9E0B9F0BA30BA40BA8-0BAA0BAE-0BB90BD00C05-0C0C0C0E-0C100C12-0C280C2A-0C330C35-0-C390C3D0C580C590C600C610C85-0C8C0C8E-0C900C92-0CA80CAA-0CB30CB5-0CB90CBD0CDE0CE00CE10CF10C-F20D05-0D0C0D0E-0D100D12-0D3A0D3D0D4E0D600D610D7A-0D7F0D85-0D960D9A-0DB10DB3-0DBB0DBD0DC0-0D-C60E01-0E300E320E330E40-0E460E810E820E840E870E880E8A0E8D0E94-0E970E99-0E9F0EA1-0EA30EA50EA70EAA0-EAB0EAD-0EB00EB20EB30EBD0EC0-0EC40EC60EDC-0EDF0F000F40-0F470F49-0F6C0F88-0F8C1000-102A103F1050-1055105A-105D106110651066106E-10701075-1081108E10A0-10C510C710CD10D0-10FA10FC-1248124A-124D1250-12561258125A-125D1260-1288128A-128D1290-12B012B2-12B512B8-12BE12C012C2-12C512C8-12D612D8-13101312-13151318-135A1380-138F13A0-13F41401-166C166F-167F1681-169A16A0-16EA1700-170C170E-17111720-17311740-17511760-176C176E-17701780-17B317D717DC1820-18771880-18A818AA18B0-18F51900-191C1950-196D1970-19741980-19AB19C1-19C71A00-1A161A20-1A541AA71B05-1B331B45-1B4B1B83-1BA01BAE1BAF1BBA-1BE51C00-1C231C4D-1-C4F1C5A-1C7D1CE9-1CEC1CEE-1CF11CF51CF61D00-1DBF1E00-1F151F18-1F1D1F20-1F451F48-1F4D1F50-1F571F591-F5B1F5D1F5F-1F7D1F80-1FB41FB6-1FBC1FBE1FC2-1FC41FC6-1FCC1FD0-1FD31FD6-1FDB1FE0-1FEC1FF2-1FF41F-F6-1FFC2071207F2090-209C21022107210A-211321152119-211D212421262128212A-212D212F-2139213C-213F2145-2149214E218321842C00-2C2E2C30-2C5E2C60-2CE42CEB-2CEE2CF22CF32D00-2D252D272D2D2D30-2D672D6F2D80-2-D962DA0-2DA62DA8-2DAE2DB0-2DB62DB8-2DBE2DC0-2DC62DC8-2DCE2DD0-2DD62DD8-2DDE2E2F300530063031-3035303B303C3041-3096309D-309F30A1-30FA30FC-30FF3105-312D3131-318E31A0-31BA31F0-31FF3400-4DB54E00-9F-CCA000-A48CA4D0-A4FDA500-A60CA610-A61FA62AA62BA640-A66EA67F-A697A6A0-A6E5A717-A71FA722-A788A78B-A78EA790-A793A7A0-A7AAA7F8-A801A803-A805A807-A80AA80C-A822A840-A873A882-A8B3A8F2-A8F7A8FBA90A--A925A930-A946A960-A97CA984-A9B2A9CFAA00-AA28AA40-AA42AA44-AA4BAA60-AA76AA7AAA80-AAAFAAB1AAB5-AAB6AAB9-AABDAAC0AAC2AADB-AADDAAE0-AAEAAAF2-AAF4AB01-AB06AB09-AB0EAB11-AB16AB20-AB26A-B28-AB2EABC0-ABE2AC00-D7A3D7B0-D7C6D7CB-D7FBF900-FA6DFA70-FAD9FB00-FB06FB13-FB17FB1DFB1F--FB28FB2A-FB36FB38-FB3CFB3EFB40FB41FB43FB44FB46-FBB1FBD3-FD3DFD50-FD8FFD92-FDC7FDF0-FDFBF-E70-FE74FE76-FEFCFF21-FF3AFF41-FF5AFF66-FFBEFFC2-FFC7FFCA-FFCFFD2-FFD7FFDA-FFDC"}, {L:"Letter"}

6.25.1.3 n n addUnicodePackage ( {Arabic: "0600-06040606-060B060D-061A061E0620-063F0641-064A0656-065E066-A-066F0671-06DC06DE-06FF0750-077F08A008A2-08AC08E4-08FEFB50-FBC1FBD3-FD3DFD50-FD8FFD92--FDC7FDF0-FDFCFE70-FE74FE76-FEFC", Armenian: "0531-05560559-055F0561-0587058A058FFB13-FB17", Balinese: "1B00-1B4B1B50-1B7C", Bamum: "A6A0-A6F7", Batak: "1BC0-1BF31BFC-1BFF", Bengali: "0981-09830985-098C098F09900993-09A809AA-09B009B209B6-09B909BC-09C409C709-C809CB-09CE09D709DC09DD09DF-09E309E6-09FB", Bopomofo: "02EA02EB3105-312D31A0-31BA", Braille: "2800-28FF", Buginese: "1A00-1A1B1A1E1A1F", Buhid: "1740-1753", Canadian\_Aboriginal-:"1400-167F18B0-18F5", Cham: "AA00-AA36AA40-AA4DAA50-AA59AA5C-AA5F", Cherokee: "13A0-13F4", Common: "0000-0040005B-0060007B-00A900AB-00B900BB-00BF00D700F702B9-02DF02E5-02E902EC-02FF0374037-E038503870589060C061B061F06400660-066906DD096409650E3F0FD5-0FD810FB16EB-16ED173517361802180318051-CD31CE11CE9-1CEC1CEE-1CF31CF51CF62000-200B200E-2064206A-20702074-207E2080-208E20A0-20B92100-21252127-2129212C-21312133-214D214F-215F21892190-23F32400-24262440-244A2460-26FF2701-27FF2900-2B4C2B50-2B592E00-2E3B2FF0-2FFB3000-300430063008-30203030-3037303C-303F309B309C30A030FB30FC3190-319F31C0-31E33220-325F327F-32CF3358-33FF4DC0-4DFFA700-A721A788-A78AA830-A839FD3EFD3FFDFDFE10-FE19FE30-F-E52FE54-FE66FE68-FE6BFEFFF01-FF20FF3B-FF40FF5B-FF65FF70FF9EFF9FFE0-FFE6FFE8-FFEEFFF9-FFFD", Coptic: "03E2-03EF2C80-2CF32CF9-2CFF", Cyrillic: "0400-04840487-05271D2B1D782DE0-2-DFFA640-A697A69F", Devanagari: "0900-09500953-09630966-09770979-097FA8E0-A8FB", Ethiopic: "1200-1248124A-124D1250-12561258125A-125D1260-1288128A-128D1290-12B012B2-12B512B8-12BE12C012-C2-12C512C8-12D612D8-13101312-13151318-135A135D-137C1380-13992D80-2D962DA0-2DA62DA8-2DAE2DB0-2DB62-DB8-2DBE2DC0-2DC62DC8-2DCE2DD0-2DD62DD8-2DDEAB01-AB06AB09-AB0EAB11-AB16AB20-AB26AB28-AB2E", Georgian: "10A0-10C510C710CD10D0-10FA10FC-10FF2D00-2D252D272D2D", Glagolitic: "2C00-2C2E2C30-2C5E", Greek: "0370-03730375-0377037A-037D038403860388-038A038C038E-03A103A3-03E103F0-03FF1-D26-1D2A1D5D-1D611D66-1D6A1DBF1F00-1F151F18-1F1D1F20-1F451F48-1F4D1F50-1F571F591F5-B1F5D1F5F-1F7D1F80-1FB41FB6-1FC41FC6-1FD31FD6-1FDB1FDD-1FEF1FF2-1FF41FF6-1FFE2126", Gujarati: "0A81-0A830A85-0A8D0A8F-0A910A93-0AA80AAA-0AB00AB20AB30AB5-0AB90ABC-0AC50AC7-0-AC90ACB-0ACD0AD00AE0-0AE30AE6-0AF1", Gurmukhi: "0A01-0A030A05-0A0A0A0F0A100A13-0A280A2A-0A300A320A330A350A360A380A390A3C0A3E-0A420A470A480A4B-0A4D0A510A59-0A5C0A5E0A66-0A75", Han: "2E80-2E992E9B-2EF32F00-2FD5300530073021-30293038-303B3400-4DB54E00-9FCCF900-FA6DFA70-FAD9", Hangul: "1100-11FF302E302F3131-318E3200-321E3260-327EA960-A97CAC00-D7A3D7B0-D7C6-D7CB-D7FBFFA0-FFBEFFC2-FFC7FFCA-FFCFFFD2-FFD7FFDA-FFDC", Hanunoo: "1720-1734", Hebrew: "0591-05C705D0-05EA05F0-05F4FB1D-FB36FB38-FB3CFB3EFB40FB41FB43FB44FB46-FB4F", Hiragana: "3041-3096309D-309F", Inherited: "0300-036F04850486064B-0655065F0670095109521CD0-1CD21CD4-1C-E01CE2-1CE81CED1CF41DC0-1DE61DFC-1DFF200C200D20D0-20F0302A-302D3099309AFE00-FE0FFE20-FE26", Javanese: "A980-A9CDA9CF-A9D9A9DEA9DF", Kannada: "0C820C830C85-0C8C0C8E-0C900C92-0CA80CA-A-0CB30CB5-0CB90CBC-0CC40CC6-0CC80CCA-0CCD0CD50CD60CDE0CE0-0CE30CE6-0CEF0CF10CF2", Katakana: "30A1-30FA30FD-30FF31F0-31FF32D0-32FE3300-3357FF66-FF6FF71-FF9D", Kayah Li: "A900-A92F", Khmer: "1780-17DD17E0-17E917F0-17F919E0-19FF", Lao: "0E810E820E840E870E880E8A0E8D0E94-0E970E99-0E9-F0EA1-0EA30EA50EA70EAA0EAB0EAD-0EB90EBB-0EBD0EC0-0EC40EC60EC8-0ECD0ED0-0ED90EDC-0EDF", Latin: "0041-005A0061-007A00AA00BA00C0-00D600D8-00F600F8-02B802E0-02E41D00-1D251D2C-1D5C1D62-1D651-D6B-1D771D79-1DBE1E00-1EFF2071207F2090-209C212A212B2132214E2160-21882C60-2C7FA722-A787A78B-A78-EA790-A793A7A0-A7AAA7F8-A7FFFB00-FB06FF21-FF3AFF41-FF5A", Lepcha: "1C00-1C371C3B-1C491C4D-1C4F", Limbu:"1900-191C1920-192B1930-193B19401944-194F", Lisu:"A4D0-A4FF", Malayalam:"0D020D030D05-0D0C0D0E-0-D100D12-0D3A0D3D-0D440D46-0D480D4A-0D4E0D570D60-0D630D66-0D750D79-0D7F", Mandaic:"0840-085B085E", Meetei\_Mayek:"AAE0-AAF6ABC0-ABEDABF0-ABF9", Mongolian:"1800180118041806-180E1810-18191820-18771880-18AA", Myanmar: "1000-109FAA60-AA7B", New\_Tai\_Lue: "1980-19AB19B0-19C919D0-19DA19DE19DF", B280B2A-0B300B320B330B35-0B390B3C-0B440B470B480B4B-0B4D0B560B570B5C0B5D0B5F-0B630B66-0B77", Phags\_Pa:"A840-A877", Rejang:"A930-A953A95F", Runic:"16A0-16EA16EE-16F0", Samaritan:"0800-082D0830-083E", Saurashtra: "A880-A8C4A8CE-A8D9", Sinhala: "0D820D830D85-0D960D9A-0DB10DB3-0DBB0DBD0DC0-0DC60-DCA0DCF-0DD40DD60DD8-0DDF0DF2-0DF4", Sundanese: "1B80-1BBF1CC0-1CC7", Syloti Nagri: "A800-A82B", Syriac: "0700-070D070F-074A074D-074F", Tagalog: "1700-170C170E-1714", Tagbanwa: "1760-176C176E-177017721773", Tai Le:"1950-196D1970-1974", Tai Tham:"1A20-1A5E1A60-1A7C1A7F-1A891A90-1A991AA0-1AAD", Tai Viet: "AA80-AAC2AADB-AADF". Tamil: "0B820B830B85-0B8A0B8E-0B900B92-0B950B990B9A0B9C0-B9E0B9F0BA30BA40BA8-0BAA0BAE-0BB90BBE-0BC20BC6-0BC80BCA-0BCD0BD00BD70BE6-0BFA", Telugu: "0C01-0C030C05-0C0C0C0E-0C100C12-0C280C2A-0C330C35-0C390C3D-0C440C46-0-C480C4A-0C4D0C550C560C580C590C60-0C630C66-0C6F0C78-0C7F", Thaana: "0780-07B1", Thai: "0E01-0E3A0E40-0E5B", Tibetan: "0F00-0F470F49-0F6C0F71-0F970F99-0FBC0FBE-0FCC0FCE-0FD40FD90FDA", Tifinagh: "2D30-2D672D6F2D702D7F", Vai: "A500-A62B", Yi: "A000-A48CA490-A4C6" )

```
6.25.1.4 function e ( n )
Definition at line 4 of file xregexp.min.js.
6.25.1.5 function f(n)
Definition at line 4 of file xregexp.min.js.
6.25.1.6 function i ( n )
Definition at line 4 of file xregexp.min.js.
6.25.1.7 if (!n. addUnicodePackage) [new]
6.25.1.8 n install ( "extensibility" )
6.25.1.9 function o ( t )
Definition at line 4 of file xregexp.min.js.
6.25.1.10 function r ( n )
Definition at line 4 of file xregexp.min.js.
6.25.1.11 function s ( n )
Definition at line 4 of file xregexp.min.js.
6.25.1.12 function t ( n, t, i, r )
Definition at line 14 of file xregexp.min.js.
6.25.1.13 function t ( t )
Definition at line 16 of file xregexp.min.js.
6.25.1.14 function t ( n, t )
Definition at line 18 of file xregexp.min.js.
6.25.1.15 function u ( n )
Definition at line 4 of file xregexp.min.js.
```

6.25.2 Variable Documentation

6.25.2.1 n n addUnicodePackage =function(r,u){var f;if(!n.isInstalled("extensibility"))throw new Error("extensibility must be installed before adding Unicode packages");if(r)for(f in r)r.hasOwnProperty(f)&&(t[i(f)]=s(r[f]));if(u)for(f in u)u.hasOwnProperty(f)&&(t[i(u[f])]=t[i(f)])}

Definition at line 4 of file xregexp.min.js.

 $\begin{array}{lll} & \text{ one } &$ 

Definition at line 16 of file xregexp.min.js.

6.25.2.3 n matchRecursive =function(i,r,u,f,e){f=f||"",e=e||{};var g=f.indexOf("g")>-1,nt=f.indexOf("y")>-1,d=f.-replace(/y/g,""),y=e.escapeChar,o=e.valueNames,v=[],b=0,h=0,s=0,c=0,p,w,l,a,k;if(r=n(r,d),u=n(u,d),y){if(y-length>1)throw new SyntaxError("can't use more than one escape character");y=n.escape(y),k=new RegExp("(?:"+y+"[\S\\s]|(?:(?!"+n.union([r,u]).source+")[^"+y+"])+)+",f.replace(/[^\in]+/g,""))}for(;;){if(y&&(s+=(n.-exec(i,k,s,"sticky")||[""])[0].length),l=n.exec(i,r,s),a=n.exec(i,u,s),l&&a&&(l.index<=a.index?a=null-:l=null),l||a)h=(l||a).index,s=h+(l||a)[0].length;else if(!b)break;if(nt&&!b&&h>c)break;if(l)b||(p=h,w=s),++b;else if(a&&b){if(!-b&&(o?(o[0]&&p>c&&v.push(t(o[0],i.slice(c,p),c,p)),o[1]&&v.push(t(o[1],i.slice(p,w),p,w)),o[2]&&v.push(t(o[2],i.slice(w,h),w,h)),o[3]&&v.push(t(o[3],i.slice(h,s),h,s))):v.push(i.slice(w,h)),c=s,!g))break}else throw new Error("string contains unbalanced delimiters");h===s&&++s}return g&&!nt&&o&&o[0]&&i.length>c&&v.push(t(o[0],i.slice(c),c,i.length)),v})(XRegExp)

Definition at line 14 of file xregexp.min.js.

6.25.2.4 function n {"use strict"

Definition at line 4 of file xregexp.min.js.

6.25.2.5 var t ={}

Definition at line 4 of file xregexp.min.js.

XRegExp =XRegExp||function(n){"use strict";function v(n,i,r){var u;for(u in t.prototype)t.prototype.hasOwnProperty(u)&&(n[u]=t.prototype[u]);return n.xregexp={captureNames:i,isNative:!!r},n}function  $g(n) \{ return(n.global?"g":"") + (n.ignoreCase?"i":"") + (n.multiline?"m":"") + (n.extended?"x":"") + (n.ext$  $sticky?"y":"") \\ function o(n,r,u) \\ if(!t.isRegExp(n)) \\ throw new TypeError("type RegExp expected"); variation of the proof of the$ f=i.replace.call(g(n)+(r||""),h,"");return u&&(f=i.replace.call(f,new RegExp("["+u+"]+","g"),"")),n=n.xregexp&&!n.xregexp.isNative?v(t(n.source,f),n.xregexp.captureNames?n.xregexp.captureNames.slice(0):nuII):v(new RegExp(n.source,f),null,!0)}function a(n,t){var i=n.length;if(Array.prototype.lastIndexOf)return n.lastIndexOf(t);while(i--)if(n[i]===t)return i;return-1}function s(n,t){return Object.prototype.toString.call(n).toLowerCase()==="[object "+t+"]"}function d(n){return n=n||{},n==="all"||n.all?n={natives:!0,extensibility:!0}:s(n,"string")&&(n=t.for--)if(f=p[o],(f.scope==="all"||f.scope===i)&&(!f.trigger||f.trigger.call(u))&&(f.pattern.lastIndex=t,e=r.exec.call(f.pattern,n),e&&e.index===t)){s={output:f.handler.call(u,e,i),match:e};break}}catch(h){throw h;}finally{y=!1}return s}function b(n){t.addToken=c[n?"on":"off"],f.extensibility=n}function tt(n){RegExp.prototype.exec=(n?r:i).exec,RegExp.prototype.test=(n?r:i).test,String.prototype.match=(n?r- $: i). match, String. prototype. replace = (n?r:i). replace, String. prototype. split = (n?r:i). split, f. natives = n\} variable of the prototype in the prototype of the prototype in the prototype in the prototype of the prototype in the proto$ t,c,u,f={natives:!1,extensibility:!1},i={exec:RegExp.prototype.exec,test:RegExp.prototype.test,match:String.prototype.match,replace:String.prototype.replace,split:String.prototype.split},r={},k={},p=[],e="default",rt="class",it={"default"-rt="default"-rt="class",it={"default"-rt="class",it={"default"-rt="d  $:= ! | [?*+] ? | {d+(?:,d*)?} | , "class": !/^(?: | (?:|(?:[0-3][0-7][0,2] | [4-7][0-7]? | x[ | dA-Fa-f][2] | u[ | dA-Fa-f][2$ f]{4}|c[A-Za-z]|[\s\S]))/},et=/\\$(?:{([\w\\$]+)}|(\d\d?|[\s\S]))/g,h=/([\s\S])(?=[\s\S]\*\1)/g,nt=/^(?:[?\*+]|{\d+(?-:,\d\*)?}\\ft=i.exec.call(/()\,"")[1]===n,l=RegExp.prototype.sticky!==n,y=!1,w="gim"+(I?"y":"");return t=function(r,u){if(t.isRegExp(r)){if(u!==n)throw new TypeError("can't supply flags when constructing one RegExp from another");return o(r)}if(y)throw new Error("can't call the XRegExp constructor within token definition functions");var I=[],a=e,b={hasNamedCapture:!1,captureNames:[],hasFlag:function(n){return  $u.indexOf(n) > -1\}\}, f=0,c,s,p; if(r=r===n?"":String(r),u=u===n?"":String(u),i.match.call(u,h)) throw \ new \ and \ new \ new \ and \ new \ ne$  $Syntax Error ("invalid duplicate regular expression flag"); for (r=i.replace.call (r, \ell^{\normalfootnote{thm}}), function (n,t) \{if (i.-replace.call (r, \ell^{\normalfootnote{thm}}), function (n,t) \} (if (i.-replace.call (r, \ell^{\normalfootnote{thm}}), function (r, \ell^{\normalfootnote{thm}}), function (r, \ell^{\normalfootnote{thm}})) \} (if (i.-replace.call (r, \ell^{\normalfootnote{thm}}), function (r, \ell^{\normalfootnote{thm}})) \} (if (i.-replace.call (r, \ell^{\normalfootnote{thm}}), function (r, \ell^{\normalfootnote{thm}}), function (r, \ell^{\normalfootnote{thm}})) \} (if (i.-replace.call (r, \ell^{\normalf$ test.call(/[gy]/,t))throw new SyntaxError("can't use flag g or y in mode modifier");return u=i.replace.call(u+t,h,""),""}),t.forEach(u,/[\s\S]/,function(n){if(w.indexOf(n[0])<0)throw new SyntaxError("invalid regular expression flag "+n[0]);});f<r.length;)c=ut(r,f,a,b),c?(l.push(c.output),f+=c.match[0].length||1):(s=i.exec.call(it[a],r.slice(f)),s?(l.push(s[0]),f+=s[0].length):(p=r.charAt(f),p==="["?a=rt:p==="]"&&(a=e),l.push(p),++f)); return(f),f=f(f),fv(new RegExp(I.join(""),i.replace.call(u,/[^gimy]+/g,"")),b.hasNamedCapture?b.captureNames:null)},c={on- $: function(n,t,r) \{r=r \mid | \{\},n\&\&p.push(\{pattern:o(n,"g"+(I?"y":"")),handler:t,scope:r.scope \mid |e,trigger:r.-t| \} \}$  $trigger||nuII\}), r. customFlags\&\&(w=i.replace.call(w+r.customFlags,h,""))\}, off:function() \{throw\ new \ and \ new \ new \ and \ new \ and \ new \ new \ and \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ n$ Error("extensibility must be installed before using addToken");}},t.addToken=c.off,t.cache=function(n,i){var  $r=n+"/"+(i||""); return \ k[r]||(k[r]=t(n,i))\}, t.escape=function(n)\{return \ i.replace.call(n,/[-n]=t(n,i))\}, t.escape=function(n)[-n]=t(n,i)\}$ [1]{\()\*+?.,\\^\$|\\$\g|,\\\$\&"\},t.exec=function(n,t,i,u)\{var e=o(t,"g"+(u&&!?"y":""),u===!1?"y":""),t;return  $e.lastIndex=i=i\big|\big|0,f=r.exec.call(e,n),u\&\&f\&\&f.index!==i\&\&(f=null),t.global\&\&(t.lastIndex=f?e.lastIndex:0),f\},t.-fixed fixed fixed for the standard of the standard fixed f$  $for Each = function(n,i,r,u) \\ for (var e=0,o=-1,f;f=t.exec(n,i,e);) \\ r.call(u,f,++o,n,i),e=f.index+(f[0].length||1); \\ return$ u},t.globalize=function(n){return o(n,"g")},t.install=function(n){n=d(n),!f.natives&&n.natives&&tt(!0),!f.extensibility&&n.extensibility&&b(!0)},t.isInstalled=function(n){return!!f[n]},t.isRegExp=function(n){return s(n, regexp), t.matchChain=function(n, i) return function r(n, u) for(var o=i[u].regex?i[u]: regex-i[u] $[[u]], f=[], s=function(n) \{f.push(o.backref?n[o.backref]||"":n[o]]\}, e=0; e < n.length; ++e)t.forEach(n[e], o.regex, s); return for the first of$ u===i.length-1||!f.length?f:r(f,u+1)}([n],0)},t.replace=function(i,u,f,e){var c=t.isRegExp(u),s=u,h;return c?(e===n&&u.global&&(e="all"),s=o(u,e==="all"?"g":"",e==="all"?"":"g")):e==="all"&&(s=new RegExp(t. $escape(String(u)), "g")), h=r.replace.call(String(i), s, f), c\&u.global\&\&(u.lastIndex=0), h\}, t.split=function(n, t, i) \{return learning (i), s, f), c&u.global\&\&(u.lastIndex=0), h\}, t.split=function(n, t, i) \{return learning (i), s, f), c&u.global\&\&(u.lastIndex=0), h\}, t.split=function(n, t, i) \{return learning (i), s, f), c&u.global\&\&(u.lastIndex=0), h\}, t.split=function(n, t, i) \{return learning (i), s, f), c&u.global\&\&(u.lastIndex=0), h\}, t.split=function(n, t, i) \{return learning (i), s, f), c&u.global\&\&(u.lastIndex=0), h\}, t.split=function(n, t, i) \{return learning (i), s, f), c&u.global\&\&(u.lastIndex=0), h\}, t.split=function(n, t, i) \{return learning (i), s, f), c&u.global\&\&(u.lastIndex=0), h\}, t.split=function(n, t, i) \{return learning (i), s, f), c&u.global\&\&(u.lastIndex=0), h\}, t.split=function(i), s, f), t.split=functi$ r.split.call(n,t,i),t.test=function(n,i,r,u){return!!t.exec(n,i,r,u)},t.uninstall=function(n){n=d(n),f.natives&... $[(:[^{]}]]/[(:s)])$ , [0,0]if(i)return"\\"+(+i+f);return n},e=[],r,u;if(!(s(n,"array")&&n.length))throw new TypeError("patterns must be a nonempty array");for(u=0;u<n.length;++u)r=n[u],t.isRegExp(r)?(f=o,h=r.xregexp&r.xregexp.captureNames||[],e.push(t(r.source).source.replace(l,c))):e.push(t.escape(r));return t(e.join("|"),i)},t.version="2.0.0",r.exec=function(t){var r,f,e,o,u;if(this.global||(o=this.lastIndex),r=i.exec.apply(this,arguments),r){if(!ft&&r.length>1&&a(r,"")>- $1\&\& (e=new\ RegExp(this.source,i.replace.call(g(this),"g","")),i.replace.call(String(t).slice(r.index),e,function()\{for(varance, for the context of the co$  $t=1;t < arguments.length-2;++t)arguments[t]===n\&\&(r[t]=n)\}),this.xregexp\&this.xregexp.-t=1;t < arguments.length-2;++t)arguments[t]===n\&\&(r[t]=n)\})$ captureNames)for(u=1;u<r.length;++u)f=this.xregexp.captureNames[u-1],f&&(r[f]=r[u]);this.global&&!r[0].length&&this.lastIndex>r.index&&(this.lastIndex=r.index)}return this.global||(this.lastIndex=o),r},r.test=function(n){return!!r.exec.call(this,n)},r.match=function(n){if(t.isReg-Exp(n)){if(n.global){var u=i.match.apply(this,arguments);return n.lastIndex=0,u}}else n=new RegExp(n);return r.exec.call(n,this)},r.replace=function(n,r){var e=t.isRegExp(n),u,f,h,o;return e?(n.xregexp&&(u=n.xregexp.captureNames),n.global||(o=n.lastIndex)):n+="",s(r,"function")?f=i.replace.call(String(this),n,function(){var t=arguments,i;if(u)for(t[0]=new String(t[0]),i=0;i<u.length;++i)u[i]器發相例對表[紹刊]完配相分為2:45:28 for Libra by Doxygen e&&n.global&&(n.lastIndex=t[t.length-2]+t[0].length),r.apply(null,t)}):(h=String(this),f=i.replace.call(h,n,function(){var n=arguments;return i.replace.call(String(r),et,function(t,i,r){var f;if(i){if(f=+i,f<=n.length-3)return}}

n[f]||"";if(f=u?a(u,i):-1,f<0)throw new SyntaxError("backreference to undefined group

# 6.26 static/js/flipdelivery.py File Reference

# **Namespaces**

· flipdelivery

# 6.27 staticfiles/js/flipdelivery.py File Reference

## **Namespaces**

- · flipdelivery
- 6.28 static/js/get\_delivery.js File Reference
- 6.29 staticfiles/js/get\_delivery.js File Reference
- 6.30 static/js/main.js File Reference
- 6.31 static/preloader/js/main.js File Reference

### **Functions**

 document ready (function(){setTimeout(function(){\$('body').addClass('loaded');\$('h1').css('color','#222222');}, 1000);})

## 6.31.1 Function Documentation

6.31.1.1 document ready ( function(){setTimeout(function(){\$('body').addClass('loaded');\$('h1').css('color','#222222');}, 1000);}

# 6.32 static/side\_menu/js/main.js File Reference

### **Functions**

• jQuery (document).ready(function(\$)

## **Variables**

· var buttonFilter

# 6.32.1 Function Documentation

6.32.1.1 jQuery ( document )

Definition at line 1 of file main.js.

### 6.32.2 Variable Documentation

6.32.2.1 var buttonFilter

Definition at line 130 of file main.js.

# 6.33 staticfiles/js/main.js File Reference

# 6.34 staticfiles/side\_menu/js/main.js File Reference

### **Functions**

• jQuery (document).ready(function(\$)

### **Variables**

· var buttonFilter

#### 6.34.1 Function Documentation

6.34.1.1 jQuery ( document )

Definition at line 1 of file main.js.

### 6.34.2 Variable Documentation

6.34.2.1 var buttonFilter

Definition at line 130 of file main.js.

- 6.35 static/js/mobiledropdown.js File Reference
- 6.36 staticfiles/js/mobiledropdown.js File Reference
- 6.37 static/materialize/js/materialize.js File Reference

### **Functions**

- if (typeof(jQuery)=== 'undefined')

easeInSine:function(x, t, b, c, d){return-c \*Math.cos(t/d \*(Math.PI/2))+c+b;}, easeOutSine:function(x, t, b, c, d){return c \*Math.sin(t/d \*(Math.PI/2))+b;}, easeInOutSine:function(x, t, b, c, d){return-c/2 \*(Math.cos(Math.-PI \*t/d)-1)+b;}, easeInExpo:function(x, t, b, c, d){return(t==0)?b:c \*Math.pow(2, 10 \*(t/d-1))+b;}, easeOut-Expo:function(x, t, b, c, d){return(t==d)?b+c:c \*(-Math.pow(2,-10 \*t/d)+1)+b;}, easeInOutExpo:function(x, t, b, c, d){if(t==0) return b;if(t==d) return b+c;if((t/=d/2) < 1) return c/2 \*Math.pow(2, 10 \*(t-1))+b;return c/2 \*(-Math.pow(2,-10 \*--t)+2)+b;, easeInCirc:function(x, t, b, c, d){return-c \*(Math.sqrt(1-(t/=d)\*t)-1)+b;}, easeOutCirc:function(x, t, b, c, d){return  $c *Math.sqrt(1-(t=t/d-1)*t)+b;}$ , easeInOutCirc:function(x, t, b, c, d) $\{if((t/=d/2) < 1) \text{ return-c/2 } *(Math.sqrt(1-t *t)-1)+b; return c/2 *(Math.sqrt(1-t-2)*t)+1)+b; \}, easeInElastic-$ :function(x, t, b, c, d){var s=1.70158;var p=0;var a=c;if(t==0) return b;if((t/=d)==1) return b+c;if(!p) p=d \*.-3;if(a < Math.abs(c)){a=c;var s=p/4;}else var s=p/(2 \*Math.Pl)\*Math.asin(c/a);return-(a \*Math.pow(2, 10 \*(t-=1))\*Math.sin((t \*d-s)\*(2 \*Math.Pl)/p))+b;}, easeOutElastic:function(x, t, b, c, d){var s=1.70158;var p=0;var a=c;if(t=0) return b+c;if(t)=0 return b+c;if(\*Math.PI)\*Math.asin(c/a);return a \*Math.pow(2,-10 \*t)\*Math.sin((t \*d-s)\*(2 \*Math.PI)/p)+c+b;}, easeInOut-Elastic:function(x, t, b, c, d){var s=1.70158;var p=0;var a=c;if(t=0) return b;if((t/=d/2)==2) return b+c;if(!p) $p=d*(.3*1.5); if (a < Math.abs(c)) \\ \{a=c; var \ s=p/4; \} else \ var \ s=p/(2*Math.PI)*Math.asin(c/a); if (t < 1) \ return-.5 \\ \} = (a + 1.5); if (a < Math.abs(c)) \\ \{a=c; var \ s=p/4; \} else \ var \ s=p/(2*Math.PI)*Math.asin(c/a); if (t < 1) \ return-.5 \\ \} = (a + 1.5); if (a < Math.abs(c)) \\ \{a=c; var \ s=p/4; \} else \ var \ s=p/(2*Math.PI)*Math.asin(c/a); if (t < 1) \ return-.5 \\ \} = (a + 1.5); if (a < Math.abs(c)) \\ \{a=c; var \ s=p/4; \} else \ var \ s=p/(2*Math.PI)*Math.asin(c/a); if (t < 1) \ return-.5 \\ \} = (a + 1.5); if (a < Math.abs(c)) \\ \{a=c; var \ s=p/4; \} else \ var \ s=p/(2*Math.PI)*Math.asin(c/a); if (t < 1) \ return-.5 \\ \} = (a + 1.5); if (a < Math.abs(c)) \\ \{a=c; var \ s=p/4; \} else \ var \ s=p/(2*Math.abs(c)) \\ \{a=c; var \ s=p/4;$ \*(a \*Math.pow(2, 10 \*(t-=1))\*Math.sin((t \*d-s)\*(2 \*Math.PI)/p))+b;return a \*Math.pow(2,-10 \*(t-=1))\*Math.- $\sin((t*d-s)*(2*Math.PI)/p)*.5+c+b;$ , easeInBack:function(x, t, b, c, d, s){if(s==undefined)} s=1.70158;return c \*(t/=d)\*t\*((s+1)\*t-s)+b;, easeOutBack:function(x, t, b, c, d, s){if(s==undefined) s=1.70158;return c \*((t=t/d-s))\*t\*((s+1)\*t-s)+b;} 1)\*t \*((s+1)\*t+s)+1)+b;}, easeInOutBack:function(x, t, b, c, d, s){if(s==undefined) s=1.70158;if((t/=d/2)<1) return c/2 \*(t \*t \*(((s \*=(1.525))+1)\*t-s))+b; return c/2 \*((t-2)\*t \*(((s \*=(1.525))+1)\*t+s)+2)+b;), easeIn-Bounce:function(x, t, b, c, d){return c-iQuery.easing.easeOutBounce(x, d-t, 0, c, d)+b;}, easeOutBounce-:function(x, t, b, c, d){if((t/=d)< (1/2.75)){return c \*(7.5625 \*t \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t< (2/2 \*(t-=(1.5/2.75))\*t+.75)+b;}else if(t< (2.5/2.75)){return c \*(7.5625 \*(t-=(2.25/2.75))\*t+.9375)+b;}else{return c \*(7.5625 \*(t-=(2.625/2.75))\*t+.984375)+b;}, easeInOutBounce:function(x, t, b, c, d){if(t< d/2) return jQuery.easing.easeInBounce(x, t \*2, 0, c, d)\*.5+b;return jQuery.easing.easeOutBounce(x, t \*2-d, 0, c, d)\*.5+c \*.- $5+b;})$ 

• jQuery Velocity console log ("Velocity is already loaded. You may be needlessly importing Velocity again; note that Materialize includes Velocity.")

#### **Variables**

- jQuery easing ['jswing'] = jQuery.easing['swing']
- window

# 6.37.1 Function Documentation

6.37.1.1 jQuery extend ( jQuery. easing, {def: 'easeOutQuad', swing:function(x, t, b, c, d){return iQuery.easing[jQuery.easing.def](x, t, b, c, d);}, easeInQuad:function(x, t, b, c, d){return c \*(t/=d)\*t+b;}, easeOutQuad:function(x, t, b, c, d){return-c  $*(t/=d)*(t-2)+b;}$ , easeInOutQuad:function(x, t, b, c, d){if((t/=d/2) < 1) return c/2 \*t \*t+b;return-c/2 \*((-t)\*(t-2)-1)+b;}, easeInCubic:function(x, t, b, c, d){return c \*(t/=d)\*t \*t+b;}, easeOutCubic:function(x, t, b, c, d){return  $c *((t=t/d-1)*t*t+1)+b;}$ , easeInOutCubic:function(x, t, b, c, d){if((t/=d/2)< 1) return c/2 \*t \*t \*t+b; return c/2 \*((t-=2)\*t \*t+2)+b;}, easeInQuart:function(x, t, b, c, d){return c \*(t/=d)\*t \*t \*t+b;}, easeOutQuart:function(x, t, b, c, d){return-c \*((t=t/d-1)\*t \*t \*t-1)+b;}, easeInOutQuart:function(x, t, b, c, d){if((t/=d/2)< 1) return c/2 \*t \*t \*t \*t+b;return-c/2 \*((t-=2)\*t \*t \*t-2)+b;}, easeInQuint:function(x, t, b, c, d){return c \*(t/=d)\*t \*t \*t \*t \*t+b;}, easeOutQuint:function(x, t, b, c, d){return c \*((t=t/d-1)\*t \*t \*t \*t+t)+b;}, easeInOutQuint:function(x, t, b, c, d){if((t/=d/2)< 1) return c/2 \*t \*t \*t \*t \*t+b;return c/2 \*((t-=2)\*t \*t \*t \*t+b;},  $easeInSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function($ d){return c \*Math.sin(t/d \*(Math.Pl/2))+b;}, easelnOutSine:function(x, t, b, c, d){return-c/2 \*(Math.cos(Math.Pl \*t/d)-1)+t;}, easeInExpo:function(x, t, b, c, d){return(t==0)?b:c \*Math.pow(2, 10 \*(t/d-1))+t;}, easeOutExpo:function(x, t, b, c, d){return(t==d)?b+c:c \*(-Math.pow(2,-10 \*t/d)+1)+b;}, easelnOutExpo:function(x, t, b, c, d){if(t==0)} return b;if(t==d) return b+c;if((t/=d/2)< 1) return c/2 \*Math.pow(2, 10 \*(t-1))+b;return c/2 \*(-Math.pow(2,-10 \*--t)+2)+b;}, easeInCirc:function(x, t, b, c, d){return-c \*(Math.sqrt(1-(t/=d)\*t)-1)+b;}, easeOutCirc:function(x, t, b, c, d){return c \*Math.sqrt(1-(t=t/d-1)\*t)+b;}, easelnOutCirc:function(x, t, b, c, d){if((t/=d/2)< 1) return-c/2 \*(Math.sqrt(1-t \*t)-1)+b;return c/2 \*(Math.sqrt(1-(t-=2)\*t)+1)+b;}, easeInElastic:function(x, t, b, c, d){var s=1.70158;var p=0;var a=c;if(t==0) return b;if((t/=d)==1) return b+c;if(!p) p=d \*.3;if(a < Math.abs(c)){a=c;var s=p/4;}else var s=p/(2 \*Math.Pl)\*Math.asin(c/a);return-(a \*Math.pow(2, 10 \*(t-=1))\*Math.sin((t \*d-s)\*(2 \*Math.Pl)/p))+b;}, easeOutElastic:function(x, t, b, c, d){var s=1.70158;var p=0;var a=c;if(t==0) return b;if((t/=d)==1) return b+c;if(!p) p=d \*.3;if(a < Math.abs(c)){a=c;var s=p/4;}else var s=p/(2 \*Math.Pl)\*Math.asin(c/a);return a \*Math.pow(2,-10 \*t)\*Math.sin((t \*d-s)\*(2 \*Math.PI)/p)+c+b;}, easelnOutElastic:function(x, t, b, c, d){var s=1.70158;var p=0;var a=c;if(t==0) return b;if((t/=d/2)==2) return b+c;if(!p)  $p=d*(.3*1.5);if(a< Math.abs(c)){a=c;var s=p/4;}else$ var s=p/(2 \*Math.PI)\*Math.asin(c/a);if(t < 1) return-.5 \*(a \*Math.pow(2, 10 \*(t-=1))\*Math.sin((t \*d-s)\*(2 \*Math.PI)/p))+b;return a \*Math.pow(2,-10 \*(t-=1))\*Math.sin((t \*d-s)\*(2 \*Math.PI)/p)\*.5+c+b;}, easeInBack:function(x, t, b, c, d, s){if(s==undefined) s=1.70158;return c \*(t/=d)\*t \*((s+1)\*t-s)+b;}, easeOutBack:function(x, t, b, c, d, s){if(s==undefined) s=1.70158;return c \*((t=t/d-1)\*t\*((s+1)\*t+s)+1)+b;}, easelnOutBack:function(x, t, b, c, d, s){if(s==undefined) s=1.70158;if((t/=d/2)< 1) return c/2 \*(t \*t \*(((s \*=(1.525))+1)\*t-s))+b;return c/2 \*((t-=2)\*t \*(((s \*=(1.525))+1)\*t+s)+2)+b;}, easeInBounce:function(x, t, b, c, d){return c-jQuery.easing.easeOutBounce(x, d-t, 0, c, d)+b;}, easeOutBounce:function(x, t, b, c, d){if((t/=d) < (1/2.75)){return c \*(7.5625 \*t \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}e c \*(7.5625 \*(t-=(1.5/2.75))\*t+.75)+b;}else if(t< (2.5/2.75)){return c \*(7.5625 \*(t-=(2.25/2.75))\*t+.9375)+b;}else{return} c \*(7.5625 \*(t-=(2.625/2.75))\*t+.984375)+b;}}, easelnOutBounce:function(x, t, b, c, d){if(t < d/2) return jQuery.easing.easeOutBounce(x, t \*2, 0, c, d)\*.5+b;return jQuery.easing.easeOutBounce(x, t \*2-d, 0, c, d)\*.5+c \*.5+b;}}

6.37.1.2 if ( typeof(jQuery) = == ' undefined' )

Materialize v0.97.5 (http://materializecss.com) Copyright 2014-2015 Materialize MIT License (https://raw.githubusercontent.com/Dogfalo/materialize/master/LICENSE)

Definition at line 7 of file materialize.js.

6.37.1.3 jQuery Velocity console log ( "Velocity is already loaded. You may be needlessly importing Velocity again; note that Materialize includes Velocity." )

VelocityJS.org (1.2.3). (C) 2014 Julian Shapiro. MIT: en.wikipedia.org/wiki/MIT\_License
VelocityJS.org jQuery Shim (1.0.1). (C) 2014 The jQuery Foundation. MIT: en.wikipedia.org/wiki/MIT\_License.
Note that this has been modified by Materialize to confirm that Velocity is not already being imported.
Definition at line 232 of file materialize.js.

- 6.37.2 Variable Documentation
- 6.37.2.1 jQuery easing['jswing'] = jQuery.easing['swing']

Definition at line 54 of file materialize.js.

6.37.2.2 window

Definition at line 232 of file materialize.js.

# 6.38 staticfiles/materialize/js/materialize.js File Reference

### **Functions**

- if (typeof(jQuery)=== 'undefined')
- jQuery extend (jQuery.easing,{def: 'easeOutQuad', swing:function(x, t, b, c, d){return jQuery.easing[jQuery.easing.def](x, t, b, c, d);}, easeInQuad:function(x, t, b, c, d){return c \*(t/=d)\*t+b;}, easeOutQuad:function(x, t, t, t), c, d){return c \*(t/=d)\*t+b;}, easeOutQuad:function(x, t, t), c, d){return c \*(t/=d)\*t+b;}, easeOutQuad:function(x, t, t), c, d){return c \*(t/=d)\*t+b;} b, c, d){return-c \*(t/=d)\*(t-2)+b;}, easeInOutQuad:function(x, t, b, c, d){if((t/=d/2)<1) return c/2 \*t\*t+b;return-c/2 c/2 \*((-t)\*(t-2)-1)+b;}, easeInCubic:function(x, t, b, c, d){return c \*(t/=d)\*t \*t+b;}, easeOutCubic:function(x, t, b, c, d){return c \*(t/=d)\*t \*t+b;}, t, b, c, d){return c \* ((t=t/d-1)\*t \*t+1)+b;}, easeInOutCubic:function(x, t, b, c, d){if((t/=d/2)< 1) return c/2 \*t \*t \*t+b; return c/2 \*((t-2)\*t \*t+2)+b;}, easeInQuart: function(x, t, b, c, d){return c \*(t-2)\*t \*t \*t+b;}, easeOutQuart:function(x, t, b, c, d){return-c \*((t=t/d-1)\*t \*t \*t-1)+b;}, easeInOutQuart:function(x, t, b, c, d){if((t/=d/2)< 1) return c/2 \*t \*t \*t \*t+b;return-c/2 \*((t-=2)\*t \*t \*t-2)+b;}, easeInQuint:function(x, t, b, c, InOutQuint:function(x, t, b, c, d){if((t/=d/2) < 1) return c/2 \*t \*t \*t \*t+b; return c/2 \*((t-=2)\*t \*t \*t \*t+2)+b;}, easeInSine:function(x, t, b, c, d){return-c \*Math.cos(t/d \*(Math.Pl/2))+c+b;}, easeOutSine:function(x, t, b, c, d){return c \*Math.sin(t/d \*(Math.Pl/2))+b;}, easeInOutSine:function(x, t, b, c, d){return-c/2 \*(Math.cos(Math.-PI \*t/d)-1)+b;}, easeInExpo:function(x, t, b, c, d){return(t==0)?b:c \*Math.pow(2, 10 \*(t/d-1))+b;}, easeOut-Expo:function(x, t, b, c, d){return(t==d)?b+c:c  $*(-Math.pow(2,-10 *t/d)+1)+b;}$ , easeInOutExpo:function(x, t, b, c, d){if(t==0) return b;if(t==d) return b+c;if((t/=d/2)< 1) return c/2 \*Math.pow(2, 10 \*(t-1))+b;return c/2 \*(-Math.pow(2,-10 \*--t)+2)+b;, easeInCirc:function(x, t, b, c, d){return-c \*(Math.sqrt(1-(t/=d)\*t)-1)+b;}, easeOutCirc:function(x, t, b, c, d){return  $c *Math.sqrt(1-(t=t/d-1)*t)+b;}$ , easeInOutCirc:function(x, t, b, c, d) $\{if((t/=d/2)<1) \text{ return-c/2 }*(Math.sqrt(1-t*t)-1)+b;return c/2 *(Math.sqrt(1-(t-=2)*t)+1)+b;}, easeInElastic-$ :function(x, t, b, c, d){var s=1.70158;var p=0;var a=c;if(t==0) return b;if((t/=d)==1) return b+c;if(!p) p=d \*.-3;if(a < Math.abs(c)){a=c;var s=p/4;}else var s=p/(2 \*Math.Pl)\*Math.asin(c/a);return-(a \*Math.pow(2, 10 \*(t-=1))\*Math.sin((t \*d-s)\*(2 \*Math.Pl)/p))+b;}, easeOutElastic:function(x, t, b, c, d){var s=1.70158;var p=0;var a=c;if(t=0) return  $b+c;if(t/p) p=d *.3;if(a < Math.abs(c)){a=c;var s=p/4;}else var s=p/(2) = a=c;if(t=0)$ \*Math.PI)\*Math.asin(c/a);return a \*Math.pow(2,-10 \*t)\*Math.sin((t \*d-s)\*(2 \*Math.PI)/p)+c+b;}, easeInOut-Elastic:function(x, t, b, c, d){var s=1.70158;var p=0;var a=c;if(t=0) return b;if((t/=d/2)==2) return b+c;if(!p) $p=d * (.3*1.5); if(a < Math.abs(c)) \\ \{a=c; var s=p/4; else var s=p/(2*Math.Pl)*Math.asin(c/a); if(t < 1) return-.5 \\ \{a=c; var s=p/4; else$ \*(a \*Math.pow(2, 10 \*(t-=1))\*Math.sin((t \*d-s)\*(2 \*Math.Pl)/p))+b;return a \*Math.pow(2,-10 \*(t-=1))\*Math.- $\sin((t*d-s)*(2*Math.Pl)/p)*.5+c+b;$ , easeInBack:function(x, t, b, c, d, s){if(s==undefined) s=1.70158;return c \*(t/=d)\*t\*((s+1)\*t-s)+b;, easeOutBack:function(x, t, b, c, d, s){if(s==undefined) s=1.70158;return c \*((t=t/d-s))\*t\*((s+1)\*t-s)+b;} 1)\*t \*((s+1)\*t+s)+1)+b;}, easeInOutBack:function(x, t, b, c, d, s){if(s==undefined) s=1.70158;if((t/=d/2)<1) return c/2 \*(t \*t \*(((s \*=(1.525))+1)\*t-s))+b; return c/2 \*((t-2)\*t \*(((s \*=(1.525))+1)\*t+s)+2)+b;), easeIn-Bounce:function(x, t, b, c, d){return c-jQuery.easing.easeOutBounce(x, d-t, 0, c, d)+b;}, easeOutBounce-:function(x, t, b, c, d){if((t/=d)< (1/2.75)){return c \*(7.5625 \*t \*t)+b;}else if(t< (2/2.75)){return c \*(7.5625 \*(t-=(1.5/2.75))\*t+.75)+b;}else if(t< (2.5/2.75)){return c \*(7.5625 \*(t-=(2.25/2.75))\*t+.9375)+b;}else{return c  $*(7.5625 *(t-=(2.625/2.75))*t+.984375)+b;}$ , easeInOutBounce:function(x, t, b, c, d){if(t< d/2) return jQuery.easing.easeInBounce(x, t \*2, 0, c, d)\*.5+b;return jQuery.easing.easeOutBounce(x, t \*2-d, 0, c, d)\*.5+c \*.-5+b;}})
- jQuery Velocity console log ("Velocity is already loaded. You may be needlessly importing Velocity again; note that Materialize includes Velocity.")

#### **Variables**

- jQuery easing ['jswing'] = jQuery.easing['swing']
- window

### 6.38.1 Function Documentation

6.38.1.1 jQuery extend ( jQuery. easing, {def: 'easeOutQuad', swing:function(x, t, b, c, d){return iQuery.easing[jQuery.easing.def](x, t, b, c, d);}, easeInQuad:function(x, t, b, c, d){return c \*(t/=d)\*t+b;}, easeOutQuad:function(x, t, b, c, d){return-c  $*(t/=d)*(t-2)+b;}$ , easeInOutQuad:function(x, t, b, c, d){if((t/=d/2) < 1) return c/2 \*t \*t+b;return-c/2 \*((-t)\*(t-2)-1)+b;}, easeInCubic:function(x, t, b, c, d){return c \*(t/=d)\*t \*t+b;}, easeOutCubic:function(x, t, b, c, d){return  $c *((t=t/d-1)*t*t+1)+b;}$ , easeInOutCubic:function(x, t, b, c, d){if((t/=d/2)< 1) return c/2 \*t \*t \*t+b; return c/2 \*((t-=2)\*t \*t+2)+b;}, easeInQuart:function(x, t, b, c, d){return c \*(t/=d)\*t \*t \*t+b;}, easeOutQuart:function(x, t, b, c, d){return-c \*((t=t/d-1)\*t \*t \*t-1)+b;}, easeInOutQuart:function(x, t, b, c, d){if((t/=d/2)< 1) return c/2 \*t \*t \*t \*t+b;return-c/2 \*((t-=2)\*t \*t \*t-2)+b;}, easeInQuint:function(x, t, b, c, d){return c \*(t/=d)\*t \*t \*t \*t \*t+b;}, easeOutQuint:function(x, t, b, c, d){return c \*((t=t/d-1)\*t \*t \*t \*t+t)+b;}, easeInOutQuint:function(x, t, b, c, d){if((t/=d/2)< 1) return c/2 \*t \*t \*t \*t \*t+b;return c/2 \*((t-=2)\*t \*t \*t \*t+b;},  $easeInSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function(x,\,t,\,b,\,c,\,d) \\ \{return-c * Math.cos(t/d * (Math.PI/2)) + c + b; \}, \ easeOutSine:function($ d){return c \*Math.sin(t/d \*(Math.Pl/2))+b;}, easelnOutSine:function(x, t, b, c, d){return-c/2 \*(Math.cos(Math.Pl \*t/d)-1)+t;}, easeInExpo:function(x, t, b, c, d){return(t==0)?b:c \*Math.pow(2, 10 \*(t/d-1))+t;}, easeOutExpo:function(x, t, b, c, d){return(t==d)?b+c:c \*(-Math.pow(2,-10 \*t/d)+1)+b;}, easelnOutExpo:function(x, t, b, c, d){if(t==0)} return b;if(t==d) return b+c;if((t/=d/2)< 1) return c/2 \*Math.pow(2, 10 \*(t-1))+b;return c/2 \*(-Math.pow(2,-10 \*--t)+2)+b;}, easeInCirc:function(x, t, b, c, d){return-c \*(Math.sqrt(1-(t/=d)\*t)-1)+b;}, easeOutCirc:function(x, t, b, c, d){return c \*Math.sqrt(1-(t=t/d-1)\*t)+b;}, easelnOutCirc:function(x, t, b, c, d){if((t/=d/2)< 1) return-c/2 \*(Math.sqrt(1-t \*t)-1)+b;return c/2 \*(Math.sqrt(1-(t-=2)\*t)+1)+b;}, easeInElastic:function(x, t, b, c, d){var s=1.70158;var p=0;var a=c;if(t==0) return b;if((t/=d)==1) return b+c;if(!p) p=d \*.3;if(a < Math.abs(c)){a=c;var s=p/4;}else var s=p/(2 \*Math.Pl)\*Math.asin(c/a);return-(a \*Math.pow(2, 10 \*(t-=1))\*Math.sin((t \*d-s)\*(2 \*Math.Pl)/p))+b;}, easeOutElastic:function(x, t, b, c, d){var s=1.70158;var p=0;var a=c;if(t==0) return b;if((t/=d)==1) return b+c;if(!p) p=d \*.3;if(a < Math.abs(c)){a=c;var s=p/4;}else var s=p/(2 \*Math.Pl)\*Math.asin(c/a);return a \*Math.pow(2,-10 \*t)\*Math.sin((t \*d-s)\*(2 \*Math.PI)/p)+c+b;}, easelnOutElastic:function(x, t, b, c, d){var s=1.70158;var p=0;var a=c;if(t==0) return b;if((t/=d/2)==2) return b+c;if(!p)  $p=d*(.3*1.5);if(a< Math.abs(c)){a=c;var s=p/4;}else$ var s=p/(2 \*Math.PI)\*Math.asin(c/a);if(t < 1) return-.5 \*(a \*Math.pow(2, 10 \*(t-=1))\*Math.sin((t \*d-s)\*(2 \*Math.PI)/p))+b;return a \*Math.pow(2,-10 \*(t-=1))\*Math.sin((t \*d-s)\*(2 \*Math.PI)/p)\*.5+c+b;}, easeInBack:function(x, t, b, c, d, s){if(s==undefined) s=1.70158;return c \*(t/=d)\*t \*((s+1)\*t-s)+b;}, easeOutBack:function(x, t, b, c, d, s){if(s==undefined) s=1.70158;return c \*((t=t/d-1)\*t\*((s+1)\*t+s)+1)+b;}, easelnOutBack:function(x, t, b, c, d, s){if(s==undefined) s=1.70158;if((t/=d/2)< 1) return c/2 \*(t \*t \*(((s \*=(1.525))+1)\*t-s))+b;return c/2 \*((t-=2)\*t \*(((s \*=(1.525))+1)\*t+s)+2)+b;}, easeInBounce:function(x, t, b, c, d){return c-jQuery.easing.easeOutBounce(x, d-t, 0, c, d)+b;}, easeOutBounce:function(x, t, b, c, d){if((t/=d) < (1/2.75)){return c \*(7.5625 \*t \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}else if(t < (2/2.75)){return c \*(7.5625 \*t)+b;}e c \*(7.5625 \*(t-=(1.5/2.75))\*t+.75)+b;}else if(t< (2.5/2.75)){return c \*(7.5625 \*(t-=(2.25/2.75))\*t+.9375)+b;}else{return} c \*(7.5625 \*(t-=(2.625/2.75))\*t+.984375)+b;}}, easelnOutBounce:function(x, t, b, c, d){if(t < d/2) return jQuery.easing.easeOutBounce(x, t \*2, 0, c, d)\*.5+b;return jQuery.easing.easeOutBounce(x, t \*2-d, 0, c, d)\*.5+c \*.5+b;}}

6.38.1.2 if ( typeof(jQuery) = == ' undefined' )

Materialize v0.97.5 (http://materializecss.com) Copyright 2014-2015 Materialize MIT License (https://raw.githubusercontent.com/Dogfalo/materialize/master/LICENSE)

Definition at line 7 of file materialize.js.

6.38.1.3 jQuery Velocity console log ( "Velocity is already loaded. You may be needlessly importing Velocity again; note that Materialize includes Velocity." )

VelocityJS.org (1.2.3). (C) 2014 Julian Shapiro. MIT: en.wikipedia.org/wiki/MIT\_License

VelocityJS.org jQuery Shim (1.0.1). (C) 2014 The jQuery Foundation. MIT: en.wikipedia.org/wiki/MIT\_License.

Note that this has been modified by Materialize to confirm that Velocity is not already being imported.

Definition at line 232 of file materialize.js.

- 6.38.2 Variable Documentation
- 6.38.2.1 jQuery easing['jswing'] = jQuery.easing['swing']

Definition at line 54 of file materialize.js.

6.38.2.2 window

Definition at line 232 of file materialize.js.

# 6.39 static/materialize/js/materialize.min.js File Reference

### **Functions**

- if ("undefined"==typeof ¡Query)
- jQuery easing jQuery extend (jQuery.easing, {def:"easeOutQuad", swing:function(a, b, c, d, e) {return jQuery.easing[jQuery.easing.def](a, b, c, d, e)}, easeInQuad:function(a, b, c, d, e){return d \*(b/=e)\*b+c}, easeOut- $Quad:function(a, b, c, d, e) \{return-d * (b/=e) * (b-2) + c\}, easeInOutQuad:function(a, b, c, d, e) \{return(b/=e/2) < c\}, easeInOutQuad:function(a, b, c, d, e) \{return(b/=e/2) < c\}, easeInOutQuad:function(a, b, c, d, e) \{return-d * (b/=e/2) < c\}, easeInOutQuad:function(a, b, c, d, e) \{return-d * (b/=e/2) < c\}, easeInOutQuad:function(a, b, c, d, e) \{return-d * (b/=e/2) < c\}, easeInOutQuad:function(a, b, c, d, e) \{return-d * (b/=e/2) < c\}, easeInOutQuad:function(a, b, c, d, e) \{return-d * (b/=e/2) < c\}, easeInOutQuad:function(a, b, c, d, e) \{return-d * (b/=e/2) < c\}, easeInOutQuad:function(a, b, c, d, e) \{return-d * (b/=e/2) < c\}, easeInOutQuad:function(a, b, c, d, e) \{return-d * (b/=e/2) < c\}, easeInOutQuad:function(a, b, c, d, e) \{return-d * (b/=e/2) < c\}, easeInOutQuad:function(a, b, c, d, e) \{return-d * (b/=e/2) < c\}, easeInOutQuad:function(a, b, c, d, e) \{return-d * (b/=e/2) < c\}, easeInOutQuad:function(a, b, c, d, e) \{return-d * (b/=e/2) < c\}, easeInOutQuad:function(a, b, c, d, e) \{return-d * (b/=e/2) < c\}, easeInOutQuad:function(a, b, c, d, e) \{return-d * (b/=e/2) < c\}, easeInOutQuad:function(a, b, c, d, e) \{return-d * (b/=e/2) < c\}, easeInOutQuad:function(a, b, c, d, e) \{return-d * (b/=e/2) < c\}, easeInOutQuad:function(a, b, c, d, e) \{return-d * (b/=e/2) < c\}, easeInOutQuad:function(a, b, c, d, e) \{return-d * (b/=e/2) < c\}, easeInOutQuad:function(a, b, c, d, e) \{return-d * (b/=e/2) < c\}, easeInOutQuad:function(a, b, c, d, e) \{return-d * (b/=e/2) < c\}, easeInOutQuad:function(a, b, c, d, e) \{return-d * (b/=e/2) < c\}, easeInOutQuad:function(a, b, c, d, e) \{return-d * (b/=e/2) < c\}, easeInOutQuad:function(a, b, c, d, e) \{return-d * (b/=e/2) < c\}, easeInOutQuad:function(a, b, c, d, e) \{return-d * (b/=e/2) < c\}, easeInOutQuad:function(a, b, c, d, e) \{return-d * (b/=e/2) < c\}, easeInOutQuad:function(a, b, c, d, e) \{return-d * (b/=e/2) < c\}, easeInOutQuad:function(a, b, c, d, e) \{return-d * (b/=e/2) < c\}, easeInOutQuad:function(a, b, c, d, e) \{return-d * (b/=e/2) < c\}, easeInOutQuad:function(a, b, c, d, e) \{ret$ 1?d/2 \*b \*b+c:-d/2 \*(--b \*(b-2)-1)+c, easeInCubic:function(a, b, c, d, e){return d \*(b/=e)\*b \*b+c}, easeInCubic:function( OutCubic:function(a, b, c, d, e){return d \*((b=b/e-1)\*b \*b+1)+c}, easeInOutCubic:function(a, b, c, d, e){return(b/=e/2) < 1?d/2 \*b \*b \*b+c:d/2 \*((b-=2)\*b \*b+2)+c}, easeInQuart:function(a, b, c, d, e){return} d \*(b/=e)\*b \*b \*b+c, easeOutQuart:function(a, b, c, d, e){return-d \*((b=b/e-1)\*b \*b \*b-1)+c}, ease-InOutQuart:function(a, b, c, d, e){return(b/=e/2) <  $1?d/2 *b *b *b *b+c:-d/2 *((b-=2)*b *b *b-2)+c},$ easeInQuint:function(a, b, c, d, e){return d \* (b/=e)\*b \*b \*b \*b+c}, easeOutQuint:function(a, b, c, d, e){return d \*((b=b/e-1)\*b\*b\*b\*b+1)+c}, easeInOutQuint:function(a, b, c, d, e){return(b/=e/2)< 1?d/2 \*b \*b \*b \*b \*b+c:d/2 \*((b-=2)\*b \*b \*b \*b+2)+c}, easeInSine:function(a, b, c, d, e){return-d \*Math.cos(b/e \*(Math.Pl/2))+d+c}, easeOutSine:function(a, b, c, d, e){return d \*Math.sin(b/e \*(Math.Pl/2))+c}, easeInOutSine:function(a, b, c, d, e){return-d/2 \*(Math.cos(Math.PI \*b/e)-1)+c}, easeInExpo:function(a, b, c, d, e){return 0==b?c:d \*Math.pow(2, 10 \*(b/e-1))+c}, easeOutExpo:function(a, b, c, d, e){return b==e?c+d:d \*(-Math.pow(2,-10 \*b/e)+1)+c}, easeInOutExpo:function(a, b, c, d, e){return 0==b?c:b==e?c+d-:(b/=e/2) < 1?d/2 \*Math.pow(2, 10 \*(b-1))+c:d/2 \*(-Math.pow(2,-10 \*--b)+2)+c}, easeInCirc:function(a, b, c, d, e){return-d \*(Math.sqrt(1-(b/=e)\*b)-1)+c}, easeOutCirc:function(a, b, c, d, e){return d \*Math.sqrt(1-(b=b/e-1)\*b)+c, easeInOutCirc:function(a, b, c, d, e){return(b/=e/2)< 1?-d/2 \*(Math.sqrt(1-b \*b)-1)+c-:d/2 \*(Math.sqrt(1-(b-=2)\*b)+1)+c], easeInElastic:function(a, b, c, d, e){var f=1.70158, g=0, h=d;if(0==b)} return c;if(1==(b/=e)) return c+d;if(g||(g=.3 \*e), h< Math.abs(d)){h=d;var f=g/4}else var f=g/(2 \*Math.P-I)\*Math.asin(d/h);return-(h \*Math.pow(2, 10 \*(b-=1))\*Math.sin((b \*e-f)\*(2 \*Math.PI)/g))+c}, easeOutElastic-:function(a, b, c, d, e){var f=1.70158, g=0, h=d;if(0==b) return c;if(1==(b/=e)) return c+d;if(g||(g=.3 \*e), h< Math.abs(d)){h=d;var f=g/4}else var f=g/(2 \*Math.PI)\*Math.asin(d/h);return h \*Math.pow(2,-10 \*b)\*Math.- $\sin((b * e - f) * (2 * Math.PI)/g) + d + c)$ , easeInOutElastic:function(a, b, c, d, e){var f=1.70158, g=0, h=d;if(0==b)} return c;if(2==(b/=e/2)) return c+d;if(g)|(g=e\*(.3\*1.5)),  $h < Math.abs(d))\{h=d;var f=g/4\}else var f=g/(2*1.5)\}$ \*Math.PI)\*Math.asin(d/h);return 1 >b?-.5 \*(h \*Math.pow(2, 10 \*(b-=1))\*Math.sin((b \*e-f)\*(2 \*Math.P-1/g)+c:h \*Math.pow(2,-10 \*(b-=1))\*Math.sin((b \*e-f)\*(2 \*Math.PI)/g)\*.5+d+c}, easeInBack:function(a, b, c, d, e, f){return void 0 = f & (f = 1.70158), d \* (b/=e) \* b \* ((f+1)\*b-f)+c}, easeOutBack:function(a, b, c, d, e, f){return void  $0 == f & (f=1.70158), d *((b=b/e-1)*b *((f+1)*b+f)+1)+c}, easeInOutBack:function(a, b, c, d,$ e, f){return void 0==f &&(f=1.70158),(b/=e/2) < 1?d/2 \*(b \*b \*(((f \*=1.525)+1)\*b-f))+c:d/2 \*((b-=2)\*b \*(((f-2)\*b \*((f-2)\*b \*( \*=1.525)+1)\*b+f)+2)+c}, easeInBounce:function(a, b, c, d, e){return d-jQuery.easing.easeOutBounce(a, e-b, 0, d, e)+c}, easeOutBounce:function(a, b, c, d, e){return(b/=e)} < 1/2.75?d \*(7.5625 \*b \*b)+c:2/2.75 >b?d \*(7.5625 \*(b-=1.5/2.75)\*b+.75)+c:2.5/2.75 > b?d \*(7.5625 \*(b-=2.25/2.75)\*b+.9375)+c:d \*(7.5625 \*(b-=2.25/2.75)\*b+.9375)+c.d \*(7.5625 \*(b-=2.25/2.75)\*b+.9375)+c.d \*(7.5625 \*(b-=2.25/2.75)\*c.d \*(5.5625 \*(b-=2.25/2.75)\*c.d625/2.75)\*b+.984375)+c}, easeInOutBounce:function(a, b, c, d, e){return e/2 >b?.5 \*jQuery.easing.easeIn-Bounce(a, 2 \*b, 0, d, e)+c:.5 \*jQuery.easing.easeOutBounce(a, 2 \*b-e, 0, d, e)+.5 \*d+c}})
- jQuery easing jQuery jQuery jQuery jQuery jQuery Velocity console log ("Velocity is already loaded. You may be needlessly importing Velocity again; note that Materialize includes Velocity.")

#### **Variables**

- jQuery easing jswing =jQuery.easing.swing
- window

#### 6.39.1 Function Documentation

6.39.1.1 jQuery easing jQuery extend ( jQuery. easing, {def:"easeOutQuad", swing:function(a, b, c, d, e){return jQuery.easing[jQuery.easing.def](a, b, c, d, e)}, easeInQuad:function(a, b, c, d, e){return d \*(b/=e)\*b+c}, easeOutQuad:function(a, b, c, d, e){return-d \*(b/=e)\*(b-2)+c}, easeInOutQuad:function(a, b, c, d, e){return(b/=e/2)< 1?d/2\*b\*b+c:-d/2\*(--b\*(b-2)-1)+c, easeInCubic:function(a, b, c, d, e){return d\*(b/=e)\*b\*b+c}, easeOutCubic:function(a, b, c, d, e){return d \*((b=b/e-1)\*b \*b+1)+c}, easeInOutCubic:function(a, b, c, d, e){return(b/=e/2)< 1?d/2\*b\*b\*b+c:d/2\*((b-=2)\*b\*b+2)+c}, easeInQuart:function(a, b, c, d, e){return d\*(b/=e)\*b\*b \*b+c}, easeOutQuart:function(a, b, c, d, e){return-d \*((b=b/e-1)\*b \*b \*b-1)+c}, easeInOutQuart:function(a, b, c, d, e){return(b/=e/2) < 1?d/2\*b\*b\*b\*b+c:-d/2\*((b-=2)\*b\*b\*b-2)+c}, easelnQuint:function(a, b, c, d, e){return d\*(b/=e)\*b\*b\*b\*b+c}, easeOutQuint:function(a, b, c, d, e){return d\*((b=b/e-1)\*b\*b\*b\*b+2)+c}, easeInSine:function(a, b, c, d, e){return-d \*Math.cos(b/e \*(Math.Pl/2))+d+c}, easeOutSine:function(a, b, c, d, e){return d \* Math.sin(b/e \*(Math.Pl/2))+c}, easelnOutSine:function(a, b, c, d, e){return-d/2 \*(Math.cos(Math.Pl \*b/e)-1)+c}, easelnExpo:function(a, b, c, d, e){return 0==b?c:d \*Math.pow(2, 10 \*(b/e-1))+c},  $easeOutExpo: function(a, b, c, d, e) \{return b == e?c + d: d * (-Math.pow(2, -10 * b/e) + 1) + c \}, easeInOutExpo: function(a, b, c, d, e) \{return b == e?c + d: d * (-Math.pow(2, -10 * b/e) + 1) + c \}, easeInOutExpo: function(a, b, c, d, e) \{return b == e?c + d: d * (-Math.pow(2, -10 * b/e) + 1) + c \}, easeInOutExpo: function(a, b, c, d, e) \{return b == e?c + d: d * (-Math.pow(2, -10 * b/e) + 1) + c \}, easeInOutExpo: function(a, b, c, d, e) \{return b == e?c + d: d * (-Math.pow(2, -10 * b/e) + 1) + c \}, easeInOutExpo: function(a, b, c, d, e) \{return b == e?c + d: d * (-Math.pow(2, -10 * b/e) + 1) + c \}, easeInOutExpo: function(a, b, c, d, e) \{return b == e?c + d: d * (-Math.pow(2, -10 * b/e) + 1) + c \}, easeInOutExpo: function(a, b, c, d, e) \{return b == e?c + d: d * (-Math.pow(2, -10 * b/e) + 1) + c \}, easeInOutExpo: function(a, b, c, d, e) \{return b == e?c + d: d * (-Math.pow(2, -10 * b/e) + 1) + c \}, easeInOutExpo: function(a, b, c, d, e) \{return b == e?c + d: d * (-Math.pow(2, -10 * b/e) + 1) + c \}, easeInOutExpo: function(a, b, c, d, e) \}$ b, c, d, e){return 0==b?c:b==e?c+d:(b/=e/2)< 1?d/2 \*Math.pow(2, 10 \*(b-1))+c:d/2 \*(-Math.pow(2,-10 \*--b)+2)+c}, easeInCirc:function(a, b, c, d, e){return-d \*(Math.sqrt(1-(b/=e)\*b)-1)+c}, easeOutCirc:function(a, b, c, d, e){return d \*Math.sqrt(1-(b=b/e-1)\*b)+c}, easelnOutCirc:function(a, b, c, d, e){return(b/=e/2)< 1?-d/2 \*(Math.sqrt(1-b \*b)-1)+c:d/2 \*(Math.sqrt(1-(b-=2)\*b)+1)+c}, easeInElastic:function(a, b, c, d, e){var f=1.70158, g=0, h=d;if(0==b) return c;if(1==(b/=e))  $return\ c+d; if(g|\ |\ (g=.3*e),\ h< Math.abs(d))\{h=d; var\ f=g/4\}else\ var\ f=g/(2*Math.Pl)*Math.asin(d/h); return-(h)$ \*Math.pow(2, 10 \* (b=1))\*Math.sin((b \*e-f)\*(2 \*Math.Pl)/g))+c}, easeOutElastic:function(a, b, c, d, e){var}  $f=1.70158, g=0, h=d; if(0==b) return c; if(1==(b/=e)) return c+d; if(g||(g=.3*e), h< Math.abs(d)){h=d; var f=g/4}else$  $var f=g/(2*Math.PI)*Math.asin(d/h); return h*Math.pow(2,-10*b)*Math.sin((b*e-f)*(2*Math.PI)/g)+d+c},$  $easeInOutElastic:function(a, b, c, d, e)\{var f=1.70158, g=0, h=d; if(0==b) return c; if(2==(b/=e/2)) return c+d; if(g||(g=e*(.3) e^{-b/2})) return c+d; if(g||(g=e*(.3) e^{-b/2})) return c+d; if(g||(g=e*(.3) e^{-b/2})) return c+d; if(g||(g=e*(.3) e^{-b/2})) return c+d; if(g=e*(.3) e^{-b/2})) return c+d; if(g=e*(.3) e^{-b/2}) return c+d; if(g=e$ \*1.5)), h< Math.abs(d)){h=d;var f=g/4}else var f=g/(2 \* Math.Pl)\*Math.asin(d/h);return 1 > b?-.5 \*(h \* Math.pow(2, 10 \*(b=1))\*Math.sin((b \*e-f)\*(2 \*Math.PI)/g))+c:h \*Math.pow(2,-10 \*(b-=1))\*Math.sin((b \*e-f)\*(2 \*Math.PI)/g)\*.5+d+c},  $ease In Back: function (a, b, c, d, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, c, d, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, c, d, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, c, d, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, c, d, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, c, d, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, c, d, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, c, d, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, c, d, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, c, d, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, c, d, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, c, d, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, c, d, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, c, d, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (f=1.70158),\ d\ * (f=1.70158),\ d\ * (f=1.70158),\ d\ * (f=1.70158),\ d\ * (f=1.70158),\ d\ * (f=1.701$ b, c, d, e, f{return void 0==f &&(f=1.70158), d\*((b=b/e-1)\*b\*((f+1)\*b+f)+1)+c}, easelnOutBack:function(a, b, c, d, e, f){return void 0==f &&(f=1.70158),(b/=e/2)< 1?d/2 \*(b \*b \*(((f \*=1.525)+1)\*b-f))+c:d/2 \*((b-2)\*b \*(((f \*=1.525)+1)\*b-f))+c:d/2 \*(((f \*=1.525)+1)\*b-f)\*((((f \*=1.525)+1)\*b-f)\*((((f \*=1.525)+1)\*b-f)\*((((f \*=1.525)+1)\*b-f)\*(((( \*=1.525)+1)\*b+f)+2)+c}, easeInBounce:function(a, b, c, d, e){return d-jQuery.easing.easeOutBounce(a, e-b, 0, d, e)+c}, easeOutBounce:function(a, b, c, d, e){return(b/=e)< 1/2.75?d \*(7.5625 \*b \*b)+c:2/2.75 > b?d \*(7.5625 \*(b-=1.5/2.75)\*b+.75)+c:2.5/2.75 > b?d \*(7.5625 \*(b-=2.25/2.75)\*b+.9375)+c:d \*(7.5625 \*(b-=2.625/2.75)\*b+.984375)+c}, easeInOutBounce:function(a, b, c, d, e){return e/2 > b?.5 \* jQuery.easing.easeInBounce(a, 2 \* b, 0, d, e)+c:.5  $*iQuery.easing.easeOutBounce(a, 2*b-e, 0, d, e)+.5*d+c}$ 

6.39.1.2 if ( "undefined" = =typeof jQuery )

Materialize v0.97.5 (http://materializecss.com) Copyright 2014-2015 Materialize MIT License (https://raw.githubusercontent.com/Dogfalo/materialize/master/LICENSE)

Definition at line 6 of file materialize.min.js.

6.39.1.3 jQuery easing jQuery jQuery jQuery Velocity console log ( "Velocity is already loaded. You may be needlessly importing Velocity again; note that Materialize includes Velocity." )

Definition at line 6 of file materialize.min.js.

- 6.39.2 Variable Documentation
- 6.39.2.1 jQuery easing jswing =jQuery.easing.swing

Definition at line 6 of file materialize.min.js.

6.39.2.2 window

Definition at line 6 of file materialize.min.js.

# 6.40 staticfiles/materialize/js/materialize.min.js File Reference

#### **Functions**

- if ("undefined"==typeof jQuery)
- jQuery easing jQuery extend (jQuery.easing, {def:"easeOutQuad", swing:function(a, b, c, d, e){return jQuery.easing[jQuery.easing.def](a, b, c, d, e)}, easeInQuad:function(a, b, c, d, e){return d \*(b/=e)\*b+c}, easeOut-Quad:function(a, b, c, d, e){return-d \*(b/=e)\*(b-2)+c}, easeInOutQuad:function(a, b, c, d, e){return(b/=e/2)< 1?d/2 \*b \*b+c:-d/2 \*(--b \*(b-2)-1)+c, easeInCubic:function(a, b, c, d, e){return d \*(b/=e)\*b \*b+c}, ease-OutCubic:function(a, b, c, d, e){return d \*((b=b/e-1)\*b \*b+1)+c}, easeInOutCubic:function(a, b, c, d, e){return(b/=e/2)  $< 1?d/2 *b *b *b+c:d/2 *((b-=2)*b *b+2)+c}$ , easeInQuart:function(a, b, c, d, e){return} d \*(b/=e)\*b \*b \*b+c, easeOutQuart:function(a, b, c, d, e){return-d \*((b=b/e-1)\*b \*b \*b-1)+c}, ease- $InOutQuart: function(a, b, c, d, e) \{ return(b/=e/2) < 1?d/2 *b *b *b *b+c:-d/2 *((b-=2)*b *b *b-2)+c \},$ easeInQuint:function(a, b, c, d, e){return d \* (b/=e)\*b \*b \*b \*b+c}, easeOutQuint:function(a, b, c, d, e){return d \*((b=b/e-1)\*b \*b \*b \*b+1)+c}, easeInOutQuint:function(a, b, c, d, e){return(b/=e/2)< 1?d/2 \*b \*b \*b \*b +c:d/2 \*((b-=2)\*b \*b \*b \*b+2)+c}, easeInSine:function(a, b, c, d, e){return-d \*Math.cos(b/e \*(Math.Pl/2))+d+c}, easeOutSine:function(a, b, c, d, e){return d \*Math.sin(b/e \*(Math.Pl/2))+c}, easeInOutSine:function(a, b, c, d, e){return-d/2 \*(Math.cos(Math.PI \*b/e)-1)+c}, easeInExpo:function(a, b, c, d, e){return 0==b?c:d \*Math.pow(2, 10 \*(b/e-1))+c}, easeOutExpo:function(a, b, c, d, e){return b==e?c+d:d \*(-Math.pow(2,-10 \*b/e)+1)+c}, easeInOutExpo:function(a, b, c, d, e){return 0==b?c:b==e?c+d-:(b/=e/2) < 1?d/2 \*Math.pow(2, 10 \*(b-1))+c:d/2 \*(-Math.pow(2,-10 \*--b)+2)+c}, easeInCirc:function(a, b, c, d, e){return-d \*(Math.sqrt(1-(b/=e)\*b)-1)+c}, easeOutCirc:function(a, b, c, d, e){return d \*Math.sqrt(1-(b=b/e-1)\*b+c, easeInOutCirc:function(a, b, c, d, e){return(b/=e/2)< 1?-d/2 \*(Math.sqrt(1-b \*b)-1)+c-:d/2 \*(Math.sqrt(1-(b-=2)\*b)+1)+c], easeInElastic:function(a, b, c, d, e){var f=1.70158, g=0, h=d;if(0==b)}  $return \ c; if (1==(b/=e)) \ return \ c+d; if (g||(g=.3 \ *e), \ h< \ Math.abs(d)) \\ \{h=d; var \ f=g/4\} else \ var \ f=g/(2 \ *Math.P-d) \\ \{h=d; var \ f=g/4\} else \ var \ f=g/4\} else \ var \ f=g/4\} else \\ \{h=d; var \ f=g/4\} else \ var \ f=g/4\} else \ var \ f=g/4\} else \\ \{h=d; var \ f=g/4\} else$ I)\*Math.asin(d/h);return-(h \*Math.pow(2, 10 \*(b-=1))\*Math.sin((b \*e-f)\*(2 \*Math.PI)/g))+c}, easeOutElastic-:function(a, b, c, d, e){var f=1.70158, g=0, h=d;if(0==b) return c;if(1==(b/=e)) return c+d;if(g||(g=.3 \*e), h< Math.abs(d)){h=d;var f=g/4}else var f=g/(2 \*Math.Pl)\*Math.asin(d/h);return h \*Math.pow(2,-10 \*b)\*Math.- $\sin((b * e - f) * (2 * Math.PI)/g) + d + c)$ , easeInOutElastic:function(a, b, c, d, e){var f=1.70158, g=0, h=d;if(0==b)} return c;if(2==(b/=e/2)) return  $c+d;if(g||(g=e*(.3*1.5)), h < Math.abs(d)){h=d;var f=g/4}else var f=g/(2*1.5)} var f=g/(2*1.5) var f=g/(2*$ \*Math.PI)\*Math.asin(d/h);return 1 >b?-.5 \*(h \*Math.pow(2, 10 \*(b-=1))\*Math.sin((b \*e-f)\*(2 \*Math.P-1/g)+c:h \*Math.pow(2,-10 \*(b-=1))\*Math.sin((b \*e-f)\*(2 \*Math.PI)/g)\*.5+d+c}, easeInBack:function(a, b, c, d, e, f){return void 0 = f & (f = 1.70158), d \* (b/=e) \* b \* ((f+1)\*b-f) + c}, easeOutBack:function(a, b, c, d, e, f){return void 0==f &&(f=1.70158), d \*((b=b/e-1)\*b \*((f+1)\*b+f)+1)+c}, easeInOutBack:function(a, b, c, d, e, f){return void 0==f &&(f=1.70158),(b/=e/2) < 1?d/2 \*(b \*b \*(((f \*=1.525)+1)\*b-f))+c:d/2 \*((b-=2)\*b \*(((f \*=1.525)+1)\*b-f))+c:d/2 \*((b-=2)\*b \*(((f \*=1.525)+1)\*b-f))+c:d/2 \*((b-=2)\*b \*(((f \*=1.525)+1)\*b-f))+c:d/2 \*((b-=2)\*b \*(((f \*=1.525)+1)\*b-f))+c:d/2 \*((f \*=1.525)+1)\*b-f))+c:d/2 \*(((f \*=1.525)+1)\*b-f) \*=1.525)+1)\*b+f)+2)+c}, easeInBounce:function(a, b, c, d, e){return d-jQuery.easing.easeOutBounce(a, e-b, 0, d, e)+c}, easeOutBounce:function(a, b, c, d, e){return(b/=e)} < 1/2.75?d \*(7.5625 \*b \*b)+c:2/2.75 >b?d \*(7.5625 \*(b-=1.5/2.75)\*b+.75)+c:2.5/2.75 > b?d \*(7.5625 \*(b-=2.25/2.75)\*b+.9375)+c:d \*(7.5625 \*(b-=2.25/2.75)\*b+.9375)+c.d \*(7.5625 \*(b-=2.25/2.75)\*b+.9375)+c.d \*(7.5625 \*(b-=2.25/2.75)\*c.d \*(b-=2.25/2.75)+c.d \*(b-=2.25625/2.75)\*b+.984375)+c}, easeInOutBounce:function(a, b, c, d, e){return e/2 >b?.5 \*jQuery.easing.easeIn-Bounce(a, 2\*b, 0, d, e)+c:.5 \*jQuery.easing.easeOutBounce(a, 2\*b-e, 0, d, e)+.5 \*d+c}})
- jQuery easing jQuery jQuery jQuery jQuery jQuery Velocity console log ("Velocity is already loaded. You may be needlessly importing Velocity again; note that Materialize includes Velocity.")

#### **Variables**

- jQuery easing jswing =jQuery.easing.swing
- window

# 6.40.1 Function Documentation

6.40.1.1 jQuery easing jQuery extend ( jQuery. easing, {def:"easeOutQuad", swing:function(a, b, c, d, e){return jQuery.easing[jQuery.easing.def](a, b, c, d, e)}, easeInQuad:function(a, b, c, d, e){return d \*(b/=e)\*b+c}, easeOutQuad:function(a, b, c, d, e){return-d \*(b/=e)\*(b-2)+c}, easeInOutQuad:function(a, b, c, d, e){return(b/=e/2)< 1?d/2\*b\*b+c:-d/2\*(--b\*(b-2)-1)+c, easeInCubic:function(a, b, c, d, e){return d\*(b/=e)\*b\*b+c}, easeOutCubic:function(a, b, c, d, e){return d \*((b=b/e-1)\*b \*b+1)+c}, easeInOutCubic:function(a, b, c, d, e){return(b/=e/2)< 1?d/2\*b\*b\*b+c:d/2\*((b-=2)\*b\*b+2)+c}, easeInQuart:function(a, b, c, d, e){return d\*(b/=e)\*b\*b \*b+c}, easeOutQuart:function(a, b, c, d, e){return-d \*((b=b/e-1)\*b \*b \*b-1)+c}, easeInOutQuart:function(a, b, c, d, e){return(b/=e/2) < 1?d/2\*b\*b\*b\*b+c:-d/2\*((b-=2)\*b\*b\*b-2)+c}, easelnQuint:function(a, b, c, d, e){return d\*(b/=e)\*b\*b\*b\*b+c}, easeOutQuint:function(a, b, c, d, e){return d\*((b=b/e-1)\*b\*b\*b\*b+2)+c}, easeInSine:function(a, b, c, d, e){return-d \*Math.cos(b/e \*(Math.Pl/2))+d+c}, easeOutSine:function(a, b, c, d, e){return d \* Math.sin(b/e \*(Math.Pl/2))+c}, easelnOutSine:function(a, b, c, d, e){return-d/2 \*(Math.cos(Math.Pl \*b/e)-1)+c}, easelnExpo:function(a, b, c, d, e){return 0==b?c:d \*Math.pow(2, 10 \*(b/e-1))+c},  $easeOutExpo: function(a, b, c, d, e) \{return b == e?c + d: d * (-Math.pow(2, -10 * b/e) + 1) + c \}, easeInOutExpo: function(a, b, c, d, e) \{return b == e?c + d: d * (-Math.pow(2, -10 * b/e) + 1) + c \}, easeInOutExpo: function(a, b, c, d, e) \{return b == e?c + d: d * (-Math.pow(2, -10 * b/e) + 1) + c \}, easeInOutExpo: function(a, b, c, d, e) \{return b == e?c + d: d * (-Math.pow(2, -10 * b/e) + 1) + c \}, easeInOutExpo: function(a, b, c, d, e) \{return b == e?c + d: d * (-Math.pow(2, -10 * b/e) + 1) + c \}, easeInOutExpo: function(a, b, c, d, e) \{return b == e?c + d: d * (-Math.pow(2, -10 * b/e) + 1) + c \}, easeInOutExpo: function(a, b, c, d, e) \{return b == e?c + d: d * (-Math.pow(2, -10 * b/e) + 1) + c \}, easeInOutExpo: function(a, b, c, d, e) \{return b == e?c + d: d * (-Math.pow(2, -10 * b/e) + 1) + c \}, easeInOutExpo: function(a, b, c, d, e) \{return b == e?c + d: d * (-Math.pow(2, -10 * b/e) + 1) + c \}, easeInOutExpo: function(a, b, c, d, e) \{return b == e?c + d: d * (-Math.pow(2, -10 * b/e) + 1) + c \}, easeInOutExpo: function(a, b, c, d, e) \}$ b, c, d, e){return 0==b?c:b==e?c+d:(b/=e/2)< 1?d/2 \*Math.pow(2, 10 \*(b-1))+c:d/2 \*(-Math.pow(2,-10 \*--b)+2)+c}, easeInCirc:function(a, b, c, d, e){return-d \*(Math.sqrt(1-(b/=e)\*b)-1)+c}, easeOutCirc:function(a, b, c, d, e){return d \*Math.sqrt(1-(b=b/e-1)\*b)+c}, easelnOutCirc:function(a, b, c, d, e){return(b/=e/2)< 1?-d/2 \*(Math.sqrt(1-b \*b)-1)+c:d/2 \*(Math.sqrt(1-(b-=2)\*b)+1)+c}, easeInElastic:function(a, b, c, d, e){var f=1.70158, g=0, h=d;if(0==b) return c;if(1==(b/=e))  $return\ c+d; if(g|\ |\ (g=.3*e),\ h< Math.abs(d))\{h=d; var\ f=g/4\}else\ var\ f=g/(2*Math.Pl)*Math.asin(d/h); return-(h)$ \*Math.pow(2, 10 \* (b=1))\*Math.sin((b \*e-f)\*(2 \*Math.Pl)/g))+c}, easeOutElastic:function(a, b, c, d, e){var}  $f=1.70158, g=0, h=d; if(0==b) return c; if(1==(b/=e)) return c+d; if(g||(g=.3*e), h< Math.abs(d)){h=d; var f=g/4}else$  $var f=g/(2*Math.PI)*Math.asin(d/h); return h*Math.pow(2,-10*b)*Math.sin((b*e-f)*(2*Math.PI)/g)+d+c},$  $easeInOutElastic:function(a, b, c, d, e)\{var f=1.70158, g=0, h=d; if(0==b) return c; if(2==(b/=e/2)) return c+d; if(g||(g=e*(.3) e^{-b/2})) return c+d; if(g||(g=e*(.3) e^{-b/2})) return c+d; if(g||(g=e*(.3) e^{-b/2})) return c+d; if(g||(g=e*(.3) e^{-b/2})) return c+d; if(g=e*(.3) e^{-b/2})) return c+d; if(g=e*(.3) e^{-b/2}) return c+d; if(g=e$ \*1.5)), h< Math.abs(d)){h=d;var f=g/4}else var f=g/(2 \* Math.Pl)\*Math.asin(d/h);return 1 > b?-.5 \*(h \* Math.pow(2, 10 \*(b=1))\*Math.sin((b \*e-f)\*(2 \*Math.PI)/g))+c:h \*Math.pow(2,-10 \*(b-=1))\*Math.sin((b \*e-f)\*(2 \*Math.PI)/g)\*.5+d+c},  $ease In Back: function (a, b, c, d, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, c, d, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, c, d, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, c, d, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, c, d, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, c, d, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, c, d, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, c, d, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, c, d, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, c, d, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, c, d, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, c, d, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, c, d, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, c, d, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (b/=e)*b\ * ((f+1)*b-f)+c\},\ ease Out Back: function (a, b, e, f) \{return\ void\ 0 == f\ \&\& (f=1.70158),\ d\ * (f=1.70158),\ d\ * (f=1.70158),\ d\ * (f=1.70158),\ d\ * (f=1.70158),\ d\ * (f=1.70158),\ d\ * (f=1.701$ b, c, d, e, f{return void 0==f &&(f=1.70158), d\*((b=b/e-1)\*b\*((f+1)\*b+f)+1)+c}, easelnOutBack:function(a, b, c, d, e, f){return void 0==f &&(f=1.70158),(b/=e/2)< 1?d/2 \*(b \*b \*(((f \*=1.525)+1)\*b-f))+c:d/2 \*((b-2)\*b \*(((f \*=1.525)+1)\*b-f))+c:d/2 \*(((f \*=1.525)+1)\*b-f)\*((((f \*=1.525)+1)\*b-f)\*((((f \*=1.525)+1)\*b-f)\*((((f \*=1.525)+1)\*b-f)\*(((( \*=1.525)+1)\*b+f)+2)+c}, easeInBounce:function(a, b, c, d, e){return d-jQuery.easing.easeOutBounce(a, e-b, 0, d, e)+c}, easeOutBounce:function(a, b, c, d, e){return(b/=e)< 1/2.75?d \*(7.5625 \*b \*b)+c:2/2.75 > b?d \*(7.5625 \*(b-=1.5/2.75)\*b+.75)+c:2.5/2.75 > b?d \*(7.5625 \*(b-=2.25/2.75)\*b+.9375)+c:d \*(7.5625 \*(b-=2.625/2.75)\*b+.984375)+c}, easeInOutBounce:function(a, b, c, d, e){return e/2 > b?.5 \* jQuery.easing.easeInBounce(a, 2 \* b, 0, d, e)+c:.5  $*iQuery.easing.easeOutBounce(a, 2*b-e, 0, d, e)+.5*d+c}$ 

6.40.1.2 if ( "undefined" = =typeof jQuery )

Materialize v0.97.5 (http://materializecss.com) Copyright 2014-2015 Materialize MIT License (https://raw.githubusercontent.com/Dogfalo/materialize/master/LICENSE)

Definition at line 6 of file materialize.min.js.

6.40.1.3 jQuery easing jQuery jQuery jQuery Velocity console log ( "Velocity is already loaded. You may be needlessly importing Velocity again; note that Materialize includes Velocity." )

Definition at line 6 of file materialize.min.js.

6.40.2 Variable Documentation

6.40.2.1 jQuery easing jswing =jQuery.easing.swing

Definition at line 6 of file materialize.min.js.

6.40.2.2 window

Definition at line 6 of file materialize.min.js.

- 6.41 static/materialize/README.md File Reference
- 6.42 staticfiles/materialize/README.md File Reference
- 6.43 static/preloader/js/vendor/jquery-1.9.1.min.js File Reference

### **Functions**

```
• function ut (e, t)
• function It (e)
• function ct (e)

    function pt (e)

    for (n in{radio:!0, checkbox:!0, file:!0, password:!0, image:!0}) i.pseudos[n] =ct(n)

• function ft (e, t)
• function dt (e)

 function ht (e, t, n)

    function gt (e)

 function mt (e, t, n, r, i)

function yt (e, t, n, r, i, o)
• function vt (e)

    function bt (e, t)

 function xt (e, t, n)

 function wt (e, t, n, r)

• function Tt ()
• iic()
```

- b fn extend ({find:function(e){var t, n, r, i=this.length;if("string"!=typeof e) return r=this, this.push-Stack(b(e).filter(function(){for(t=0;i >t;t++) if(b.contains(r[t], this)) return!0}));for(n=[], t=0;i >t;t++) b.find(e, this[t], n);return n=this.pushStack(i >1?b.unique(n):n), n.selector=(this.selector?this.selector+" ":"")+e, n}, has:function(e){var t, n=b(e, this), r=n.length;return this.filter(function(){for(t=0;r >t;t++) if(b.contains(this, n[t])) return!0})}, not:function(e){return this.pushStack(ft(this, e,!1))}, filter:function(e){return this.push-Stack(ft(this, e,!0))}, is:function(e){return!le &&("string"==typeof e?lt.test(e)?b(e, this.context).index(this[0])>=0-:b.filter(e, this).length >0:this.filter(e).length >0)}, closest:function(e, t){var n, r=0, i=this.length, o=[], a=lt.test(e)||"string"!=typeof e?b(e, t||this.context):0;for(;i >r;r++){n=this[r];while(n &&n.ownerDocument &&n!==t &&11!==n.nodeType){if(a?a.index(n)>-1:b.find.matchesSelector(n, e)){o.push(n);break}n=n.parent-Node}}return this.pushStack(o.length >1?b.unique(o):o)}, index:function(e){return e?"string"==typeof e?b.in-Array(this[0], b(e)):b.inArray(e.jquery?e[0]:e, this):this[0]&&this[0].parentNode?this.first().prevAll().length:-1}, add:function(e, t){var n="string"==typeof e?b(e, t):b.makeArray(e &&e.nodeType?[e]:e), r=b.merge(this.get(), n);return this.pushStack(b.unique(r))}, addBack:function(e){return this.add(null==e?this.prevObject:this.prevObject.filter(e))}})
- function pt (e, t)
- b each ({parent:function(e){var t=e.parentNode;return t &&11!==t.nodeType?t:null}, parents:function(e){return b.dir(e,"parentNode")}, parentsUntil:function(e, t, n){return b.dir(e,"parentNode", n)}, next:function(e){return pt(e,"nextSibling")}, prev:function(e){return pt(e,"previousSibling")}, nextAll:function(e){return b.dir(e,"next-Sibling")}, prevAll:function(e){return b.dir(e,"previousSibling")}, nextUntil:function(e, t, n){return b.dir(e,"next-Sibling", n)}, prevUntil:function(e, t, n){return b.dir(e,"previousSibling", n)}, siblings:function(e){return b.sibling((e.parentNode||{})).firstChild, e)}, children:function(e){return b.sibling(e.firstChild)}, contents:function(e){return b.nodeName(e,"iframe")?e.contentDocument||e.contentWindow.document:b.merge([], e.childNodes)}}, function(e, t){b.fn[e]=function(n, r){var i=b.map(this, t, n);return at.test(e)||(r=n), r &&"string"==typeof r &&(i=b.filter(r, i)), i=this.length >1 &&!ct[e]?b.unique(i):i, this.length >1 &&st.test(e)&&(i=i.reverse()), this.pushStack(i)}})
- function ft (e, t, n)
- function Lt (e. t)
- function Ht (e)
- function qt (e)

- function Mt (e, t)
- function \_t (e, t)
- function Ft (e, t)
- function Ot (e, n)
- function Bt (e)
- function tn (e, t)
- function nn (e, t)
- function rn (e, t)
- b fn b e getComputedStyle (Rt=function(t){return e.getComputedStyle(t, null)}, Wt=function(e, n, r){var i, o, a, s=r||Rt(e), u=s?s.getPropertyValue(n)||s[n]:t, l=e.style;return s &&(""!==u||b.contains(e.ownerDocument, e)||(u=b.style(e, n)), Yt.test(u)&&Ut.test(n)&&(i=l.width, o=l.minWidth, a=l.maxWidth, l.minWidth=l.max-Width=l.width=u, u=s.width, l.width=i, l.minWidth=o, l.maxWidth=a)), u})
- function on (e, t, n)
- function an (e, t, n, r, i)
- function sn (e, t, n)
- function un (e)
- function In (e, t)
- b each (["height","width"], function(e, n){b.cssHooks[n]={get:function(e, r, i){return r?0===e.offsetWidth &&Xt.test(b.css(e,"display"))?b.swap(e, Qt, function(){return sn(e, n, i)}):sn(e, n, i):t}, set:function(e, t, r){var i=r &&Rt(e);return on(e, t, r?an(e, n, r, b.support.boxSizing &&"border-box"===b.css(e,"boxSizing",!1, i), i):0)}}})
- b b support opacity (b.cssHooks.opacity={get:function(e, t){return It.test((t &&e.currentStyle?e.currentStyle.filter)||"")?.01 \*parseFloat(RegExp.\$1)+"":t?"1":""}, set:function(e, t){var n=e.style, r=e.currentStyle, i=b.isNumeric(t)?"alpha(opacity="+100 \*t+")":"", o=r &&r.filter||n.filter||"";n.zoom=1,(t >=1||""===t)&&""===b.trim(o.replace(\$t,""))&&n.removeAttribute &&(n.removeAttribute("filter"),""===t||r &&!r.filter)||(n.filter=\$t.test(o)?o.replace(\$t, i):o+" "+i)}})
- b b support b (function(){b.support.reliableMarginRight||(b.cssHooks.marginRight={get:function(e, n){return n?b.swap(e,{display:"inline-block"}, Wt,[e,"marginRight"]):t}}),!b.support.pixelPosition &&b.fn.position &&b.each(["top","left"], function(e, n){b.cssHooks[n]={get:function(e, r){return r?(r=Wt(e, n), Yt.test(r)?b(e).position()[n]+"px"-:r):t}}}))
- function gn (e, t, n, r)
- b each ("blur focus focusin focusout load resize scroll unload click dblclick mousedown mouseup mousemove mouseover mouseout mouseenter mouseleave change select submit keydown keypress keyup error
  contextmenu".split(" "), function(e, t){b.fn[t]=function(e, n){return arguments.length >0?this.on(t, null, e, n):this.trigger(t)}})

## **Variables**

- function e
- function t
- o =st.getText=function(e){var t,n="",r=0,i=e.nodeType;if(i){if(1===i||9===i||11===i){if("string"==typeof e.text-Content)return e.textContent;for(e=e.firstChild;e;e=e.nextSibling)n+=o(e)}else if(3===i||4===i)return e.node-Value}else for(;t=e[r];r++)n+=o(t);return n}
- j =st.selectors={cacheLength:50,createPseudo:ot,match:U,find:{},relative:{">":{dir:"parentNode",first-:!0}," ":{dir:"parentNode"},"+":{dir:"previousSibling",first:!0},"~":{dir:"previousSibling"}},preFilter:{ATTR-[-1] = [1] = [1] - [1]"),e.slice(0,4)},CHILD:function(e){return e[1]=e[1].toLowerCase(),"nth"===e[1].slice(0,3)?(e[3]||st.error(e[0]),e[4]=+(e[4]?e[5]+(e[4]?e[4])+(e[4]?e[4])+(e[4]?e[4])+(e[4]?e[4])+(e[4]?e[4])+(e[4]?e[4])+(e[4]?e[4])+(e[4]?e[4])+(e[4]?e[4])+(e[4]?e[4])+(e[4]?e[4])+(e[4]?e[4])+(e[4]?e[4])+(e[4]?e[4])+(e[4]?e[4])+(e[4]?e[4])+(e[4]?e[  $:2*("even"===e[3]||"odd"===e[3])), e[5]=+(e[7]+e[8]||"odd"===e[3])):e[3] \& st.error(e[0]), e\}, PSEUDO: function(e) \{varele e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3] | e = e[3$ t,n=!e[5]&&e[2];return U.CHILD.test(e[0])?null:(e[4]?e[2]=e[4]:n&&z.test(n)&&(t=ft(n,!0))&&(t=n.index- $Of(")", n.length-t)-n.length) \& \& (e[0] = e[0]. slice (0,t), e[2] = n. slice (0,t)), e. slice (0,3)) \} , filter: \{TAG: function (e) \{return "*" ===e? function (e) \{return "*" ==e? function (e) \{return "*" ===e? function (e) \{return "*" ==e? funct$  $: (\texttt{e} = \texttt{e}.replace(\texttt{e}\mathsf{t}, \texttt{t}).toLowerCase(), function(\texttt{t})\{\texttt{r}eturn & \texttt{t}.nodeName\&\&\texttt{t}.nodeName.toLowerCase() = = \texttt{e}\})\}, CL-tolorized for the transfer of th$  $ASS: function(e) \{ var \ t = k[e+" \ "]; return \ t | | (t = RegExp("(^|+_++")"+e+"("+_++"|\$)")) \& k(e, function(e) \} \}$ test(e.className||typeof e.getAttribute!==A&&e.getAttribute("class")||"")}},ATTR:function(e,t,n){return function(r){var i=st.attr(r,e);return null==i?"!="===t:t?(i+="","="===t?i===n:"!="===t?i!==n:"^="===t?n&&0===i-1  $indexOf(n):"*="===t?n\&\&i.indexOf(n)>-1:"\$="===t?n\&\&i.slice(-n.length)===n:"\sim="===t?(" "+i+" ").index-length)==n:"\sim="==t?n\&\&i.slice(-n.length)===n:"\sim="==t?n\&\&i.slice(-n.length)===n:"\sim="==t?n\&i.slice(-n.length)==n:"\sim="==t?n\&i.slice(-n.length)==n:"\sim="==t?n\&i.slice(-n.length)==n:"\sim="==t?n\&i.slice(-n.length)==n:"\sim="==t?n\&i.slice(-n.length)==n:"\sim="==t?n\&i.slice(-n.length)==n:"\sim="==t?n\&i.slice(-n.length)==n:"\sim="==t?n\&i.slice(-n.length)=n:"\sim="==t?n\&i.slice(-n.length)=n:"\sim="==t?n\&i.slice(-n.length)=n:"\sim="==t?n\&i.slice(-n.length)=n:"\sim="==t?n\&i.slice(-n.length)=n:"\sim="==t?n\&i.slice(-n.length)=n:"\sim="==t?n\&i.slice(-n.length)=n:"\sim="==t?n\&i.slice(-n.length)=n:"\sim="==t?n\&i.slice(-n.length)=n:">=t?n\&i.slice(-n.length)=n:"\sim="==t?n\&i.slice(-n.length)=n:">=t?n\&i.slice$ Of(n) > -1:"|="===t?i===n||i.slice(0,n.length+1)===n+"-":!1):!0}},CHILD:function(e,t,n,r,i){var} o="nth"!==e.-

slice(0,3),a="last"!==e.slice(-4),s="of-type"===t;return

1===r&&0===i?function(e){return!!e.parentNode}-

```
: function(t,n,u) \\ \{var \quad I,c,p,f,d,h,g=o!==a?"nextSibling": "previousSibling",m=t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode,y=s\&\&t.nodeName.-t.parentNode
                    childNodes[d]; while (p=++d\&p\&\&p[g]||(f=d=0)||h.pop()) if (1==p.nodeType\&\&++f\&\&p===t) \\ \{c[e]=[N,d,f]; break\} \} elset (a) in the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           while (p=++d\&p\&p[g]||(f=d=0)||h.pop())if((s?p.node-
                    if(v&&(I=(t[x]||(t[x]={}))[e])&&I[0]===N)f=I[1];else
                    Name.toLowerCase() = = = y:1 = = p.nodeType) \& \& + f \& (v \& \& ((p[x]||(p[x]=\{\}))[e]=[N,f]), p = = t)) break; return = t \& (v \& \& ((p[x]||(p[x]=\{\}))[e]=[N,f]), p = = t)) break; return = t \& (v \& \& ((p[x]||(p[x]=\{\}))[e]=[N,f]), p = = t)) break; return = t \& (v \& \& ((p[x]||(p[x]=\{\}))[e]=[N,f]), p = = t)) break; return = t \& (v \& \& ((p[x]||(p[x]=\{\}))[e]=[N,f]), p = = t)) break; return = t \& (v \& \& ((p[x]||(p[x]=\{\}))[e]=[N,f]), p = = t)) break; return = t \& (v \& \& ((p[x]||(p[x]=\{\}))[e]=[N,f]), p = = t)) break; return = t \& (v \& \& ((p[x]||(p[x]=\{\}))[e]=[N,f]), p = t)) break; return = t \& (v \& \& ((p[x]||(p[x]=\{\}))[e]=[N,f]), p = t)) break; return = t \& (v \& \& ((p[x]||(p[x]=\{\}))[e]=[N,f]), p = t)) break; return = t \& (v \& \& ((p[x]||(p[x]=\{\}))[e]=[N,f]), p = t)) break; return = t \& (v \& \& ((p[x]||(p[x]=\{\}))[e]=[N,f]), p = t) break; return = t \& (v \& \& ((p[x]||(p[x]=\{\}))[e]=[N,f]), p = t) break; return = t \& (v \& \& ((p[x]||(p[x]=\{\}))[e]=[N,f]), p = t) break; return = t \& (v \& \& ((p[x]=\{\}))[e]=[N,f]), p = t \& (v \& \& ((p[x]=\{\}))[e]=[N,f]), p = t) break; return = t \& (v \& \& ((p[x]=\{\}))[e]=[N,f]), p = t \& (v \& \& ((p[x]=\{\}))[e]=[N,f]), p = t \& (v \& \& ((p[x]=\{\}))[e]=[N,f]), p = t) break; return = t \& (v \& \& ((p[x]=\{\}))[e]=[N,f]), p = t \& (v \& \& ((p[x]=\{\}))[e]=[N,f]), p = t) break; return = t \& (v \& \& ((p[x]=\{\}))[e]=[N,f]), p = t \& (v \& \& ((p[x]=\{\}))[e]=[N,f]), p = t \& ((p[x]=\{\}))[e]=[N,f]), p = t \& ((p[x]=\{\}))[e]=[N,f]), p = t \& ((p[x]=\{\}))[e]=[N,f]), p = t \& ((p[x]=\{\}))[e]=[N,f]), p = t \& ((p[x]=\{\}))[e]=[N,f]), p = t \& ((p[x]=\{\})(p[x]=[A,f]), p = t \& ((
                    =i,f===r||0===f\%r\&f/r>=0\}\}, PSEUDO:function(e,t){var n,r=i.pseudos[e]||i.setFilters[e.toLowerCase()]||st.-ref.||10===f%r&f/ref.||10===f%r&f/ref.||10===f%r&f/ref.||10===f%r&f/ref.||10===f%r&f/ref.||10===f%r&f/ref.||10===f%r&f/ref.||10===f%r&f/ref.||10===f%r&f/ref.||10===f%r&f/ref.||10===f%r&f/ref.||10===f%r&f/ref.||10===f%r&f/ref.||10===f%r&f/ref.||10===f%r&f/ref.||10===f%r&f/ref.||10===f%r&f/ref.||10===f%r&f/ref.||10===f%r&f/ref.||10===f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%r&f/ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.||10==f%ref.|
                    error("unsupported pseudo: "+e); return r[x]?r(t): r. length > 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilters. hasOwnProperty (e.to-length) = 1? (n=[e,e,"",t], i.setFilte
                    LowerCase())? ot(function(e,n)\{vari,o=r(e,t),a=o.length; while(a--)i=M.call(e,o[a]),e[i]=!(n[i]=o[a])\}): function(e)\{return(e,n)\{vari,o=r(e,t),a=o.length; while(a--)i=M.call(e,o[a]),e[i]=!(n[i]=o[a])\}\}): function(e)\{return(e,n)\{vari,o=r(e,t),a=o.length; while(a--)i=M.call(e,o[a]),e[i]=!(n[i]=o[a])\}): function(e)\{return(e,n)\{vari,o=r(e,t),a=o.length; while(a--)i=M.call(e,o[a]),e[i]=!(n[i]=o[a])\}): function(e)\{return(e,n)\{vari,o=r(e,t),a=o.length; while(a--)i=M.call(e,o[a]),e[i]=!(n[i]=o[a])\}): function(e)\{return(e,n)\{vari,o=r(e,t),a=o.length; while(a--)i=M.call(e,o[a]),e[i]=!(n[i]=o[a])\}): function(e)\{return(e,n)\{vari,o=r(e,t),a=o.length; while(a--)i=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]),e[i]=M.call(e,o[a]
                     r(e,0,n)\}):r\}\}, pseudos:\{not:ot(function(e)\{var\ t=[],n=[],r=s(e.replace(W,"\$1"));return\ r[x]?ot(function(e,t,n,i)\{var\ t=[],n=[],n=[],r=s(e.replace(W,"\$1"));return\ r[x]?ot(function(e,t,n,i)\{var\ t=[],n=[],n=[],n=[],r=s(e.replace(W,"\$1"));re
                    o, a = r(e, null, i, []), s = e.length; while (s--)(o = a[s]) \& (e[s] = !(t[s] = o))) : function (e, i, o) \{return t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, n), !n-- t[0] = e, r(t, null, o, null, 
                    pop()\}\}), has:ot(function(e)\{return \ function(t)\{return \ st(e,t).length>0\}\}), contains:ot(function(e)\{return \ function(e)\}\}), has:ot(function(e)\{return \ function(e)\}\}), has:ot(function(e)\{retu
                    X.test(e||"")||st.-
                    error("unsupported lang: "+e),e=e.replace(et,tt).toLowerCase(),function(t){var n;do if(n=d?t.getAttribute("xml-
                    ||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.getAttribute(||lang||):t.lang)||t.
                    slice(1)===t.id},root:function(e){return
                                                                                                                                                                                                                                                                                                                                                                                                                        e===f},focus:function(e){return
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    e===p.activeElement&&(!p.has-
                    Focus||p.hasFocus()) \& \& !! (e.type||e.href|| \sim e.tabIndex) \}, enabled: function (e) \{return e.disabled ===!1\}, disabled == e.to. ||e.type||e.href|| = e.tabIndex ||e.type||e.href|| = e.tabIndex ||e.type||e.href|| = e.tabIndex ||e.type||e.href|| = e.tabIndex ||e.type||e.href|| = e.tabIndex ||e.type||e.href|| = e.tabIndex ||e.type||e.href|| = e.tabIndex ||e.type||e.href|| = e.tabIndex ||e.type||e.href|| = e.tabIndex ||e.type||e.href|| = e.tabIndex ||e.type||e.href|| = e.tabIndex ||e.type||e.href|| = e.tabIndex ||e.type||e.href|| = e.tabIndex ||e.type||e.href|| = e.tabIndex ||e.type||e.href|| = e.tabIndex ||e.type||e.href|| = e.tabIndex ||e.type||e.href|| = e.tabIndex ||e.type||e.href|| = e.tabIndex ||e.type||e.tabIndex ||e.type||e.tabIndex ||e.type||e.tabIndex ||e.type||e.tabIndex ||e.type||e.tabIndex ||e.type||e.tabIndex ||e.type||e.tabIndex ||e.type||e.tabIndex ||e.type||e.tabIndex ||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.type||e.t
                    :function(e){return e.disabled===!0},checked:function(e){var t=e.nodeName.toLowerCase();return"input"===t&&!!e.-
                    checked||"option"===t&&!!e.selected},selected:function(e){return} e.parentNode&e.parentNode.selected-
                    Index, e.selected === !0 \}, empty: function (e) \{ for (e=e.first Child; e; e=e.next Sibling) \\ if (e.node Name > "@" | | 3==e.-next Sibling) \\ if (e.node Name > "@" | | 3==e.-next Sibling) \\ if (e.node Name > "@" | | 3==e.-next Sibling) \\ if (e.node Name > "@" | | 3==e.-next Sibling) \\ if (e.node Name > "@" | | 3==e.-next Sibling) \\ if (e.node Name > "@" | | 3==e.-next Sibling) \\ if (e.node Name > "@" | | 3==e.-next Sibling) \\ if (e.node Name > "@" | | 3==e.-next Sibling) \\ if (e.node Name > "@" | | 3==e.-next Sibling) \\ if (e.node Name > "@" | | 3==e.-next Sibling) \\ if (e.node Name > "@" | | 3==e.-next Sibling) \\ if (e.node Name > "@" | | 3==e.-next Sibling) \\ if (e.node Name > "@" | | 3==e.-next Sibling) \\ if (e.node Name > "@" | | 3==e.-next Sibling) \\ if (e.node Name > "@" | | 3==e.-next Sibling) \\ if (e.node Name > "@" | | 3==e.-next Sibling) \\ if (e.node Name > "@" | 1=e.-next Sibling) \\ if (e.node Name > "@" | 1=e.-next Sibling) \\ if (e.node Name > "@" | 1=e.-next Sibling) \\ if (e.node Name > "@" | 1=e.-next Sibling) \\ if (e.node Name > "@" | 1=e.-next Sibling) \\ if (e.node Name > "@" | 1=e.-next Sibling) \\ if (e.node Name > "@" | 1=e.-next Sibling) \\ if (e.node Name > "@" | 1=e.-next Sibling) \\ if (e.node Name > "@" | 1=e.-next Sibling) \\ if (e.node Name > "@" | 1=e.-next Sibling) \\ if (e.node Name > "@" | 1=e.-next Sibling) \\ if (e.node Name > "@" | 1=e.-next Sibling) \\ if (e.node Name > "@" | 1=e.-next Sibling) \\ if (e.node Name > "@" | 1=e.-next Sibling) \\ if (e.node Name > "@" | 1=e.-next Sibling) \\ if (e.node Name > "@" | 1=e.-next Sibling) \\ if (e.node Name > "@" | 1=e.-next Sibling) \\ if (e.node Name > "@" | 1=e.-next Sibling) \\ if (e.node Name > "@" | 1=e.-next Sibling) \\ if (e.node Name > "@" | 1=e.-next Sibling) \\ if (e.node Name > "@" | 1=e.-next Sibling) \\ if (e.node Name > "@" | 1=e.-next Sibling) \\ if (e.node Name > "@" | 1=e.-next Sibling) \\ if (e.node Name > "@" | 1=e.-next Sibling) \\ if (e.node Name > "@" | 1=e.-next Sibling) \\ if (e.node Name > "@" | 1=e.-next Sibling) \\ if (e.node 
                    nodeType | 4 === e.nodeType) return! 1; return! 0 \}, parent: function (e) \{return! i.pseudos.empty (e) \}, header: function (e) \{return! 
                    Q.test(e.nodeName)},input:function(e){return G.test(e.nodeName)},button:function(e){var t=e.nodeName.to-
                    LowerCase(); return" input" === t \& \&"button" === e.type ||"button" === t \}, text: function(e) \{var t; return" input" === e.type ||"button" === t \}, text: function(e) \{var t; return" input" === e.type ||"button" === t \}, text: function(e) \{var t; return" input" === e.type ||"button" === t \}, text: function(e) \{var t; return" input" === e.type ||"button" === t \}, text: function(e) \{var t; return" input" === e.type ||"button" === t \}, text: function(e) \{var t; return" input" === e.type ||"button" === t \}, text: function(e) \{var t; return" input" === e.type ||"button" === t \}, text: function(e) \{var t; return" input" === e.type ||"button" === t \}, text: function(e) \{var t; return" input" === e.type ||"button" === t \}, text: function(e) \{var t; return" input" === e.type ||"button" === t \}, text: function(e) \{var t; return" input" === e.type ||"button" === t \}, text: function(e) \{var t; return" input" === e.type ||"button" === t \}, text: function(e) \{var t; return" input" === e.type ||"button" === t \}, text: function(e) \{var t; return" input" === e.type ||"button" === t \}, text: function(e) \{var t; return" input" === e.type ||"button" ==                     nodeName.toLowerCase() \&\&"text" === e.type\&\&(null == (t=e.getAttribute("type")) || t.toLowerCase() === e.type\&\&(null == (t=e.getAttribute("type")) || t.toLowerCase() === e.type\&\&(null == (t=e.getAttribute("type")) || t.toLowerCase() === e.type\&\&(null == (t=e.getAttribute("type")) || t.toLowerCase() === e.type\&\&(null == (t=e.getAttribute("type")) || t.toLowerCase() === e.type\&\&(null == (t=e.getAttribute("type")) || t.toLowerCase() === e.type\&\&(null == (t=e.getAttribute("type")) || t.toLowerCase() === e.type\&\&(null == (t=e.getAttribute("type")) || t.toLowerCase() === e.type\&\&(null == (t=e.getAttribute("type")) || t.toLowerCase() == e.type\&(null == (t=e.getAttribu
                    type)\}, first:pt(function()\{return[0]\}), last:pt(function(e,t)\{return[t-1]\}), eq:pt(function(e,t,n)\{return[0>n?n+t-1]\}), eq:pt(function(e,t,n)\{return[0]\}), last:pt(function(e,t)\{return[t-1]\}), eq:pt(function(e,t,n)\{return[0]\}), last:pt(function(e,t)\{return[t-1]\}), eq:pt(function(e,t,n)\{return[0]\}), last:pt(function(e,t)\{return[t-1]\}), eq:pt(function(e,t)\{return[t-1]\}), eq:pt(function(e,t)\{return[
                    :n]}), even:pt(function(e,t){var n=0;for(;t>n;n+=2)e.push(n);return e}), odd:pt(function(e,t){var n=1;for(;t>n;n+=2)e.-
                    push(n); return e\}, \\ |t:pt(function(e,t,n)\{var r=0>n?n+t:n; \\ for(;-r>=0;)e.push(r); return e\}), \\ |t:pt(function(e,t,n)\{var r=0>n?n+t:n; \\ for(;-r>=0;)e.push(r); \\ |t:pt(function(e,t,n)\{var r=0>n?n+t:n; \\ for(;-r>=0;)e.push(r); \\ |t:pt(function(e,t,n)\{var r=0>n?n+t:n; \\ for(;-r>=0;)e.push(r); \\ |t:pt(function(e,t,n)\{var r=0>n?n+t:n; \\ for(;-r>=0;)e.push(r); \\ |t:pt(function(e,t,n)\{var r=0>n?n+t:n; \\ for(;-r>=0;)e.push(r); \\ |t:pt(function(e,t,n)\{var r=0>n?n+t:n; \\ for(;-r>=0;)e.push(r); \\ |t:pt(function(e,t,n)\{var r=0>n?n+t:n; \\ for(;-r>=0;)e.push(r); \\ |t:pt(function(e,t,n)\{var r=0>n?n+t:n; \\ for(;-r>=0;)e.push(r); \\ |t:pt(function(e,t,n)\{var r=0>n?n+t:n; \\ for(;-r>=0;)e.push(r); \\ |t:pt(function(e,t,n)\{var r=0>n?n+t:n; \\ for(;-r>=0;)e.push(r); \\ |t:pt(function(e,t,n)\{var r=0>n?n+t:n; \\ for(;-r>=0;)e.push(r); \\ |t:pt(function(e,t,n)\{var r=0>n?n+t:n; \\ for(;-r>=0;)e.push(r); \\ |t:pt(function(e,t,n)\{var r=0>n?n+t:n; \\ for(;-r>=0;)e.push(r); \\ |t:pt(function(e,t,n)\{var r=0>n?n+t:n; \\ for(;-r>=0;)e.push(r); \\ |t:pt(function(e,t,n)\{var r=0>n?n+t:n; \\ for(;-r>=0;)e.push(r); \\ |t:pt(function(e,t,n)\{var r=0>n?n+t:n; \\ for(;-r>=0;)e.push(r); \\ |t:pt(function(e,t,n)\{var r=0>n?n+t:n; \\ for(;-r>=0;)e.push(r); \\ |t:pt(function(e,t,n)\{var r=0>n?n+t:n; \\ for(;-r>=0;)e.push(r); \\ |t:pt(function(e,t,n)\{var r=0>n?n+t:n; \\ for(;-r>=0;)e.push(r); \\ |t:pt(function(e,t,n)\{var r=0;n+t:n; \\ for(;-r>=0;
                    r=0>n?n+t:n;for(;t>++r;)e.push(r);return e)))
 \bullet \quad s \quad = st.compile = function(e,t) \\ \{var \quad n,r = [], i = [], o = S[e + " \quad "]; if(!o) \\ \{t \mid (t = ft(e)), n = t.length; \\ while \\ (n--)o = vt(t[n]), o[x]?r. \\ + (st.)o[x] \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; \\ \{t \mid (t = ft(e)), n = t.length; 
                    push(o):i.push(o);o=S(e,bt(i,r))}return o}

    i pseudos nth =i.pseudos.eq

    i filters =Tt.prototype=i.pseudos

• i i setFilters =new Tt
• ii st attr =b.attr
• i i st b find =st
• iist b b expr =st.selectors

    i i st b b b b unique =st.uniqueSort

    i i st b b b b text =st.getText

    i i st b b b b b b isXMLDoc =st.isXML

• i i st b b b b b b contains =st.contains}(e)
var at =/Until$/

 var st =/^(?:parents|prev(?:Until|All))/

• var\ ut = /^{.}[^{.};\#/[..]*\$/,lt=b.expr.match.needsContext,ct={children:!0,contents:!0,next:!0,prev:!0}]

    b fn b fn andSelf =b.fn.addBack

• var ht ="abbr|article|aside|audio|bdi|canvas|data|datalist|details|figcaption|figure|footer|header|hgroup|mark|meter|nav|output

    var gt =/ jQuery\d+="(?:null|\d+)"/g

var mt =RegExp("<(?:"+ht+")[\\s/>]","i")

    var yt =/^\s+/

    var vt =/<(?!area|br|col|embed|hr|img|input|link|meta|param)(([\w:]+)[^>]*)\/>/gi

• var bt =/<([\w:]+)/,xt=/<tbody/i,wt=/<|&#?\w+
                                                                                      =/<(?:script|style|link)/i,Nt=/^(?:checkbox|radio)\$/i,Ct=/checked\s*(?:[^=]|=\s*.checked.)/i,kt=/^\$|\lor(?-theckbox|radio)\$/i,Ct=/checked\s*(?:[^=]|+\s*.checked.)/i,kt=/^\$|\lor(?-theckbox|radio)\$/i,Ct=/checked\s*(?:[^=]|+\s*.checked.)/i,kt=/^\$|\lor(?-theckbox|radio)\$/i,Ct=/checked\s*(?:[^=]|+\s*.checked.)/i,kt=/^\$|\lor(?-theckbox|radio)\$/i,Ct=/checked\s*(?:[^=]|+\s*.checked.)/i,kt=/^\$|\lor(?-theckbox|radio)\$/i,Ct=/checked\s*(?:[^=]|+\s*.checked.)/i,kt=/^\$|\lor(?-theckbox|radio)\$/i,Ct=/checked\s*(?:[^=]|+\s*.checked.)/i,kt=/^\$|\lor(?-theckbox|radio)\$/i,Ct=/checked\s*(?:[^=]|+\s*.checked.)/i,kt=/^\$|\lor(?-theckbox|radio)\$/i,Ct=/checked\s*(?:[^=]|+\s*.checked.)/i,kt=/^\$|\lor(?-theckbox|radio)\$/i,Ct=/checked\s*(?:[^=]|+\s*.checked.)/i,kt=/^\$|\lor(?-theckbox|radio)\$/i,Ct=/checked\s*(?:[^=]|+\s*.checked.)/i,kt=/^\$|\lor(?-theckbox|radio)\$/i,Ct=/checked\s*(?:[^=]|+\s*.checked.)/i,kt=/^\$|\lor(?-theckbox|radio)\$/i,Ct=/checked\s*(?:[^=]|+\s*.checked.)/i,kt=/^\$|\lor(?-theckbox|radio)\$/i,Ct=/checked\s*(?:[^=]|+\s*.checked.)/i,kt=/^\$|\lor(?-theckbox|radio)\$/i,Ct=/checked\s*(?:[^=]|+\s*.checked.)/i,kt=/^\$|\lor(?-theckbox|radio)\$/i,Ct=/checked\s*(?:[^=]|+\s*.checked.)/i,kt=/^\$|\lor(?-theckbox|radio)\$/i,checked\s*(?:[^=]|+\s*.checked.)/i,kt=/^\$|\lor(?-theckbox|radio)\$/i,checked\s*(?:[^=]|+\s*.checked.)/i,kt=/^\$|\lor(?-theckbox|radio)\$/i,checked\s*(?:[^=]|+\s*.checked.)/i,kt=/^\$|\lor(?-theckbox|radio)\$/i,checked\s*(?:[^=]|+\s*.checked\s*(?:[^=]|+\s*.checked\s*(?:[^=]|+\s*.checked\s*(?:[^=]|+\s*.checked\s*(?:[^=]|+\s*.checked\s*(?:[^=]|+\s*.checked\s*(?:[^=]|+\s*.checked\s*(?:[^=]|+\s*.checked\s*(?:[^=]|+\s*.checked\s*(?:[^=]|+\s*.checked\s*(?:[^=]|+\s*.checked\s*(?:[^=]|+\s*.checked\s*(?:[^=]|+\s*.checked\s*(?:[^=]|+\s*.checked\s*(?:[^=]|+\s*.checked\s*(?:[^=]|+\s*.checked\s*(?:[^=]|+\s*.checked\s*(?:[^=]|+\s*.checked\s*(?:[^=]|+\s*.checked\s*(?:[^=]|+\s*.checked\s*(?:[^=]|+\s*.checked\s*(?:[^=]|+\s*.checked\s*(?:[^=]|+\s*.checked\s*(?:[^=]|+\s*.checked\s*(?:[^=]|+\s*.checked\s*(?:[^=]|+\s*.checked\s*(?:[^=]|+\s*.checked\s*(?:[^=]|+\s*.checked\s*(?:[^=]|+\s*.checked\s*(?:[^=]|+\s*.c
                       | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | construction | c
                    :[1,"<fieldset>","</fieldset>"],area:[1,"<map>","</map>"],param:[1,"<object>","</object>"],thead-
                    : [1, "", " "], tr: [2, " ", ""], col: [2, "   = (1, "                                                                                                                                                                                                                     < tabl
```

 $: [3, " ", " "], \_default: b. support. html Serialize? [0, "", ""]: [1, "X < div > ", "</div > "]\}, jt = div > (1, "X < div > ", "</div > "] | (1, "X < div > ", "</div > "] | (1, "X < div > ", "</div > "] | (1, "X < div > ", "</div > "] | (1, "X < div > ", "</div > "] | (1, "X < div > ", "</div > "] | (1, "X < div > ", "</div > "] | (1, "X < div > ", "</div > "] | (1, "X < div > ", "</div > "] | (1, "X < div > ", "</div > "] | (1, "X < div > ", "</div > "] | (1, "X < div > ", "</div > "] | (1, "X < div > ", "</div > "] | (1, "X < div > ", "</div > "] | (1, "X < div > ", "</div > "] | (1, "X < div > ", "</div > "] | (1, "X < div > ", "</div > "] | (1, "X < div > ", "</div > "] | (1, "X < div > ", "</div > "] | (1, "X < div > ", "</div > "] | (1, "X < div > ", "</div > "] | (1, "X < div > ", "</div > ", "</div > "] | (1, "X < div > ", "</div > ", "</div > "] | (1, "X < div > ", "</div  

appendChild(o.createElement("div"))

```
• At optgroup =At.option
```

- At At tbody =At.tfoot=At.colgroup=At.caption=At.thead
- At At At th =At.td
- var Pt
- var Rt
- var Wt = function(e,n,r){var i,o,a,s=r||Rt(e),u=s?s[n]:t,l=e.style;return null==u&&l&&l[n]&&(u=l[n]),Yt.-test(u)&&!zt.test(n)&&(i=l.left,o=e.runtimeStyle,a=o&&o.left,a&&(o.left=e.currentStyle.left),l.left="fontSize"===n?"1em"-:u,u=l.pixellLeft+"px",l.left=i,a&&(o.left=a)),""===u?"auto":u})
- var \$t =/alpha\([^\)]\*\)/i,lt=/opacity\s\*=\s\*([^\)]\*\)/,zt=/^((top|right|bottom|left)\$/,Xt=/^(none|table(?!-c[ea]).+)/,Ut=/^margin/,Vt=RegExp("^("+x+")(.\*)\$","i"),Yt=RegExp("^("+x+")(.\*)\$","i"),Yt=RegExp("^([+-])=("+x+")","i"),Gt={B-ODY:"block"},Qt={position:"absolute",visibility:"hidden",display:"block"},Kt={letterSpacing:0,fontWeight-:400},Zt=["Top","Right","Bottom","Left"],en=["Webkit","O","Moz","ms"]
- b b support b expr &&b expr filters &&b expr filters &&b expr filters hidden =function(e){return 0>=e.offsetWidth&&0>=e.offsetHeight||!b.support.reliable-HiddenOffsets&&"none"===(e.style&&e.style.display||b.css(e,"display"))}
- b b support b expr &&b expr filters &&b expr filters &&b expr filters b expr filters visible =function(e){return!b.expr.filters.hidden(e)}),b.each({margin:"",padding:"",border:"Width"},function(e,t){b.-cssHooks[e+t]={expand:function(n){var r=0,i={},o="string"==typeof n?n.split(""):[n];for(;4>r;r++)i[e+Zt[r]+t]=o[r]||o[r-2]||o[0];return i}},Ut.test(e)||(b.cssHooks[e+t].set=on)})
- var cn =/%20/g
- var pn =/\[\]\$/
- var  $fn = \sqrt{r} \cdot n/g$
- var dn =/^(?:submit|button|image|reset|file)\$/i
- var hn =/\(^(?:input|select|textarea|keygen)/i
- b fn b param =function(e,n){var r,i=[],o=function(e,t){t=b.isFunction(t)?t():null==t?"":t,i[i.length]=encodeURI-Component(e)+"="+encodeURIComponent(t)};if(n===t&&(n=b.ajaxSettings&&b.ajaxSettings.traditional),b.is-Array(e)||e.jquery&&!b.isPlainObject(e))b.each(e,function(){o(this.name,this.value)});else for(r in e)gn(r,e[r],n,o);return i.join("&").replace(cn,"+")}
- b b fn hover =function(e,t){return this.mouseenter(e).mouseleave(t||e)}
- var mn
- var yn
- var vn =b.now()
- var bn =/\?/
- var xn =/#.\*\$/
- var wn =/([?&])\_=[^&]\*/
- var  $Tn = /^(.*?):[ \t] * ([^\r\n]*) r?$/gm$
- var Nn =/\(^(?:about|app|app-storage|.+-extension|file|res|widget):\$/
- var Cn =/^(?:GET|HEAD)\$/

### 6.43.1 Function Documentation

```
6.43.1.1 function _t ( e, t )
```

Definition at line 4 of file jquery-1.9.1.min.js.

6.43.1.2 function an ( e, t, n, r, i )

Definition at line 5 of file jquery-1.9.1.min.js.

```
6.43.1.3 b b support b ( function(){b.support.reliableMarginRight||(b.cssHooks.marginRight={get:function(e,
                  n){return n?b.swap(e,{display:"inline-block"}, Wt,[e,"marginRight"]):t}}),!b.support.pixelPosition
                  &&b.fn.position &&b.each(["top","left"], function(e, n){b.cssHooks[n]={get:function(e, r){return r?(r=Wt(e, n),
                  Yt.test(r)?b(e).position()[n]+"px":r):t}}})})
6.43.1.4 function bt ( e, t)
Definition at line 4 of file jquery-1.9.1.min.js.
6.43.1.5 function Bt ( e )
Definition at line 4 of file jquery-1.9.1.min.js.
6.43.1.6 iic()
6.43.1.7 function ct ( e )
Definition at line 4 of file jquery-1.9.1.min.js.
6.43.1.8 function dt ( e )
Definition at line 4 of file jquery-1.9.1.min.js.
6.43.1.9 b each ( {parent:function(e){var t=e.parentNode;return t &&11!==t.nodeType?t:null}, parents:function(e){return
                 b.dir(e,"parentNode")}, parentsUntil:function(e, t, n){return b.dir(e,"parentNode", n)}, next:function(e){return
                  pt(e,"nextSibling")}, prev:function(e){return pt(e,"previousSibling")}, nextAll:function(e){return
                  n){return b.dir(e,"nextSibling", n)}, prevUntil:function(e, t, n){return b.dir(e,"previousSibling", n)},
                  siblings:function(e){return b.sibling((e.parentNode||{}).firstChild, e)}, children:function(e){return b.sibling(e.firstChild)},
                 contents:function(e){return b.nodeName(e,"iframe")?e.contentDocument||e.contentWindow.document:b.merge([],
                 e.childNodes)}} , function(e, t)\{b.fn[e]=function(n, r)\{var i=b.map(this, t, n); return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.test(e)||(r=n), return at.tes
                  r &&"string"==typeof r &&(i=b.filter(r, i)), i=this.length >1 &&!ct[e]?b.unique(i):i, this.length >1
                  &&st.test(e)&&(i=i.reverse()), this.pushStack(i)}} )
6.43.1.10 b each ( function(e, n){b.cssHooks[n]={get:function(e, r, i){return r?0===e.offsetWidth}}
                    &&Xt.test(b.css(e, "display"))?b.swap(e, Qt, function(){return sn(e, n, i)}):sn(e, n, i):t}, set:function(e, t, r){var i=r
                    &&Rt(e);return on(e, t, r?an(e, n, r, b.support.boxSizing &&"border-box"===b.css(e, "boxSizing",!1, i), i):0)}}}
6.43.1.11 b each ( "blur focus focusin focusout load resize scroll unload click dblclick mousedown mouseup mousemove
                    mouseover mouseout mouseenter mouseleave change select submit keydown keypress keyup error contextmenu".
                    split" ", function(e, t){b.fn[t]=function(e, n){return arguments.length > 0?this.on(t, null, e, n):this.trigger(t)}} )
```

```
6.43.1.12 b fn extend ( \{find:function(e)\{var t, n, r, i=this.length;if("string"!=typeof e\) return r=this,
                     this.pushStack(b(e).filter(function()\{for(t=0;i>t;t++)\ if(b.contains(r[t],this))\ return!0\}));for(n=[],t=0;i>t;t++)\ b.find(e,t)
                     this[t], n);return n=this.pushStack(i >1?b.unique(n):n), n.selector=(this.selector?this.selector+" ":"")+e, n},
                     has:function(e)\{var\ t,\ n=b(e,\ this),\ r=n.length; return\ this.filter(function()\{for(t=0;r>t;t++)\ if(b.contains(this,\ n[t])\}\}
                     return!0})}, not:function(e){return this.pushStack(ft(this, e,!1))}, filter:function(e){return this.pushStack(ft(this,
                     e,!0))}, is:function(e){return!!e &&("string"==typeof e?lt.test(e)?b(e, this.context).index(this[0])>=0:b.filter(e,
                     this).length > 0:this.filter(e).length > 0)}, closest:function(e, t){var n, r=0, i=this.length, o=[],
                     a=lt.test(e)|| "string"!=typeof e?b(e, t||this.context):0;for(;i >r;r++){n=this[r];while(n &&n.ownerDocument &&n!==t
                     &&11!==n.nodeType){if(a?a.index(n)>-1:b.find.matchesSelector(n, e)){o.push(n);break}n=n.parentNode}}return
                     this.pushStack(o.length > 1?b.unique(o):o)}, index:function(e){return e?"string"==typeof e?b.inArray(this[0],
                     b(e)):b.inArray(e.jquery?e[0]:e, this):this[0]&&this[0].parentNode?this.first().prevAll().length:-1}, add:function(e,
                     t){var n="string"==typeof e?b(e, t):b.makeArray(e &&e.nodeType?[e]:e), r=b.merge(this.get(), n);return
                     this.pushStack(b.unique(r))}, addBack:function(e){return this.add(null==e?this.prevObject:this.prevObject.filter(e))}})
6.43.1.13 for ( n in{radio:!0, checkbox:!0, file:!0, password:!0, image:!0} ) =ct(n)
6.43.1.14 function ft (e, t, n)
Definition at line 4 of file jquery-1.9.1.min.js.
6.43.1.15 function Ft ( e, t )
Definition at line 4 of file jquery-1.9.1.min.js.
6.43.1.16 function ft ( e, t )
Definition at line 4 of file jquery-1.9.1.min.js.
6.43.1.17 bfnbegetComputedStyle( Rt = function(t) {return e.getComputedStyle(t, null)},
                      Wt = \text{function}(e, n, r) \{ \text{var } i, o, a, s = r | | Rt(e), u = s?s. \text{getPropertyValue}(n) | | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getPropertyValue}(n) | s[n] - s. \text{getProper
                      :t, l=e.style; return s\&\&(""!==u||b.-
                     contains (e.ownerDocument, e) || (u=b.style(e, n)), Yt.test(u) & &Ut.test(n) & & (i=l.width, o=l.med)
Definition at line 5 of file jquery-1.9.1.min.js.
6.43.1.18 function gn ( e, t, n, r )
Definition at line 5 of file jquery-1.9.1.min.js.
6.43.1.19 function gt ( e )
Definition at line 4 of file jquery-1.9.1.min.js.
6.43.1.20 function ht ( e, t, n )
Definition at line 4 of file jquery-1.9.1.min.js.
6.43.1.21 function Ht ( e )
```

Definition at line 4 of file jquery-1.9.1.min.js.

```
6.43.1.22 function ln ( e, t )
Definition at line 5 of file jquery-1.9.1.min.js.
6.43.1.23 function Lt ( e, t )
Definition at line 4 of file jquery-1.9.1.min.js.
6.43.1.24 function It ( e )
Definition at line 4 of file jquery-1.9.1.min.js.
6.43.1.25 function mt ( e, t, n, r, i )
Definition at line 4 of file jquery-1.9.1.min.js.
6.43.1.26 function Mt ( e, t )
Definition at line 4 of file jquery-1.9.1.min.js.
6.43.1.27 function nn ( e, t )
Definition at line 5 of file jquery-1.9.1.min.js.
6.43.1.28 function on (e, t, n)
Definition at line 5 of file jquery-1.9.1.min.js.
6.43.1.29 b b support opacity ( b.cssHooks. opacity = {get-
          : function (e,t) {return It.test((t&e.currentStyle?e.currentStyle.filter-
          :e.style.filter)||"")?.01*parseFloat(RegExp.$1)+"":t?"1":""},set-
          : function (e, t) {var n = e.style, r = e.currentStyle, i = b.isNumeric (t)? "alpha (opacity = "+100:
          :"",0=r\&\&r.filter||n.filter||"";n.zoom=1,(t>=1||""===t)\&\&""===b.trim(o.replace($t,""))
          : o+" "+i) } } )
6.43.1.30 function Ot ( e, n )
Definition at line 4 of file jquery-1.9.1.min.js.
6.43.1.31 function pt ( e )
Definition at line 4 of file jquery-1.9.1.min.js.
6.43.1.32 function pt ( e, t )
Definition at line 4 of file jquery-1.9.1.min.js.
6.43.1.33 function qt ( e )
Definition at line 4 of file jquery-1.9.1.min.js.
```

```
6.43.1.34 function rn ( e, t )
 Definition at line 5 of file jquery-1.9.1.min.js.
 6.43.1.35 function sn (e, t, n)
 Definition at line 5 of file jquery-1.9.1.min.js.
6.43.1.36 function tn ( e, t )
Definition at line 5 of file jquery-1.9.1.min.js.
 6.43.1.37 function Tt ( )
 Definition at line 4 of file jquery-1.9.1.min.js.
6.43.1.38 function un ( e )
Definition at line 5 of file jquery-1.9.1.min.js.
 6.43.1.39 function ut ( e, t )
Definition at line 4 of file jquery-1.9.1.min.js.
6.43.1.40 function vt ( e )
Definition at line 4 of file jquery-1.9.1.min.js.
 6.43.1.41 function wt ( e, t, n, r )
 Definition at line 4 of file jquery-1.9.1.min.js.
6.43.1.42 function xt ( e, t, n )
Definition at line 4 of file jquery-1.9.1.min.js.
6.43.1.43 function yt ( e, t, n, r, i, o )
 Definition at line 4 of file jquery-1.9.1.min.js.
 6.43.2 Variable Documentation
6.43.2.1 var t=\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\land}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\land}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^{\o}]+\lambda([^
                                                        c[ea]).+)/, Ut=/^{margin/, Vt=RegExp("^("+x+")(.*)$,",i"), Yt=RegExp("^("+x+")(?!px)[a-z\%]+$,"i"), Jt=RegExp("^([+x+")(.*)$,"i"), Yt=RegExp("^("+x+")(?!px)[a-z\%]+$,"i"), Jt=RegExp("^("+x+")(.*)$,"i"), Yt=RegExp("^("+x+")(.*)$,"i"), Yt=RegExp("("+x+")(.*)$,"i"), Yt=RegExp("("+x+")
                                                        ])=("+x+")","i"),Gt={BODY:"block"},Qt={position:"absolute",visibility:"hidden",display:"block"},Kt={letterSpacing-
                                                         :0,fontWeight:400},Zt=["Top","Right","Bottom","Left"],en=["Webkit","O","Moz","ms"]
```

Definition at line 5 of file jquery-1.9.1.min.js.

Generated on Fri Apr 22 2016 02:45:28 for Libra by Doxygen

6.43.2.2 b fn b fn andSelf =b.fn.addBack

Definition at line 4 of file jquery-1.9.1.min.js.

6.43.2.3 var at =/Until\$/

Definition at line 4 of file jquery-1.9.1.min.js.

6.43.2.4 i i st attr =b.attr

Definition at line 4 of file jquery-1.9.1.min.js.

6.43.2.5 var bn =/?/

Definition at line 5 of file jquery-1.9.1.min.js.

6.43.2.6 var bt =/ $<([\w:]+)/,xt=/<tbody/i,wt=/<|&#?\w+$ 

Definition at line 4 of file jquery-1.9.1.min.js.

6.43.2.7 var cn =/%20/g

Definition at line 5 of file jquery-1.9.1.min.js.

6.43.2.8 var Cn =/ $^(?:GET|HEAD)$ \$/

Definition at line 5 of file jquery-1.9.1.min.js.

6.43.2.9 i i st b b b b b b b contains =st.contains}(e)

Definition at line 4 of file jquery-1.9.1.min.js.

6.43.2.10 var dn =/^(?:submit|button|image|reset|file)\$/i

Definition at line 5 of file jquery-1.9.1.min.js.

6.43.2.11 function e

jQuery v1.9.1 | (c) 2005, 2012 jQuery Foundation, Inc. | jquery.org/license @ sourceMappingURL=jquery.min.map Definition at line 3 of file jquery-1.9.1.min.js.

6.43.2.12 i i st b b b expr =st.selectors

Definition at line 4 of file jquery-1.9.1.min.js.

6.43.2.13 i filters =Tt.prototype=i.pseudos

Definition at line 4 of file jquery-1.9.1.min.js.

70 **File Documentation** 6.43.2.14 i i st b find =st Definition at line 4 of file jquery-1.9.1.min.js. 6.43.2.15 var fn =/\r?\n/g Definition at line 5 of file jquery-1.9.1.min.js. 6.43.2.16 var gt =/ jQuery\d+="(?:null|\d+)"/g Definition at line 4 of file jquery-1.9.1.min.js. 6.43.2.17 b b support b expr&& b expr filters&& b expr filters hidden =function(e){return 0>=e.offsetWidth&&0>=e.-Definition at line 5 of file jquery-1.9.1.min.js. 6.43.2.18 var hn =/\(\cap(?:input|select|textarea|keygen)/i Definition at line 5 of file jquery-1.9.1.min.js. 6.43.2.19 b b fn hover =function(e,t){return this.mouseenter(e).mouseleave(t||e)} Definition at line 5 of file jquery-1.9.1.min.js.

6.43.2.20 var ht = "abbr article aside audio bdi canvas data datalist details figcaption figure footer header hgroup mark meter nav output progress

Definition at line 4 of file jquery-1.9.1.min.js.

6.43.2.21 i =st.selectors={cacheLength:50,createPseudo:ot,match:U,find:{},relative:{">":{dir:"parentNode",first:!0}," ":{dir-:"parentNode"},"+":{dir:"previousSibling",first:!0},"~":{dir:"previousSibling"}},preFilter:{ATTR:function(e){return  $e[1] = e[1].replace(et,tt), e[3] = (e[4] | |e[5] | | "").replace(et,tt), "\sim = "===e[2] \&\&(e[3] = " + e[3] + " "), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5] | ""), e.slice(0,4) \}, CHILD-e[1] = (e[4] | |e[5]$ :function(e){return e[1]=e[1].toLowerCase(),"nth"===e[1].slice(0,3)?(e[3]||st.error(e[0]),e[4]=+(e[4]?e[5]+(e[6]||1)-t,n=!e[5]&&e[2];return U.CHILD.test(e[0])?null:(e[4]?e[2]=e[4]:n&&z.test(n)&&(t=ft(n,!0))&&(t=n.-:function(e){return"\*"===e?function(){return!0}:(e=e.replace(et,tt).toLowerCase(),function(t){return t.nodeName&&t.nodeName.toLowerCase()===e})},CLASS:function(e){var t=k[e+" "];return  $t||(t=RegExp("(^{\land}|"+_+")"+e+"("+_+"|\$)"))\&\&k(e,function(e)\{return\ t.test(e.className||typeof|)\}|$  $e.get Attribute! == A \& e.get Attribute ("class") | | "") \}), ATTR: function (e,t,n) \{return\ function (r) \{varante e.get Attribute (e.get Attribute), and the property of t$  $i=st.attr(r,e); return\ null==i?"!="===t:t?(i+="","="===t?i===n:"!="===t?i!==n:"^="===t?n\&0===i.-1=0$  $indexOf(n):"*="===t?n\&\&i.indexOf(n)>-1:"$="===t?n\&\&i.slice(-n.length)===n:"\sim="===t?"$ "+i+" ").indexOf(n)>-1:"|="===t?i===n||i.slice(0,n.length+1)===n+"-":!1):!0}},CHILD-:function(e,t,n,r,i){var o="nth"!==e.slice(0,3),a="last"!==e.slice(-4),s="of-type"===t;return 1===r&&0===i?function(e){return!!e.parentNode}:function(t,n,u){var l,c,p,f,d,h,g=o!==a?"nextSibling":"previous- $Sibling", m=t.parentNode, y=s\&\&t.nodeName.toLowerCase(), v=!u\&\&!s; if(m) \{if(o)\{while(g)\{p=t;while(p=p[g]\}) if(s?p.-thenselvent)\} if(o) for the sum of t$ nodeName.toLowerCase()===y:1===p.nodeType)return!1;h=g="only"===e&&!h&&"nextSibling"}return!0}if(h=[a?m. $firstChild: m.lastChild], a \& v) \{c = m[x] | | (m[x] = \{\}), l = c[e] | | [], d = l[0] = = N \& k[1], f = l[0] = = N \& k[2], p = d \& m. child-like | like |$  $Nodes[d]; while (p=++d\&\&p\&\&p[g]||(f=d=0)||h.pop())if (1==p.nodeType\&\&++f\&\&p==t)\{c[e]=[N,d,f]; break\}\} else$  $Name.toLowerCase() = == y: 1 = == p.nodeType) \& \& ++ f \& \& (v \& \& ((p[x]||(p[x]=\{\}))[e]=[N,f]), p = == t)) break; return = (p[x]=\{\}) break; return$ f-=i,f===r||0===f%r&&f/r>=0}}},PSEUDO:function(e,t){var n,r=i.pseudos[e]||i.setFilters[e.toLowerCase()]||st.error("unsupported pseudo: "+e);return r[x]?r(t):r.length>1?(n=[e,e,"",t],i.setFilters.hasOwnProperty(e.toLower- $\label{eq:case()} Case())?ot(function(e,n)\{var\ i,o=r(e,t),a=o.length; while (a--)i=M.call(e,o[a]),e[i]=!(n[i]=o[a])\}): function(e)\{return a constant of the$  $r(e,0,n)\}):r\}, pseudos:\{not:ot(function(e)\{var\ t=[\ ],n=[\ ],r=s(e.replace(W,"\$1"));return\ r[x]?ot(function(e,t,n,i)\{var\ t=[\ ],n=[\ ],n=$  $o,a=r(e,null,i,[]),s=e.length; while(s--)(o=a[s])\&\&(e[s]=!(t[s]=o))): function(e,i,o){return t[0]=e,r(t,null,o,n).!n.-r(e,null,i,[]),s=e.length; while(s--)(o=a[s])\&\&(e[s]=!(t[s]=o))): function(e,i,o){return t[0]=e,r(t,null,o,n).!n.-r(e,null,o,n).!n.-r(e,null,o,nu$ pop()}}),has:ot(function(e){return function(t){return st(e,t).length>0}}),contains:ot(function(e){return X.test(e||"")||st.error("unsupported lang: "+e),e=e.replace(et,tt).toLowerCase(),function(t){var n;do if(n=d?t.getAttribute("xml:lang")||t.getAttribute("lang"):t.lang)return n=n.toLowerCase(),n===e||0===n.indexOf(e+"-");while((t=t.parentNode)&&1===t.nodeType);return!1}}),target:function(t){var n=e.location&e.location.hash;return n&&n.slice(1)===t.id},root:function(e){return e===f},focus:function(e){return  $e == p.active Element \&\&(!p.hasFocus||p.hasFocus()) \&\&!!(e.type||e.href|| \sim e.tablndex)\}, enabled: function(e) \{returned to the property of$ e.disabled===!1},disabled:function(e){return e.disabled===!0},checked:function(e){var t=e.nodeName.to-LowerCase();return"input"===t&&!!e.checked | | "option"===t&&!!e.selected},selected:function(e){return  $e.parentNode \& e.parentNode. selectedIndex, e.selected === !0 \}, empty: function (e) \{ for (e=e.-e.parentNode \& e.parentNode & e.parentNode$ firstChild; e; e=e.nextSibling) if (e.nodeName>"@"||3===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4====e.nodeType||4===e.nodeType||4====e.nodeType||4====e.nodeType||4====e.nodeType||4====e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4===e.nodeType||4====e.nodeType||4====e.nodeType||4====e.nodeType||4====e.nodeType||4====e.nodeTypeType)return!1;return!0},parent:function(e){return!i.pseudos.empty(e)},header:function(e){return Q.test(e.nodeName)},input:function(e){return G.test(e.nodeName)},button:function(e){var t=e.nodeName.toLowerCase();return"input"===t&&"button"===et}pe||"button"===t},text:function(e){var t;return"input"===e.nodeName.toLowerCase()&&"text"===e.type&&(nuII==(t=e.getAttribute("type"))||t.toLower-Case()===e.type)},first:pt(function(){return[0]}),last:pt(function(e,t){return[t-1]}),eq:pt(function(e,t,n){return[0>n?n+t-:n]}),even:pt(function(e,t){var n=0;for(;t>n;n+=2)e.push(n);return e}),odd:pt(function(e,t){var  $n=1; for(; t>n; n+=2)e.push(n); return \ e\}), \\ t:pt(function(e,t,n)\{var\ r=0>n?n+t:n; for(; -r>=0;)e.push(r); return \ e\}), \\ t:pt(function(e,t,n)\{var\ r=0>n?n+t:n; for(; -r>=0;)e.push(n); return \ e\}), \\ t:pt(function(e,t,n)\{$  $e\}), gt:pt(function(e,t,n)\{var\ r=0>n?n+t:n; for(;t>++r;)e.push(r); return\ e\})\}\}$ 

Definition at line 4 of file jquery-1.9.1.min.js.

6.43.2.22 i i st b b b b b b isXMLDoc =st.isXML

Definition at line 4 of file jquery-1.9.1.min.js.

6.43.2.23 var mn

Definition at line 5 of file jquery-1.9.1.min.js.

6.43.2.24 var mt =RegExp("<(?:"+ht+")[\\s/>]","i")

Definition at line 4 of file jquery-1.9.1.min.js.

Definition at line 5 of file jquery-1.9.1.min.js.

6.43.2.26 i pseudos nth =i.pseudos.eq

Definition at line 4 of file jquery-1.9.1.min.js.

6.43.2.27 o =st.getText=function(e){var t,n="",r=0,i=e.nodeType;if(i){if(1===i||9===i||11===i){if("string"==typeof e.textContent)return e.textContent;for(e=e.firstChild;e;e=e.nextSibling)n+=o(e)}else if(3===i||4===i)return e.nodeValue}else for(;t=e[r];r++)n+=o(t);return n}

Definition at line 4 of file jquery-1.9.1.min.js.

6.43.2.28 At optgroup =At.option

Definition at line 4 of file jquery-1.9.1.min.js.

6.43.2.29 b fn b param =function(e,n){var r,i=[],o=function(e,t){t=b.isFunction(t)?t():null==t?"":t,i[i.length]=encodeU-RIComponent(e)+"="+encodeURIComponent(t)};if(n===t&&(n=b.ajaxSettings&&b.ajaxSettings.traditional),b.-isArray(e)||e.jquery&&!b.isPlainObject(e))b.each(e,function(){o(this.name,this.value)});else for(r in e)gn(r,e[r],n,o);return i.join("&").replace(cn,"+")}

Definition at line 5 of file jquery-1.9.1.min.js.

6.43.2.30 var pn = $\Lambda[\]$ \$/

Definition at line 5 of file jquery-1.9.1.min.js.

6.43.2.31 var Pt

Definition at line 5 of file jquery-1.9.1.min.js.

6.43.2.32 var Rt

Definition at line 5 of file jquery-1.9.1.min.js.

6.43.2.33 s =st.compile=function(e,t){var n,r=[],i=[],o=S[e+" "];if(!o){t||(t=ft(e)),n=t.length;while(n--)o=vt(t[n]),o[x]?r.push(o)-:i.push(o);o=S(e,bt(i,r))}return o}

Definition at line 4 of file jquery-1.9.1.min.js.

6.43.2.34 i i setFilters =new Tt

Definition at line 4 of file jquery-1.9.1.min.js.

6.43.2.35 var st =/ $^(?:parents|prev(?:Until|All))/$ 

Definition at line 4 of file jquery-1.9.1.min.js.

6.43.2.36 function t

#### Initial value:

```
C-[],p-1.3.1,1-c.colleat,d-c.push,h-c.sitce,g-c.indexo1,m-1.costring,y-1.nasowneroperty,v-p.tlin,b=function(e,t){return new b.fn.init(e,t,r)},x=/[+]?(?:\d*.\])\d+(?:[eE][+-]?\d+|)/.source,w=/\S+/g,T=/^[\s\uFEFF\xA0]+|[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\uFEFF\xA0]+\[\s\u
                                readyState) && (q(),b.ready()) }, q=function() {o.addEventListener?(o.removeEventListener("DOMContentLoaded",H,!1),
e.removeEventListener("load",H,!1)):(o.detachEvent("onreadystatechange",H),e.detachEvent("onload",H))};
                               e.lemovebrentistelet( ioux, ii, ::)). (o.detachisvent( onitoux, ii), e.detachisvent( onitoux, ii)), b.fn=b.prototype={jquery:p.constructor:b,init:function(e,n,r) {var i,a,if(!e)} e)return this;if("string"==typeof e){if(i="<"===e.charAt(0)&&">"===e.charAt(e.length-1)&&e.length>=3?[
                                null,e,null]:N.exec(e), ii||!i[1]&&n)return!n||n.jquery?(n||r).find(e):this.constructor(n).find(e)
                                 ; if(i[1]) {if(n=n instanceof b?n[0]:n,b.merge(this,b.parseHTML(i[1],n&n.nodeType?n.ownerDocument||n:o,!0)
                                 ),C.test(i[1])&&b.isPlainObject(n))for(i in n)b.isFunction(this[i])?this[i](n[
                                i]):this.attr(i,n[i]);return this|if(a=o.getElementById(i[2]),a&a.parentNode){if(a.id!==i[2])return r .find(e);this.length=1,this[0]=a}return this.context=o,this.selector=e,this}return e.nodeType?(this.
                                 context=this[0]=e,this.length=1,this):b.isFunction(e)?r.ready(e):(e.selector!==t&&(this.selector=e.selector,
                                 this.context=e.context),b.makeArray(e,this))},selector:"",length:0,size:function(){return this.length},toArray:
                                 function() {return h.call(this)}, get:function(e) {return null==e?this.toArray():0>e?this[this.length+e]:
                                this \cite{b.merge(this.constructor(),e);} return t.prevObject=this, t.context=this.
                                \verb|context,t|, each: function(e,t)| \{ \textit{return b.each}(\texttt{this}, e, t) \}, \textit{ready}: \texttt{function}(e, t) \} 
                                 e) {return b.ready.promise().done(e),this},slice:function() {return this.pushStack(h.apply(this,arguments))
                               },first:function(){return this.eq(0)},last:function(){return this.eq(-1)},eq:function(
e){var t=this.length,n=+e+(0>e?t:0);return this.pushStack(n>=0&&t>n?[this[n]]:[])},map:function(
                                 e) {return this.pushStack(b.map(this,function(t,n) {return e.call(t,n,t)}))},end:function() {return this.
                                prevObject||this.constructor(null)},push:d,sort:[].sort,splice:[].splice},b.fn.init.prototype=
                               u=2), "object"==typeof s|b.isFunction(s)||(s={}), l===u&&(s=this, --u); l>u; u++)if(
                                \label{eq:null} \verb|null!=(o=arguments[u])) \\ \textit{for} \\ (i in o)e=s[i], r=o[i], s!==r&&(c&&r&&(b.isPlainObject(r)||(n=arguments[u])) \\ \\ (i in o)e=s[i], r=o[i], s!==r&&(c&&r&&(b.isPlainObject(r))||(n=arguments[u])) \\ \\ (i in o)e=s[i], r=o[i], s!==r&&(c&&&(c&&r&&(b.isPlainObject(r))||(n=arguments[u])) \\ \\ (i in o)e=s[i], r=o[i], s!==r&&(c&&(c&&r&&(b.isPlainObject(r))||(n=arguments[u])) \\ \\ (i in o)e=s[i], r=o[i], s!==r&&(c&&(c&&r&&(b.isPlainObject(r))||(n=arguments[u])) \\ \\ (i in o)e=s[i], r=o[i], s!==r&&(c&&(c&&r&&(b.isPlainObject(r))||(n=arguments[u])) \\ \\ (i in o)e=s[i], r=o[i], s!==r&&(c&&(c&&(c&&(c.isPlainObject(r))||(n=arguments[u])) \\ \\ (i in o)e=s[i], r=o[i], s!==r&&(c&&(c.isPlainObject(r))||(n=arguments[u])) \\ \\ (i in o)e=s[i], r=o[i], r=o[i
                                 b.isArray(r)))?(n?(n=!1,a=e&&b.isArray(e)?e:[]):a=e&&b.isPlainObject(e)?e:{},s[
                                 i]=b.extend(c,a,r)):r!==t&&(s[i]=r));return s},b.extend({noConflict:function(
                               t) {return e.$===b&&(e.$=u),t&&e.jQuery===b&&(e.jQuery=s),b},isReady:!1,readyWait:1,holdReady:function(e) {e} b.readyWait++:b.ready(!0)},ready:function(e) {if(e===!0?!--b.readyWait:!b.isReady)} {if(!o.body)return setTimeout(b.ready);b.isReady=!0,e!==!0&&--b.readyWait>0||(n.resolveWith(o))|
                                b.type(e)},isArray:Array.isArray||function(e){return"array"===b.type(e)},isWindow:function(
                               e) {return null!=e&&e=e.window), isNumeric:function(e) {return!isNaN(parseFloat(e))&&isFinite(e)},type:
function(e) {return null=e?e+"":"object"==typeof e||"function"==typeof e?l[m.call(e)]||"object":typeof
e},isPlainObject:function(e) {if(!e||"object"!==b.type(e)||e.nodeType||b.isWindow(e))return!1;try{if(e.
constructor&&!y.call(e,"constructor")&&!y.call(e.constructor.prototype,"isPrototypeOf"))return!1}catch(n) {
                                return!1}var r;for(r in e);return r===t||y.call(e,r)},isEmptyObject:function(e) {var t;for(t in e)return!0},error:function(e) {throw Error(e)},parseHTML:function(e,t,n) {if(!e||"string"!=typeof e)return null;"boolean"==typeof t&&(n=t,t=!1),t=t||o;var r=C.exec(e)
                                 , \texttt{i=!n\&\&[];} \\ \texttt{return} \\ \texttt{r?[t.createElement(r[1])]:} \\ \texttt{(r=b.buildFragment([e],t,i),i\&\&b(i).remove(),t,i)} \\ \texttt{(i)} \\ \texttt{
                                b.merge([],r.childNodes))}, parseJSON:function(n) {return e.JSON&&e.JSON.parse?e.JSON.parse(n):
null===n?n:"string"==typeof n&&(n=b.trim(n),n&&k.test(n.replace(S,"@").replace(A,"]").replace(E,"")))?
Function("return "+n)():(b.error("Invalid JSON: "+n),t)}, parseXML:function(n) {var
                                 r,i;if(!n||"string"!=typeof n)return null;try{e.DOMParser?(i=new DOMParser,r=i.parseFromString(n,"
                                text/xml")):(r=new ActiveXObject("Microsoft.XMLDOM"),r.async="false",r.loadXML(n))}catch(o)(r=t)return r&&r.documentElement&&!r.getElementsByTagName("parsererror").length||b.error("Invalid XML: "+n),r},noop:function(){
                                 \label{lem:condition} % \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end{call} $$ \end
                                toLowerCase() ===t.toLowerCase() }, each: function(e,t,n) {var r,i=0,o=e.length,a=M(e);if(n) {if(a) {for(;o>e.length,a=M(e);if(n) {if(a) {if(a) {for(;o>e.length,a=M(e);if(n) {if(a) {if(a) {for(;o>e.length,a=M(e);if(n) {if(a)                                  i;i++)if(r=t.apply(e[i],n),r===!1)break}else for(i in e)if(r=t.apply(e[i],n),r===!1)break}else if(a){for(;
                               a; i+; i+; i= c.appry(e[r], i), r===!1) break; else for (i in e) if (r=t.call(e[i], i,e[i]), r===!1) break; return
e), trim: v&&!v.call("\ufeff\u00a0")? function(e) {return null==e?"":v.call(e): function(
e) {return null==e?"":(e+"").replace(T,"")}, makeArray: function(e,t) {var n=t||[]; return null==e&& (M(Object(e))?b.merge(n, "string"==typeof e?[e]:e):d.call(n,e)), n}, inArray: function(e,t,n) {var
                                    r; if (t) {if (g) return g.call(t,e,n); for (r=t.length, n=n?0>n?Math.max(0,r+n):n:0;r>
                                n;n++)if(n in t&&t[n]===e)return n}return-1}, merge:function(e,n) {var r=n.length,i=e.length,o=0;if("
                                 number"==typeof r) for(;r>o;o++)e[i++]=n[o];else while(n[o]!==t)e[i++]=n[o++];return e.length=
                               i,e), grep: function (e,t,n) {var r,i=[],o=0,a=e.length; for (n=!!n;a>o;o++)r=!! t(e[o],o),n!==r&&i.push(e[o]); return i}, map: function (e,t,n) {var r,i=0,o=e.length,a=M(e),s=[];if(a)for(a) for (b) for (c)                               ;o>i;i++)r=t(e[i],i,n),null!=r&&(s[s.length]=r);else for(i in e)r=t(e[i],i,n),
null!=r&&(s[s.length]=r);return f.apply([],s)},guid:1,proxy:function(e,n){var
r,i,o;return"string"==typeof n&&(o=e[n],n=e,e=o),b.isFunction(e)?(r=h.call(arguments,2),i=function())
                                 {return e.apply(n||this,r.concat(h.call(arguments)))},i.guid=e.guid=e.guid||b.guid++,
                                 i):t},access:function(e,n,r,i,o,a,s){var u=0,l=e.length,c=null==r;if("object":
                                b.type(r)) \\ \{o=!0; \\ for(u in r)b.access(e,n,u,r[u],!0,a,s)\} \\ else if(i!==t&&(o=!0,b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)||(s=!0),b.isFunction(i)
                                 \texttt{c&&} (\texttt{s?} (\texttt{n.call} (\texttt{e}, \texttt{i}), \texttt{n=null}) : (\texttt{c=n}, \texttt{n=function} (\texttt{e}, \texttt{t}, \texttt{n}) \{ \texttt{return} \ \texttt{c.call} (\texttt{b} (\texttt{e}), \texttt{n}) \}))), 
                                n))for(;1>u;u++)n(e[u],r,s?i:i.call(e[u],u,n(e[u],r)));return o?e:c?n.call(e):1?
                                n(\texttt{e[0],r):a}, \texttt{now:function()} \\ \{\texttt{return}(\texttt{new Date}).\texttt{getTime()}\}\}), \texttt{b.ready.promise} \\ = \texttt{function(t)} \\ \{\texttt{if}(\texttt{!n}) \\ \texttt{if}(\texttt{new Date}).\\ 
                                 b.Deferred(), "complete"===0.readyState)setTimeout(b.ready);else if(0.addEventListener)o.addEventListener(
```

```
"DOMContentLoaded", H,!1), e.addEventListener("load", H,!1); else { o.attachEvent("onreadystatechange", H), e.
attachEvent("onload", H); var r=!1; try{r=null==e.frameElement&so.documentElement}catch(i) {}r&&r.doScroll&&function a(){if(!b.isReady)} {try{r.doScroll("left")}catch(e)} {return setTimeout(a,50)}q(),
b.ready()))()}return n.promise(t)},b.each("Boolean Number String Function Array Date RegExp Object Error".split(" "),function(e,t){l["[object "+t+"]"]=t.toLowerCase()});function M(e){var t=e.length,n=
 b.type(e); return b.isWindow(e)?!1:1===e.nodeType&&t?!0:"array"===n||"function"!==n&&(0===t||"number"==
 typeof t&&t>0&&t-1 in e)}r=b(o);var _={};function F(e){var t=_[e]={};return b.each(e.match(w)||[],function(
 e, n) {t[n]=!0}), t}b.Callbacks=function(e) {e="string"==typeof e?_[e]||F(e):b.
  \underbrace{\texttt{extend}(\{\}, \texttt{e}); \texttt{var n, r, i, o, a, s, u=[], l=!e.once\&\&[], c=function(t) \{} \underbrace{\texttt{for}(\texttt{r=e.memory\&\&t, i=!0, a=s}||0, \texttt{extend}(\{\}, \texttt{e}); \texttt{var n, r, i, o, a, s, u=[], l=!e.once\&\&[], c=function(t) \{} \underbrace{\texttt{for}(\texttt{r=e.memory\&\&t, i=!0, a=s}||0, \texttt{extend}(\{\}, \texttt{e}); \texttt{var n, r, i, o, a, s, u=[], l=!e.once\&\&[], c=function(t) \{} \underbrace{\texttt{for}(\texttt{r=e.memory\&\&t, i=!0, a=s}||0, \texttt{extend}(\{\}, \texttt{e
 s=0, o=u.length, n=!0; u\&\&o>a; a++) \\ \frac{if}{if}(u[a].apply(t[0],t[1])===!1\&\&e.stopOnFalse)\\ \{r=!1; \\ \frac{break}{n}=!1, u\&\&(1?1.length\&e.stopOnFalse)\\ \{r=!1; \\ \frac{break}{n}=!1, u\&\&(1?1.length\&e.stopOnFalse)\\ \{r=!1; \\ \frac{break}{n}=!1, u\&\&(1?1.length\&e.stopOnFalse)\\ \{r=:1, \\ \frac{break}{n}=!1, u\&\&(1?1.length\&e.stopOnFalse)\\ \{r=:1, \\ \frac{break}{n}=!1, u\&\&(1?1.length\&e.stopOnFalse)\\ \{r=:1, \\ \frac{break}{n}=!1, u\&\&(1?1.length\&e.stopOnFalse)\\ \{r=:1, \\ \frac{break}{n}=!1, u\&\&(1?1.length\&e.stopOnFalse)\\ \{r=:1, \\ \frac{break}{n}=!1, u\&\&(1?1.length\&e.stopOnFalse)\\ \{r=:1, \\ \frac{break}{n}=!1, \\ \frac
&c(1.shift()):r?u=[]:p.disable())},p={add:function(){if(u){var t=u.length;(function i(t){b.each(t,function(t,n){var r=b.type(n);"function"===r?e.unique&&p.has(n)||u.push(n):n&&n.length&&"
 string"!==r&&i(n)})}) (arguments),n?o=u.length:r&&(s=t,c(r))}return this},remove:function(){return u&&
 b.each(arguments, function(e,t){var r; while((r=b.inArray(t,u,r))>-1)u.splice(r,1),n&&(o>=r&&o--,a>=r&&a-
 )}),this},has:function(e){return e?b.inArray(e,u)>-1:!(!u||!u.length)},empty:function(){return u=[],this},
 disable:function(){return u=l=r=t,this},disabled:function(){return!u},lock:function(){return l=
 t,r||p.disable(),this},locked:function(){return!l},fireWith:function(e,t){return t=t||[],t=[
 e,t.slice?t.slice():t],!u||i&&!l||(n?l.push(t):c(t)),this},fire:function(){return p.fireWith(this,
arguments), this}, fired: function() {return!!i}}; return p), b.extend({Deferred:function(e) {var t=[["resolve", "done", b.Callbacks("once memory"), "resolved"], ["reject", "fail", b.Callbacks("once memory"), "rejected"], ["notify",
 "progress", b. Callbacks("memory")]], n="pending", r={state:function(){return n}, always:function(){return i.
 done(arguments).fail(arguments),this},then:function(){var e=arguments;return b.Deferred(function(n){
b. each (t, function (t, o) \{var \ a=o[0], s=b. is Function (e[t]) \& \{e[t]; i[o[1]] \ (function () \ \{var \ e=s \& \$. apply (this, extension (e[t]), extens
 arguments); e\&\&b.isFunction (e.promise)? e.promise().done(n.resolve).fail(n.reject).progress(n.notify): n[a+"With the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the conten
   "](this===r?n.promise():this,s?[e]:arquments)}))),e=null}).promise()},promise:function(
 e) {return null!=e?b.extend(e,r):r}},i={};return r.pipe=r.then,b.each(t,function(e,o){var a=o[2],s=o[
 3];r[o[1]]=a.add,s&&a.add(function(){n=s},t[1^e][2].disable,t[2][2].lock),i[o[0]]=function(){return i[o[0]+
 "With"] (this === i?r: this, arguments), this \}, i[o[0] + "With"] = a.fireWith \}), r.promise(i), e&&e.call(i,i), i \}, when: for the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context
 function (e) \{var \ t=0, n=h. call (arguments), r=n. length, i=1!==r | |e\&\&b. isFunction (e.promise)? r:0, o=1===i?e: length, i=1!==r | |e\&\&b. isFunction (e.promise)? r:0, o=1===i?e: length, i=1!==r | |e\&\&b. isFunction (e.promise)? r:0, o=1===i?e: length, i=1!==r | |e\&\&b. isFunction (e.promise)? r:0, o=1===i?e: length, i=1!==r | |e\&\&b. isFunction (e.promise)? r:0, o=1===i?e: length, i=1!==r | |e\&\&b. isFunction (e.promise)? r:0, o=1===i?e: length, i=1!==r | |e\&\&b. isFunction (e.promise)? r:0, o=1===i?e: length, i=1!=r | |e\&\&b. isFunction (e.promise)? r:0, o=1==i?e: length, i=1!=r | |e\&\&b. isFunction (e.promise)? r:0, o=1===i?e: length, i=1!=r | |e\&\&b. isFunction (e.promise)? r:0, o=1==i?e: length, i=1!=r | |e\&\&b. isFunction (e.promise)? r:0, o=1:==i?e: length, i=1!=r | |e\&\&b. isFunction (e.promise)? r:0, o=1:==i?e: length, i=1!=r | |e\&\&b. isFunction (e.promise)? r:0, o=1:==i?e: length
b.Deferred(),a=function(e,t,n){return function(r){t[e]=this,n[e]=arguments.length>1?h.call(arguments
):r,n===s?o.notifyWith(t,n):--i||o.resolveWith(t,n)},s,u,l;if(r>1)for(s=Array(r),u=Array(r),l=Array(r);r
>t;t++)n[t]&&b.isFunction(n[t].promise)?n[t].promise().done(a(t,l,n)).fail(o.reject).progress(
 a(t,u,s)):--i;return i||o.resolveWith(l,n),o.promise()}}),b.support=function(){var
option")), a=d.getElementsByTagName("input")[0], r.style.cssText="top:lpx;float:left;opacity:.5",t={
getSetAttribute:"t"!==d.className,leadingWhitespace:3===d.firstChild.nodeType,tbody:!d.getElementsByTagName("tbody")
  .length,htmlSerialize:!!d.getElementsByTagName("link").length,style:/top/.test(r.getAttribute("style")),
 hrefNormalized:"/a"===r.getAttribute("href"),opacity:/^0.5/.test(r.style.opacity),cssFloat:!!r.style.
cssFloat,checkOn:!!a.value,optSelected:1.selected,enctype:!!o.createElement("form").enctype,html5Clone:"
<:nav></:nav>"!==o.createElement("nav").cloneNode(!0).outerHTML,boxModel:"CSS1Compat"===o.compatMode,deleteExpando:!
0, noCloneEvent: !0, inlineBlockNeedsLayout: !1, shrinkWrapBlocks: !1, reliableMarginRight: !0, boxSizingReliable: !0,
pixelPosition: !1}, a.checked=!0,t.noCloneChecked=a.cloneNode(!0).checked, s.disabled=!0,t.optDisabled=!1.
 disabled;try{delete d.test}catch(h){t.deleteExpando=!1}a=o.createElement("input"),a.setAttribute("value",""),t.
 input=""===a.getAttribute("value"),a.value="t",a.setAttribute("type","radio"),t.radioValue="t"===a.value,a.
 setAttribute("checked", "t"), a.setAttribute("name", "t"), u=o.createDocumentFragment(), u.appendChild(a), t.
 appendChecked=a.checked,t.checkClone=u.cloneNode(!0).cloneNode(!0).lastChild.checked,d.attachEvent&&(d.attachEvent("
appendenceActachecked, c.necked, c.n
backgroundClip,b(function() {var n,r,a,s="
 padding:0;margin:0;border:0;display:block;box-sizing:content-box;-moz-box-sizing:content-box;-webkit-box-sizing:content
getElementsByTagName("td"),a[0].style_cssText="padding:0;margin:0;border:0;display:none",p=0==a[0].offsetHeight,a[0].style_display="none",t.reliableHiddenOffsets=p&&0===a[0].offsetHeight,d.innerHTML="",d.style
box-sizing:border-box;-moz-box-sizing:border-box;-webkit-box-sizing:border-box;padding:lpx;border:lpx;display:block;widdoesNotIncludeMarginInBodyOffset=1!==u.offsetTop,e.getComputedStyle&&(t.pixelPosition="1%"!==(e.getComputedStyle(d,
 null)||{}).top,t.boxSizingReliable="4px"===(e.getComputedStyle(d,null)||{width:"4px"}).width,r=d.
appendChild(o.createElement("div")),r.style.cssText=d.style.cssText=s,r.style.marginRight=r.style.width="0",d.
style.width="lpx",t.reliableMarginRight=!parseFloat((e.getComputedStyle(r,null)||{}).marginRight)),
typeof d.style.zoom!==i&&(d.innerHTML="",d.style.cssText=s+"width:lpx;padding:lpx;display:inline;zoom:l",t.
inlineBlockNeedsLayout=3===d.offsetWidth,d.style.display="block",d.innerHTML="<div></div>",d.firstChild.style.
 width="5px",t.shrinkWrapBlocks=3!==d.offsetWidth,t.inlineBlockNeedsLayout&&(u.style.zoom=1)),u.removeChild(n),n=
n, l=e.nodeType, p=1?b.cache:e, f=1?e[s]:e[s]&&s; if (f&&p[f]&& (i||p[f].data)||!u||r!==
 t) return f||(1?e[s]=f=c.pop()||b.guid++:f=s),p[f]||(p[f]={},l||(p[f].toJSON=
\verb|b.noop|), ("object"==typeof n||"function"==typeof n) && (i?p[f]=b.extend(p[f],n):p|| \\
  \verb|f|| . \verb|data|| + \verb|b.extend(p[f].data,n|)|, o=p[f], i|| (o.data|| (o.data={}\}), o=o.data), r! == t \& \& (o[f].data|| (o.data|| (o.da
b.acceptData(e)) {var r,i,o,a=e.nodeType,s=a?b.cache:e,u=a?e[b.expando]:b.expando; if(s[u]) {if(t&&(o=
n?s[u]:s[u].data)){b.isArray(t)?t=t.concat(b.map(t,b.camelCase)):t in o?t=[t]:(t=b.camelCase(t),t=t in o?[t]:t.split(" "));for(r=0,i=t.length;i>r;r++)delete o[t[
 r]]; if(!(n?$:b.isEmptyObject)(o))return}(n||(delete s[u].data,$(s[u])))&&(a?
b.cleanData([e],!0):b.support.deleteExpando||s!=s.window?delete s[u]:s[u]=
null)}}}b.extend({cache:{},expando:"jQuery"+(p+Math.random()).replace(/\D/g,""),noData:{embed:!0,
object:"clsid:D27CDB6E-AE6D-11cf-96B8-444553540000",applet:!0},hasData:function(e){return e=e.nodeType?
b.cache[e[b.expando]]:e[b.expando],!!e&&!$(e)},data:function(e,t,n){return P(e,t,n)},removeData:
function(e,t)(return R(e,t,)), data:function(e,t,n)(return P(e,t,n,!0)), removeData:function(e,t)(return R(e,t,)!0)), acceptData:function(e)(if(e.nodeType&&1!=e.nodeType&&9!==e.nodeType) return!1; var
     t=e.nodeName&b.noData[e.nodeName.toLowerCase()]; return!t||t!==!0&&e.getAttribute("classid")===t}}),
b.fn.extend(\{data:function(e,n)\{var\ r,i,o=this[0],a=0,s=null; \\ if(e===t)\{if(this.length\&\&(s=b.data(o),l===o.nodeType\&\&!b.\_data(o,"parsedAttrs")))\}\\ for(r=o.attributes;r.length>a;a++)i=r[a].name,i.indexOf("data-")||(i=b.camelCase(i.slice(5)),W(o,i,s[i]));b.\_data(o,"parsedAttrs",!0)\}\\ return s
```

```
}return"object"==typeof e?this.each(function() {b.data(this,e)}):b.access(this,function(n) {return n===t
 ?o?W(o,e,b.data(o,e)):null:(this.each(function() {b.data(this,e,n)}),t)},
 null,n,arguments.length>1,null,!0)},removeData:function(e){return this.
each(function() {b.removeData(this,e)})}); function W(e,n,r) {if(r===t&&l===e.nodeType) {var i="data-"+n.
replace(B,"-$1").toLowerCase(); if(r=e.getAttribute(i), "string"==typeof r) {try{r="true"===r?!0:"false"==
!1:"null"===r?null:+r+""===r?+r:0.test(r)?b.parseJSON(r):r}catch(o) {}b.data(e,n,r)}else r=t}return r}
 function $(e) {var t; for(t in e) if(("data"!==t||!b.isEmptyObject(e[t])) &&"toJSON"!==t) return!1; return!0}
 b.extend({queue:function(e,n,r){var i;return e?(n=(n|| "fx")+"queue",i=b._data(e,n),r&&(!i||
b.isArray(r)?i=b._data(e,n,b.makeArray(r)):i.push(r)),i||[]):t},dequeue:function(e,t){t=t||"fx";var n=
 b. \ queue(e,t), r=n. length, i=n. shift(), o=b.\_queueHooks(e,t), a=function() \{b. \ dequeue(e,t)\}; "inprogress"===i&& (i=n. shift(), r--), o. \ cur=i, i&& ("fx"===t&&n. unshift("inprogress"), delete o. stop, i. call(e,a,o)), !r&&o&&o.empty.fire()\}, \_queueHooks: function(e,t) {var n=t+"queueHooks"; return b.\_data(e,n) | |b.\_data(e,n, {empty:} length) | |c.\_data(e,n, {empty:} length) | |c.\_d
b.Callbacks("once memory").add(function() [b._removeData(e,r)],b._removeData(e,n)})})})})))b.fn.extend({queue:function(e,n)}var r=2;return"string"!=typeof e&&(n=e,e="fx",r--),r>arguments.length?
b.queue(this[0],e):n===t?this:this.each(function() {var t=b.queue(this,e,n);
b._queueHooks(this,e), "fx"===e&&"inprogress"!==t[0]&&b.dequeue(this,e)})}, dequeue:function(e){return
this.each(function() {b.dequeue(this,e)})},delay:function(e,t) {return e=b.fx?b.fx.speeds[
e]||e:e,t=t||"fx",this.queue(t,function(t,n) {var r=setTimeout(t,e);n.stop=function() {clearTimeout(r)}})},
clearQueue:function(e) {return this.queue(e||"fx",[])},promise:function(e,n) {var
 r,i=1,o=b.Deferred(),a=this,s=this.length,u=function(){--i||o.resolveWith(a,[a])};"string"!=typeof e&&(n=
 e,e=t),e=e||"fx";while(s--)r=b._data(a[s],e+"queueHooks"),r&&r.empty&&(i++,r.empty.add(u));r&
 u(), o.promise(n)\}\}); var \ I, z, X = /[\trn]/g, U = /\r/g, V = /^(?:input|select|textarea|button|object)\}/i, Y = /(c.input|select|textarea|button|object)\}/i, Y = /(c.input|select|textarea|button|object|Y = /(c.input|select|textarea|button|obj
=/^(?:a|area) \frac{1}{J}=\frac{(?:checked|selected|autofocus|autoplay|async|controls|defer|disabled|hidden|loop|multiple|open|readonly|required|scoped) <math>\frac{1}{J}=\frac{1}{J}
 i, Q=b.support.qetSetAttribute, K=b.support.input; b.fn.extend({attr:function(
 e,t) {return b.access(this,b.attr,e,t,arguments.length>1)},removeAttr:function(
 e) {return this.each(function() {b.removeAttr(this,e)})},prop:function(e,t){return
b.access(this,b.prop,e,t,arguments.length>1)},removeProp:function(e){return e=
b.propFix[e]||e,this.each(function(){try{this[e]=t,delete this[e]}catch(n){}})},addClass:function
(e){var t,n,r,i,o,a=0,s=this.length,u="string"==typeof e&&e;if(b.isFunction(e))return this.
a;a++)if(n=this[a],r=1===n.nodeType&&(n.className)(" "+n.className+" ").replace(X," "):" ")){o=0;while(i=t [o++])0>r.indexOf(" "+i+" ")&&(r+=i+" ");n.className=b.trim(r)}return this},removeClass:function(
 e) {var t,n,r,i,o,a=0,s=this.length,u=0===arguments.length||"string"==typeof e&&
e;if(b.isFunction(e))return this.each(function(t){b(this).removeClass(e.call(this,t,this.className))
});if(u)for(t=(e||"").match(w)||[];s>a;a++)if(n=this[a],r=1===n.nodeType&&(n.className?(" "+n.className+" "
).replace(X," "):"")){o=0;while(i=t[o++])while(r.indexOf(" "+i+" ")>=0)r=r.replace(" "+i+" "," ");n.
className=e?b.trim(r):""}return this},toggleClass:function(e,t){var n=typeof e,r="boolean"==typeof
 t; return b.isFunction(e)?this.each(function(n){b(this).toggleClass(e.call(this,n,this.className,t),
t)}):this.each(function(){if("string"===n){var o,a=0,s=b(this),u=t,l=e.match(w)||[];while(o=1[a++])u=r?u:!s.hasClass(o),s[u?"addClass":"removeClass"](o)}else(n===i||"boolean"===n)&&(this.className&&
b_data(this,"__className_",this.className),this.className=this.className||e===!1?":
b_data(this,"__className_")||"")}),hasClass:function(e){var t=" "+e+" ",n=0,r=this.length;for(;r>n;n++)if(1===this[n].nodeType&&(" "+this[n].className+" ").replace(X," ").indexOf(t)>=0)return!0;return!1}
 , val:function(e) {var n,r,i,o=this[0]; {if(arguments.length) return i=b.isFunction(e),this.
each(function(n) {var o,a=b(this);l===this.nodeType&&(o=i?e.call(this,n,a.val()):e,
null==o?o="":"number"==typeof o?o+="":b.isArray(o)&&(o=b.map(o,function(e) {return
null==e?"":e+""})),r=b.valHooks[this.type]||b.valHooks[this.nodeName.toLowerCase()],r&&"set"in r&&r.
set(this,o,"value")!==t||(this.value=o))}); if(o)return r=b.valHooks[o.type]||b.valHooks[o.nodeName.toLowerCase()],r&&"get"in r&&(n=r.get(o,"value"))!==t?n:(n=o.value,"string"==typeof n?n.replace(U,""):
null==n?"":n)}}), b.extend({valHooks:{option:{get:function(e) {var t=e.attributes.value; return!t||t.
 specified?e.value:e.text}},select:{get:function(e){var t,n,r=e.options,i=e.selectedIndex,o="select-one"===
 e.type||0>i,a=o?null:[],s=o?i+1:r.length,u=0>i?s:o?i:0;for(;s>u;u++)if(n=r[u],!(!n.selected&&u!==i||(
b.support.optDisabled?n.disabled:null!==n.getAttribute("disabled"))||n.parentNode.disabled&&b.nodeName(n.parentNode, "optgroup"))){if(t=b(n).val(),o)return t;a.push(t)}return a},set:function(
 e,t) {var n=b.makeArray(t); return b(e).find("option").each(function() {this.selected=
 b.inArray(b(this).val(),n)>=0}),n.length||(e.selectedIndex=-1),n}}},attr:function(
 e,n,r) {var o,a,s,u=e.nodeType;if(e&&3!==u&&8!==u&&2!==u) return typeof e.getAttribute===i?
b.\texttt{prop}(\texttt{e},\texttt{n},\texttt{r}): (\texttt{a}=\texttt{1}!==\texttt{u}| \mid !b.\texttt{isXMLDoc}(\texttt{e}), \texttt{a}\& (\texttt{n}=\texttt{n}.\texttt{toLowerCase}(), \texttt{o}=\texttt{b}.\texttt{a}\texttt{ttHooks}[\texttt{n}] \mid | (\texttt{J}.\texttt{test}(\texttt{n})?\texttt{z}:\texttt{I})), \texttt{r}===\texttt{t}?\texttt{o}
&&a&&"get"in o&&null!==(s=o.get(e,n))?s:(typeof e.getAttribute!==i&&(s=e.getAttribute(n)), null==s?t:s):null!==r?o&&a&&"set"in o&&(s=o.set(e,r,n))!==t?s:(e.setAttribute(n,r+""), r):(b.removeAttr(e,n),t))},removeAttr:function(e,t){var n,r,i=0,o=t&&t.match(w);if(o&&l===e.nodeType)}
 ) while (n=o[i++]) r=b. propFix[n] | [n, J.test(n)?!Q&&G.test(n)?e[b.camelCase("default-"+n)]=e[b.camelCase("default-"+n)] = [b.camelCase("default-"+n)]  r]=!1:e[r]=!1:b.attr(e,n,""),e.removeAttribute(Q?n:r)},attrHooks:{type:{set:function(
 e,t){if(!b.support.radioValue&&"radio"===t&&b.nodeName(e,"input")){var n=e.value;return e.setAttribute(
"type",t), n&&(e.value=n),t}}}, propFix:{tabindex:"tabIndex",readonly:"readonly:"for":"htmlFor","class":"className",maxlength:"maxLength",cellspacing:"cellspacing",cellpadding:"cellPadding",rowspan:"rowSpan",colspan:"colSpan",usemap:"useMap",frameborder:"frameBorder",contenteditable:"contentEditable"},prop:function(e,n,r){var i,o,a,s=e.nodeType;if(e&&3!==s&&8!==s&&2!==s)return a=1!==s||!b.isXMLDoc(e),a&&(n=
 b.propFix[n]||n,o=b.propHooks[n]),r!==t?0&&"set"in o&&(i=o.set(e,r,n))!==t?i:e[n]=r:0&&"get"in o&&
 null!==(i=o.get(e,n))?i:e[n]},propHooks:{tabIndex:{get:function(e) {var n=e.getAttributeNode("tabindex"
 ); return n&&n.specified?parseInt(n.value,10): V.test(e.nodeName)||Y.test(e.nodeName)&&e.href?0:t}}}}), z={get:
function(e,n) {var r=b.prop(e,n),i="boolean"==typeof r&&e.getAttribute(n),o="boolean"==typeof r?K&&Q? null!=i:G.test(n)?e[b.camelCase("default-"+n)]:!!i:e.getAttributeNode(n);return o&&o.value!==!1?n. toLowerCase():t},set:function(e,t,n){return t===!1?b.removeAttr(e,n):K&&Q||!G.test(n)?e.setAttribute(!Q&&b.propFix[n]||n,n):e[b.camelCase("default-"+n)]=e[n]=!0,n}},K&&Q||(b.attrHooks.value={get:function(
 e,n) {var r=e.getAttributeNode(n); return b.nodeName(e, "input")?e.defaultValue:r&&r.specified?r.value:t},
set:function(e,n,r){return b.nodeName(e,"input")?(e.defaultValue=n,t):I&&I.set(e,n,r)}}),Q||(I=b.valHooks.button={get:function(e,n){var r=e.getAttributeNode(n);return r&&("id"===n||"name"===n||"coords"
       =n?""!==r.value:r.specified)?r.value:t},set:function(e,n,r){var i=e.getAttributeNode(r);return i||e.
b.attrHooks.contenteditable=[get:I.get,set:Innction(e,n)] \lambda = -e.getAttributeNode(i=e.ownerDocument.createAttribute(r)),i.value=n+="","value====r||n===e.getAttribute(r)?n:t}},
b.attrHooks.contenteditable=[get:I.get,set:function(e,t,n){I.set(e,""===t?!1:t,n)}},
b.each(["width","height"],function(e,n){b.attrHooks[n]=b.extend(b.attrHooks[n],{set:function(e,r)}{
           urn""===r?(e.setAttribute(n,"auto"),r):t}})))),b.support.hrefNormalized||(b.each(["href","src","width","
\label{lem:height} $$  \text{height"], function (e,n) $\{b.\text{attrHooks}[n]=b.\text{extend (b.attrHooks}[n], \{\text{get:function (e)} \{\text{var r=e.getAttribute (n,2); return null==r?t:r}\}\})\}, b.\text{each}(["href", "src"], function (e,t) $\{b.\text{propHooks}[t]=\{\text{get:function (e)} \{\text{return e.getAttribute (t,4)}}\}\})), b.\text{support.style}|| $(b.\text{attrHooks.style}=\{\text{get:function (e)}\}\}), b.\text{support.style}|| $
```

e) {return e.style.cssText||t},set:function(e,t) {return e.style.cssText=t+""}}),

```
b.support.optSelected||(b.propHooks.selected=b.extend(b.propHooks.selected,{get:function(e)}var t=e.
                            parentNode; return t&&(t.selectedIndex,t.parentNode&&t.parentNode.selectedIndex), null}})),
                            b.support.enctype||(b.propFix.enctype="encoding"),b.support.checkOn||b.each(["radio","checkbox"],
                          function() {b.valHooks[this]={get:function(e) {return null===e.getAttribute("value")?"on":e.value}})),
b.each(["radio","checkbox"],function() {b.valHooks[this]=b.extend(b.valHooks[this],{set:function(e,n)}})
                              return b.isArray(n)?e.checked=b.inArray(b(e).val(),n)>=0:t}})});var Z=/^(?:input|select|textarea)$/i,et=/^
                           n,r,o,a) {var s,u,l,c,p,f,d,h,g,m,y,v=b._data(e);if(v) {r.handler&&(c=r,r=c.handler,a=c.selector),r
                            . \verb"guid" | (\verb"r.guid" = \verb"b.guid" + +) , (\verb"u=v.events") | | (\verb"u=v.events" = \{\}) , (\verb"f=v.handle") | | (\verb"f=v.handle" = function ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | ("") | (""") | ("") | (""") | (""") | (""") | (""") | (""") | (""") | (""") | (""") | (""") |
                            e){return typeof b===i||e&&b.event.triggered===e.type?t:b.event.dispatch.apply(f.elem,arguments)},f.elem=
                            e), n=(n||"").match(w)||[""],l=n.length; while(l--)s=rt.exec(n[1])||[],g=y=s[1],m=(s[2]||"").split(".").sort
                             (),p=b.event.special[g]||{},d=b.extend({type:g,bindType})||g,p=b.event.special[g]||{},d=b.extend({type:g,
                            origType:y,data:o,handler:r,guid:r.guid;selector:a,needsContext:a&&b.expr.match.needsContext.test(a),
                           \label{lem:namespace:m.join(".")}, c), (h=u[g])|| (h=u[g]=[], h.delegateCount=0, p. setup&&p. setup.call(e,o,m,f)!==!1||(e.addEventListener(e.addEventListener(g,f,!1):e.attachEvent&&e.attachEvent("on"+g,f))), p.add&&(p.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.add.call(e,d),d.a
                            handler.guid||(d.handler.guid=r.guid)),a?h.splice(h.delegateCount++,0,d):h.push(d),b.event.global[g]=!0;e=
                           \begin{array}{ll} \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.special[d]||} \\ \text{split}(".").sort(),d) & \text{p=b.event.s
                           delegateCount--,p.remove&&p.remove.call(e,a));u&&!f.length&&(p.teardown&&p.teardown.call(e,h,m.handle)!==!1||b.
                            removeEvent(e,d,m.handle),delete c[d])}else for(d in c)b.event.remove(e,d+t[1],n,r,!0);b.isEmptyObject(c)&&(
                            delete m.handle,b._removeData(e, "events"))}},trigger:function(n,r,i,a){var s,u,l,
                            \texttt{c,p,f,d,h=[i||o],g=y.call(n,"type")?n.type:n,m=y.call(n,"namespace")?n.namespace.split("."):[]; \\ \textbf{if}(l=f=i,m=y.call(n, namespace)) \\ \textbf{if}(l=f=i,m=y.call(n, namespace)) \\ \textbf{if}(l=f=i,m=y.call(n, namespace)) \\ \textbf{if}(l=f=i,m=y.call(n, namespace)) \\ \textbf{if}(l=f=i,m=y.call(n, namespace)) \\ \textbf{if}(l=f=i,m=y.call(n, namespace)) \\ \textbf{if}(l=f=i,m=y.call(n, namespace)) \\ \textbf{if}(l=f=i,m=y.call(n, namespace)) \\ \textbf{if}(l=f=i,m=y.call(n, namespace)) \\ \textbf{if}(l=f=i,m=y.call(n, namespace)) \\ \textbf{if}(l=f=i,m=y.call(n, namespace)) \\ \textbf{if}(l=f=i,m=y.call(n, namespace)) \\ \textbf{if}(l=f=i,m=y.call(n, namespace)) \\ \textbf{if}(l=f=i,m=y.call(n, namespace)) \\ \textbf{if}(l=f=i,m=y.call(n, namespace)) \\ \textbf{if}(l=f=i,m=y.call(n, namespace)) \\ \textbf{if}(l=f=i,m=y.call(n, namespace)) \\ \textbf{if}(l=f=i,m=y.call(n, namespace)) \\ \textbf{if}(l=f=i,m=y.call(namespace)) \\ 
                          c,p,,d,n=[||0|,g=y.calr(n, type:n,m=y.calr(n, mamespace);n:namespace(n:namespace(n:namespace(n:namespace);n:namespace(n:namespace(n:namespace);n:namespace(n:namespace(n:namespace);n:namespace(n:namespace(n:namespace);n:namespace(n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);n:namespace(n:namespace);
                            a||!p.trigger||p.trigger.apply(i,r!==!1)){if(!a&&!p.noBubble&&!b.isWindow(i)){for(c=p.delegateType||g,nt.
                            test(c+g)||(l=1.parentNode);;;l=1.parentNode)h.push(l),f=1;f===(i.ownerDocument||o)&&h.push(f.defaultView||f.
                            parentWindow||e)}d=0;while((l=h[d++])&&!n.isPropagationStopped())n.type=d>1?c:p.bindType||g,s=(b._data(1,"
                            events")||{})[n.type]&&b._data(l,"handle"),s&&s.apply(l,r),s=u&&l[u],s&&b.acceptData(l)&&s.apply&&s.apply(l,r
                           ) ===!1&&n.preventDefault(); if (n.type=g,!(a||n.isDefaultPrevented()||p._default&&p._default.apply(i. ownerDocument,r)!==!1||"click"===g&&b.nodeName(i,"a")||!b.acceptData(i)||!u||!i[g]||b.isWindow(i))) {f=i[
                            u], f&&(i[u]=null), b.event.triggered=g;try{i[g]()}catch(v){}b.event.triggered=
                            t, f&&(i[u]=f)}return n.result}}, dispatch:function(e){e=b.event.fix(e);var n,
                            \texttt{r,i,o,a,s=[],u=h.call(arguments),l=(b.\_data(this,"events")||\{\})[e.type]||[],c=b.event.special[e.type]||}
                            {}; if (u[0]=e,e.delegateTarget=this,!c.preDispatch||c.preDispatch.call(this,e)!==!1){s=b.event.handlers.call(
                            this, e, 1), n=0; \\ while ((o=s[n++]) \\ \& \\ !e.is \\ Propagation \\ Stopped()) \\ \{e.current \\ Target=o.elem, a=0; \\ while ((i=o.handlers[all this propagation \\ Stopped())) \\ \{e.current \\ Target=o.elem, a=0; \\ while ((i=o.handlers[all this propagation \\ Stopped())) \\ \{e.current \\ Target=o.elem, a=0; \\ while ((i=o.handlers[all this propagation \\ Stopped())) \\ \{e.current \\ Target=o.elem, a=0; \\ while ((i=o.handlers[all this propagation \\ Stopped())) \\ \{e.current \\ Target=o.elem, a=0; \\ while ((i=o.handlers[all this propagation \\ Stopped())) \\ \{e.current \\ Target=o.elem, a=0; \\ while ((i=o.handlers[all this propagation \\ Stopped())) \\ \{e.current \\ Target=o.elem, a=0; \\ while ((i=o.handlers[all this propagation \\ Stopped())) \\ \{e.current \\ Target=o.elem, a=0; \\ while ((i=o.handlers[all this propagation \\ Stopped())) \\ \{e.current \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\ Stopped(), \\
                            ++]) &&!e.isImmediatePropagationStopped()) (!e.namespace_re||e.namespace_re.test(i.namespace)) &&(e.handleObj=i,
                            e.data=i.data,r=((b.event.special[i.origType]||{}).handle||i.handler).apply(o.elem,u),r!==t&&(e.result=
                            r) ===!1&&(e.preventDefault(),e.stopPropagation())))return c.postDispatch&&c.postDispatch.call(this,e),e.
                            result}}, handlers:function(e,n) {var r,i,o,a,s=[],u=n.delegateCount,l=e.target; if (u&&l.nodeType&&(!e.
                          find(r,this,null,[1]).length),o[r]&&o.push(i);o.length&&s.push({elem:1,handlers:o})}return n.length>u&&s.
                           push({elem:this,handlers:n.slice(u)}),s},fix:function(e){if(e[b.expando])return e;var
                              t,n,r,i=e.type,a=e,s=this.fixHooks[i];s||(this.fixHooks[i]=s=tt.test(i)?this.mouseHooks:et.test(i)?
                            this.keyHooks:{}),r=s.props?this.props.concat(s.props):this.props,e=new b.Event(a),t=r.length;while(t--)n=r[
                          this.keyhooks.(), rs.props.chis.props.chia.props).chis.props).chis.props.e-new B.nbent (d), t=1.rength, white (t),                             null!=t.charCode?t.charCode:t.keyCode),e}},mouseHooks:{props:"button buttons clientX clientY
                                fromElement offsetX offsetY pageX pageY screenX screenY toElement".split(" "),filter:function(
                            e,n) {var r,i,a,s=n.button,u=n.fromElement;return null==e.pageX&&null!=n.clientX&&(i=e.target.
                            ownerDocument | | o, a=i.document \\ Element, r=i.body, e.page \\ X=n.client \\ X+(a\&\&a.scroll \\ Left | | r\&\&r.scroll \\ Left | | 0)-(a\&\&a.scroll \\ Left | r\&\&r.scroll \\ Left | | 0)-(a\&\&a.scroll \\ Left | r\&\&r.scroll \\ Left | | 0)-(a\&\&a.scroll \\ Left | r\&\&r.scroll \\ Left | | 0)-(a\&\&a.scroll \\ Left | r\&\&r.scroll \\ Left | | 0)-(a\&\&a.scroll \\ Left | r\&\&r.scroll \\ Left | | 0)-(a\&\&a.scroll \\ Left | r\&\&r.scroll \\ Left | | 0)-(a\&\&a.scroll \\ Left | r\&\&r.scroll \\ Left | | 0)-(a\&\&a.scroll \\ Left | r\&\&r.scroll \\ Left | | 0)-(a\&\&a.scroll \\ Left | r\&\&r.scroll \\ Left | | 0)-(a\&\&a.scroll \\ Left | r\&\&r.scroll \\ Left | | 0)-(a\&\&a.scroll \\ Left | r\&\&r.scroll \\ Left | | 0)-(a\&\&a.scroll \\ Left | r\&\&r.scroll \\ Left | | 0)-(a\&\&a.scroll \\ Left | r\&\&r.scroll \\ Left | | 0)-(a\&\&a.scroll \\ Left | r\&\&r.scroll \\ Left | | 0)-(a\&\&a.scroll \\ Left | r\&\&r.scroll \\ Left | | 0)-(a\&\&a.scroll \\ Left | r\&\&r.scroll \\ Left | | 0)-(a\&\&a.scroll \\ Left | r\&\&r.scroll \\ Left | | 0)-(a\&\&a.scroll \\ Left | r\&\&r.scroll \\ Left | | 0)-(a\&\&a.scroll \\ Left | r\&\&r.scroll \\ Left | | 0)-(a\&\&a.scroll \\ Left | r\&\&r.scroll \\ Left | | 0)-(a\&\&a.scroll \\ Left | r\&\&a.scroll \\ Left | | 0)-(a\&\&a.scroll \\ Left | r\&\&a.scroll \\ Left | | 0)-(a\&\&a.scroll \\ Left | r\&\&a.scroll \\ Left
                           \begin{array}{l} {\rm clientLeft} || r\&\&r. {\rm clientLeft} || 0), {\rm e.pageY=n. clientY+ (a\&\&a.scrollTop||r\&\&r.scrollTop||0) - (a\&\&a.clientTop||r\&\&r.scrollTop||0), e.relatedTarget\&\&\&\&\&\&(e.relatedTarget=u==e.target?n.toElement:u), e.which||s===t||(e.which=l\&baret=u), e.which||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t||s===t
                            s?1:2&s?3:4&s?2:0),e}},special:{load:{noBubble:!0},click:{trigger:function(){return b.nodeName(this,"input")
                            %%"checkbox"===this.type%%this.click?(this.click(),!1):t}},focus:{trigger:function()} (if(this!==0.
                            activeElement&&this.focus)try{return this.focus(),!1}catch(e){}},delegateType:"focusin"},blur:{trigger:function(){
                              return this===0.activeElement&&this.blur?(this.blur(),!1):t},delegateType:"focusout"},beforeunload:{postDispatch:
                            function \ (e) \ \{e.result! = = t \& \& \ (e.original Event.return Value = e.result) \} \}, simulate: function \ (e,t,n,r) \ \{var i = b. e.result! \} \} \}, simulate: function \ (e,t,n,r) \ \{var i = b. e.result! \} \} \}, simulate: function \ (e,t,n,r) \ \{var i = b. e.result! \} \} \}, simulate: function \ (e,t,n,r) \ \{var i = b. e.result! \} \} \}, simulate: function \ (e,t,n,r) \ \{var i = b. e.result! \} \} \}, simulate: function \ (e,t,n,r) \ \{var i = b. e.result! \} \} \}, simulate: function \ (e,t,n,r) \ \{var i = b. e.result! \} \} \}, simulate: function \ (e,t,n,r) \ \{var i = b. e.result! \} \} \}, simulate: function \ (e,t,n,r) \ \{var i = b. e.result! \} \} \}, simulate: function \ (e,t,n,r) \ \{var i = b. e.result! \} \}
                            extend(new b.Event,n,{type:e,isSimulated:!0,originalEvent:{}});r?b.event.trigger(i,
                           null,t):b.event.dispatch.call(t,i),i.isDefaultPrevented()&&n.preventDefault()}},b.removeEvent=o.
                            remove Event Listener? function (\textbf{e}, \textbf{t}, \textbf{n}) \ \{ \textbf{e} . \\ remove Event Listener \& \textbf{e} . \\ remove Event Listener (\textbf{t}, \textbf{n}, !1) \ \} : function (\textbf{e}, \textbf{t}, \textbf{n}) \ \} 
                            e,t,n){var r="on"+t;e.detachEvent&&(typeof e[r]===i&&(e[r]=null),e.detachEvent(r,n))},b.Event=
                            function \ (e,n) \ \{return \ this \ instance of \ b. Event? (e\&\&e.type? (this.original Event=e,this.type=e.type,this.original Event=e,this.type=e.type,this.type=e.type,this.type=e.type,this.type=e.type,this.type=e.type=e,this.type=e.type=e,this.type=e.type=e,this.type=e.type=e,this.type=e.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this.type=e,this
                            isDefaultPrevented=e.defaultPrevented||e.returnValue===!1||e.getPreventDefault&&e.getPreventDefault()?it:ot):this.type
                           =e,n&b.extend(this,n),this.timeStamp=e&e.timeStamp||b.now(),this[b.expando]=!0,
t):new b.Event(e,n),b.Event.prototype={isDefaultPrevented:ot,isPropagationStopped:ot,
                            isImmediatePropagationStopped:ot,preventDefault:function() {var e=this.originalEvent;this.isDefaultPrevented=it,e&&(e.
                           preventDefault?e.preventDefault():e.returnValue=!1)}, stopPropagation:function() {var e=this.originalEvent;this.
                              isPropagationStopped=it,e&&(e.stopPropagation&&e.stopPropagation(),e.cancelBubble=!0)},stopImmediatePropagation:
                            function () \{this.isImmediatePropagationStopped=it, this.stopPropagation ()\}\}, b. each (\{mouseenter: "mouse over", this.stopPropagation (), this.isImmediatePropagationStopped=it, this.stopPropagation (), this.isImmediatePropagation (), this.isImmediate
                           mouseleave:"mouseout"}, function(e,t){b.event.special[e]={delegateType:t,bindType:t,handle:function(
                            e) {var n,r=this,i=e.relatedTarget,o=e.handleObj;
return(!i||i!==r&&!b.contains(r,i))&&(e.type=o.origType,n=o.handler.apply(this,arguments),e.type=
                            t),n}}}),b.support.submitBubbles||(b.event.special.submit={setup:function(){return b.nodeName(this,"form")
                            ?!1: (b.event.add(this, "click._submit keypress._submit",function(e){var n=e.target,r=b.nodeName(n,"input")||b
                           .nodeName(n,"button")?n.form:t;r&&!b._data(r,"submitBubbles")&&(b.event.add(r,"submit._submit.,function(e){e._submit_bubble=!0}),b._data(r,"submitBubbles",!0))}),t)},postDispatch:function(e){e._submit_bubble&&(delete e._submit_bubble,this.parentNode&&!e.isTrigger&&b.event.simulate("submit",this.parentNode,e,!0))},
```

```
teardown:function(){return b.nodeName(this, "form")?!1:(b.event.remove(this, "._submit"),t)}}),b.support.
changeBubbles||(b.event.special.change={setup:function()}{return Z.test(this.nodeName)?(("checkbox"===this.type||"radio" ===this.type)&&(b.event.add(this, "propertychange._change", function(e) ("checked"===e.originalEvent.

propertyName&&(this._just_changed=!0)}),b.event.add(this, "click._change", function(e) {this._just_changed&&!e.isTrigger &&(this._just_changed=!1),b.event.simulate("change",this,e,!0)})),!1):(b.event.add(this," beforeactivate._change",function(e) {var t=e.target;Z.test(t.nodeName)&&!b._data(t,"changeBubbles")&&(b.event.add(t," beforeactivate._change",function(e) {var t=e.target;Z.test(t.nodeName)&&!b._data(t,"changeBubbles")&&(b.event.add(t," beforeactivate._change",function(e) {var t=e.target;Z.test(t.nodeName)&&!b._data(t," changeBubbles")&&(b.event.add(t," changeBubbles")&&(b.event.add(t," changeBubbles")&&(b.event.add(t,
  change._change",function(e){!this.parentNode||e.isSimulated||e.isTrigger||b.event.simulate("change",this.parentNode,e,!
  )}),b._data(t,"changeBubbles",!0))}),t)},handle:function(e){var n=e.target;return this!==n||e.isSimulated||
focus: "focusin", blur: "focusout", function (e, t) {var n=0, r=function (e) {b.event.simulate(t, e.target, b.event.fix(e), !0)}; b.event.special[t]={setup:function() {0===n++&&o.addEventListener(e, r, !0)}, teardown:function() {0===n++&&o.addEventListener(e, r, !0)}, teardown:function() {0==n++&&o.addEventListener(e, r, !0)}, teardown:function(e) {0==
                   -n&&o.removeEventListener(e,r,!0)}}}),b.fn.extend({on:function(e,n,r,i,o){var a,s;if("object"==typeof e
  null==r&&null==i?(i=n,r=n=t):null==i&&("string"==typeof n?(i=r,r=t):(i=r,r=n,n=t)),i===!1)i=ot;
  else if(!i)return this;return 1===0&& (s=i,i=function(e){return b().off(e),s.apply(this,arguments)},i.guid
 =s.guid||(s.guid=b.guid++)), this.each(function(){b.event.add(this,e,i,r,n)})}, one:function(e,t,n,r){
    return this.on(e,t,n,r,1)}, off:function(e,n,r){var i,o;if(e&&e.preventDefault&&e.handleObj)return i=e.
    handleObj,b(e.delegateTarget).off(i.namespace?i.origType+"."+i.namespace:i.origType,i.selector,i.handler), this
  ;if("object"==typeof e) {for(o in e)this.off(o,n,e[o]);return this}return(n===!!||"function"==typeof n)&&(r=
  n,n=t),r===!1&&(r=ot),this.each(function(){b.event.remove(this,e,r,n)})},bind:function(e,t,n){return
  this.on(e,null,t,n)\,\}, unbind:function(e,t)\,\{return\ this.off(e,null,t)\,\}, delegate:function(e,t)\,\}
e,t,nr){return this.on(t,e,n,r)}, undelegate:function(e,t,n){return l===arguments.length?this.off(
e,"**"):this.off(t,e||"**",n)}, trigger:function(e,t){return this.each(function() {b.event.trigger(e,t,this)})}, triggerHandler:function(e,n){var r=this[0];return r?b.event.trigger(e,n,r,!0):t}}), function(e,t){var n,r,i,o,a,s,u,l,c,p,f,d,h,g,m,y,v,x="sizzle"+-new Date,w=e.document,T={},N=0,C=0,k=it(),E=it(),S=
  it(), A=typeof t, j=1<<31, D=[], L=D.pop, H=D.push, q=D.slice, M=D.indexOf||function(e) {var t=0, n=this.length; for(
it(), A=typeot t, j=1<<31, D=[], L=D.pop, H=D.push, q=D.slice, M=D.indexOf||function(e) {var t=0, n=this.length; for(
;n>t; t++) if (this[t] ===e) return t; return-1}, _="[\x20\\t\\r\\n\\f]", F="(?:\\\.\|[\\w-]|[^\\x00-\\xa0])+", O=
F.replace("w", "w#"), B="([*^$!!-]?=)", P="\\["++"*("+F+")"++"*(?:"+B++"*(?:['\"])((?:\\\.\|[^\\\])) *?)\\
3|("+0+")|)|"+_+"*\]", R=":("+F+")(?:\\([(['\]))(?:\\\.))*?\\\3|((?:\\\.)|[^\\\])|]"+P
replace(3,8)+")*)|.*)\\)))", W=RegExp("^"++"+"|((?:^\[^\\\]))(?:\\\.))*"++"+$", "g"), $=RegExp("^"++"*, "+"*"), I=
RegExp("^"++"*([\x20\\t\\r\\n\\f2+"])"++"*"), Z=RegExp(R), X=RegExp("^"+O+"$"), U={ID:RegExp("^#("+F+")"),
CLASS:RegExp("^\\.\("+F+")"), NAME:RegExp("^\\\[name=['\"]?("+F+")['\"]?\\]"), TAG:RegExp("^("+F-replace("w", "w*")
+")"), ATTR:RegExp("^"+P), PSEUDO:RegExp("^"+R), CHILD:RegExp("
*('\"+"+"*(evenlodd)(([+-1])(\\d*)n])"+ +"*(?([+-1])"+ +"*()'\d*)
*('\"+")"), ATTR:RegExp("\"+"), Child|of=type)(?\\("+"+"*(evenlodd)(([+-1])(\\d*)n])"+ +"*(?([+-1])"+ +"*(?([+-1])"+ +"*(?))
 \([\da-fA-F] {1,6} [\x20\t\r\n\f]?|.)/g, tt=function(e,t) {var n="0x"+t-65536; return}
       n!==n?t:0>n?String.fromChar
 e[t.shift()], e[n] = r\} \\ function \ ot (e) \\ \{return \ e[x] = !0, e\} \\ function \ at (e) \\ \{var \ t = p.create Element ("div"); try \\ \{return \ e[x] = !0, e\} \\ function \ at (e) \\ \{var \ t = p.create Element ("div"); try \\ \{return \ e[x] = !0, e\} \\ function \ at (e) \\ \{var \ t = p.create Element ("div"); try \\ \{return \ e[x] = !0, e\} \\ function \ at (e) \\ \{var \ t = p.create Element ("div"); try \\ \{return \ e[x] = !0, e\} \\ function \ at (e) \\ \{var \ t = p.create Element ("div"); try \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !0, e\} \\ \{return \ e[x] = !
      e(t)}catch(n){return!1}finally{t=null}}function st(e,t,n,r){var
       \texttt{i,o,a,s,u,l,f,g,m,v;if((t?t.ownerDocument||t:w)!} == p\&\&c(t),t=t||p,n=n||[],!e||"string"!=typeof e) \\ \texttt{return} = p\&\&c(t),t=t||p,n=n||[],t|||m,v||| \\ \texttt{string} = typeof e) \\ \texttt{return} = typeof e
       n;if(!!==(s=t.nodeType)&&9!==s)return[];if(!d&&!r){if(i=J.exec(e))if(a=i[1]){if(9===s){if(o=t.getElementById(a),!o||!o
      \verb|n.push(o),n|| else if (t.ownerDocument&&(o=t.ownerDocument.getElementById(a))&&y(t,o)&&o.id===a) | return | for the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the conten
       n.push(o),n}else(if(i[2])return
      \texttt{H.apply(n,q.call(t.getElementsByTagName(e),0)),n;} if((a=i[3]) \&\&\texttt{T.getByClassName\&\&t.getElementsByClassName}) return
      H.apply(n,q.call(t.getElementsByClassName(a),0)),n}if(T.qsa&&!h.test(e))(if(f=!0,g=x,m=t,v=9===s&&e,1===s&&"object"!==
  $&"):t.setAttribute("id",g),g="[id='"+g+"']
  t=e&&(e.ownerDocument||e).documentElement;return t?"HTML"!==t.nodeName:!1},c=st.setDocument=function(e){var
      n=e?e.ownerDocument||e:w;return
 n! = p\&\&9 = = n. nodeType\&\&n. documentElement? (p = n, f = n. documentElement, d = a(n), T. tagNameNoComments = at (function (e) {return e.a}).length}), T. attributes = at (function (e) {e.innerHTML = "<select>"; var t = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e.lastChild.getAttribute("multiple") | triple = typeof e
  string"!==t}),T.getByClassName=at(function(e){return e.innerHTML="<div class='hidden e'></div><div class='
hidden'></div>",e.getElementsByClassName&&e.getElementsByClassName("e").length?(e.lastChild.className="e",2==e.getElementsByClassName("e").length):!!}),T.getByName=at(function(e){e.id=x+0,e.innerHTML="<a name='"+x+"'></div>",f.insertBefore(e,f.firstChild);vart=n.getElementsByName&&n.getElementsByName(x).length===2+n.getElementsByName(x+0).length;return
       T.getIdNotName=!n.getElementById(x),f.removeChild(e),t}),i.attrHandle=at(function(e){return e.innerHTML="<a href='#'><
       e.firstChild.getAttribute! == A\&\&"\#" === e.firstChild.getAttribute("href") \})? \{\}: \{href:function(e) \{return e.getAttribute("href") \}). \}
  ,2)},type:function(e){return e.getAttribute("type")}},T.getIdNotName?(i.find.ID=function(e,t){if(typeof
      \label{topological topological topological topological topological topological topological terms of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the conte
       r.getAttributeNode!==A&&r.getAttributeNode("id").value===e?[r]:t:[]}},i.filter.ID=function(e){var t=e.replace(et,tt);r
      n=typeof e.getAttributeNode!==A&&e.getAttributeNode("id");return
       n\&\&n.value===t\}), i.find.TAG=T.tagNameNoComments?function(e,n) \{return\ typeof\ n.getElementsByTagName!==A?n.getElementsByTagName!==A?n.getElementsByTagName!==A?n.getElementsByTagName!==A?n.getElementsByTagName!==A?n.getElementsByTagName!==A?n.getElementsByTagName!==A?n.getElementsByTagName!==A?n.getElementsByTagName!==A?n.getElementsByTagName!==A?n.getElementsByTagName!=A?n.getElementsByTagName!=A?n.getElementsByTagName!=A?n.getElementsByTagName!=A?n.getElementsByTagName!=A?n.getElementsByTagName!=A?n.getElementsByTagName!=A?n.getElementsByTagName!=A?n.getElementsByTagName!=A?n.getElementsByTagName!=A?n.getElementsByTagName!=A?n.getElementsByTagName!=A?n.getElementsByTagName!=A?n.getElementsByTagName!=A?n.getElementsByTagName!=A?n.getElementsByTagName!A?n.getElementsByTagName!A?n.getElementsByTagName!A?n.getElementsByTagName!A?n.getElementsByTagName!A?n.getElementsByTagName!A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.getElementsByTagName.A?n.ge
       n, r = [], i = 0, o = t. getElementsByTagName(e); if ("*" = = e) { while } (n = o[i++]) \\ 1 = = n. nodeType&r.push(n); return r } return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + return r + 
      o},i.find.NAME=T.getByName&&function(e,n){return typeof
      \texttt{n.getElementsByName} : = \texttt{A?n.getElementsByName} \\ (\texttt{name}) : \\ \texttt{t}, \texttt{i.find.CLASS=T.getByClassName} \\ \& \\ \texttt{function} \\ (\texttt{e,n}) \\ \\ \texttt{freturn typeof} \\ \texttt{typeof} \\ 
 n.getElementsByClassName===A||d?t:n.getElementsByClassName(e)},g=[],h=[":focus"],(T.gsa=rt(n.querySelectorAll))&&(at(fselected=''></option></select>",e.querySelectorAll("[selected]").length||h.push("\\["+_+"*(?:checked|disabled
   |ismap|multiple|readonly|selected|value)"),e.querySelectorAll(":checked").length||h.push(":checked")
  webkitMatchesSelector||f.oMatchesSelector||f.msMatchesSelector))&&at(function(e){T.disconnectedMatch=m.call(e, "div"), m.
  e, "[s!='']:x"), g.push("!=",R)}), h=RegExp(h.join("|")), g=RegExp(g.join("|")), y=rt(f.contains)||f.
  compareDocumentPosition?function(e,t){var n=9===e.nodeType?e.documentElement:e,r=t&&t.parentNode;return e===r||!(!r||
  1! = \texttt{r.nodeType} \mid | \mid (\texttt{n.contains?n.contains(r):e.compareDocumentPosition\&\&16\&e.compareDocumentPosition(r))} \mid := \texttt{r.nodeType} \mid | \mid (\texttt{n.contains?n.contains(r):e.compareDocumentPosition(r))} \mid := \texttt{r.nodeType} \mid | \mid (\texttt{n.contains?n.contains(r):e.compareDocumentPosition\&\&16\&e.compareDocumentPosition(r))} \mid := \texttt{r.nodeType} \mid | \mid (\texttt{n.contains?n.contains(r):e.compareDocumentPosition(r))} \mid := \texttt{r.nodeType} \mid | \mid (\texttt{n.contains?n.contains?n.contains(r):e.compareDocumentPosition(r))} \mid := \texttt{r.nodeType} \mid | \mid (\texttt{n.contains?n.contains?n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.contains.n.cont
 function(e,t){if(t)while(t=t.parentNode)if(t===e)return!0;return!1},v=f.compareDocumentPosition?function(e,t){var r;return e===t?(u=!0,0):(r=t.compareDocumentPosition&e.compareDocumentPosition&e.
  compareDocumentPosition(t))?1&r||e.parentNode&&11===e.parentNode.nodeType?e===n||y(w,e)?-1:t===n||y(w,t)?1:0:4&r?-1:1:e
```

```
 \begin{aligned} & \text{compareDocumentPosition?-1:1}: & \text{function}(\textbf{e},\textbf{t}) & \text{var } \textbf{r}, i=0, \text{o=e.parentNode}, \text{a=t.parentNode}, \textbf{s=[e], l=[t]; if}(\textbf{e}==\textbf{t}) & \text{return} & \text{u=!0,0}; & \text{if}(!\textbf{o}|!|\textbf{a}) & \text{return} & \text{e===n?-1:t===n?1:o?-1:a?1:0?:if}(\textbf{o}==\textbf{a}) & \text{return} \\ & \text{ut}(\textbf{e},\textbf{t}); & \text{r=e;while}(\textbf{r=r.parentNode}) & \text{s.unshift}(\textbf{r}); & \text{r=t;while}(\textbf{r=r.parentNode}) & \text{l.unshift}(\textbf{r}); & \text{while}(\textbf{s}[i]===1[i]) & \text{i} \\ & \text{++;return} & \text{i?ut}(\textbf{s}[i],1[i]):\textbf{s}[i]===w?-1:1[i]===w?1:0\}, & \text{u=!1,[0,0]}. & \text{sort}(\textbf{v}), & \text{T.detectDuplicates}=\textbf{u}, \textbf{p}):\textbf{p}, \\ & \text{st.matches}=\text{function}(\textbf{e},\textbf{t}) & \text{freturn} & \text{st}(\textbf{e},\text{null,null,t}), & \text{st.matchesSelector}=\text{function}(\textbf{e},\textbf{t}) & \text{st.matchesSelector} & \text{ld} & \text{lg&g.test}(\textbf{t}) & \text{lh.test}(\textbf{t}) & \text{lording} & \text{g.test}(\textbf{t}) & \text{lording} & \text{g.t
```

Definition at line 3 of file jquery-1.9.1.min.js.

6.43.2.37 At At tbody =At.tfoot=At.colgroup=At.caption=At.thead

Definition at line 4 of file jquery-1.9.1.min.js.

6.43.2.38 i i st b b b b b text =st.getText

Definition at line 4 of file jquery-1.9.1.min.js.

6.43.2.39 At At At th =At.td

Definition at line 4 of file jquery-1.9.1.min.js.

6.43.2.40 var Tn =/ $^(.*?)$ :[\t]\*([ $^{\r}$ ]\*)\r?\$/gm

Definition at line 5 of file jquery-1.9.1.min.js.

```
 6.43.2.41 \quad \text{Tt } = / <(?:\text{script} | \text{style} | \text{link}/i, \text{Nt} = / ^(?:\text{checkbox} | \text{radio}) / i, \text{Ct} = / \text{checked} \times ?(?[^=] | = \text{ls*.checked}.) / i, \text{kt} = / ^\$ | \text{V(?-:java} | \text{ecma}) \times | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{script} | \text{s
```

Definition at line 4 of file jquery-1.9.1.min.js.

6.43.2.42 i i st b b b b unique =st.uniqueSort

Definition at line 4 of file jquery-1.9.1.min.js.

6.43.2.43 var ut = $/^.[^:\#[\cdot].]**/[t=b.expr.match.needsContext,ct={children:!0,contents:!0,next:!0,prev:!0}]$ 

Definition at line 4 of file jquery-1.9.1.min.js.

6.43.2.44 b b support b expr&& b expr filters&& b expr filters b expr filters visible =function(e){return!b.expr.filters.-hidden(e)},b.each({margin:"",padding:"",border:"Width"},function(e,t){b.cssHooks[e+t]={expand:function(n){varr=0,i={},o="string"==typeof n?n.split(" "):[n];for(;4>r;r++)i[e+Zt[r]+t]=o[r]||o[r-2]||o[0];returni},Ut.test(e)||(b.cssHooks[e+t].set=on)})

Definition at line 5 of file jquery-1.9.1.min.js.

6.43.2.45 var vn =b.now()

Definition at line 5 of file jquery-1.9.1.min.js.

6.43.2.46 var vt =/<(?!area|br|col|embed|hr|img|input|link|meta|param)(([\w:]+)[ $^{\wedge}$ >]\*) $^{\vee}$ /gi

Definition at line 4 of file jquery-1.9.1.min.js.

6.43.2.47 var wn =/([?&])\_=[ $^{\land}$ &]\*/

Definition at line 5 of file jquery-1.9.1.min.js.

6.43.2.48 Wt =function(e,n,r){var i,o,a,s=r||Rt(e),u=s?s[n]:t,l=e.style;return null==u&&l&&l[n]&&(u=l[n]),Yt.test(u)&&!zt.test(n)&&(i=l.left,o=e.runtimeStyle,a=o&&o.left,a&&(o.left=e.currentStyle.left),l.left="fontSize"===n?"1em":u,u=l.pixelLeft+"px",l.left=i,a&&(o.left=a)),""===u?"auto":u})

Definition at line 5 of file jquery-1.9.1.min.js.

6.43.2.49 var xn =/#.\*\$/

Definition at line 5 of file jquery-1.9.1.min.js.

6.43.2.50 var yn

Definition at line 5 of file jquery-1.9.1.min.js.

6.43.2.51 var yt =/ $^{\sc}$ \s+/

Definition at line 4 of file jquery-1.9.1.min.js.

# 6.44 static/preloader/js/vendor/modernizr-2.6.2.min.js File Reference

## **Variables**

• window Modernizr =function(a,b,c){function D(a){j.cssText=a}function E(a,b){return D(n.join(a+";")+(b||""))}function F(a,b){return type of a===b}function G(a,b){return!!  $\sim$  (""+a).indexOf(b)}function H(a,b){for(var d in a){var e=a[d];if(!G(e,"")&&j[e]!==c)return b=="pfx"?e:!0}return!1}function I(a,b,d){for(var e in a){var f=b[a[e]];if(f!==c)return d===11?a[e]:F(f,"function")?f.bind(d||b):f}return!1}function J(a,b,c){var d=a.charAt(0).toUpperCase()+a.slice(1),e=(a+" "+p.join(d+" ")+d).split(" ");return F(b,"string")||F(b,"undefined")?H(e,b):(e=(a+" "+q.join(d+" ")+d).split(" "),I(e,b,c))}function K(){e.input=function(c){for(var d=0,e=c.length;d<e;d++)u[c[d]]=c[d]in k;return u.list&&(u.list=!!b.createElement("datalist")&&!!a.HTMLDataListElement),u}("autocomplete autofocus list

```
placeholder max min multiple pattern required step".split(" ")),e.inputtypes=function(a){for(var d=0,e,f,h,i=a.-
length;d<i;d++)k.setAttribute("type",f=a[d]),e=k.type!=="text",e&&(k.value=l,k.style.cssText="position-
:absolute;visibility:hidden;",/^range$/.test(f)&&k.style.WebkitAppearance!==c?(g.appendChild(k),h=b.-
defaultView,e=h.getComputedStyle&&h.getComputedStyle(k,null).WebkitAppearance!=="textfield"&&k.-
offsetHeight! == 0, g. remove Child(k)): /^(search|tel) \$/.test(f) || (/^(url|email) \$/.test(f)?e=k.checkValidity \& k.-lest(f)?e=k.checkValidity \& k.-les
checkValidity()===!1:e=k.value!=l)),t[a[d]]=!!e;return t}("search tel url email datetime date month week time
datetime-local number range color".split(" "))}var d="2.6.2",e={},f=!0,g=b.documentElement,h="modernizr",i=b.-
createElement(h),j=i.style,k=b.createElement("input"),l=":)",m={}.toString,n=" -webkit --moz- -o- -ms-
".split(" "),o="Webkit Moz O ms",p=o.split(" "),q=o.toLowerCase().split(" "),r={svg:"http://www.w3.-
org/2000/svg", s={},t={},u={},v={}],w=v.slice,x,y=function(a,c,d,e){}var
                                                                                                                                                                                    f,i,j,k,l=b.createElement("div"),m=b.-
body,n=m||b.createElement("body");if(parseInt(d,10))while(d--)j=b.createElement("div"),j.id=e?e[d]:h+(d+1),l.-
appendChild(I),m||(n.style.background="",n.style.overflow="hidden",k=g.style.overflow,g.style.overflow="hidden",g.-
appendChild(n),i=c(l,a),m?l.parentNode.removeChild(l):(n.parentNode.removeChild(n),g.style.overflow=k),!!i},z=function(b){va
c=a.matchMedia||a.msMatchMedia;if(c)return c(b).matches;var d;return y("@media "+b+" { #"+h+" { position:
absolute; } }",function(b){d=(a.getComputedStyle?getComputedStyle(b,null):b.currentStyle)["position"]=="absolute"}),d},A=function(b){d=(a.getComputedStyle?getComputedStyle(b,null):b.currentStyle)["position"]=="absolute"}),d},A=function(b){d=(a.getComputedStyle?getComputedStyle(b,null):b.currentStyle)["position"]=="absolute"}),d},A=function(b){d=(a.getComputedStyle?getComputedStyle?getComputedStyle)["position"]=="absolute"}),d},A=function(b){d=(a.getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyle?getComputedStyl
d(d,e){e=e||b.createElement(a[d]||"div"),d="on"+d;var f=d in e;return f||(e.setAttribute||(e=b.create-d)|
Element("div")), e.set Attribute \& \& e. remove Attribute \& \& (e.set Attribute (d, ""), f=F(e[d], "function"), F(e[d], "undefined")|| (e[d]=c), e.-f(e[d], "function"), F(e[d], "function")|| (e[d]=c), e.-f(e[d], ), e.-f(e[d]=c
removeAttribute(d))),e=null,f}var a={select:"input",change:"input",submit:"form",reset:"form",error:"img",load-
:"img",abort:"img"};return d}(),B={}.hasOwnProperty,C;!F(B,"undefined")&&!F(B.call,"undefined")?C=function(a,b){return
B.call(a,b)}:C=function(a,b)}return b in a&&F(a.constructor.prototype[b], "undefined")}, Function.prototype.-
bind||(Function.prototype.bind=function(b)\{var \quad c=this; if(typeof \quad c!="function") throw \quad new \quad TypeError; var \quad c=this; if(typeof \quad c!="function") throw \\ \quad less for the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of 
d=w.call(arguments,1),e=function(){if(this instanceof e){var a=function(){};a.prototype=c.prototype;var
f=new a,g=c.apply(f,d.concat(w.call(arguments)));return Object(g)===g?g:f}return c.apply(b,d.concat(w.-
                                                                                                                                                         J("flexWrap")\}, s. canvas = function()\{var
call(arguments)))};return
                                                                     e)),s.flexbox=function(){return
createElement("canvas");return!!a.getContext&&!!a.getContext("2d")},s.canvastext=function(){return!!e.-
canvas&&!!F(b.createElement("canvas").getContext("2d").fillText,"function")},s.webgl=function(){return!!a.-
WebGLRenderingContext},s.touch=function(){var c;return"ontouchstart"in a||a.DocumentTouch&&b in-
stanceof DocumentTouch?c=!0:y(["@media (",n.join("touch-enabled),("),h,")","{#modernizr{top:9px;position-
:absolute}}"].join(""),function(a){c=a.offsetTop===9}),c},s.geolocation=function(){return"geolocation"in navigator},s.-
postmessage=function(){return!!a.postMessage},s.websqldatabase=function(){return!!a.openDatabase},s.-
indexedDB=function(){return!!J("indexedDB",a)},s.hashchange=function(){return A("hashchange",a)&&(b.-
documentMode===c||b.documentMode>7)},s.history=function(){return!!a.history&&!!history.pushState},s.-
draganddrop=function(){var a=b.createElement("div");return"draggable"in a||"ondragstart"in a&&"ondrop"in
a},s.websockets=function(){return"WebSocket"in a||"MozWebSocket"in a},s.rgba=function(){return D("background-
color:rgba(150,255,150,.5)"),G(j.backgroundColor,"rgba")},s.hsla=function(){return
                                                                                                                                                                                                                         D("background-color-
:hsla(120,40%,100%,.5)"),G(j.backgroundColor,"rgba")||G(j.backgroundColor,"hsla")},s.multiplebgs=function(){return
D("background:url(https://),url(https://),red url(https://)"),/(url\s*\(.*?){3}/.test(j.background)},s.backgroundsize=function(){return
J("backgroundSize")},s.borderimage=function(){return
                                                                                                                                             J("borderImage")},s.borderradius=function(){return
J("borderRadius")},s.boxshadow=function(){return J("boxShadow")},s.textshadow=function(){return b.create-
Element("div").style.textShadow===""},s.opacity=function(){return E("opacity:.55"),/^0.55$/.test(j.opacity)},s.-
cssanimations=function(){return J("animationName")},s.csscolumns=function(){return J("columnCount")},s.-
cssgradients=function(){var a="background-image:",b="gradient(linear,left top,right bottom,from(#9f9),to(white));",c="linear-
gradient(left top,#9f9, white);";return D((a+"-webkit- ".split(" ").join(b+a)+n.join(c+a)).slice(0,-a.length)),G(j.-
backgroundImage, "gradient")},s.cssreflections=function(){return J("boxReflect")},s.csstransforms=function(){return!!-
J("transform")},s.csstransforms3d=function(){var a=!!J("perspective");return a&&"webkitPerspective"in g.-
style&&y("@media
                                                                (transform-3d),(-webkit-transform-3d){#modernizr{left:9px;position:absolute;height-
:3px;}}",function(b,c){a=b.offsetLeft===9&&b.offsetHeight===3}),a},s.csstransitions=function(){return J("transition")},s.-
fontface=function(){var a;return y('@font-face {font-family:"font";src:url("https://")}',function(c,d){var e=b.-
getElementById("smodernizr"),f=e.sheet||e.styleSheet,g=f?f.cssRules&&f.cssRules[0]?f.cssRules[0].css-
Text:f.cssText||"":"";a=/src/i.test(g)&&g.indexOf(d.split("
                                                                                                                                                ")[0])===0}),a},s.generatedcontent=function(){var
a;return y(["#",h,"{font:0/0 a}#",h,':after{content:"',!,'";visibility:hidden;font:3px/1 a}'].join(""),function(b){a=b.-
offsetHeight>=3}),a},s.video=function(){var a=b.createElement("video"),c=!1;try{if(c=!!a.canPlayType)c=new
Boolean(c),c.ogg=a.canPlayType('video/ogg;
                                                                                                                                    codecs="theora"').replace(/^no$/,""),c.h264=a.canPlay-
Type('video/mp4; codecs="avc1.42E01E"').replace(/\^no\$/,""),c.webm=a.canPlayType('video/webm; codecs="vp8,
vorbis"'). replace (/^no\$/,"") \} catch(d) \{ \} return c \}, s. audio=function() \{ var a=b.create Element ("audio"), c=!1; try \{ if (c=!!a.-lement ("audio"), c=!
canPlayType)c=new Boolean(c),c.ogg=a.canPlayType('audio/ogg; codecs="vorbis"').replace(/^no$/,""),c.-
mp3=a.canPlayType("audio/mpeg;").replace(/^no$/,""),c.wav=a.canPlayType('audio/wav;
                                                                                                                                                                                                                                            codecs="1"'),-
```

 $replace(/^no\$/,""),c.m4a=(a.canPlayType("audio/x-m4a;")||a.canPlayType("audio/aac;")).replace(/^no\$/,"")\} catch(d){} return a converge of the converge of th$ c},s.localstorage=function(){try{return localStorage.setItem(h,h),localStorage.removeItem(h),l0}catch(a){return!1}},s. $session storage=function () \{try\{return\ session\ Storage.setItem(h,h),session\ Storage.removeItem(h),!0\} catch (a) \{return!1\}\}, s.-torage.removeItem(h),!0\} catch (a) \{return!1\}\}, s.-torage.removeItem(h), s.-torage.removeI$ webworkers=function(){return!!a.Worker},s.applicationcache=function(){return!!a.applicationCache},s.svg=function(){return!!b.createElementNS&&!!b.createElementNS(r.svg,"svg").createSVGRect},s.inlinesvg=function(){var a.innerHTML="<svg/>",(a.firstChild&&a.firstChild.namespaceURI)==r.a=b.createElement("div");return svg},s.smil=function(){return!!b.createElementNS&&/SVGAnimate/.test(m.call(b.createElementNS(r.svg,"animate")))},s.svgclippaths=function(){return!!b.createElementNS&&/SVGClipPath/.test(m.call(b.createElementNS(r.svg,"clipPath"))); for(var L in s)C(s,L)&&(x=L.toLowerCase(),e[x]=s[L](),v.push((e[x]?"":"no-")+x)); return e.input||K(),e.addTest=function(a,b){if(typeof a=="object")for(var d in a)C(a,d)&&e.addTest(d,a[d]);else{a=a.toLowerCase();if(e[a]!==c)return e;b=typeof b=="function"?b():b,typeof f!="undefined"&&f&&(g.class- $Name + = "+(b?"":"no-") + a), e[a] = b \} return = e, D("""), i = k = null, function (a, b) \{function = k(a, b) \{ var = c = a.create = b.create = c = a.create = b.create = c = a.create = a.cre$ Element ("p"), d=a.get Elements By TagName ("head") [0] || a. document Element; return c. inner HTML = "x < style > "+b+" </style > ", d.-return c. inner HTML = "x < style > "+b+" </style > ", d.-return c. inner HTML = "x < style > "+b+" </style > ", d.-return c. inner HTML = "x < style > "+b+" </style > ", d.-return c. inner HTML = "x < style > "+b+" </style > ", d.-return c. inner HTML = "x < style > "+b+" </style > ", d.-return c. inner HTML = "x < style > "+b+" </style > ", d.-return c. inner HTML = "x < style > "+b+" </style > ", d.-return c. inner HTML = "x < style > "+b+" </style > ", d.-return c. inner HTML = "x < style > "+b+" </style > ", d.-return c. inner HTML = "x < style > "+b+" </style > "+b+insertBefore(c.lastChild,d.firstChild)}function I(){var a=r.elements;return typeof a=="string"?a.split(" ")- $:a\} function \ m(a) \{var \ b=i[a[g]]; return \ b||(b=\{\},h++,a[g]=h,i[h]=b),b\} function \ n(a,c,f) \{c||(c=b); if(j) return \ c.create-b||(b=\{\},h++,a[g]=h,i[h]=b),b\} function \ n(a,c,f) \{c||(c=b); if(j) return \ c.create-b||(c=b),if(j) return \ c.create-b||(c=b),i$ Element(a); f||(f=m(c)); var g; return f.cache[a]?g=f.cache[a].cloneNode(): e.test(a)?g=(f.cache[a]=f.create-f.cache[a]) f||(f=m(c)); var g; return f.cache[a]?g=f.cache[a].cloneNode(): e.test(a)?g=(f.cache[a]=f.create-f.cache[a]) f||(f=m(c)); var g; return f.cache[a]?g=f.cache[a].cloneNode(): e.test(a)?g=(f.cache[a]=f.create-f.cache[a]) f||(f=m(c)); var g; return f.cache[a]?g=f.cache[a].cloneNode(): e.test(a)?g=(f.cache[a]=f.create-f.cache[a]=f.create-f.cache[a]=f.create-f.cache[a]=f.create-f.cache[a]=f.cache[a]=f.create-f.cache[a]=f.cache[a]Elem(a)).cloneNode():g=f.createElem(a),g.canHaveChildren&&ld.test(a)?f.frag.appendChild(g):g}function  $o(a,c)\{a||(a=b); if(j) return \quad a. create Document Fragment(); c=c||m(a); var \quad d=c. frag. clone Node(), e=0, f=l(), g=f.-l(), f=l(),   $length; for (; e < g; e++) d. create Element (f[e]); return \\ d \} function \\ p(a,b) \{b. cache | | (b. cache = \{\}, b. create Element | f[e], b. cre$ createElement,b.createFrag=a.createDocumentFragment,b.frag=b.createFrag()),a.createElement=function(c){return r.shivMethods?n(c,a,b):b.createElem(c)},a.createDocumentFragment=Function("h,f","return function(){var  $n = f.cloneNode(), c = n.createElement; h.shivMethods \& ("+|().join().replace(\land w + /g, function(a) \{ return b.create-lement; h.shivMethods \& ("+|().join().replace(\land w + /g, function(a) \{ return b.create-lement; h.shivMethods \& ("+|().join().replace(\land w + /g, function(a) \{ return b.create-lement; h.shivMethods \& ("+|().join().replace(\land w + /g, function(a) \{ return b.create-lement; h.shivMethods \& ("+|().join().replace(\land w + /g, function(a) \{ return b.create-lement; h.shivMethods \& ("+|().join().replace(\land w + /g, function(a) \{ return b.create-lement; h.shivMethods \& ("+|().join().replace(\land w + /g, function(a) \{ return b.create-lement; h.shivMethods \& ("+|().join().replace(\land w + /g, function(a) \{ return b.create-lement; h.shivMethods \& ("+|().join().replace(\land w + /g, function(a) \{ return b.create-lement; h.shivMethods \& ("+|().join().replace(\land w + /g, function(a) \{ return b.create-lement; h.shivMethods \& ("+|().join().replace(\land w + /g, function(a) \{ return b.create-lement; h.shivMethods \& ("+|().join().replace(\land w + /g, function(a) \{ return b.create-lement; h.shivMethods \& ("+|().join().replace(\land w + /g, function(a) \{ return b.create-lement; h.shivMethods \& ("+|().join().replace(\land w + /g, function(a) \{ return b.create-lement; h.shivMethods \& ("+|().join().replace(\land w + /g, function(a) \{ return b.create-lement; h.shivMethods \& ("+|().join().replace(\land w + /g, function(a) \{ return b.create-lement; h.shivMethods \& ("+|().join().replace(\land w + /g, function(a) \{ return b.create-lement; h.shivMethods \& ("+|().join().replace(\land w + /g, function(a) \{ return b.create-lement; h.shivMethods \& ("+|().join().replace(\land w + /g, function(a) \{ return b.create-lement; h.shivMethods \& ("+|().join().replace(\land w + /g, function(a) \{ return b.create-lement; h.shivMethods \& ("+|().join(a) \{ return b.create-lement;$  $Elem(a), b.frag.createElement(a), c("'+a+'")'\}) + "); return \quad n\}")(r, b.frag)\} function \quad q(a)\{a \mid |(a=b); var \quad c=m(a); return \quad n\}")(r, b.frag)\} function \quad q(a)\{a \mid |(a=b); var \quad c=m(a); return \quad n\}")(r, b.frag)\} function \quad q(a)\{a \mid |(a=b); var \quad c=m(a); return \quad n\}")(r, b.frag)\} function \quad q(a)\{a \mid |(a=b); var \quad c=m(a); return \quad n\}")(r, b.frag)\} function \quad q(a)\{a \mid |(a=b); var \quad c=m(a); return \quad n\}")(r, b.frag)\} function \quad q(a)\{a \mid |(a=b); var \quad c=m(a); return \quad n\}")(r, b.frag)\} function \quad q(a)\{a \mid |(a=b); var \quad c=m(a); return \quad n\}")(r, b.frag)\} function \quad q(a)\{a \mid |(a=b); var \quad c=m(a); return \quad n\}")(r, b.frag)\} function \quad q(a)\{a \mid |(a=b); var \quad c=m(a); return \quad n\}")(r, b.frag)\} function \quad q(a)\{a \mid |(a=b); var \quad c=m(a); return \quad n\}")(r, b.frag)\} function \quad q(a)\{a \mid |(a=b); var \quad c=m(a); return \quad n\}")(r, b.frag)\} function \quad q(a)\{a \mid |(a=b); var \quad c=m(a); return \quad n\}")(r, b.frag)\} function \quad q(a)\{a \mid (a=b); var \quad c=m(a); return \quad n\}")(r, b.frag)\} function \quad q(a)\{a \mid (a=b); var \quad c=m(a); return \quad n\}")(r, b.frag)\} function \quad q(a)\{a \mid (a=b); var \quad c=m(a); return \quad n\}")(r, b.frag)\} function \quad q(a)\{a \mid (a=b); var \quad c=m(a); return \quad q(a)\{a \mid (a=b); var \quad q(a)\{a$ r.shivCSS&&!f&&!c.hasCSS&&(c.hasCSS=!!k(a,"article,aside,figcaption,figure,footer,header,hgroup,nav,section{display- $:block\} mark\{background: \#FF0; color: \#000\}")), j||p(a,c),a\} varc=a.htm|5||\{\}, d=/^{\wedge} <|^{\wedge}(?:button|map|select|textarea|object|iframe|object||absolute{a}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||absolute{b}||a$  $: a|b|code|div|fieldset|h1|h2|h3|h4|h5|h6|i|label|li|ol|p|q|span|strong|style|table|tbody|td|th|tr|ul) \$/i,f,g="\_-table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|table|tabl$  $html5shiv", h=0, i=\{\}, j; (function()\{try\{var \ a=b.createElement("a"); a.innerHTML="<\!xyz><\!/xyz>",f="hidden" in the context of the contex$ a,j=a.childNodes.length==1||function(){b.createElement("a");var a=b.createDocumentFragment();return typeof a.cloneNode=="undefined"||typeof a.createDocumentFragment=="undefined"||typeof a.create-Element=="undefined"}()}catch(c){f=!0,j=!0}})();var r={elements:c.elements||"abbr article aside audio bdi canvas data datalist details figcaption figure footer header hgroup mark meter nav output progress section summary time video",shivCSS:c.shivCSS!==!1,supportsUnknownElements:j,shiv-Methods:c.shivMethods!==!1,type:"default",shivDocument:q,createElement:n,createDocumentFragment-:o};a.html5=r,q(b)}(this,b),e.\_version=d,e.\_prefixes=n,e.\_domPrefixes=q,e.\_cssomPrefixes=p,e.mq=z,e.has- $Event = A, e. test Prop = function(a) \{return \ H([a])\}, e. test All Props = J, e. test Styles = y, e. prefixed = function(a, b, c) \{return \ H([a])\}, e. test All Props = J, e. test Styles = y, e. prefixed = function(a, b, c) \{return \ H([a])\}, e. test All Props = J, e. test Styles = y, e. prefixed = function(a, b, c) \{return \ H([a])\}, e. test All Props = J, e. test Styles = y, e. prefixed = function(a, b, c) \{return \ H([a])\}, e. test All Props = J, e. test Styles = y, e. prefixed = function(a, b, c) \{return \ H([a])\}, e. test All Props = J, e. test Styles = y, e. prefixed = function(a, b, c) \{return \ H([a])\}, e. test All Props = J, e. test Styles = y, e. prefixed = function(a, b, c) \{return \ H([a])\}, e. test All Props = J, e. test Styles = y, e. prefixed = function(a, b, c) \{return \ H([a])\}, e. test All Props = J, e. test Styles = y, e. prefixed = function(a, b, c) \{return \ H([a])\}, e. test All Props = J, e. test All Pr$  $b?J(a,b,c):J(a,"pfx")\},g.className=g.className.replace(/(^|s)no-js(\s|\$)/,"\$1\$2")+(f?" js "+v.join("a,b,c):J(a,"pfx")\},g.className=g.className.replace(/(^|s)no-js(\s|\$)/,"\$1\$2")+(f?" js "+v.join("a,b,c):J(a,"pfx")\},g.className=g.className.replace(/(^|s)no-js(\s|\$)/,"\$1\$2")+(f?" js "+v.join("a,b,c):J(a,"pfx")),g.className=g.className.replace(/(^|s)no-js(\s|\$)/,"\$1\$2")+(f?" js "+v.join("a,b,c):J(a,"pfx")),g.className.replace(/(^|s)no-js(\s|\$)/,"\$1\$2")+(f?" js "+v.join("a,b,c):J(a,"pfx")),g.className.replace(/(^|s)no-js(\s|\$)/,"\$1\$2")+(f?" js "+v.join("a,b,c):J(a,"pfx")),g.className.replace(/(^|s)no-js(\s|\$)/,"\$1\$2")+(f?" js "+v.join("a,b,c):J(a,"pfx")),g.className.replace(/(^|s)no-js(\s|\$)/,"\$1\$2")+(f?" js "+v.join("a,b,c):J(a,"pfx")),g.className.replace(/(^|s)no-js(\s|\$)/,"\$1\$2")+(f?" js "+v.join("a,b,c):J(a,"pfx")),g.className.replace(/(^|s)no-js(\s|\$)/,"\$1\$2")+(f."),g.className.replace(/(^|s)no-js(\s|\$)/,"\$1\$2")+(f."),g.className.replace(/(^|s)no-js(\s|\$)/,"\$1\$2")+(f."),g.className.replace(/(^|s)no-js(\s|\$)/,"\$1\$2")+(f."),g.className.replace(/(^|s)no-js(\s|\$)/,"\$1\$2")+(f."),g.className.replace(/(^|s)no-js(\s|\$)/,"\$1\$2")+(f."),g.className.replace(/(^|s)no-js(\s|\$)/,"\$1\$2")+(f."),g.className.replace(/(^|s)no-js(\s|\$)/,"\$1\$2")+(f."),g.className.replace(/(^|s)no-js(\s|\$)/,"\$1\$2")+(f."),g.className.replace(/(^|s)no-js(\s|\$)/,"\$1\$2")+(f."),g.className.replace(/(^|s)no-js(\s|\$)/,"\$1\$2")+(f."),g.className.replace(/(^|s)no-js(\s|\$)/,"\$1\$2")+(f."),g.className.replace(/(^|s)no-js(\s|\$)/,"\$1\$2")+(f."),g.className.replace(/(^|s)no-js(\s|\$)/,"\$1\$2")+(f."),g.className.replace(/(^|s)no-js(\s|\$)/,"\$1\$2")+(f."),g.className.replace(/(^|s)no-js(\s|\$)/,"\$1\$2")+(f."),g.className.replace(/(^|s)no-js(\s|\$)/,"\$1\$2")+(f."),g.className.replace(/(^|s)no-js(\s|\$)/,"\$1\$2")+(f."),g.className.replace(/(^|s)no-js(\s|\$)/,"**(f."),g.className.replace(/(^|s)no-js(\s|\$)/,"*(f."),g.className.replace(/(^|s)no-js(\s|\$)/,"*(f."),g.className.replace(/(^|s)no-js(\s|\$)/,"*(f."),g.className.replace(/(^|s)no-js(\s|\$)/,"*(f."),g.className.replace(/(^|s)n$ :""),e}(this,this.document)

- function a
- function b
- function c {function d(a){return"[object Function]"==o.call(a)}function e(a){return"string"==typeof a}function f(){}function g(a){return!a||"loaded"==a||"complete"==a||"uninitialized"==a}function h(){var a=p.shift();q=1,a?a.-t?m(function(){("c"==a.t?B.injectCss:B.injectJs)(a.s,0,a.a,a.x,a.e,1)},0):(a(),h()):q=0}function i(a,c,d,e,f,i,j){function k(b){if(!o&&g(l.readyState)&&(u.r=o=1,!q&&h(),l.onload=l.onreadystatechange=null,b)){"img"!=a&&m(function(){t-removeChild(l)},50);for(var d in y[c])y[c].hasOwnProperty(d)&&y[c][d].onload()}var j=j||B.errorTimeout,l=b.createElement(a),o=0,r=0,u={t:d,s:c,e:f,a:i,x;j};1===y[c]&&(r=1,y[c]=[]),"object"==a?l.data=c:(l.src=c,l-type=a),l.width=l.height="0",l.onerror=l.onload=l.onreadystatechange=function(){k.call(this,r)},p.splice(e,0,u),"img"!=a&&(r||2==insertBefore(l,s?null:n),m(k,j)):y[c].push(l))}function j(a,b,c,d,f){return q=0,b=b||"j",e(a)?i("c"==b?v:u,a,b,this.i++,c,d,f):(p.splice(this.i++,0,a),1==p.length&&h()),this}function k(){var a=B;return a.loader={load:j,i:0},a}var l=b.documentElement,m=a.setTimeout,n=b.getElementsByTagName("script")[0],o={}.toString,p=[],q=0,r="Moz-Appearance"in l.style,s=r&&!!b.createRange().compareNode,t=s?l:n.parentNode,l=a.opera&&"[object Opera]"==o.call(a.opera),l=!!b.attachEvent&&!l,u=r?"object":l?"script":"img",v=!?"script":u,w=Array.isArray||function(a){return"[o Array]"==o.call(a)},x=[],y={},z={timeout:function(a,b){return b.length&&(a.timeout=b[0]),a}},A,B
- $\begin{array}{ll} & = function(a)\{function & b(a)\{var & a=a.split("!"),b=x.length,c=a.pop(),d=a.length,c=\{url:c,origUrl:c,prefixes:a\},e,f,g;for(f=0;f<d;f++)g=a[f].split("="),(e=z[g.shift()])\&\&(c=e(c,g));for(f=0;f<b;f++)c=x[f](c);return & c\}function & g(a,e,f,g,h)\{var & i=b(a),j=i.autoCallback;i.url.split(".").pop().split("?").shift(),i.bypass||(e&&(e=d(e)?e:e[a]||e[g]||e[a.-split("/").pop().split("?")[0]]),i.instead?i.instead(a,e,f,g,h):(y[i.url]?i.noexec=!0:y[i.url]=1,f.load(i.url,i.forceC-SS||i.forceJS&&"css"==i.url.split(".").pop().split("?").shift()?"c":c,i.noexec,i.attrs,i.timeout),(d(e)||d(j))&&f.-load(function()\{k(),e&&e(i.origUrl,h,g),j&&j(i.origUrl,h,g),y[i.url]=2\})))\}function & h(a,b)\{function & c(a,c)\{if(a)\}if(e(a))c||(j=function()\{var_{i},i=1,a,c\},i=1,a,c},i=1,a,c$

 $a=[].slice.call(arguments); k.apply(this,a),l()\}), g(a,j,b,0,h); else \quad if(Object(a)===a)for(n \quad in \quad m=function()\{varb=0,c;for(c in a)a.hasOwnProperty(c)&&b++;return b\}(),a)a.hasOwnProperty(n)&&(!c&&!--m&&(d(j)?j=function()\{vara=[].slice.call(arguments);k.apply(this,a),l()\}:j[n]=function(a)\{return function()\{varb=[].slice.call(arguments);a&&a.-apply(this,b),l()\}\}(k[n])),g(a[n],j,b,n,h))\}else!c&&l()\}var \quad h=!!a.test,i=a.load||a.both,j=a.callback||f,k=j,l=a.-complete||f,m,n;c(h?a.yep:a.nope,!!i),i&&c(i)\}vari,j,l=this.yepnope.loader;if(e(a))g(a,0,l,0);else if(w(a))for(i=0;i<a.-length;i++)j=a[i],e(j)?g(j,0,l,0):w(j)?B(j):Object(j)===j&&h(j,l);else Object(a)===a&h(a,l)\}$ 

- B addPrefix =function(a,b){z[a]=b}
- B B addFilter =function(a){x.push(a)}
- B B B errorTimeout =1e4
- B B B null ==b.readyState&&b.addEventListener&&(b.readyState="loading",b.addEventListener("DOM-ContentLoaded",A=function(){b.removeEventListener("DOMContentLoaded",A,0),b.readyState="complete"},0))
- B B B a yepnope =k()
- B B B a a yepnope executeStack =h
- B B B a a yepnope a yepnope injectJs =function(a,c,d,e,i,j){var k=b.createElement("script"),l,o,e=e||B.error-Timeout;k.src=a;for(o in d)k.setAttribute(o,d[o]);c=j?h:c||f,k.onreadystatechange=k.onload=function(){!l&&g(k.readyState)&&(l=1,c(),k.onload=k.onreadystatechange=null)},m(function(){||(l=1,c(1))},e),i?k.onload():n.parentNode.insertBefore(k,n)}
- BBBaayepnope a yepnope a yepnope a yepnope injectCss =function(a,c,d,e,g,i){var e=b.createElement("link"),j,c=i?h:c||f;e.href=a,e.rel="stylesheet",e.type="text/css";for(j in d)e.setAttribute(j,d[j]);g||(n.parentNode.insertBefore(e,n),m(c,0))}}(this,document),Modernizr.load=function(){yepnope.apply(window,[].slice.call(arguments,0))}

### 6.44.1 Variable Documentation

6.44.1.1 function a

Definition at line 4 of file modernizr-2.6.2.min.js.

6.44.1.2 B B addFilter =function(a){x.push(a)}

Definition at line 4 of file modernizr-2.6.2.min.js.

6.44.1.3 B addPrefix =function(a,b){z[a]=b}

Definition at line 4 of file modernizr-2.6.2.min.js.

 $6.44.1.4 \quad B = \text{function}(a) \{ \text{function b}(a) \{ \text{var a=a.split}("!"), b=x.length, c=a.pop(), d=a.length, c=\{\text{url:c,origUrl:c,prefixes-}:a\}, e, f, g; \text{for}(f=0; f < d; f++) \text{g=a}[f].\text{split}("="), (e=2[g.\text{shift}()]) \&\&(c=e(c,g)); \text{for}(f=0; f < b; f++) \text{c=x}[f](c); \text{return c} \} \\ \text{c} = \text{function g}(a, e, f, g, h) \{ \text{var i=b}(a), j=i.\text{autoCallback}; i.url.\text{split}(".").\text{pop}().\text{split}("?").\text{shift}(), i.\text{bypass} | (e&\&(e=d(e)?e-ie[a]||e[g]||e[a.\text{split}(",").\text{pop}().\text{split}("?")[0]]), i.instead?i.instead(a, e, f, g, h); (y[i.url]?i.noexec=!0:y[i.url]=1, f.-load(i.url,i.forceCSS||ii.forceJS&&"css"==i.url.\text{split}(".").\text{pop}().\text{split}("?").\text{shift}()?"c":c,i.noexec,i.attrs,i.-timeout), (d(e)||d(j))&&f.load(function()\{k(),e&&e(i.origUrl,h,g),j&&(i.origUrl,h,g),y[i.url]=2\}))) \} \\ \text{function c}(a,c) \{ \text{if}(a) \{ \text{if}(e(a))c | | (j=\text{function}() \{ \text{var a=[].slice.call}(arguments); k.apply(this,a),l() \}, g(a,j,b,0,h); else if(Object(a)===a) \\ \text{for}(n \text{ in m=function}() \{ \text{var b=0,c}; \text{for}(c \text{ in a})a.\text{hasOwnProperty}(c) \&\&b++; return b}(),a)a.\text{hasOwnProperty}(n) \&\&(!c&\&!-m&&(d(j)?j=\text{function}() \{ \text{var a=[].slice.call}(arguments); k.apply(this,a),l() \}; j[n]=\text{function}(a) \{ \text{return function}() \{ \text{var b=[].slice.call}(arguments); k.apply(this,a),l() \}; j[n]=\text{function}(a) \{ \text{return function}() \{ \text{var b=[].slice.call}(arguments); k.apply(this,a),l() \}; j[n]=\text{function}(a) \{ \text{return function}() \{ \text{var b=[].slice.call}(arguments); k.apply(this,a),l() \}; j[n]=\text{function}(a) \{ \text{return function}() \{ \text{var b=[].slice.call}(arguments); a.&a.apply(this,b),l() \} \{ k[n])),g(a[n],j,b,n,h)) \} else!c&&l() \} var h=!!a.test,i=a.load||a.both,j=a.callback||f,k=j,l=a.complete||f,m,n;c(h?a.yep:a.nope,!!i),i&&c(i)} var i,j,l=this.yepnope.loader; if(e(a))g(a,0,l,0); else if(w(a))for(i=0;i<a.length;i++)j=a[i],e(i)?g(j,0,l,0);w(j)?B(j):Object(j)===j&&h(j,l);else Object(a)==a&&h(a,l) \}$ 

Definition at line 4 of file modernizr-2.6.2.min.js.

6.44.1.5 function b

Definition at line 4 of file modernizr-2.6.2.min.js.

6.44.1.6 function c {function d(a){return"[object Function]"==o.call(a)}function e(a){return"string"==typeof a}function f(){}function g(a){return!a||"loaded"==a||"complete"==a||"uninitialized"==a}function h(){var a=p.shift();q=1,a?a.t?m(function(){("c"==a.t?B.injectCss:B.injectJs)(a.s,0,a.a,a.x,a.e,1)},0):(a(),h()):q=0}function i(a,c,d,e,f,i,j){function k(b){if(!o&&g(l.readyState)&&(u.r=o=1,!q&&h(),l.onload=l.-onreadystatechange=null,b)}{"img"!=a&&m(function(){t.removeChild(l)},50);for(var d in y[c])y[c].hasOwnProperty(d)&&y[c][d].onload()}var j=j||B.errorTimeout,l=b.createElement(a),o=0,r=0,u={t-:d,s:c,e:f,a:i,x:j};1===y[c]&&(r=1,y[c]=[]),"object"==a?l.data=c:(l.src=c,l.type=a),l.width=l.height="0",l.onerror=l.-onload=l.onreadystatechange=function(){k.call(this,r)},p.splice(e,0,u),"img"!=a&&(r||2==y[c]?(t.insert-Before(l,s?null:n),m(k,j)):y[c].push(l))}function j(a,b,c,d,f){return q=0,b=b||"j",e(a)?i("c"==b?v:u,a,b,this.-i++,c,d,f):(p.splice(this.i++,0,a),1==p.length&&h()),this}function k(){var a=B;return a.loader={load:j,i:0},a}var l=b.documentElement,m=a.setTimeout,n=b.getElementsByTagName("script")[0],o={}.toString,p=[],q=0,r="Moz-Appearance"in l.style,s=r&&!!b.createRange().compareNode,t=s?!:n.parentNode,l=a.opera&&"[object Opera]"==o.call(a.opera),l=!!b.attachEvent&&!!,u=r?"object":!?"script":"img",v=!?"script":u,w=Array-isArray||function(a){return"[object Array]"==o.call(a)},x=[],y={},z={timeout:function(a,b){return b.length&&(a.timeout=b[0]),a},A,B}

Definition at line 4 of file modernizr-2.6.2.min.js.

6.44.1.7 B B B errorTimeout =1e4

Definition at line 4 of file modernizr-2.6.2.min.js.

6.44.1.8 BBB a a yepnope executeStack =h

Definition at line 4 of file modernizr-2.6.2.min.js.

6.44.1.9 B B B a a yepnope a yepnope injectCss =function(a,c,d,e,g,i){var e=b.createElement("link"),j,c=i?h:c||f;e.href=a,e.rel="stylesheet",e.type="text/css";for(j in d)e.setAttribute(j,d[j]);g||(n.parentNode.insertBefore(e,n),m(c,0))}}(this,document),Modernizr.load=function(){yepnope.apply(window,[].slice.call(arguments,0))}

Definition at line 4 of file modernizr-2.6.2.min.js.

6.44.1.10 BBBa a yepnope a yepnope injectJs =function(a,c,d,e,i,j){var k=b.createElement("script"),l,o,e=e||B.error-Timeout;k.src=a;for(o in d)k.setAttribute(o,d[o]);c=j?h:c||f,k.onreadystatechange=k.onload=function(){!l&&g(k.-readyState)&&(l=1,c(),k.onload=k.onreadystatechange=null)},m(function(){!||(l=1,c(1))},e),i?k.onload():n.parentNode-insertBefore(k,n)}

Definition at line 4 of file modernizr-2.6.2.min.js.

window Modernizr =function(a,b,c){function D(a){j.cssText=a}function E(a,b){return D(n.join(a+";")+(b||""))function F(a,b){return typeof a===b}function G(a,b){return!! $\sim$ (""+a).indexOf(b)}function  $\label{eq:habble} H(a,b)\{for(var\ d\ in\ a)\{var\ e=a[d]; if(!G(e,"-")\&\&j[e]!==c)return\ b=="pfx"?e:!0\}return!1\}function$  $I(a,b,d)\{for(var e in a)\{var f=b[a[e]];if(f!==c)return d===!1?a[e]:F(f,"function")?f.bind(d||b)-$ :f}return!1}function J(a,b,c){var d=a.charAt(0).toUpperCase()+a.slice(1),e=(a+" "+p.join(d+" ")+d).split(" ");return F(b, "string")||F(b, "undefined")?H(e,b):(e=(a+" "+q.join(d+" ")+d).split(" "),l(e,b,c)))function K(){e.input=function(c){for(var d=0,e=c.length;d<e;d++)u[c[d]]=c[d]in k;return u.list&&(u.list=!!b.createElement("datalist")&&!!a.HTMLDataListElement),u}("autocomplete autofocus list placeholder max min multiple pattern required step".split(" ")),e.inputtypes=function(a){for(var d=0,e,f,h,i=a.length;d< i;d++)k.setAttribute("type",f=a[d]),e=k.type!=="text",e&&(k.value=l,k.style.-length;d< i;d++)k.setAttribute(k.type),e&&&(k.value=l,k.style.-length;d< i;d++)k.setAttribute(k.type),e&&&(k.value=l,k.style.-length;d< i;d++)k.setAttribute(k.type),e&&&(k.type),ecssText="position:absolute;visibility:hidden;",/^range\$/.test(f)&&k.style.WebkitAppearance!==c?(g.appendChild(k),h=b.defaultView,e=h.getComputedStyle&&h.getComputedStyle(k,null).Webkit-Appearance!=="textfield"&&k.offsetHeight!==0,g.removeChild(k)):/^(search|tel)\$/.test(f)|(/^(url|email)\$/.test(f)?e=k.checkValidity&&k.checkValidity()===!1:e=k.value!=l)),t[a[d]]=!!e;return t}("search tel url email datetime date month week time datetime-local number range color".split(" "))}var d="2.6.2",e={},f=!0,g=b.document-Element,h="modernizr",i=b.createElement(h),j=i.style,k=b.createElement("input"),l=":)",m={}.toString,n=" -webkit- -moz- -o- -ms- ".split(" "),o="Webkit Moz O ms",p=o.split(" "),q=o.toLowerCase().split(" "),r={svg:"http://www.w3.org/2000/svg"},s={},t={},u={},v=[],w=v.slice,x,y=function(a,c,d,e){var f,i,j,k,l=b.createElement("div"),m=b.body,n=m||b.createElement("body");if(parseInt(d,10))while(d--)j=b.createElement("div"),j.id=e?e[d]:h+(d+1),l.appendChild(j);return f=["­",'<style style.overflow="hidden",k=g.style.overflow,g.style.overflow="hidden",g.appendChild(n)),i=c(l,a),m?l.parentNode.removeChild(I):(n.parentNode.removeChild(n),g.style.overflow=k),!!i},z=function(b){var c=a.matchMedia | a.msMatchMedia;if(c)return c(b).matches;var d;return y("@media "+b+" { #"+h+" { position: absolute; } }",function(b){d=(a.getComputedStyle?getComputedStyle(b,null):b.current- $Style)["position"] == "absolute"\}), d\}, A = function() \{function\ d(d,e) \{e=e ||\ b.\ create Element(a[d]||"div"), d="on"+d; varing a property of the proper$ f=d in e;return f||(e.setAttribute||(e=b.createElement("div")),e.setAttribute&&e.removeAttribute&&(e.setAttribute(d,""),f=F(e[d],"function"),F(e[d],"undefined")||(e[d]=c),e.removeAttribute(d))),e=nuII,f}var a={select:"input",change:"input",submit:"form",reset:"form",error:"img",load:"img",abort:"img"};return d}(),B={}.hasOwnProperty,C;!F(B,"undefined")&&!F(B.call,"undefined")?C=function(a,b){return B.call(a,b)}:C=function(a,b){return b in a&&F(a.constructor.prototype[b],"undefined")},Function.prototype.bind || (Function.prototype.bind=function(b) {var c=this;if(typeof c!="function")throw new TypeError;var d=w.call(arguments,1),e=function(){if(this instanceof e){var a=function(){};a.prototype=c.prototype;var f=new a,g=c.apply(f,d.concat(w.call(arguments)));return Object(g)===g?g:f}return c.apply(b,d.concat(w.call(arguments))));return e}),s.flexbox=function(){return J("flexWrap")},s.canvas=function(){var a=b.createElement("canvas");return!!a.getContext&&!!a.getContext("2d")},s.canvastext=function(){return!!e.canvas&&!!F(b.createElement("canvas").getContext("2d").fillText,"function")},s.webgl=function(){return!!a.-WebGLRenderingContext},s.touch=function(){var c;return"ontouchstart"in a||a.DocumentTouch&&b instanceof DocumentTouch?c=!0:y(["@media (",n.join("touch-enabled),("),h,")", "{#modernizr{top:9px;position-:absolute}}"].join(""),function(a){c=a.offsetTop===9}),c},s.geolocation=function(){return"geolocation"in navigator},s.postmessage=function(){return!!a.postMessage},s.websqldatabase=function(){return!!a.openDatabase},s.indexedDB=function(){return!!J("indexedDB",a)},s.hashchange=function(){return A("hashchange",a)&&(b.documentMode===c||b.documentMode>7)},s.history=function(){return!!a.history&&!!history.pushState},s.draganddrop=function(){var a=b.createElement("div");return"draggable"in a||"ondragstart"in a&&"ondrop"in a},s.websockets=function(){return"WebSocket"in a||"MozWebSocket"in a},s.rgba=function(){return D("background-color:rgba(150,255,150,.5)"),G(j.backgroundColor,"rgba")},s.hsla=function(){return D("background-color:hsla(120,40%,100%,.5)"),G(j.backgroundColor,"rgba")||G(j.backgroundColor, "hsla")},s.multiplebgs=function(){return D("background:url(https://),url(https://),red url(https://)"),/(url\s\*\(.\*?){3}/.test(j.background)},s.backgroundsize=function(){return J("background-Size")},s.borderimage=function(){return J("borderImage")},s.borderradius=function(){return J("borderRadius")},s.boxshadow=function(){return J("boxShadow")},s.textshadow=function(){return b.createElement("div").style.textShadow===""},s.opacity=function(){return E("opacity:.55"),/\^0.55\$/.test(j.opacity)},s.cssanimations=function(){return J("animationName")},s.csscolumns=function(){return J("columnCount")},s.cssgradients=function(){var a="background-image:",b="gradient(linear,left top,right bottom,from(#9f9),to(white));",c="linear-gradient(left top,#9f9, white);";return D((a+"-webkit- ".split(" ").join(b+a)+n.join(c+a)).slice(0,-a.length)),G(j.backgroundImage,"gradient")},s.cssreflections=function(){return J("boxReflect")},s.csstransforms=function(){return!!J("transform")},s.csstransforms3d=function(){var a=!!J("perspective");return a&&"webkitPerspective"in g.style&&y("@media (transform-3d),(-webkit-transform-3d){#modernizr{left:9px;position-:absolute;height:3px;}}",function(b,c){a=b.offsetLeft===9&&b.offsetHeight===3}),a},s.csstransitions=function(){return J("transition")},s.fontface=function(){var a;return y('@font-face {font-family:"font";src:url("https://")}',function(c,d){var e=b.getElementByld("smodernizr"), f=e.sheet | | e.styleSheet, g=f?f.cs SPNetesk8 & h.cs SPNetesk8 & posterior (b) | pressy Doxygen | properties and the properties ofText:f.cssText||"":"";a=/src/i.test(g)&&g.indexOf(d.split(" ")[0])===0}),a},s.generatedcontent=function(){var a;return y(["#",h,"{font:0/0 a}#",h,':after{content:"',l,'";visibility:hidden;font:3px/1 a}'].join(""),function(b){a=b.-

offsetHeight>=3}),a},s.video=function(){var a=b.createElement("video"),c=!1;try{if(c=!!a.canPlayType)c=new

6.44.1.12 B B B null ==b.readyState&&b.addEventListener&&(b.readyState="loading",b.addEventListener("DOMContent-Loaded",A=function(){b.removeEventListener("DOMContentLoaded",A,0),b.readyState="complete"},0))

Definition at line 4 of file modernizr-2.6.2.min.js.

6.44.1.13 BBBa yepnope =k()

Definition at line 4 of file modernizr-2.6.2.min.js.

# 6.45 static/side\_menu/js/modernizr.js File Reference

### **Variables**

 window Modernizr =function(a,b,c){function C(a){j.cssText=a}function D(a,b){return C(n.join(a+";")+(b||""))}function E(a,b){return typeof a===b}function F(a,b){return!! $\sim$ (""+a).indexOf(b)}function G(a,b){for(var d in a){var}  $e=a[d]; if(!F(e,"-")\&\&j[e]!==c) return b=="pfx"?e:!0) return!1 function H(a,b,d) \{for(varein a) \{varf=b[a[e]]; if(!==c) return b=="pfx"?e:!0] return!1 \} function H(a,b,d) \{for(varein a) \{varf=b[a[e]]; if(!==c) return b=="pfx"?e:!0] return!1 \} function H(a,b,d) \{for(varein a) \{varf=b[a[e]]; if(!==c) return b=="pfx"?e:!0] return!1 \} function H(a,b,d) \{for(varein a) \{varf=b[a[e]]; if(!==c) return b=="pfx"?e:!0] return!1 \} function H(a,b,d) \{for(varein a) \{varf=b[a[e]]; if(!==c) return b=="pfx"?e:!0] return!1 \} function H(a,b,d) \{for(varein a) \{varf=b[a[e]]; if(!==c) return b=="pfx"?e:!0] return!1 \} function H(a,b,d) \{for(varein a) \{varf=b[a[e]]; if(!==c) return b=="pfx"?e:!0] return!1 \} function H(a,b,d) \{for(varein a) \{varf=b[a[e]]; if(!==c) return b=="pfx"?e:!0] return!1 \} function H(a,b,d) \{for(varein a) \{varf=b[a[e]]; if(!==c) return b=="pfx"?e:!0] return!1 \} function H(a,b,d) \{for(varein a) \{varf=b[a[e]]; if(!==c) return b=="pfx"?e:!0] return!1 \} function H(a,b,d) \{for(varein a) \{varf=b[a[e]]; if(!==c) return b=="pfx"?e:!0] return!1 \} function H(a,b,d) \{for(varein a) \{varf=b[a[e]]; if(!==c) return b=="pfx"?e:!0] return b==$  $d===!1?a[e]:E(f,"function")?f.bind(d||b):f]return!1\}function \qquad I(a,b,c)\{var \qquad d=a.charAt(0).toUpperCase()+a.-touther(a,b,c)\}function \qquad I(a,b,c)\{var \qquad d=a.charAt(0).touther(a,b,c)\}function \qquad I(a,b,c)\{var \qquad d=a.charAt(0).touther(a,b,c)\{var \qquad d=a.$ slice(1),e=(a+" "+p.join(d+" ")+d).split(" ");return E(b,"string")||E(b,"undefined")?G(e,b):(e=(a+" "+q.join(d+" ")+d).split(" ");return E(b,"string")||E(b,"undefined")?E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"undefined")||E(b,"unde")+d).split(" "),H(e,b,c))}function J(){e.input=function(c){for(var d=0,e=c.length;d<e;d++)u[c[d]]=c[d]in k;return u.list&&(u.list=!!b.createElement("datalist")&&!!a.HTMLDataListElement),u}("autocomplete autofocus list placeholder max min multiple pattern required step".split(" ")),e.inputtypes=function(a){for(var d=0,e,f,h,i=a.length;d<i;d++)k.setAttribute("type",f=a[d]),e=k.type!=="text",e&&(k.value=l,k.style.cssText="position-:absolute;visibility:hidden;",/^range\$/.test(f)&&k.style.WebkitAppearance!==c?(g.appendChild(k),h=b.defaultView,e=h.getComputedStyle&&h.getComputedStyle(k,null).WebkitAppearance!=="textfield"&&k. $offset Height! == 0, g. remove Child(k)): /^(search|tel) \$/.test(f) || (/^(url|email) \$/.test(f)?e=k.check Validity \&\&k.-test(f) e=k.check Val$ checkValidity()===!1:e=k.value!=l)),t[a[d]]=!!e;return t}("search tel url email datetime date month week time  $date time-local\ number\ range\ color".split("\ "))\} var\ d="2.8.3", e=\{\}, f=!0, g=b. document Element, h="modernizr", i=b.-local\ number\ range\ color".split("\ "))\} var\ d="2.8.3", e=\{\}, f=!0, g=b. document Element, h="modernizr", i=b.-local\ number\ range\ color".split("\ "))\} var\ d="2.8.3", e=\{\}, f=!0, g=b. document Element, h="modernizr", i=b.-local\ number\ range\ color".split("\ "))\} var\ d="2.8.3", e=\{\}, f=!0, g=b. document Element, h="modernizr", i=b.-local\ number\ range\ color".split("\ "))\} var\ d="2.8.3", e=\{\}, f=!0, g=b. document Element, h="modernizr", i=b.-local\ number\ range\ color".split("\ "))\} var\ d="2.8.3", e=\{\}, f=!0, g=b. document Element, h="modernizr", i=b.-local\ number\ range\ createElement(h),j=i.style,k=b.createElement("input"),l=":)",m={}.toString,n=" -webkit --moz- -o- -ms-"),o="Webkit Moz O ms",p=o.split(" "),q=o.toLowerCase().split(" "),r={svg:"http://www.w3.org/2000/svg", s={},t={},u={},v=[],w=v.slice,x,y=function(a,c,d,e){var} f,i,j,k,l=b.createElement("div"),m=b.body, n=m||b.createElement("body"); if(parseInt(d,10)) while (d--)j=b.createElement("div"), j.id=e?e[d]: h+(d+1), l.-div (d+1), appendChild(j); return \quad f=["\$\#173;",'<style \quad id="s',h,'">',a,"</style>"].join(""),l.id=h,(m?l:n).innerHTML+=f,n.-innerHTML$ append Child(I), m || (n.style.background = "", n.style.overflow = "hidden", k=g.style.overflow, g.style.overflow = "hidden", g.-respectively. The style of theappendChild(n)),i=c(l,a),m?l.parentNode.removeChild(l):(n.parentNode.removeChild(n),g.style.overflow=k),!!i},z=function(){function() d(d,e){e=e||b.createElement(a[d]||"div"),d="on"+d;var f=d in e;return f||(e.setAttribute||(e=b.create-te)| Element("div")), e.set Attribute & &.e. remove Attribute & &.e. set Attribute (d, ""), f=E(e[d], "function"), E(e[d], "undefined") || (e[d]=c), e.-lement("div")), e.set Attribute & &.e. remove AttremoveAttribute(d))),e=null,f}var a={select:"input",change:"input",submit:"form",reset:"form",error:"img",load-:"img",abort:"img"};return d}(),A={}.hasOwnProperty,B;!E(A,"undefined")&&!E(A.call,"undefined")?B=function(a,b){return A.call(a,b)}:B=function(a,b)}return b in a&&E(a.constructor.prototype[b],"undefined")},Function.prototype. $bind || (Function.prototype.bind=function(b) \{ var \quad c=this; if (type of \quad c!="function") throw \quad new \quad Type Error; var \quad c=this; if (type of \quad c!="function") throw \\ \quad new \quad Type Error; var \quad c=this; if (type of \quad c!="function") throw \\ \quad new \quad Type Error; var \quad c=this; if (type of \quad c!="function") throw \\ \quad new \quad Type Error; var \quad c=this; if (type of \quad c!="function") throw \\ \quad new \quad Type Error; var \quad c=this; if (type of \quad c!="function") throw \\ \quad new \quad Type Error; var \quad c=this; if (type of \quad c!="function") throw \\ \quad new \quad Type Error; var \quad c=this; if (type of \quad c!="function") throw \\ \quad new \quad Type Error; var \quad c=this; if (type of \quad c!="function") throw \\ \quad new \quad Type Error; var \quad c=this; if (type of \quad c!="function") throw \\ \quad new \quad Type Error; var \quad c=this; if (type of \quad c!="function") throw \\ \quad new \quad Type Error; var \quad c=this; if (type of \quad c!="function") throw \\ \quad new \quad t=this; if (type of \quad c!="function") throw \\ \quad new \quad t=this; if (type of \quad c!="function") throw \\ \quad new \quad t=this; if (type of \quad c!="function") throw \\ \quad new \quad t=this; if (type of \quad c!="function") throw \\ \quad new \quad t=this; if (type of \quad c!="function") throw \\ \quad new \quad t=this; if (type of \quad c!="function") throw \\ \quad new \quad t=this; if (type of \quad c!="function") throw \\ \quad new \quad t=this; if (type of \quad c!="function") throw \\ \quad new \quad t=this; if (type of \quad c!="function") throw \\ \quad new \quad t=this; if (type of \quad c!="function") throw \\ \quad new \quad t=this; if (type of \quad c!="function") throw \\ \quad new \quad t=this; if (type of \quad c!="function") throw \\ \quad new \quad t=this; if (type of \quad c!="function") throw \\ \quad new \quad t=this; if (type of \quad c!="function") throw \\ \quad new \quad t=this; if (type of \quad c!="function") throw \\ \quad new \quad t=this; if (type of \quad c!="function") throw \\ \quad new \quad t=this; if (type of \quad c!="function") throw \\ \quad new \quad t=this; if (type of \quad c!="function") throw \\ \quad new \quad t=this; if (type of \quad c!="function") throw \\ \quad new \quad t=this; if (type of \quad c!="function") throw \\ \quad new \quad t=this; if (type of \quad c!="function") throw \\ \quad new \quad t=this; if (type of \quad c!="function") throw \\ \quad$ d=w.call(arguments,1),e=function(){if(this instanceof e){var a=function(){};a.prototype=c.prototype;var call(arguments)))};return e}),s.flexbox=function(){return I("flexWrap")},s.canvas=function(){var a=b.create-Element("canvas");return!!a.getContext&&!!a.getContext("2d")},s.canvastext=function(){return!!e.canvas&&!!-E(b.createElement("canvas").getContext("2d").fillText,"function")},s.webgl=function(){return!!a.WebGL-RenderingContext],s.touch=function(){var c;return"ontouchstart"in a||a.DocumentTouch&&b instanceof  $Document Touch? c=!0:y(["@media (",n.join("touch-enabled),("),h,")"," \{\#modernizr\{top:9px;position:absolute\}\}"].-the properties of the p$ join(""),function(a){c=a.offsetTop===9}),c},s.geolocation=function(){return"geolocation"in postmessage=function(){return!!a.postMessage},s.websqldatabase=function(){return!!a.openDatabase},s.indexedDB=function(){return!!I("indexedDB",a)},s.hashchange=function(){return z("hashchange",a)&&(b.documentMode===c||b.documentMode>7)},s.history=function(){return!!a.history&&!!history.pushState},s.draganddrop=function(){var a=b.createElement("div");return"draggable"in a||"ondragstart"in a&&"ondrop"in a},s.websockets=function(){return"WebSocket"in a||"MozWebSocket"in a},s.rgba=function(){return C("backgroundcolor:rgba(150,255,150,.5)"),F(j.backgroundColor,"rgba")},s.hsla=function(){return C("background-color-:hsla(120,40%,100%,.5)"),F(j.backgroundColor,"rgba")||F(j.backgroundColor,"hsla")},s.multiplebgs=function(){return

C("background:url(https://),url(https://),red url(https://)"),/(url\s\*\(.\*?){3}/.test(j.background)},s.backgroundsize=function(){return

I("backgroundSize")},s.borderimage=function(){return I("borderImage")},s.borderradius=function(){return I("borderRadius")},s.boxshadow=function(){return I("boxShadow")},s.textshadow=function(){return createElement("div").style.textShadow===""},s.opacity=function(){return D("opacity:.55"),/\^0.55\\$/.test(j.opacity)},s.cssanimations=function(){return I("animationName")},s.csscolumns=function(){return I("column-Count")},s.cssgradients=function(){var a="background-image:",b="gradient(linear,left top,right bottom,from(#9f9),to(white));",c=" gradient(left top,#9f9, white);";return C((a+"-webkit- ".split(" ").join(b+a)+n.join(c+a)).slice(0,-a.length)),F(j.backgroundImage, "gradient")},s.cssreflections=function(){return I("boxReflect")},s.csstransforms=function(){return!!-I("transform")},s.csstransforms3d=function(){var a=!!!("perspective");return a&&"webkitPerspective"in g.style&&y("@media (transform-3d),(-webkit-transform-3d){#modernizr{left:9px;position:absolute;height-:3px;}}",function(b,c){a=b.offsetLeft===9&&b.offsetHeight===3}),a},s.csstransitions=function(){return I("transition")},s.fontface=function(){var a;return y('@font-face {font-family:"font";src:url("https://")}',function(c,d){var e=b.getElementById("smodernizr"),f=e.sheet||e.styleSheet,g=f?f.cssRules&&f.cssRules[0]?f.cssRules[0].css-Text:f.cssText||"":"";a=/src/i.test(g)&&g.indexOf(d.split(" ")[0])===0}),a},s.generatedcontent=function(){var a;return y(["#",h,"{font:0/0 a}#",h,':after{content:"',I,'";visibility:hidden;font:3px/1 a}'].join(""),function(b){a=b.offsetHeight>=3}),a},s.video=function(){var a=b.createElement("video"),c=!1;try{if(c=!!a.canPlayType)c=new codecs="theora"').replace(/^no\$/,""),c.h264=a.canPlay-Boolean(c),c.ogg=a.canPlayType('video/ogg; Type('video/mp4; codecs="avc1.42E01E"').replace(/\^no\\$/,""),c.webm=a.canPlayType('video/webm; codecs="vp8, vorbis"').replace(/^no\$/,"")}catch(d){}return c},s.audio=function(){var a=b.createElement("audio"),c=!1;try{if(c=!!a.canPlayType)c=new Boolean(c),c.ogg=a.canPlayType('audio/ogg; codecs="vorbis"').replace(/^no\$/,""),c.mp3=a.canPlayType("audio/mpeg;").replace(/^no\$/,""),c.wav=a.canPlayType('audio/wav; replace(/^no\$/,""),c.m4a=(a.canPlayType("audio/x-m4a;")||a.canPlayType("audio/aac;")).replace(/^no\$/,"")}catch(d){}return c},s.localstorage=function(){try{return localStorage.setItem(h,h),localStorage.removeItem(h),!0}catch(a){return!1}},s.sessionstorage=function(){try{return sessionStorage.setItem(h,h),sessionStorage.removeItem(h),I0}catch(a){return!1}},s.webworkers=function(){return!!a.Worker},s.applicationcache=function(){return!!a.applicationCache},s.svg=function(){return!!b.createElementNS&&!!b.createElementNS(r.svg,"svg").createSVGRect},s.inlinesvg=function(){var a.innerHTML="<svg/>",(a.firstChild&&a.firstChild.namespaceURI)==r.a=b.createElement("div");return svg},s.smil=function(){return!!b.createElementNS&&/SVGAnimate/.test(m.call(b.createElementNS(r.svg,"animate")))},s.svgclippaths=function(){return!!b.createElementNS&&/SVGClipPath/.test(m.call(b.createElementNS(r. $svg,"clipPath"))); for(var\ K\ in\ s)B(s,K)\&\&(x=K.toLowerCase(),e[x]=s[K](),v.push((e[x]?"":"no-")+x)); return\ e.-to-lowerCase(),e[x]=s[K](),v.push((e[x]?"":"no-")+x)); return\ e.-to-lowerCase(),e[x]=s[K](),$ input||J(),e.addTest=function(a,b){if(typeof a=="object")for(var d in a)B(a,d)&&e.addTest(d,a[d]);else{a=a.to-LowerCase();if(e[a]!==c)return e;b=typeof b=="function"?b():b,typeof f!="undefined"&&f&&(g.className+=" "+(b?"":"no-")+a),e[a]=b}return e},C(""),i=k=null,function(a,b){function l(a,b){var c=a.createElement("p"),d=a.getElementsByTagName("head")[0]||a.documentElement;return c.innerHTML="x<style>"+b+"</style>",d.insertBefore(c.lastChild,d.firstChild)}function m(){var a=s.elements;return typeof a=="string"?a.split(" ")-:a}function n(a){var b=j[a[h]];return  $b||(b=\{\},i++,a[h]=i,j[i]=b),b\}$ function o(a,c,d){c||(c=b);if(k)return c.-b $create Element(a); \\ d||(d=n(c)); \\ var g; \\ return d.cache[a] \\ ?g=d.cache[a]. \\ cloneNode(): \\ f.test(a) \\ ?g=(d.cache[a]=d.-d.cache[a]) \\ d||(d=n(c)); \\ var g; \\ return d.cache[a] \\ ?g=d.cache[a]. \\ cloneNode(): \\ f.test(a) \\ ?g=(d.cache[a]=d.-d.cache[a]) \\ d||(d=n(c)); \\ var g; \\ return d.cache[a] \\ ?g=d.cache[a]. \\ cloneNode(): \\ f.test(a) \\ ?g=(d.cache[a]=d.-d.cache[a]) \\ d||(d=n(c)); \\ var g; \\ var fixed by \\ var$ createElem(a)).cloneNode():g=d.createElem(a),g.canHaveChildren&&!e.test(a)&&!g.tagUrn?d.frag.append- $Child(g):g\} function \quad p(a,c)\{a||(a=b); if(k) return \quad a. createDocumentFragment(); c=c||n(a); var \quad d=c. frag. clone-like functions and the contraction of the con$ Node(),e=0,f=m(),g=f.length;for(;e< g;e++)d.createElement(f[e]);returnd}function q(a,b){b.cache||(b.cache={},b.createElem=a.createElement,b.createFrag=a.createDocumentFragment,b.frag=b.createFrag()),a.createElement=function(c){return s.shivMethods?o(c,a,b):b.createElem(c)},a.createDocumentFragment=n=f.cloneNode(),c=n.createElement;h.shivMethods&&("+m().join().-Function("h,f","return function(){var replace(/[\w\-]+/g,function(a){return b.createElem(a),b.frag.createElement(a),'c("'+a+'")'})+");return n}")(s,b. $frag) \\ function \\ r(a) \\ \{a||(a=b); var c=n(a); return s.shivCSS\& \\ lg\&\&! c.hasCSS\& \\ \{c.hasCSS=!!!(a,"article,aside,dialog,figcaption,figual for the context of the con$  $: block\} mark\{background: \#FF0; color: \#000\} template\{display: none\}")), \\ k||q(a,c),a\} var\ c="3.7.0", \\ d=a. htm|5||\{\},e=/^<|^/(?-1), \\ k||q(a,c),a\} var\ c="3.7.0", \\ k||q(a,c),a\rangle var\ c="3.7.0", \\ k||q(a,c),a\rangle var\ c="3.7.0", \\ k||q(a,c),a\rangle var\ c="3.7.0", \\ k||q(a,c),a\rangle var\ c="3.7.0", \\ k||q(a,c),a\rangle var\ c="3.7.0", \\ k||q(a,c),a\rangle var\ c="3.7.0", \\ k||q(a,c),a\rangle var\ c="3.7.0", \\ k||q(a,c),a\rangle var\ c="3.7.0", \\ k||q(a,c),a\rangle var\ c="3.7.0", \\ k||q(a,c),a\rangle var\ c="3.7.0", \\ k||q(a,c),a\rangle var\ c="3.7.0", \\ k||q(a,c),a\rangle var\ c="3.7.0", \\ k||q(a,c),a\rangle va$  $:button|map|select|textarea|object|iframe|option|optgroup)\\ \$/i,f=/^{(?:a|b|code|div|fieldset|h1|h2|h3|h4|h5|h6|i|label|li|ol|p|q|spanished by the property of the property$ \_html5shiv",i=0,j={},k;(function(){try{var a=b.createElement("a");a.innerHTML="<xyz></xyz>",g="hidden"in a,k=a.childNodes.length==1||function(){b.createElement("a");var a=b.createDocumentFragment();return typeof a.cloneNode=="undefined"||typeof a.createDocumentFragment=="undefined"||typeof a.create-Element=="undefined"}()}catch(c){g=!0,k=!0}})();var s={elements:d.elements||"abbr article aside audio bdi canvas data datalist details dialog figcaption figure footer header hgroup main mark meter nav output progress section summary template time video",version:c,shivCSS:d.shivCSS!==!1,supportsUnknownElements-:k,shivMethods:d.shivMethods!==!1,type:"default",shivDocument:r,createElement:o,createDocumentFragment :p};a.html5=s,r(b)}(this,b),e.\_version=d,e.\_prefixes=n,e.\_domPrefixes=q,e.\_cssomPrefixes=p,e.hasEvent=z,e.testProp=function(a){return G([a])},e.testAllProps=l,e.testStyles=y,e.prefixed=function(a,b,c){return b?- $I(a,b,c):I(a,"pfx")\},g.className=g.className.replace(/(^\s)no-js(\s|\$)/,"\$1\$2")+(f?" js "+v.join(" "):""),e\}(this,this.-label{eq:label}).$ document)

• function a

- function b
- B = function(a){function b(a){var a=a.split("!"),b=x.length,c=a.pop(),d=a.length,c={url:c,origUrl:c,prefixes:a},e,f,g;for(f=0;f<d;f++)g=a[f].split("="),(e=z[g.shift()])&&(c=e(c,g));for(f=0;f<b;f++)c=x[f](c);return c}function g(a,e,f,g,h){var i=b(a),j=i.autoCallback;i.url.split(".").pop().split("?").shift(),i.bypass||(e&&(e=d(e)?e:e[a]||e[g]||e[a.-split("/").pop().split("?")[0]]),i.instead?i.instead(a,e,f,g,h):(y[i.url]?i.noexec=!0:y[i.url]=1,f.load(i.url,i.forceC-SS||i.forceJS&&"css"==i.url.split(".").pop().split("?").shift()?"c":c,i.noexec,i.attrs,i.timeout),(d(e)||d(j))&&f.-load(function(){k(),e&&e(i.origUrl,h,g),j&&j(i.origUrl,h,g),y[i.url]=2})))}function h(a,b){function c(a,c){if(a){if(e(a))c||(j=function(){var a=[].slice.call(arguments);k.apply(this,a),l()}),g(a,j,b,0,h);else if(Object(a)===a)for(n in m=function(){var b=0,c;for(c in a)a.hasOwnProperty(c)&&b++;return b}(),a)a.hasOwnProperty(n)&&(lc&&!--m&&(d(j)?j=function(){var a=[].slice.call(arguments);k.apply(this,a),l()}:j[n]=function(a){return function(){var b=[].slice.call(arguments);a&&a-apply(this,b),l()}}(k[n])),g(a[n],j,b,n,h))}else!c&&l()}var h=!!a.test,i=a.load||a.both,j=a.callback||f,k=j,l=a.complete||f,m,n;c(h?a.yep:a.nope,!!i),i&&c(i)}var i,j,l=this.yepnope.loader;if(e(a))g(a,0,l,0);else if(w(a))for(i=0;i<a.-length;i++)j=a[i],e(j)?g(j,0,l,0):w(j)?B(j):Object(j)===j&&h(j,l);else Object(a)===a&&h(a,l)}
- B addPrefix =function(a,b){z[a]=b}
- B B addFilter =function(a){x.push(a)}
- B B B errorTimeout =1e4
- B B B null ==b.readyState&&b.addEventListener&&(b.readyState="loading",b.addEventListener("DOM-ContentLoaded",A=function(){b.removeEventListener("DOMContentLoaded",A,0),b.readyState="complete"},0))
- B B B a yepnope =k()
- B B B a a yepnope executeStack =h
- B B B a a yepnope a yepnope injectJs =function(a,c,d,e,i,j){var k=b.createElement("script"),I,o,e=e||B.error-Timeout;k.src=a;for(o in d)k.setAttribute(o,d[o]);c=j?h:c||f,k.onreadystatechange=k.onload=function(){!l&&g(k.readyState)&&(l=1,c(),k.onload=k.onreadystatechange=null)},m(function(){||(l=1,c(1))},e),i?k.onload():n.-parentNode.insertBefore(k,n)}
- BBBaayepnope a yepnope a yepnope a yepnope injectCss =function(a,c,d,e,g,i){var e=b.createElement("link"),j,c=i?h:c||f;e.href=a,e.rel="stylesheet",e.type="text/css";for(j in d)e.setAttribute(j,d[j]);g||(n.parentNode.insertBefore(e,n),m(c,0))}}(this,document),Modernizr.load=function(){yepnope.apply(window,[].slice.call(arguments,0))}

### 6.45.1 Variable Documentation

6.45.1.1 function a

Definition at line 4 of file modernizr.js.

6.45.1.2 B B addFilter =function(a){x.push(a)}

Definition at line 4 of file modernizr.js.

6.45.1.3 B addPrefix =function(a,b){z[a]=b}

Definition at line 4 of file modernizr.js.

 $6.45.1.4 \quad B = function(a) \{function b(a) \{var a=a.split("!"), b=x.length, c=a.pop(), d=a.length, c=\{url:c,origUrl:c,prefixes:a\},e,f,g;for(f=0;f<d;f++)g=a[f].split("="),(e=z[g.shift()])\&\&(c=e(c,g));for(f=0;f<b;f++)c=x[f](c);return c} function g(a,e,f,g,h) \{var i=b(a),j=i.autoCallback;i.url.split(".").pop().split("?").shift(),i.bypass||(e&&(e=d(e)?e-:e[a]||e[g]||e[a.split(",").pop().split("?")[0]]),i.instead?i.instead(a,e,f,g,h):(y[i.url]?i.noexec=!0:y[i.url]=1,f.-load(i.url,i.forceCSS||!i.forceJS&&"css"==i.url.split(".").pop().split("?").shift()?"c":c,i.noexec,i.attrs,i.-timeout),(d(e)||d(j))&&f.load(function()\{k(),e&&e(i.origUrl,h,g),j&&j(i.origUrl,h,g),y[i.url]=2\})))}function h(a,b) \{function c(a,c) \{if(a) \{if(e(a))c||(j=function() \{var a=[].slice.call(arguments);k.apply(this,a),l() \},g(a,j,b,0,h);else if(Object(a)===a)for(n in m=function() \{var b=0,c;for(c in a)a.hasOwnProperty(c)&&b++;return b}(),a)a.hasOwn-Property(n)&&(!c&&!-m&&(d(j)?j=function() \{var a=[].slice.call(arguments);k.apply(this,a),l() \}:j[n]=function(a) \{return function() \{var b=[].slice.call(arguments);a&a.apply(this,b),l() \} \{k[n]),g(a[n],j,b,n,h))\}else!c&&l() \{var h=!!a.test,i=a.load||a.both,j=a.callback||f,k=j,l=a.complete||f,m,n;c(h?a.yep:a.nope,!!i),i&&c(i)}var i,j,l=this.yepnope.loader;if(e(a))g(a,0,l,0);else if(w(a))for(i=0;i<a.length;i++)j=a[i],e(j)?g(j,0,l,0):w(j)?B(j):Object(j)===j&&h(j,l);else Object(a)===a&h(a,l)\}$ 

Definition at line 4 of file modernizr.js.

6.45.1.5 function b

Definition at line 4 of file modernizr.js.

6.45.1.6 function c {function d(a){return"[object Function]"==o.call(a)}function e(a){return"string"==typeof a}function f(){}function g(a){return!a||"loaded"==a||"complete"==a||"uninitialized"==a}function h(){var a=p.shift();q=1,a?a.t?m(function(){("c"==a.t?B.injectCss:B.injectJs)(a.s,0,a.a,a.x,a.e,1)},0):(a(),h()):q=0}function i(a,c,d,e,f,i,j){function k(b){if(!o&&g(l.readyState)&&(u.r=o=1,!q&&h(),l.onload=l.-onreadystatechange=null,b)}{"img"!=a&&m(function(){t.removeChild(l)},50);for(var d in y[c])y[c].hasOwnProperty(d)&&y[c][d].onload()}var j=j||B.errorTimeout,l=b.createElement(a),o=0,r=0,u={t-:d,s:c,e:f,a:i,x:j};1===y[c]&&(r=1,y[c]=[]),"object"==a?l.data=c:(l.src=c,l.type=a),l.width=l.height="0",l.onerror=l.-onload=l.onreadystatechange=function(){k.call(this,r)},p.splice(e,0,u),"img"!=a&&(r||2==y[c]?(t.insert-Before(l,s?null:n),m(k,j)):y[c].push(l))}function j(a,b,c,d,f){return q=0,b=b||"j",e(a)?i("c"==b?v:u,a,b,this.-i++,c,d,f):(p.splice(this.i++,0,a),1==p.length&&h()),this}function k(){var a=B;return a.loader={load:j,i:0},a}var l=b.documentElement,m=a.setTimeout,n=b.getElementsByTagName("script")[0],o={}.toString,p=[],q=0,r="Moz-Appearance"in l.style,s=r&&!!b.createRange().compareNode,t=s?!:n.parentNode,l=a.opera&&"[object Opera]"==o.call(a.opera),l=!!b.attachEvent&&!!,u=r?"object":!?"script":"img",v=!?"script":u,w=Array-isArray||function(a){return"[object Array]"==o.call(a)},x=[],y={},z={timeout:function(a,b){return b.length&&(a.timeout=b[0]),a},A,B}

Definition at line 4 of file modernizr.js.

6.45.1.7 BBB errorTimeout =1e4

Definition at line 4 of file modernizr.js.

6.45.1.8 B B B a a yepnope executeStack =h

Definition at line 4 of file modernizr.js.

6.45.1.9 B B B a a yepnope a yepnope injectCss =function(a,c,d,e,g,i){var e=b.createElement("link"),j,c=i?h:c||f;e.href=a,e.rel="stylesheet",e.type="text/css";for(j in d)e.setAttribute(j,d[j]);g||(n.parentNode.insertBefore(e,n),m(c,0))}}(this,document),Modernizr.load=function(){yepnope.apply(window,[].slice.call(arguments,0))}

Definition at line 4 of file modernizr.js.

6.45.1.10	B B B a a yepnope a yepnope injectJs =function(a,c,d,e,i,j){var k=b.createElement("script"),l,o,e=e  B.error-Timeout;k.src=a;for(o in d)k.setAttribute(o,d[o]);c=j?h:c  f,k.onreadystatechange=k.onload=function(){!!&&g(kreadyState)&&(l=1,c(),k.onload=k.onreadystatechange=nuII)},m(function(){  (l=1,c(1))},e),i?k.onload():n.parentNode.insertBefore(k,n)}
Deficition	at line A of file we do wise in
Definition	at line 4 of file modernizr.js.

window Modernizr =function(a,b,c){function C(a){j.cssText=a}function D(a,b){return C(n.join(a+";")+(b||""))function E(a,b){return typeof a===b}function F(a,b){return!! $\sim$ (""+a).indexOf(b)}function  $G(a,b)\{for(var\ d\ in\ a)\{var\ e=a[d]; if(!F(e,"-")\&\&j[e]!==c)return\ b=="pfx"?e:!0\}return!1\}function$  $H(a,b,d)\{for(var e in a)\{var f=b[a[e]];if(f!==c)return d===!1?a[e]:E(f,"function")?f.bind(d||b)-$ :f}return!1}function I(a,b,c){var d=a.charAt(0).toUpperCase()+a.slice(1),e=(a+" "+p.join(d+" ")+d).split(" ");return E(b, "string")||E(b, "undefined")?G(e,b):(e=(a+" "+q.join(d+" ")+d).split(" "),H(e,b,c))}function J(){e.input=function(c){for(var d=0,e=c.length;d<e;d++)u[c[d]]=c[d]in k;return u.list&&(u.list=!!b.createElement("datalist")&&!!a.HTMLDataListElement),u}("autocomplete autofocus list placeholder max min multiple pattern required step".split(" ")),e.inputtypes=function(a){for(var d=0,e,f,h,i=a.length;d< i;d++)k.setAttribute("type",f=a[d]),e=k.type!=="text",e&&(k.value=l,k.style.-length;d< i;d++)k.setAttribute(k.type),e&&&(k.value=l,k.style.-length;d< i;d++)k.setAttribute(k.type),e&&&(k.value=l,k.style.-length;d< i;d++)k.setAttribute(k.type),e&&&(k.type),ecssText="position:absolute;visibility:hidden;",/^range\$/.test(f)&&k.style.WebkitAppearance!==c?(g.appendChild(k),h=b.defaultView,e=h.getComputedStyle&&h.getComputedStyle(k,null).Webkit-Appearance!=="textfield"&&k.offsetHeight!==0,g.removeChild(k)):/^(search|tel)\$/.test(f)|(/^(url|email)\$/.test(f)?e=k.checkValidity&&k.checkValidity()===!1:e=k.value!=l)),t[a[d]]=!!e;return t}("search tel url email datetime date month week time datetime-local number range color".split(" "))}var d="2.8.3",e={},f=!0,g=b.document-Element,h="modernizr",i=b.createElement(h),j=i.style,k=b.createElement("input"),l=":)",m={}.toString,n=" -webkit- -moz- -o- -ms- ".split(" "),o="Webkit Moz O ms",p=o.split(" "),q=o.toLowerCase().split(" "),r={svg:"http://www.w3.org/2000/svg"},s={},t={},u={},v=[],w=v.slice,x,y=function(a,c,d,e){var} (a,c,d,e)f,i,j,k,l=b.createElement("div"),m=b.body,n=m||b.createElement("body");if(parseInt(d,10))while(d--)j=b.createElement("div"),j.id=e?e[d]:h+(d+1),l.appendChild(j);return f=["­",'<style id="s',h,"">',a,"</style>"].join(""),l.id=h,(m?l:n).innerHTML+=f,n.appendChild(l),m||(n.style.background="",n.style.overflow="hidden",k=g.style.overflow,g.style.overflow="hidden",g.appendChild(n)),i=c(l,a),m?l.parentNode.removeChild(l):(n.parentNode.removeChild(n),g.style.overflow=k),!!i},z=function(){function d(d,e){e=e||b.createElement(a[d]||"div"),d="on"+d;var f=d in e;return f||(e.setAttribute||(e=b.createElement("div")),e.setAttribute&&e.removeAttribute&&(e.set- $Attribute(d, ""), f = E(e[d], "function"), E(e[d], "undefined") | | (e[d] = c), e. remove Attribute(d))), e = null, f \} varable for the first of t$ a={select:"input",change:"input",submit:"form",reset:"form",error:"img",load:"img",abort:"img"};return d}(),A={}.hasOwnProperty,B;!E(A,"undefined")&&!E(A.call,"undefined")?B=function(a,b){return A.call(a,b)}:B=function(a,b){return b in a&&E(a.constructor.prototype[b],"undefined")},Function.prototype.bind||(Function.prototype.bind=function(b){var c=this;if(typeof c!="function")throw new TypeError;var d=w.call(arguments,1),e=function(){if(this instanceof e){var a=function(){};a.prototype=c.prototype;var f=new a,g=c.apply(f,d.concat(w.call(arguments)));return Object(g)===g?g:f}return c.apply(b,d.concat(w.call(arguments)))};return e}),s.flexbox=function(){return I("flexWrap")},s.canvas=function(){var a=b.createElement("canvas");return!!a.getContext&&!!a.getContext("2d")},s.canvastext=function(){return!!e.canvas&&!!E(b.createElement("canvas").getContext("2d").fillText,"function")},s.webgl=function(){return!!a.-WebGLRenderingContext},s.touch=function(){var c;return"ontouchstart"in a||a.DocumentTouch&&b instanceof DocumentTouch?c=!0:y(["@media (",n.join("touch-enabled),("),h,")","{#modernizr{top:9px;position-:absolute}}"].join(""),function(a){c=a.offsetTop===9}),c},s.geolocation=function(){return"geolocation"in navigator},s.postmessage=function(){return!!a.postMessage},s.websqldatabase=function(){return!!a.openDatabase},s.indexedDB=function(){return!!!("indexedDB",a)},s.hashchange=function(){return z("hashchange",a)&&(b.documentMode===c||b.documentMode>7)},s.history=function(){return!!a.history&&!!history.pushState},s.draganddrop=function(){var a=b.createElement("div");return"draggable"in a | | "ondragstart"in a&&"ondrop"in a},s.websockets=function(){return"WebSocket"in a||"MozWebSocket"in a},s.rgba=function(){return C("background-color:rgba(150,255,150,.5)"),F(j.backgroundColor,"rgba")},s.hsla=function(){return C("background-color:hsla(120,40%,100%,.5)"),F(j.backgroundColor,"rgba")||F(j.background-Color, "hsla")}, s.multiplebgs=function(){return C("background:url(https://),url(https://),red url(https://)"),/(url\s\*\(.\*?){3}/.test(j.background)},s.backgroundsize=function(){return I("backgroundSize")},s.borderimage=function(){return I("borderImage")},s.borderradius=function(){return I("borderRadius")},s.boxshadow=function(){return I("boxShadow")},s.textshadow=function(){return b.createElement("div").style.textShadow===""},s.opacity=function(){return D("opacity:.55"),/\^0.55\$/.test(j.opacity)},s.cssanimations=function(){return I("animationName")},s.csscolumns=function(){return I("columnCount")},s.cssgradients=function(){var a="background-image:",b="gradient(linear,left top,right bottom,from(#9f9),to(white));",c="linear-gradient(left top,#9f9, white);";return C((a+"-webkit- ".split(" ").join(b+a)+n.join(c+a)).slice(0,-a.length)),F(j.backgroundImage, "gradient")},s.cssreflections=function(){return I("boxReflect")},s.csstransforms=function(){return!!!("transform")},s.csstransforms3d=function(){var a=!!!("perspective");return a&&"webkitPerspective"in g.style&&y("@media (transform-3d),(-webkit-transform-3d){#modernizr{left:9px;position-:absolute;height:3px;}}",function(b,c){a=b.offsetLeft===9&&b.offsetHeight===3}),a},s.csstransitions=function(){return I("transition")),s.fontface=function(){var a;return y('@font-face {font-family:"font";src:url("https://")}',function(c,d){var e=b.getElementById("smodernizr"),f=e.sheet||e.styleSheet,g=f?f.cssRules&&f.cssRules[0]?f.cssRules[0].css-Text:f.cssText||"":";a=/src/i.test(g)&&g.indexOf(d.split(" ")[0])===0}),a},s.generatedcontent=function(){var a;return y(["#",h,"{font:0/0 a}#",h,':after{content:"',I,'";visibility:hiddenner#edpp/ᠮreትቻ፣j6?ብርባና),የሬብቴናኒጻዓብ(ቀ) [የቋቷውትን Doxygen offsetHeight>=3}),a},s.video=function(){var a=b.createElement("video"),c=!1;try{if(c=!!a.canPlayType)c=new Boolean(c),c.ogg=a.canPlayType('video/ogg; codecs="theora"').replace(/^no\$/,""),c.h264=a.canPlay-

 $\label{type} Type('video/mp4; \ codecs="avc1.42E01E"'). replace(/^no\$/,""), c.webm=a.canPlayType('video/webm; are type-index$ 

6.45.1.12 B B B null ==b.readyState&&b.addEventListener&&(b.readyState="loading",b.addEventListener("DOMContent-Loaded",A=function(){b.removeEventListener("DOMContentLoaded",A,0),b.readyState="complete"},0))

Definition at line 4 of file modernizr.js.

6.45.1.13 BBBa yepnope =k()

Definition at line 4 of file modernizr.js.

# 6.46 staticfiles/side\_menu/js/modernizr.js File Reference

### **Variables**

 window Modernizr =function(a,b,c){function C(a){j.cssText=a}function D(a,b){return C(n.join(a+";")+(b||""))}function E(a,b){return typeof a===b}function F(a,b){return!! $\sim$ (""+a).indexOf(b)}function G(a,b){for(var d in a){var}  $e=a[d]; if(!F(e,"-")\&\&j[e]!==c) return b=="pfx"?e:!0) return!1 function H(a,b,d) \{for(varein a) \{varf=b[a[e]]; if(!==c) return b=="pfx"?e:!0] return!1 \} function H(a,b,d) \{for(varein a) \{varf=b[a[e]]; if(!==c) return b=="pfx"?e:!0] return!1 \} function H(a,b,d) \{for(varein a) \{varf=b[a[e]]; if(!==c) return b=="pfx"?e:!0] return!1 \} function H(a,b,d) \{for(varein a) \{varf=b[a[e]]; if(!==c) return b=="pfx"?e:!0] return!1 \} function H(a,b,d) \{for(varein a) \{varf=b[a[e]]; if(!==c) return b=="pfx"?e:!0] return!1 \} function H(a,b,d) \{for(varein a) \{varf=b[a[e]]; if(!==c) return b=="pfx"?e:!0] return!1 \} function H(a,b,d) \{for(varein a) \{varf=b[a[e]]; if(!==c) return b=="pfx"?e:!0] return!1 \} function H(a,b,d) \{for(varein a) \{varf=b[a[e]]; if(!==c) return b=="pfx"?e:!0] return!1 \} function H(a,b,d) \{for(varein a) \{varf=b[a[e]]; if(!==c) return b=="pfx"?e:!0] return!1 \} function H(a,b,d) \{for(varein a) \{varf=b[a[e]]; if(!==c) return b=="pfx"?e:!0] return!1 \} function H(a,b,d) \{for(varein a) \{varf=b[a[e]]; if(!==c) return b=="pfx"?e:!0] return!1 \} function H(a,b,d) \{for(varein a) \{varf=b[a[e]]; if(!==c) return b=="pfx"?e:!0] return b==$ slice(1), e = (a + "+p.join(d + ") + d).split(""); return E(b, "string") || E(b, "undefined")?G(e,b): (e = (a + "+q.join(d + ") + d).split(""); return E(b, "string") || E(b, "undefined")?G(e,b): (e = (a + "+q.join(d + ") + d).split(""); return E(b, "string") || E(b, "undefined")?G(e,b): (e = (a + " +q.join(d + ") + d).split(""); return E(b, "string") || E(b, "undefined")?G(e,b): (e = (a + " +q.join(d + ") + d).split(""); return E(b, "string") || E(b, "undefined")?G(e,b): (e = (a + " +q.join(d + ") + d).split(""); return E(b, "string") || E(b, "undefined")?G(e,b): (e = (a + " +q.join(d + ") + d).split(""); return E(b, "string") || E(b, "undefined")?G(e,b): (e = (a + " +q.join(d + ") + d).split(""); return E(b, "string") || E(b, "undefined")?G(e,b): (e = (a + " +q.join(d + ") + d).split(""); return E(b, "string") || E(b, "undefined")?E(b, "undefined")?E(b, "undefined") || E(b, "undefined")?E(b, "undefined") || E(b, "und")+d).split(" "),H(e,b,c))}function J(){e.input=function(c){for(var d=0,e=c.length;d<e;d++)u[c[d]]=c[d]in k;return u.list&&(u.list=!!b.createElement("datalist")&&!!a.HTMLDataListElement),u}("autocomplete autofocus list placeholder max min multiple pattern required step".split(" ")),e.inputtypes=function(a){for(var d=0,e,f,h,i=a.length;d<i;d++)k.setAttribute("type",f=a[d]),e=k.type!=="text",e&&(k.value=l,k.style.cssText="position-:absolute;visibility:hidden;",/^range\$/.test(f)&&k.style.WebkitAppearance!==c?(g.appendChild(k),h=b.defaultView,e=h.getComputedStyle&&h.getComputedStyle(k,null).WebkitAppearance!=="textfield"&&k. $offset Height! == 0, g. remove Child(k)): /^(search|tel) \$/.test(f) || (/^(url|email) \$/.test(f)?e=k.check Validity \&\&k.-test(f) e=k.check Val$ checkValidity()===!1:e=k.value!=l)),t[a[d]]=!!e;return t}("search tel url email datetime date month week time  $date time-local\ number\ range\ color".split("\ "))\} var\ d="2.8.3", e=\{\}, f=!0, g=b. document Element, h="modernizr", i=b.-1, f=!0, g=b. document Element, h="modernizr", h="moder$ createElement(h),j=i.style,k=b.createElement("input"),l=":)",m={}.toString,n=" -webkit --moz- -o- -ms-"),o="Webkit Moz O ms",p=o.split(" "),q=o.toLowerCase().split(" "),r={svg:"http://www.w3.org/2000/svg", s={},t={},u={},v=[],w=v.slice,x,y=function(a,c,d,e){var} f,i,j,k,l=b.createElement("div"),m=b.body,n=m||b.createElement("body");if(parseInt(d,10))while(d--)j=b.createElement("div"),j.id=e?e[d]:h+(d+1),l. $appendChild(j); return \quad f=["\$\#173;",'<style \quad id="s',h,'">',a,"</style>"].join(""),l.id=h,(m?l:n).innerHTML+=f,n.-innerHTML$ append Child(I), m || (n.style.background = "", n.style.overflow = "hidden", k=g.style.overflow, g.style.overflow = "hidden", g.-respectively. The style of theappendChild(n),i=c(l,a),m?l.parentNode.removeChild(l):(n.parentNode.removeChild(n),g.style.overflow=k),!!i},z=function(){function} d(d,e){e=e||b.createElement(a[d]||"div"),d="on"+d;var f=d in e;return f||(e.setAttribute||(e=b.create-te)| Element("div")), e.set Attribute & &.e. remove Attribute & &.e. set Attribute (d, ""), f=E(e[d], "function"), E(e[d], "undefined") || (e[d]=c), e.-lement("div")), e.set Attribute & &.e. remove AttremoveAttribute(d))),e=null,f}var a={select:"input",change:"input",submit:"form",reset:"form",error:"img",load-:"img",abort:"img"};return d}(),A={}.hasOwnProperty,B;!E(A,"undefined")&&!E(A.call,"undefined")?B=function(a,b){return A.call(a,b)}:B=function(a,b)}return b in a&&E(a.constructor.prototype[b],"undefined")},Function.prototype.bind||(Function.prototype.bind=function(b){var c=this;if(typeof c!="function")throw new TypeError;var d=w.call(arguments,1),e=function(){if(this instanceof e){var a=function(){};a.prototype=c.prototype;var f=new a,g=c.apply(f,d.concat(w.call(arguments)));return Object(g)===g?g:f}return c.apply(b,d.concat(w.call(arguments)))};return e}),s.flexbox=function(){return I("flexWrap")},s.canvas=function(){var a=b.create-Element("canvas");return!!a.getContext&&!!a.getContext("2d")},s.canvastext=function(){return!!e.canvas&&!!-E(b.createElement("canvas").getContext("2d").fillText,"function")},s.webgl=function(){return!!a.WebGL-RenderingContext],s.touch=function(){var c;return"ontouchstart"in a||a.DocumentTouch&&b instanceof  $Document Touch? c=!0:y(["@media (",n.join("touch-enabled),("),h,")"," \{\#modernizr\{top:9px;position:absolute\}\}"].-the properties of the p$ join(""),function(a){c=a.offsetTop===9}),c},s.geolocation=function(){return"geolocation"in postmessage=function(){return!!a.postMessage},s.websqldatabase=function(){return!!a.openDatabase},s.indexedDB=function(){return!!I("indexedDB",a)},s.hashchange=function(){return z("hashchange",a)&&(b.documentMode===c||b.documentMode>7)},s.history=function(){return!!a.history&&!!history.pushState},s.draganddrop=function(){var a=b.createElement("div");return"draggable"in a||"ondragstart"in a&&"ondrop"in a},s.websockets=function(){return"WebSocket"in a||"MozWebSocket"in a},s.rgba=function(){return C("backgroundcolor:rgba(150,255,150,.5)"),F(j.backgroundColor,"rgba")},s.hsla=function(){return C("background-color-:hsla(120,40%,100%,.5)"),F(j.backgroundColor,"rgba")||F(j.backgroundColor,"hsla")},s.multiplebgs=function(){return

C("background:url(https://),url(https://),red url(https://)"),/(url\s\*\(.\*?){3}/.test(j.background)},s.backgroundsize=function(){return

I("backgroundSize")},s.borderimage=function(){return I("borderImage")},s.borderradius=function(){return I("borderRadius")},s.boxshadow=function(){return I("boxShadow")},s.textshadow=function(){return createElement("div").style.textShadow===""},s.opacity=function(){return D("opacity:.55"),/\^0.55\\$/.test(j.opacity)},s.cssanimations=function(){return I("animationName")},s.csscolumns=function(){return I("column-Count")},s.cssgradients=function(){var a="background-image:",b="gradient(linear,left top,right bottom,from(#9f9),to(white));",c=" gradient(left top,#9f9, white);";return C((a+"-webkit- ".split(" ").join(b+a)+n.join(c+a)).slice(0,-a.length)),F(j.backgroundImage, "gradient")},s.cssreflections=function(){return I("boxReflect")},s.csstransforms=function(){return!!-I("transform")},s.csstransforms3d=function(){var a=!!!("perspective");return a&&"webkitPerspective"in g.style&&y("@media (transform-3d),(-webkit-transform-3d){#modernizr{left:9px;position:absolute;height-:3px;}}",function(b,c){a=b.offsetLeft===9&&b.offsetHeight===3}),a},s.csstransitions=function(){return I("transition")},s.fontface=function(){var a;return y('@font-face {font-family:"font";src:url("https://")}',function(c,d){var e=b.getElementById("smodernizr"),f=e.sheet||e.styleSheet,g=f?f.cssRules&&f.cssRules[0]?f.cssRules[0].css-Text:f.cssText||"":"";a=/src/i.test(g)&&g.indexOf(d.split(" ")[0])===0}),a},s.generatedcontent=function(){var a;return y(["#",h,"{font:0/0 a}#",h,':after{content:"',I,'";visibility:hidden;font:3px/1 a}'].join(""),function(b){a=b.offsetHeight>=3}),a},s.video=function(){var a=b.createElement("video"),c=!1;try{if(c=!!a.canPlayType)c=new codecs="theora"').replace(/^no\$/,""),c.h264=a.canPlay-Boolean(c),c.ogg=a.canPlayType('video/ogg; Type('video/mp4; codecs="avc1.42E01E"').replace(/\^no\\$/,""),c.webm=a.canPlayType('video/webm; codecs="vp8, vorbis"').replace(/^no\$/,"")}catch(d){}return c},s.audio=function(){var a=b.createElement("audio"),c=!1;try{if(c=!!a.canPlayType)c=new Boolean(c),c.ogg=a.canPlayType('audio/ogg; codecs="vorbis"').replace(/^no\$/,""),c.mp3=a.canPlayType("audio/mpeg;").replace(/^no\$/,""),c.wav=a.canPlayType('audio/wav; replace(/^no\$/,""),c.m4a=(a.canPlayType("audio/x-m4a;")||a.canPlayType("audio/aac;")).replace(/^no\$/,"")}catch(d){}return c},s.localstorage=function(){try{return localStorage.setItem(h,h),localStorage.removeItem(h),!0}catch(a){return!1}},s.sessionstorage=function(){try{return sessionStorage.setItem(h,h),sessionStorage.removeItem(h),I0}catch(a){return!1}},s.webworkers=function(){return!!a.Worker},s.applicationcache=function(){return!!a.applicationCache},s.svg=function(){return!!b.createElementNS&&!!b.createElementNS(r.svg,"svg").createSVGRect},s.inlinesvg=function(){var a.innerHTML="<svg/>",(a.firstChild&&a.firstChild.namespaceURI)==r.a=b.createElement("div");return svg},s.smil=function(){return!!b.createElementNS&&/SVGAnimate/.test(m.call(b.createElementNS(r.svg,"animate")))},s.svgclippaths=function(){return!!b.createElementNS&&/SVGClipPath/.test(m.call(b.createElementNS(r. $svg,"clipPath"))); for(var \ K \ in \ s)B(s,K)\&\&(x=K.toLowerCase(),e[x]=s[K](),v.push((e[x]?"":"no-")+x)); return \ e.-k(s,K)&\&(x=K.toLowerCase(),e[x]=s[K](),v.push((e[x]?"":"no-")+x)); return \ e.-k(s,K)&\&(x=K.toLowerCase(),e[x]=s[K](),e[x$ input||J(),e.addTest=function(a,b){if(typeof a=="object")for(var d in a)B(a,d)&&e.addTest(d,a[d]);else{a=a.to-LowerCase();if(e[a]!==c)return e;b=typeof b=="function"?b():b,typeof f!="undefined"&&f&&(g.className+=" "+(b?"":"no-")+a),e[a]=b}return e},C(""),i=k=null,function(a,b){function l(a,b){var c=a.createElement("p"),d=a.getElementsByTagName("head")[0]||a.documentElement;return c.innerHTML="x<style>"+b+"</style>",d.insertBefore(c.lastChild,d.firstChild)}function m(){var a=s.elements;return typeof a=="string"?a.split(" ")-:a}function n(a){var b=j[a[h]];return  $b||(b=\{\},i++,a[h]=i,j[i]=b),b\}$ function o(a,c,d){c||(c=b);if(k)return c.-b $create Element(a); \\ d||(d=n(c)); \\ var g; \\ return d.cache[a] \\ ?g=d.cache[a]. \\ cloneNode(): \\ f.test(a) \\ ?g=(d.cache[a]=d.-d.cache[a]) \\ d||(d=n(c)); \\ var g; \\ return d.cache[a] \\ ?g=d.cache[a]. \\ cloneNode(): \\ f.test(a) \\ ?g=(d.cache[a]=d.-d.cache[a]) \\ d||(d=n(c)); \\ var g; \\ return d.cache[a] \\ ?g=d.cache[a]. \\ cloneNode(): \\ f.test(a) \\ ?g=(d.cache[a]=d.-d.cache[a]) \\ d||(d=n(c)); \\ var g; \\ var fixed by \\ var$ createElem(a)).cloneNode():g=d.createElem(a),g.canHaveChildren&&!e.test(a)&&!g.tagUrn?d.frag.append- $Child(g):g\} function \quad p(a,c)\{a||(a=b); if(k) return \quad a. createDocumentFragment(); c=c||n(a); var \quad d=c. frag. clone-like functions and the contraction of the con$ Node(),e=0,f=m(),g=f.length;for(;e< g;e++)d.createElement(f[e]);returnd}function q(a,b){b.cache||(b.cache={},b.createElem=a.createElement,b.createFrag=a.createDocumentFragment,b.frag=b.createFrag()),a.createElement=function(c){return s.shivMethods?o(c,a,b):b.createElem(c)},a.createDocumentFragment=n=f.cloneNode(),c=n.createElement;h.shivMethods&&("+m().join().-Function("h,f","return function(){var replace(/[\w\-]+/g,function(a){return b.createElem(a),b.frag.createElement(a),'c("'+a+'")'})+");return n}")(s,b. $frag) \\ function \\ r(a) \\ \{a||(a=b); var c=n(a); return s.shivCSS\& \\ lg\&\&! c.hasCSS\& \\ \{c.hasCSS=!!!(a,"article,aside,dialog,figcaption,figual for the context of the con$  $: block\} mark\{background: \#FF0; color: \#000\} template\{display: none\}")), \\ k||q(a,c),a\} var\ c="3.7.0", \\ d=a. htm|5||\{\},e=/^<|^/(?-1), \\ k||q(a,c),a\} var\ c="3.7.0", \\ k||q(a,c),a\rangle var\ c="3.7.0", \\ k||q(a,c),a\rangle var\ c="3.7.0", \\ k||q(a,c),a\rangle var\ c="3.7.0", \\ k||q(a,c),a\rangle var\ c="3.7.0", \\ k||q(a,c),a\rangle var\ c="3.7.0", \\ k||q(a,c),a\rangle var\ c="3.7.0", \\ k||q(a,c),a\rangle var\ c="3.7.0", \\ k||q(a,c),a\rangle var\ c="3.7.0", \\ k||q(a,c),a\rangle var\ c="3.7.0", \\ k||q(a,c),a\rangle var\ c="3.7.0", \\ k||q(a,c),a\rangle var\ c="3.7.0", \\ k||q(a,c),a\rangle var\ c="3.7.0", \\ k||q(a,c),a\rangle va$  $:button|map|select|textarea|object|iframe|option|optgroup)\\ \$/i,f=/^{(?:a|b|code|div|fieldset|h1|h2|h3|h4|h5|h6|i|label|li|ol|p|q|spanished by the property of the property$ \_html5shiv",i=0,j={},k;(function(){try{var a=b.createElement("a");a.innerHTML="<xyz></xyz>",g="hidden"in a,k=a.childNodes.length==1||function(){b.createElement("a");var a=b.createDocumentFragment();return  $typeof \quad a. cloneNode == "undefined" | | typeof \quad a. createDocumentFragment == "undefined" | | typeof \quad a. createDocumentFragment == "undefined" | typeof \quad a. createDocumentFragment == "undefined" | typeof \quad a. createDocumentFragment == "undefined" | typeof \quad a. createDocumentFragment == "undefined" | typeof \quad a. createDocumentFragment == "undefined" | typeof \quad a. createDocumentFragment == "undefined" | typeof \quad a. createDocumentFragment == "undefined" | typeof \quad a. createDocumentFragment == "undefined" | typeof \quad a. createDocumentFragment == "undefined" | typeof \quad a. createDocumentFragment == "undefined" | typeof \quad a. createDocumentFragment == "undefined" | typeof \quad a. createDocumentFragment == "undefined" | typeof \quad a. createDocumentFragment == "undefined" | typeof \quad a. createDocumentFragment == "undefined" | typeof \quad a. createDocumentFragment == "undefined" | typeof \quad a. createDocumentFragment == "undefined" | typeof \quad a. createDocumentFragment == "undefined" | typeof \quad a. createDocumentFragment == "undefined" | typeof \quad a. createDocumentFragment == "undefined" | typeof \quad a. createDocumentFragment == "undefined" | typeof \quad a. createDocumentFragment == "undefined" | typeof \quad a. createDocumentFragment == "undefined" | typeof \quad a. createDocument == "undefined" | typeof \quad a. c$ Element=="undefined"}()}catch(c){g=!0,k=!0}})();var s={elements:d.elements||"abbr article aside audio bdi canvas data datalist details dialog figcaption figure footer header hgroup main mark meter nav output progress section summary template time video",version:c,shivCSS:d.shivCSS!==!1,supportsUnknownElements-:k,shivMethods:d.shivMethods!==!1,type:"default",shivDocument:r,createElement:o,createDocumentFragment :p};a.html5=s,r(b)}(this,b),e.\_version=d,e.\_prefixes=n,e.\_domPrefixes=q,e.\_cssomPrefixes=p,e.hasEvent=z,e.testProp=function(a){return G([a])},e.testAllProps=l,e.testStyles=y,e.prefixed=function(a,b,c){return b?- $I(a,b,c):I(a,"pfx")\},g.className=g.className.replace(/(^\s)no-js(\s|\$)/,"\$1\$2")+(f?" js "+v.join(" "):""),e\}(this,this.-label{eq:label}).$ document)

• function a

- function b
- function c {function d(a){return"[object Function]"==o.call(a)}function e(a){return"string"==typeof a}function f(){function g(a){return!a||"loaded"==a||"complete"==a||"uninitialized"==a}function h(){var a=p.shift();q=1,a?a.-t?m(function(){("c"==a.t?B.injectCss:B.injectJs)(a.s,0,a.a,a.x,a.e,1)},0):(a(),h()):q=0}function i(a,c,d,e,f,i,j){function k(b){if(!o&&g(l.readyState)&&(u.r=o=1,!q&&h(),l.onload=l.onreadystatechange=null,b)){"img"!=a&&m(function(){t.removeChild(l)},50);for(var d in y[c])y[c].hasOwnProperty(d)&&y[c][d].onload()}var j=j||B.errorTimeout,l=b.createElement(a),o=0,r=0,u={t:d,s:c,e:f,a:i,x:j};1===y[c]&&(r=1,y[c]=[]),"object"==a?l.data=c:(l.src=c,l.-type=a),l.width=l.height="0",l.onerror=l.onload=l.onreadystatechange=function(){k.call(this,r)},p.splice(e,0,u),"img"!=a&&(r||2=insertBefore(l,s?null:n),m(k,j)):y[c].push(l))}function j(a,b,c,d,f){return q=0,b=b||"j",e(a)?i("c"==b?v:u,a,b,this.-i++,c,d,f):(p.splice(this.i++,0,a),1==p.length&&h()),this}function k(){var a=B;return a.loader={load:j,i:0},a}var l=b.documentElement,m=a.setTimeout,n=b.getElementsByTagName("script")[0],o={}.toString,p=[],q=0,r="Moz-Appearance"in l.style,s=r&&!!b.createRange().compareNode,t=s?!:n.parentNode,l=a.opera&&"[object Opera]"==o.call(a)},x=[],y={},z={timeout:function(a,b){return b.length&&(a.timeout=b[0]),a}},A,B
- B = function(a){function b(a){var a=a.split("!"),b=x.length,c=a.pop(),d=a.length,c={url:c,origUrl:c,prefixes:a},e,f,g;for(f=0;f<d;f++)g=a[f].split("="),(e=z[g.shift()])&&(c=e(c,g));for(f=0;f<b;f++)c=x[f](c);return c}function g(a,e,f,g,h){var i=b(a),j=i.autoCallback;i.url.split(".").pop().split("?").shift(),i.bypass||(e&&(e=d(e)?e:e[a]||e[g]||e[a.-split("/").pop().split("?")[0]]),i.instead?i.instead(a,e,f,g,h):(y[i.url]?i.noexec=!0:y[i.url]=1,f.load(i.url,i.forceC-SS||i.forceJS&&"css"==i.url.split(".").pop().split("?").shift()?"c":c,i.noexec,i.attrs,i.timeout),(d(e)||d(j))&&f.-load(function(){k(),e&&e(i.origUrl,h,g),j&&j(i.origUrl,h,g),y[i.url]=2})))}function h(a,b){function c(a,c){if(a){if(e(a))c||(j=function(){var a=[].slice.call(arguments);k.apply(this,a),l()}),g(a,j,b,0,h);else if(Object(a)===a)for(n in m=function(){var b=0,c;for(c in a)a.hasOwnProperty(c)&&b++;return b}(),a)a.hasOwnProperty(n)&&(lc&&!--m&&(d(j)?]=function(){var a=[].slice.call(arguments);k.apply(this,a),l()}:j[n]=function(a){return function(){var b=[].slice.call(arguments);a&&a.-apply(this,b),l()}{(k[n])),g(a[n],j,b,n,h))}else!c&&l()}var h=!!a.test,i=a.load||a.both,j=a.callback||f,k=j,l=a.complete||f,m,n;c(h?a.yep:a.nope,!!i),i&&c(i)}var i,j,l=this.yepnope.loader;if(e(a))g(a,0,l,0);else if(w(a))for(i=0;i<a.-length;i++)j=a[i],e(j)?g(j,0,l,0):w(j)?B(j):Object(j)===j&h(j,l);else Object(a)===a&h(a,l)}
- B addPrefix =function(a,b){z[a]=b}
- B B addFilter =function(a){x.push(a)}
- B B B errorTimeout =1e4
- B B B null ==b.readyState&&b.addEventListener&&(b.readyState="loading",b.addEventListener("DOM-ContentLoaded",A=function(){b.removeEventListener("DOMContentLoaded",A,0),b.readyState="complete"},0))
- B B B a yepnope =k()
- B B B a a yepnope executeStack =h
- B B B a a yepnope a yepnope injectJs =function(a,c,d,e,i,j){var k=b.createElement("script"),I,o,e=e||B.error-Timeout;k.src=a;for(o in d)k.setAttribute(o,d[o]);c=j?h:c||f,k.onreadystatechange=k.onload=function(){!!&&g(k.readyState)&&(l=1,c(),k.onload=k.onreadystatechange=null)},m(function(){||(l=1,c(1))},e),i?k.onload():n.-parentNode.insertBefore(k,n)}
- B B B a a yepnope a yepnope a yepnope a yepnope injectCss =function(a,c,d,e,g,i){var e=b.createElement("link"),j,c=i?h:c||f;e.href=a,e.rel="stylesheet",e.-type="text/css";for(j in d)e.setAttribute(j,d[j]);g||(n.parentNode.insertBefore(e,n),m(c,0))}}(this,document),Modernizr.-load=function(){yepnope.apply(window,[].slice.call(arguments,0))}

### 6.46.1 Variable Documentation

6.46.1.1 function a

Definition at line 4 of file modernizr.js.

6.46.1.2 B B addFilter =function(a){x.push(a)}

Definition at line 4 of file modernizr.js.

6.46.1.3 B addPrefix =function(a,b){z[a]=b}

Definition at line 4 of file modernizr.js.

 $6.46.1.4 \quad B = function(a) \{function b(a) \{var a=a.split("!"), b=x.length, c=a.pop(), d=a.length, c=\{url:c,origUrl:c,prefixes:a\},e,f,g;for(f=0;f<d;f++)g=a[f].split("="),(e=z[g.shift()])\&\&(c=e(c,g));for(f=0;f<b;f++)c=x[f](c);return c} function g(a,e,f,g,h) \{var i=b(a),j=i.autoCallback;i.url.split(".").pop().split("?").shift(),i.bypass||(e&&(e=d(e)?e-:e[a]||e[g]||e[a.split(",").pop().split("?")[0]]),i.instead?i.instead(a,e,f,g,h):(y[i.url]?i.noexec=!0:y[i.url]=1,f.-load(i.url,i.forceCSS||!i.forceJS&&"css"==i.url.split(".").pop().split("?").shift()?"c":c,i.noexec,i.attrs,i.-timeout),(d(e)||d(j))&&f.load(function()\{k(),e&&e(i.origUrl,h,g),j&&j(i.origUrl,h,g),y[i.url]=2\})))} function h(a,b) \{function c(a,c) \{if(a) \{if(e(a))c||(j=function() \{var a=[].slice.call(arguments);k.apply(this,a),l() \},g(a,j,b,0,h);else if(Object(a)===a) for(n in m=function() \{var b=0,c;for(c in a)a.hasOwnProperty(c)&&b++;return b}(),a)a.hasOwn-Property(n)&&(!c&&!-m&&(d(j)?j=function() \{var a=[].slice.call(arguments);k.apply(this,a),l() \}:j[n]=function(a) \{return function() \{var b=[].slice.call(arguments);a&a.apply(this,b),l() \} \{k[n]),g(a[n],j,b,n,h))\} else!c&&l() \{var h=!!a.test,i=a.load||a.both,j=a.callback||f,k=j,l=a.complete||f,m,n;c(h?a.yep:a.nope,!!i),i&&c(i) \{var i,j,l=this.yepnope.loader;if(e(a))g(a,0,l,0);else if(w(a))for(i=0;i<a.length;i++)j=a[i],e(j)?g(j,0,l,0):w(j)?B(j):Object(j)===j&&h(j,l);else Object(a)===a&h(a,l) \}$ 

Definition at line 4 of file modernizr.js.

6.46.1.5 function b

Definition at line 4 of file modernizr.js.

6.46.1.6 function c {function d(a){return"[object Function]"==o.call(a)}function e(a){return"string"==typeof a}function f(){}function g(a){return!a||"loaded"==a||"complete"==a||"uninitialized"==a}function h(){var a=p.shift();q=1,a?a.t?m(function(){("c"==a.t?B.injectCss:B.injectJs)(a.s,0,a.a,a.x,a.e,1)},0):(a(),h()):q=0}function i(a,c,d,e,f,i,j){function k(b){if(!o&&g(l.readyState)&&(u.r=o=1,!q&&h(),l.onload=l.-onreadystatechange=null,b)}{"img"!=a&&m(function(){t.removeChild(l)},50);for(var d in y[c])y[c].hasOwnProperty(d)&&y[c][d].onload()}var j=j||B.errorTimeout,l=b.createElement(a),o=0,r=0,u={t-:d,s:c,e:f,a:i,x:j};1===y[c]&&(r=1,y[c]=[]),"object"==a?l.data=c:(l.src=c,l.type=a),l.width=l.height="0",l.onerror=l.-onload=l.onreadystatechange=function(){k.call(this,r)},p.splice(e,0,u),"img"!=a&&(r||2==y[c]?(t.insert-Before(l,s?null:n),m(k,j)):y[c].push(l))}function j(a,b,c,d,f){return q=0,b=b||"j",e(a)?i("c"==b?v:u,a,b,this.-i++,c,d,f):(p.splice(this.i++,0,a),1==p.length&&h()),this}function k(){var a=B;return a.loader={load:j,i:0},a}var l=b.documentElement,m=a.setTimeout,n=b.getElementsByTagName("script")[0],o={}.toString,p=[],q=0,r="Moz-Appearance"in l.style,s=r&&!!b.createRange().compareNode,t=s?!:n.parentNode,l=a.opera&&"[object Opera]"==o.call(a.opera),l=!!b.attachEvent&&!!,u=r?"object":!?"script":"img",v=!?"script":u,w=Array-isArray||function(a){return"[object Array]"==o.call(a)},x=[],y={},z={timeout:function(a,b){return b.length&&(a.timeout=b[0]),a},A,B}

Definition at line 4 of file modernizr.js.

6.46.1.7 B B B errorTimeout =1e4

Definition at line 4 of file modernizr.js.

6.46.1.8 BBB a a yepnope executeStack =h

Definition at line 4 of file modernizr.js.

6.46.1.9 B B B a a yepnope a yepnope injectCss =function(a,c,d,e,g,i){var e=b.createElement("link"),j,c=i?h:c||f;e.href=a,e.rel="stylesheet",e.type="text/css";for(j in d)e.setAttribute(j,d[j]);g||(n.parentNode.insertBefore(e,n),m(c,0))}}(this,document),Modernizr.load=function(){yepnope.apply(window,[].slice.call(arguments,0))}

Definition at line 4 of file modernizr.js.

6.46.1.10	B B B a a yepnope a yepnope injectJs =function(a,c,d,e,i,j){var k=b.createElement("script"),l,o,e=e  B.error-
	$\label{thm:cont} Timeout; k.src=a; for (o in d) k.set Attribute (o,d[o]); c=j?h:c  f,k.onready state change=k.onload=function(){!!&&g(kready State)&&( =1,c(),k.onload=k.onready state change=null)}, m(function(){  ( =1,c(1))},e),i?k.onload():n.parentNode.insertBefore(k,n)}$
Definition	act line 4 of file moderniar in
Delinition	n at line 4 of file modernizr.js.

window Modernizr =function(a,b,c){function C(a){j.cssText=a}function D(a,b){return C(n.join(a+";")+(b||""))function E(a,b){return typeof a===b}function F(a,b){return!! $\sim$ (""+a).indexOf(b)}function  $G(a,b)\{for(var\ d\ in\ a)\{var\ e=a[d]; if(!F(e,"-")\&\&j[e]!==c)return\ b=="pfx"?e:!0\}return!1\}function$  $H(a,b,d)\{for(var e in a)\{var f=b[a[e]];if(f!==c)return d===!1?a[e]:E(f,"function")?f.bind(d||b)-$ :f}return!1}function I(a,b,c){var d=a.charAt(0).toUpperCase()+a.slice(1),e=(a+" "+p.join(d+" ")+d).split(" ");return E(b, "string")||E(b, "undefined")?G(e,b):(e=(a+" "+q.join(d+" ")+d).split(" "),H(e,b,c))}function J(){e.input=function(c){for(var d=0,e=c.length;d<e;d++)u[c[d]]=c[d]in k;return u.list&&(u.list=!!b.createElement("datalist")&&!!a.HTMLDataListElement),u}("autocomplete autofocus list placeholder max min multiple pattern required step".split(" ")),e.inputtypes=function(a){for(var d=0,e,f,h,i=a.length;d< i;d++)k.setAttribute("type",f=a[d]),e=k.type!=="text",e&&(k.value=l,k.style.-length;d< i;d++)k.setAttribute(k.type),e&&&(k.value=l,k.style.-length;d< i;d++)k.setAttribute(k.type),e&&&(k.value=l,k.style.-length;d< i;d++)k.setAttribute(k.type),e&&&(k.type),ecssText="position:absolute;visibility:hidden;",/^range\$/.test(f)&&k.style.WebkitAppearance!==c?(g.appendChild(k),h=b.defaultView,e=h.getComputedStyle&&h.getComputedStyle(k,null).Webkit-Appearance!=="textfield"&&k.offsetHeight!==0,g.removeChild(k)):/^(search|tel)\$/.test(f)|(/^(url|email)\$/.test(f)?e=k.checkValidity&&k.checkValidity()===!1:e=k.value!=l)),t[a[d]]=!!e;return t}("search tel url email datetime date month week time datetime-local number range color".split(" "))}var d="2.8.3",e={},f=!0,g=b.document-Element,h="modernizr",i=b.createElement(h),j=i.style,k=b.createElement("input"),l=":)",m={}.toString,n=" -webkit- -moz- -o- -ms- ".split(" "),o="Webkit Moz O ms",p=o.split(" "),q=o.toLowerCase().split(" "),r={svg:"http://www.w3.org/2000/svg"},s={},t={},u={},v=[],w=v.slice,x,y=function(a,c,d,e){var} (a,c,d,e)f,i,j,k,l=b.createElement("div"),m=b.body,n=m||b.createElement("body");if(parseInt(d,10))while(d--)j=b.createElement("div"),j.id=e?e[d]:h+(d+1),l.appendChild(j);return f=["­",'<style id="s',h,"">',a,"</style>"].join(""),l.id=h,(m?l:n).innerHTML+=f,n.appendChild(l),m||(n.style.background="",n.style.overflow="hidden",k=g.style.overflow,g.style.overflow="hidden",g.appendChild(n)),i=c(l,a),m?l.parentNode.removeChild(l):(n.parentNode.removeChild(n),g.style.overflow=k),!!i},z=function(){function d(d,e){e=e||b.createElement(a[d]||"div"),d="on"+d;var f=d in e;return f||(e.setAttribute||(e=b.createElement("div")),e.setAttribute&&e.removeAttribute&&(e.set- $Attribute(d, ""), f = E(e[d], "function"), E(e[d], "undefined") | | (e[d] = c), e. remove Attribute(d))), e = null, f \} varable for the first of t$ a={select:"input",change:"input",submit:"form",reset:"form",error:"img",load:"img",abort:"img"};return d}(),A={}.hasOwnProperty,B;!E(A,"undefined")&&!E(A.call,"undefined")?B=function(a,b){return A.call(a,b)}:B=function(a,b){return b in a&&E(a.constructor.prototype[b],"undefined")},Function.prototype.bind||(Function.prototype.bind=function(b){var c=this;if(typeof c!="function")throw new TypeError;var d=w.call(arguments,1),e=function(){if(this instanceof e){var a=function(){};a.prototype=c.prototype;var f=new a,g=c.apply(f,d.concat(w.call(arguments)));return Object(g)===g?g:f}return c.apply(b,d.concat(w.call(arguments)))};return e}),s.flexbox=function(){return I("flexWrap")},s.canvas=function(){var a=b.createElement("canvas");return!!a.getContext&&!!a.getContext("2d")},s.canvastext=function(){return!!e.canvas&&!!E(b.createElement("canvas").getContext("2d").fillText,"function")},s.webgl=function(){return!!a.-WebGLRenderingContext},s.touch=function(){var c;return"ontouchstart"in a||a.DocumentTouch&&b instanceof DocumentTouch?c=!0:y(["@media (",n.join("touch-enabled),("),h,")","{#modernizr{top:9px;position-:absolute}}"].join(""),function(a){c=a.offsetTop===9}),c},s.geolocation=function(){return"geolocation"in navigator},s.postmessage=function(){return!!a.postMessage},s.websqldatabase=function(){return!!a.openDatabase},s.indexedDB=function(){return!!!("indexedDB",a)},s.hashchange=function(){return z("hashchange",a)&&(b.documentMode===c||b.documentMode>7)},s.history=function(){return!!a.history&&!!history.pushState},s.draganddrop=function(){var a=b.createElement("div");return"draggable"in a | | "ondragstart"in a&&"ondrop"in a},s.websockets=function(){return"WebSocket"in a||"MozWebSocket"in a},s.rgba=function(){return C("background-color:rgba(150,255,150,.5)"),F(j.backgroundColor,"rgba")},s.hsla=function(){return C("background-color:hsla(120,40%,100%,.5)"),F(j.backgroundColor,"rgba")||F(j.background-Color, "hsla")}, s.multiplebgs=function(){return C("background:url(https://),url(https://),red url(https://)"),/(url\s\*\(.\*?){3}/.test(j.background)},s.backgroundsize=function(){return I("backgroundSize")},s.borderimage=function(){return I("borderImage")},s.borderradius=function(){return I("borderRadius")},s.boxshadow=function(){return I("boxShadow")},s.textshadow=function(){return b.createElement("div").style.textShadow===""},s.opacity=function(){return D("opacity:.55"),/\^0.55\$/.test(j.opacity)},s.cssanimations=function(){return I("animationName")},s.csscolumns=function(){return I("columnCount")},s.cssgradients=function(){var a="background-image:",b="gradient(linear,left top,right bottom,from(#9f9),to(white));",c="linear-gradient(left top,#9f9, white);";return C((a+"-webkit- ".split(" ").join(b+a)+n.join(c+a)).slice(0,-a.length)),F(j.backgroundImage, "gradient")},s.cssreflections=function(){return I("boxReflect")},s.csstransforms=function(){return!!!("transform")},s.csstransforms3d=function(){var a=!!!("perspective");return a&&"webkitPerspective"in g.style&&y("@media (transform-3d),(-webkit-transform-3d){#modernizr{left:9px;position-:absolute;height:3px;}}",function(b,c){a=b.offsetLeft===9&&b.offsetHeight===3}),a},s.csstransitions=function(){return I("transition")),s.fontface=function(){var a;return y('@font-face {font-family:"font";src:url("https://")}',function(c,d){var e=b.getElementById("smodernizr"),f=e.sheet||e.styleSheet,g=f?f.cssRules&&f.cssRules[0]?f.cssRules[0].css-Text:f.cssText||"":";a=/src/i.test(g)&&g.indexOf(d.split(" ")[0])===0}),a},s.generatedcontent=function(){var a;return y(["#",h,"{font:0/0 a}#",h,':after{content:"',I,'";visibility:hiddenner#edpp/ᠮreትቻ፣j6?ብርባና),የሬብቴናኒጻዓብ(ቀ) [የቋቷውትን Doxygen offsetHeight>=3}),a},s.video=function(){var a=b.createElement("video"),c=!1;try{if(c=!!a.canPlayType)c=new Boolean(c),c.ogg=a.canPlayType('video/ogg; codecs="theora"').replace(/^no\$/,""),c.h264=a.canPlay-

 $\label{type} Type('video/mp4; \ codecs="avc1.42E01E"'). replace(/^no\$/,""), c.webm=a.canPlayType('video/webm; are type-index$ 

6.46.1.12 B B B null ==b.readyState&&b.addEventListener&&(b.readyState="loading",b.addEventListener("DOMContent-Loaded",A=function(){b.removeEventListener("DOMContentLoaded",A,0),b.readyState="complete"},0))

Definition at line 4 of file modernizr.js.

6.46.1.13 BBBa yepnope =k()

Definition at line 4 of file modernizr.js.

# 6.47 urls.py File Reference

# **Namespaces**

· libra.urls

## **Variables**

· list libra.urls.urlpatterns

# 6.48 views.py File Reference

## **Namespaces**

• libra.views

# **Functions**

- · def libra.views.search
- def libra.views.compare
- · def libra.views.sort
- · def libra.views.filterr
- · def libra.views.sort\_filtered
- · def libra.views.deals
- def libra.views.flip\_delivery
- def libra.views.amazon\_delivery
- def libra.views.snapdeal\_delivery
- · def libra.views.ebay\_delivery

# 6.49 wsgi.py File Reference

## **Namespaces**

· libra.wsgi

### **Variables**

• tuple libra.wsgi.application = get\_wsgi\_application()