


1. CABLE SHALL BE USB 3.0 MINIMUM
2. INDICATED CONNECTOR SHALL BE USB A, MALE
3. INDICATED CONNECTOR SHALL BE USB B, MALE, 90 DEGREE
4. CABLE SHALL BE BLACK
5. UNSPECIFIED BASIC DIMENSIONS SHALL BE DEFINED BY DIGITAL GEOMETRY FILE "025943-GEO_1.STEP"
6. ITEM MAY BE ELASTICALLY CONSTRAINED DURING INSPECTION TO SATISFY DIMENSIONAL REQUIREMENTS



UNLESS
OTHERWISE
SPECIFIED

UNITS ARE MILLIMETRES & GRAMS
NOTES SUPERSEDE TITLE BLOCK
CALLOUTS SUPERSEDE NOTES
DIMENSIONS & TOLERANCES SHALL BE INTERPRETED
IN ACCORDANCE WITH ASME Y14.5-2018



COPYRIGHT 2021, CLEARPATH ROBOTICS INC.
LICENSED UNDER THE SOLDERPAD HARDWARE LICENSE V2.1
(THE "LICENSE"); YOU MAY NOT USE THIS FILE EXCEPT IN COMPLIANCE
WITH THE LICENSE, OR, AT YOUR OPTION, THE APACHE LICENSE
VERSION 2.0. YOU MAY OBTAIN A COPY OF THE LICENSE AT
<https://solderpad.org/licenses/SHL-2.1/>

DRAFT

AP

23 FEB 2022

ITEM
NAME

CABLE, USB 3.0 USB-B 90° MALE TO USB-A
MALE, 200mm

PAPER 432 X 279

SCALE 1:1

DO NOT SCALE

ITEM
NUMBER

025943

SHEET 1 OF 1

REV.
1