#### Intro: Url Endpoints used

App menu tree:

Main menu - https://mylinks.aghayev.com/api

Sub menu: https://mylinks.aghayev.com/api/subcategories

Menu page: https://mylinks.aghayev.com/api/weblinks/{slug}

#### Intro: App folder structure

```
App router:
    app/
                 Navbar.js – ISR, fetch { revalidate: 10 }
                 weblinks/[slug]/page.tsx -
                 SSG – generateStaticParams
                 protected/*
                 services/*
                 lib/*
```

#### Navbar.js – ISR

ISR – Incremental Static Regeneration.

#### Used if page content depends on external data

```
App Router:
const res = await fetch('https://.../posts',{ next: { revalidate: 10 } })

Pages Router:
export async function getStaticProps() {
  const res = await fetch('https://.../posts')
  const posts = await res.json()
  return { props: { posts }, revalidate: 10 }
}

npm run build
Result: If client-side data fetch - static site data stale for 10 seconds, then re-fetches.
If SSR and revalidate used - data re-fetched every 10 seconds
```

#### weblinks/[slug]/page.tsx - SSG

SSG - Static Site Generation

Used for statically generate routes

```
App router, app/weblinks/[slug]/page.tsx:
export async function generateStaticParams() {
  const res = await fetch('https://.../subcategories')
 const categories = await res.json()
return categories.map(({ slug }) => ({
  slug: slug,
                                         /weblinks/[slug]
                                                                                       182 B
                                                                                                        87.4 kB
                                              /weblinks/general
                                              /weblinks/finance
Pages router:
                                              /weblinks/my-livejournal
                                              [+13 more paths]
getStaticPaths()
                                            (SSG)
                                                      prerendered as static HTML (uses getStaticProps)
npm run build
```

# App Router file convension loading.js

```
app/weblinks/[slug]/loading.tsx
export default function Loading() {
  return Loading...
}
```

#### Capacitor Installation, page 1

package.json

"static": "next build && next export" next.config.mjs

const nextConfig = { output: 'export'}

export default nextConfig capacitor.config.js

..."webDir": "out"


#### Capacitor installation, page 2


Installation: npm i @capacitor/core npm i -D @capacitor/cli npx cap init npm i @capacitor/android @capacitor/ios Build time: npm run build npx cap add ios (npx cap add android) npx cap sync (next.js codebase translation to ios/ or android/ codebase) - if fails for ios/ - see Capacitor Installation 3 npx cap open ios (or npx cap open android – opens Xcode IDE or Android Studio)


#### Capacitor Installation, page 3


#### For ios/ on some Macs build fails


To fix: follow this: Xcodeproj CocoaPods




















#### Resources:

- 1. Next. Js Mobile App in minutes with Capacitor
- 2. Capacitor Installation Instruction
- 3. Adding Signing Capabilities to your IOS App
- 4. Next. Js SSG and ISR
- 5. Next. Js App Router Migration