

ATS Warehouse Monitoring

CO₂ & PH₃ Monitoring API

API Reference — Endpoints, Filters & Response Bodies

Base URL	<code>https://co2ph3master.agiletech.net.in/api</code>
Format	JSON (UTF-8)
Endpoints	6
Version / Date	1.0 — 05 Oct 2026

1. Overview

These APIs provide live and historical CO₂ and PH₃ (phosphine) gas readings from warehouse sensors, alert severity, device online/offline status, dashboard counts.

Base URL

`https://co2ph3master.agiletech.net.in/api`
All paths in this document are relative to it.

Headers

Accept: `application/json`
Content-Type: `application/json` (POST)

Device Type IDs

`30000` = CO₂ `30001` = PH₃

Severity Levels

`normal` · `severe` · `critical` · `unknown` (no value / offline)

Device Status

`online` · `offline`

Dates

Filters accept `YYYY-MM-DD` (some also `DD/MM/YYYY`). Times are IST unless they end in `Z` (UTC).

ID REFERENCE

Regions and warehouses are identified by different ids. Use the correct one for each API:

Id	Source	Used by
<code>base_id</code> / <code>id</code>	This system	<code>state</code> & <code>location</code> filters of <code>/master-alerts</code> , <code>/master-alerts/{id}</code> , <code>/master-alerts/export</code>
<code>nms_id</code>	NMS	<code>/master-alert-summary/dashboard/{warehouseNmsId}</code> , <code>/master-alerts/devices/{warehouseNmsId}</code>

COMMON ERRORS

Status	Meaning	Body
404	Resource (warehouse / alert) not found	<code>{"message": "Warehouse not found."}</code>
422	Invalid filter or body value	<code>{"message": "...", "errors": {"field": ["..."]}}</code> or <code>{"success": false, "message": "..."}</code>

TYPICAL FLOW (ALERTS SCREEN)

1) GET `/master-alert-summary/dashboard` → dashboard cards 2) GET `/master-alerts?state=...&location=...&deviceTypeId=...&alertType=...` → alert table 3) GET `/master-alerts/{id}` → alert details 4) GET `/master-alerts/export` with the same filters → CSV.

2. Endpoint Index

#	Method	Path	Purpose
Dashboard & Summary			
1	GET	/master-alert-summary/dashboard/{warehouseNmsId?}	Live Dashboard (CO2 + PH3)
2	GET	/master-alerts/summary	Historical Severity Summary
Alerts & Readings			
3	GET	/master-alerts	Alert / Reading List (Master)
4	GET	/master-alerts/{id}	Alert Details
5	GET	/master-alerts/export	Export Alerts (CSV)
Devices			
6	GET	/master-alerts/devices/{warehouseNmsId?}	Device List with Latest Reading

Dashboard & Summary

1 Live Dashboard (CO2 + PH3)

GET /master-alert-summary/dashboard/{warehouseNmsId?}

Current-state dashboard. Counts are calculated from each sensor's **latest** reading: total devices, online/offline and normal/severe/critical split for CO2 and PH3, overall and per warehouse (location). Results are cached for 20 seconds.

PATH PARAMETERS

Name	Type	Required	Description
warehouseNmsId	integer	No	Optional. Warehouse nms_id . When given, the dashboard is limited to that one warehouse.

QUERY PARAMETERS

Name	Type	Required	Description
state	string	No	Region name, case-insensitive (e.g. KOLKATA).
location	string	No	Warehouse name, case-insensitive exact match (e.g. MALDA (PEG)).
fromDate	date	No	Only sensors whose latest reading is on/after this date. YYYY-MM-DD = start of day; ISO date-time is used as-is.
toDate	date	No	Only sensors whose latest reading is on/before this date. Must be ≥ fromDate .

EXAMPLE REQUEST

GET https://co2ph3master.agiletech.net.in/api/master-alert-summary/dashboard/185
GET https://co2ph3master.agiletech.net.in/api/master-alert-summary/dashboard?state=KOLKATA&fromDate=2026-10-01&toDate=2026-10-05

EXAMPLE RESPONSE 200 OK

```
{
  "overall": {
    "totalIotDevices": 20,
    "totalSensorsCO2": 10,
    "totalSensorsPH3": 10,
    "totalOnlineCO2": 6,
    "totalOfflineCO2": 4,
    "totalOnlinePH3": 3,
    "totalOfflinePH3": 7,
    "totalNormalCO2": 9,
    "totalSevereCO2": 1,
    "totalCriticalCO2": 0,
    "totalNormalPH3": 10,
    "totalSeverePH3": 0,
    "totalCriticalPH3": 0
  },
  "locationWise": {
    "MALDA (PEG) -KOLKATA": {
      "state": "KOLKATA",
      "totalIotDevices": 20,
      "totalSensorsCO2": 10,
      "totalSensorsPH3": 10,
      "onlineCO2": 6,
```

```

    "offlineCO2": 4,
    "onlinePH3": 3,
    "offlinePH3": 7,
    "normalCO2": 9,
    "severeCO2": 1,
    "criticalCO2": 0,
    "normalPH3": 10,
    "severePH3": 0,
    "criticalPH3": 0,
    "locationName": "MALDA(PEG)"
  }
}
}

```

RESPONSE FIELDS

Field	Type	Description
overall.totalIotDevices	int	Total CO2 + PH3 sensors matching the filters.
overall.totalSensorsCO2 / totalSensorsPH3	int	Sensor count per gas.
overall.totalOnline* / totalOffline*	int	Status split per gas. Anything not online counts as offline.
overall.totalNormal* / totalSevere* / totalCritical*	int	Severity split per gas from the latest reading. Unknown/empty level counts as normal.
locationWise	object	Keyed by WAREHOUSE-STATE (upper case). Same counters per warehouse plus state and locationName.

ERROR RESPONSES

Status	When	Body
404	warehouseNmsId not found	{"message": "Warehouse not found.", "warehouseNmsId": "999"}
422	Invalid date / toDate before fromDate	{"message": "...", "errors": {"toDate": ["..."]}}

2 Historical Severity Summary

GET /master-alerts/summary

Total count of **all historical readings** by severity for CO2 and PH3, plus a `selectedSummary` block for the requested gas.

QUERY PARAMETERS

Name	Type	Required	Description
<code>deviceId</code>	integer	No	30000 = CO2 (default), 30001 = PH3. Only changes <code>selectedSummary</code> .

EXAMPLE REQUEST

GET https://co2ph3master.agiletech.net.in/api/master-alerts/summary?deviceId=30001

EXAMPLE RESPONSE **200 OK**

```
{
  "overall": {
    "totalNormalCO2": 465727,
    "totalSevereCO2": 908171,
    "totalCriticalCO2": 59522,
    "totalNormalPH3": 523952,
    "totalSeverePH3": 752,
    "totalCriticalPH3": 472526
  },
  "selectedSummary": {
    "deviceId": 30001,
    "gasType": "PH3",
    "normal": 523952,
    "severe": 752,
    "critical": 472526
  }
}
```

Notes

- No date or location filter is available; counts cover the full readings history.
- Any invalid `deviceId` silently falls back to CO2 (30000).

Alerts & Readings

3 Alert / Reading List (Master)

GET /master-alerts

Paginated list of CO2 and PH3 readings, newest first, with each row's severity as `alertType` . This is the main list API for the alerts screen.

QUERY PARAMETERS

Name	Type	Required	Description
<code>deviceTypeId</code>	integer	No	30000 = CO2, 30001 = PH3. Omit for both gases.
<code>state (alias region)</code>	integer	No	Region <code>base_id</code> (e.g. 15 = Kolkata). <code>all</code> is ignored.
<code>location (alias warehouse)</code>	integer	No	Warehouse <code>base_id</code> (e.g. 169 = MALDA(PEG)). <code>all</code> is ignored.
<code>alertType (alias alert_type)</code>	string	No	<code>normal severe critical</code> . <code>normal</code> returns everything that is not severe/critical (including unknown).
<code>device</code>	string	No	Partial match on device code or device name (e.g. <code>C02-1</code> , <code>192_168_99</code>).
<code>fromDate (alias from_date)</code>	date	No	Start date. <code>YYYY-MM-DD</code> or <code>DD/MM/YYYY</code> ; start of day.
<code>toDate (alias to_date)</code>	date	No	End date. Same formats; end of day (23:59:59).
<code>pageNumber (alias page)</code>	integer	No	Page number, default 1 .
<code>pageSize</code>	integer	No	Rows per page, default 20 , max 500 .

EXAMPLE REQUEST

GET `https://co2ph3master.agiletech.net.in/api/master-alerts?deviceTypeId=30000&alertType=critical&state=6&fromDate=2026-10-01&toDate=2026-10-05&pageNumber=1&pageSize=20`

EXAMPLE RESPONSE **200 OK**

```
{
  "totalCount": 59522,
  "pageNumber": 1,
  "pageSize": 1,
  "data": [
    {
      "id": 13370092,
      "base_id": 81,
      "frs_id": "259",
      "nms_id": 117,
      "region_base_id": 6,
      "region_frs_id": "6",
      "region_nms_id": 4,
      "deviceCode": "C02_192_168_99_11_1",
      "deviceName": "C02-1",
      "deviceType": "C02",
      "shadName": "G1",
      "columnName": "CA",
      "locationName": "TOHANA(PEG)",
      "location": "TOHANA(PEG)",
      "regionCode": "RE-PAN",
      "warehouseCode": "WH081",
      "city": "TOHANA(PEG)",
    }
  ]
}
```

```

    "state": "PANCHKULA",
    "pinCode": null,
    "deviceValue": 65534,
    "unit": "ppm",
    "deviceIp": "192.168.99.11",
    "alertType": "CRITICAL",
    "recordTime": "2026-10-05T12:13:37.000",
    "regDate": "2026-10-05T12:14:51.000",
    "deviceTypeId": 30000,
    "deviceStatus": "Online"
  }
]
}

```

RESPONSE FIELDS

Field	Type	Description
totalCount	int	Total rows matching the filters.
id	int	Reading id (use with Alert Details).
base_id / frs_id / nms_id	int / string / int	Warehouse ids in this system / FRS / NMS.
region_base_id / region_frs_id / region_nms_id	int / string / int	Region ids in this system / FRS / NMS.
deviceCode, deviceName, deviceType	string	Sensor identity. deviceType is CO2 or PH3 .
shadName / columnName	string	Godown / compartment.
locationName, location, city	string	Warehouse name (city falls back to warehouse name).
state, regionCode, warehouseCode	string	Region name and codes.
deviceValue	number "N/A"	Reading value; N/A when the device sent no value.
unit	string	Usually ppm .
alertType	string	NORMAL SEVERE CRITICAL UNKNOWN (no value).
recordTime / regDate	datetime	Reading time / row creation time (IST, Y-m-d\TH:i:s.v).
deviceTypeId	int	30000 (CO2) or 30001 (PH3).
deviceStatus	string	Online Offline .

Notes

- An unknown state / location id returns an empty list (not an error).
- Any deviceTypeId other than 30001 is treated as CO2.

4 Alert Details

GET /master-alerts/{id}

Returns one row from /master-alerts by its `id`.

PATH PARAMETERS

Name	Type	Required	Description
id	integer	Yes	Reading id from the alert list.

QUERY PARAMETERS

Name	Type	Required	Description
deviceTypeId, state, location, alertType, device, fromDate, toDate		No	Same filters as /master-alerts (optional).

EXAMPLE REQUEST

GET https://co2ph3master.agiletech.net.in/api/master-alerts/13334026

EXAMPLE RESPONSE 200 OK

```
{
  "data": {
    "id": 13334026,
    "base_id": 81,
    "frs_id": "259",
    "nms_id": 117,
    "region_base_id": 6,
    "region_frs_id": "6",
    "region_nms_id": 4,
    "deviceCode": "PH3_192_168_221_30_1",
    "deviceName": "PH3-10",
    "deviceType": "PH3",
    "shadName": "G1",
    "columnName": "CA",
    "locationName": "TOHANA(PEG)",
    "location": "TOHANA(PEG)",
    "regionCode": "RE-PAN",
    "warehouseCode": "WH081",
    "city": "TOHANA(PEG)",
    "state": "PANCHKULA",
    "pinCode": null,
    "deviceValue": "N/A",
    "unit": "ppm",
    "deviceIp": "192.168.99.11",
    "alertType": "UNKNOWN",
    "recordTime": "2026-10-05T12:13:37.000",
    "regDate": "2026-10-05T12:14:51.000",
    "deviceTypeId": 30001,
    "deviceStatus": "Offline"
  },
  "deviceTypeId": null,
  "gasType": "ALL"
}
```

ERROR RESPONSES

Status	When	Body
404	Id not found in the search window	<code>{"message": "Alert not found."}</code>

Notes

- The lookup searches only the latest 10,000 rows that match the filters. For older readings, pass `fromDate / toDate` or `deviceId` to narrow the window.

5 Export Alerts (CSV)

GET /master-alerts/export

Downloads the alert list as a CSV file (master-alerts-C02.csv or master-alerts-PH3.csv).

QUERY PARAMETERS

Name	Type	Required	Description
deviceTypeId, state, location, alertType, device, fromDate, toDate		No	Same filters as /master-alerts.

EXAMPLE REQUEST

GET https://co2ph3master.agiletech.net.in/api/master-alerts/export?deviceTypeId=30001&alertType=critical&fromDate=2026-10-01

Notes

- Response is text/csv with columns: id, shadName, columnName, locationName, city, state, pinCode, deviceValue, deviceIp, alertType, recordTime, regDate, deviceTypeId, deviceStatus.
- Maximum 10,000 rows per export (newest first).

Devices

6 Device List with Latest Reading

GET /master-alerts/devices/{warehouseNmsId?}

Every CO2/PH3 sensor with its latest reading, level and online status.

PATH PARAMETERS

Name	Type	Required	Description
warehouseNmsId	integer	No	Warehouse nms_id . Can also be sent as query warehouseNmsId , warehouse_nms_id , nms_id , warehouseId or warehouse_id .

QUERY PARAMETERS

Name	Type	Required	Description
deviceTypeId	integer	No	30000 = CO2, 30001 = PH3. Omit for both.
pageNumber (alias page)	integer	No	Default 1 .
pageSize	integer	No	Default 20 , max 500 .

EXAMPLE REQUEST

GET https://co2ph3master.agiletech.net.in/api/master-alerts/devices/185?deviceTypeId=30001&pageSize=20

EXAMPLE RESPONSE 200 OK

```
{
  "data": [
    {
      "id": "PH3_192_168_221_30_1",
      "code": "PH3_192_168_221_30_1",
      "name": "PH3-10",
      "region": "KOLKATA",
      "regionCode": "RE-KOL",
      "warehouse": "MALDA(PEG)",
      "warehouseCode": "WH169",
      "type": "PH3",
      "location": "G4 / CB",
      "latestReading": "N/A",
      "unit": "ppm",
      "latestReadingTime": "2026-10-05T12:41:14.000",
      "level": "unknown",
      "status": "offline",
      "deviceIp": "192.168.221.30"
    }
  ],
  "totalCount": 10,
  "pageNumber": 1,
  "pageSize": 20,
  "totalPages": 1,
  "warehouseNmsId": 185,
  "warehouseId": 185,
  "deviceTypeId": 30001,
  "gasType": "PH3"
}
```

RESPONSE FIELDS

Field	Type	Description
location	string	godown / compartment.
latestReading	number "N/A"	Latest value.
level	string	normal severe critical unknown.
status	string	online offline.
gasType	string	C02 , PH3 or ALL.

ERROR RESPONSES

Status	When	Body
404	warehouseNmshd not found	{"message": "Warehouse not found."}
422	Invalid deviceTypeId	{"message": "Invalid deviceTypeId. Use 30000 for C02 or 30001 for PH3."}