

Installing The Really Big Files Plugin

The RBF Plugin is not yet in the wordpress directory, this may take a short time based on the review process.


For now, upload the .zip file to install the plugin.

Sign into your wordpress dashboard.

Click “Plugins”.


Click “Add New”

fig. 1




Select the “Upload” link.

fig. 2




Select “Choose File”. Use your File Explorer, or Finder to locate the “really-big-files.zip” plugin archive. Click “Install Now”.

fig 3.




Once uploaded, select “Activate Plugin”

fig 4.



You should be notified that the plugin has been installed. The plugin should also now appear in your list of installed and active plugins.

fig 5.



The screenshot shows the WordPress 'Plugins' management page. At the top, there's a 'Plugins' header with an 'Add New' button. Below it, a yellow notification bar says 'Plugin activated.' The page shows a list of 8 plugins, with 6 active and 2 inactive. The 'Really Big Files' plugin is highlighted with a pink arrow and a pink 'installed' stamp. The 'Hello Dolly' plugin is also highlighted with a pink 'installed' stamp.

Screen Options

Plugins [Add New](#)

Plugin activated.

All (8) | Active (6) | Inactive (2)


Bulk Actions [Apply](#)

Plugin	Description
<input type="checkbox"/> Akismet Activate Edit Delete	Used by millions, Akismet is quite possibly the best way in the world to protect your blog from comment and trackbacks. To get started: 1) Click the "Activate" link to the left of this plugin. 2) Sign up for an Akismet API key, and 3) Go to your Akismet configuration page, and save your API key. Version 2.5.9 By Automattic Visit plugin site
<input type="checkbox"/> Alpine Basics Deactivate Edit	Collection of Alpine Customizations optimizing WordPress Version 1.0 By Alpine Internet Team Visit plugin site
<input type="checkbox"/> Amazon S3 Uploads Deactivate Edit	Moves your uploads to Amazon S3 via cron jobs. Version 1.9.4 By Artem Titkov Visit plugin site
<input type="checkbox"/> Audio player Settings Deactivate Edit	Audio Player is a highly configurable but simple mp3 player for all your audio needs. You can customise the player to match your blog theme, have it automatically show track information from the encoded ID3 tags and more. Go to the settings page to start configuring it. Version 2.0.4.6 By Martin Laine Visit plugin site
<input type="checkbox"/> Hello Dolly Activate Edit Delete	This is not just a plugin, it symbolizes the hope and enthusiasm of an entire generation summed up in two words of the past century: Hello, Dolly. When activated you will randomly see a lyric from Hello, Dolly in the upper admin area. Version 1.6 By Matt Mullenweg Visit plugin site
<input type="checkbox"/> Invisible Captcha Deactivate Edit	Smart invisible captcha protects your blog from spam comments. Version 0.6.7 By Andrey Sorvin Visit plugin site
<input type="checkbox"/> Really Big Files Deactivate Edit	Really big files are a headache. They usually exceed the upload limits of your web server. The Really Big Files plugin uses the Transloadit service to provide a convenient uploader and URL generator for your Really Big Files. Version 1.0.0 By Brian Cash Visit plugin site

Configuring the Really Big Files Plugin


While in the dashboard, select “Settings”, then “Really Big Files”.

fig 6.



Add your Transloadit auth key, then the template id you would like executed by Transloadit. Click “Save”.


fig 7.



Using the Really Big Files Plugin


From the WordPress Dashboard, select “Media”, then “Really Big Files”.

fig. 8



The Really Big Files plugin page consists of a small upload form and a log of the 50 previous uploads in descending date order.

fig 9.



Really Big Files

Upload New Really Big File

No file chosen

Really big files are a headache. They usually exceed the upload limits of your web server. RBF uses the Transloadit service to provide a convenient uploader and URL generator for your Really Big Files. Transloadit handles the file uploading, conversion & other processing for your website or app. They can process video, audio, images and documents.

Really Big Files

Filename	Size	Type	Uploaded
puffinpair.jpg	4875	image/jpeg	2013-11-03 21:47:30
url: >>			
puffinpair.jpg	4875	image/jpeg	2013-11-03 21:38:09
url: >>			

Selecting a file to upload, then clicking on upload will trigger transloadit's upload routine.

fig. 10

Dashboard

Posts

Media

Pages

Comments

Appearance

Plugins

Users

Tools

Settings

Sermons

Collapse menu

Really Big Files

Upload New Really Big File

No file chosen

Really big files are a headache. They usually exceed the upload limits of your web server. RBF uses the Transloadit service to provide a convenient uploader and URL generator for your Really Big Files. Transloadit handles the file uploading, conversion & other processing for your website or app. They can process video, audio, images and documents.

Really Big Files

Filename		Cancel	Uploaded
buildingfront.132802.114714_17B553C8.png	68%		2013-11-04 17:12:05
Processing files			
url: http://bendfp.s3.amazonaws.com/sermons/ed/707a91ea3eb9407506938d7689391d/buildingfront.132802.114714_17B553C8.png >>			
puffinpair.jpg	4875	image/jpeg	2013-11-03 21:47:30
url: http://bendfp.s3.amazonaws.com/sermons/90/d366c54e135621f227c253a43bc98e/puffinpair.jpg >>			
puffinpair.jpg	4875	image/jpeg	2013-11-03 21:38:09
url: http://bendfp.s3.amazonaws.com/test/puffinpair.jpg >>			

Thank you for creating with WordPress.

Version 3.7.1

fig. 11

new file appears in log


Example use of the upload log within WordPress

Add to a sermons podcast

From the dashboard of the sermons WordPress...


Click "Media", then open "Really Big Files".

fig. 12



Select the mp3 file from your local hard drive using your Windows Explorer (or Finder if Mac), click "Upload".

fig. 13



When the upload is done, select and copy the url of the mp3 file. The newest file uploaded should be on the top of the listing.

fig. 14

Really big files are a headache. They usually exceed the upload limits of your web server. RBF uses the Transloadit service to provide a convenient way to upload, convert, and process large files. They can process video, audio, images and documents.

Really Big Files

Filename	Size	Type
puffinpair.jpg	4875	image/jpeg
url: http://bendfp.s3.amazonaws.com/sermons/90/d366c54e135621f227c253a43bc98e/puffinpair.jpg >>		
puffinpair.jpg	4875	image/jpeg
url: http://bendfp.s3.amazonaws.com/test/puffinpair.jpg >>		

When the upload is done,
select and copy the url.

The newest uploads show on top.

When you add the sermon to the sermons database, simply select “Link to remote file” and paste the path to the file you just uploaded.

Finish entering data about the sermon as you would normally.

fig. 15

The screenshot shows a web application interface for adding a sermon. The left sidebar contains a navigation menu with items like Dashboard, Posts, Media, Pages, Comments, Appearance, Plugins, Users, Tools, Settings, and Sermons. The main content area is titled 'Add Sermon' and includes the following sections:

- Select an MP3 file here to have the Add Sermons form pre-filled using ID3 tags.**
 - File to upload:** A button labeled 'Choose File' and a text field showing 'No file chosen'. An arrow labeled '1.' points to the 'Choose File' button.
 - URL to import:** A text field and an 'Import >' button. An arrow labeled '2.' points to the 'Link to remote file' radio button.
 - Choose existing file:** A dropdown menu showing 'No files found' and a 'Select >' button.
- Enter sermon details**
 - Title:** A text field with a placeholder 'Tags (comma separate...)'. An annotation says 'When you add the sermon,'.
 - Preacher:** A dropdown menu showing 'Author Jane Kirkpatrick'.
 - Date (yyyy-mm-dd):** A text field with a calendar icon.
 - Service:** A dropdown menu showing 'Sunday Message'.
 - Time:** A text field and a checkbox labeled 'Override default time'.
 - Description:** A large text area.
- Bible passage (add more)**
 - From:** A dropdown menu and a text field.
 - To:** A dropdown menu and a text field.
- Attachments (add more)**
 - Choose existing file:** A dropdown menu showing 'No files found'.

At the bottom of the form is a 'Save >' button. Red text annotations provide instructions: '1. Paste the url into the "URL to import" field.' and '2. Set "Link to remote file".' followed by 'Complete the rest of the sermon form as you would normally do.'