

# Example document to recreate with beamer in L<sup>A</sup>T<sub>E</sub>X

Annemarie Timmers

FALL 2019

Markup Languages and Reproducible Programming in Statistics

# Outline

## Working with equations

- Aligning the same equations

- Omit equation numbering

- Ugly alignment

## Discussion

# Working with equations

We define a set of equations as

$$a = b + c^2, \tag{1}$$

$$a - c^2 = b, \tag{2}$$

$$\text{left side} = \text{right side}, \tag{3}$$

$$\text{left side} + \text{something} \geq \text{right side}, \tag{4}$$

for all something  $> 0$ .

## Aligning the same equations

Aligning the equations by the equal sign gives a much better view into the placements of the separate equation components.

$$a = b + c^2, \tag{5}$$

$$a - c^2 = b, \tag{6}$$

$$\text{left side} = \text{right side}, \tag{7}$$

$$\text{left side} + \text{something} \geq \text{right side}, \tag{8}$$

## Omit equation numbering

Alternatively, the equation numbering can be omitted.

$$a = b + c^2$$

$$a - c^2 = b$$

left side = right side

left side + something  $\geq$  right side

## Ugly alignment

Some components do not look well, when aligned. Especially equations with different heights and spacing. For example,

$$E = mc^2 \tag{9}$$

$$m = \frac{E}{c^2} \tag{10}$$

$$c = \sqrt{\frac{E}{m}} \tag{11}$$

Take that into account.

# Discussion

This is where you'd normally give your audience a recap of your talk, where you could discuss e.g. the following

- ▶ Your main findings
- ▶ The consequences of your main findings
- ▶ Things to do
- ▶ Any other business not currently investigated, but related to your talk