Submission Worksheet

Submission Data

Course: IT114-450-M2025
Assignment: IT114 - Milestone 3 - RPS
Student: Anthony L. (agl8)
Status: Submitted | **Worksheet Progress:** 97%
Potential Grade: 9.73/10.00 (97.30%)
Received Grade: 0.00/10.00 (0.00%)
Started: 12/19/2025 8:04:29 PM
Updated: 12/19/2025 11:31:39 PM
Grading Link: https://learn.ethereallab.app/assignment/v3/IT114-450-M2025/it114-milestone-3-rps/grading/agl8
View Link: https://learn.ethereallab.app/assignment/v3/IT114-450-M2025/it114-milestone-3-rps/view/agl8

Instructions

1. Refer to Milestone3 of Rock Paper Scissors
    1. Complete the features
2. Ensure all code snippets include your ucid, date, and a brief description of what the code does
3. Switch to the `Milestone3` branch
    1. `git checkout Milestone3`
    2. `git pull origin Milestone3`
4. Fill out the below worksheet as you test/demo with 3+ clients in the same session
5. Once finished, click "Submit and Export"
6. Locally add the generated PDF to a folder of your choosing inside your repository folder and move it to Github
    1. `git add .`
    2. `git commit -m "adding PDF"
    3. `git push origin Milestone3`
    4. On Github merge the pull request from `Milestone3` to `main`
7. Upload the same PDF to Canvas
8. Sync Local
    1. `git checkout main`
    2. `git pull origin main`

Section #1: (1 pt.) Core Ui

Progress: 100%

Task #1 (0.50 pts.) - Connection/Details Panels

Progress: 100%

Part 1:

Progress: 100%

Details:

- Show the connection panel with valid data

- Show the user details panel with valid data



connection panel with valid data



details panel with valid data

Saved: 12/19/2025 10:05:58 PM

Part 2:

Progress: 100%

Details:

- Briefly explain the code flow from recording/capturing these details and passing them through the connection process

Your Response:

ConnectionView grabs host and port, UserDetailsView grabs the username, then ClientUI.connect() uses all three to open a socket and send the CLIENT_CONNECT payload to the server.

Saved: 12/19/2025 10:05:58 PM

Task #2 (0.50 pts.) - Ready Panel

Progress: 100%

Part 1:

Progress: 100%

Details:

- Show the button used to mark ready
- Show a few variations of indicators of clients being ready (3+ clients)



button used to mark ready



few variations of indicators of clients being ready (3+ clients)

Saved: 12/19/2025 10:06:10 PM

Part 2:

Progress: 100%

Details:

- Briefly explain the code flow for marking READY from the UI
- Briefly explain the code flow from receiving READY data and updating the UI

Your Response:

When user clicks ready the system sends a ready payload to the server which updates the users ready state in the gameroom and broadcasts the readypayload to all users and updates ready indictators.

Saved: 12/19/2025 10:06:10 PM

Section #2: (2 pts.) Project Ui

Progress: 86%

Task #1 (0.67 pts.) - User List Panel

Progress: 59%

Details:

- Show the username and id of each user
- Show the current points of each user
- Users should appear in score order, sub-sort by name when ties occur
- Pending-to-pick users should be marked accordingly
- Eliminated users should be marked accordingly

Part 1:

Progress: 18%

Details:

- Show various examples of points (3+ clients visible)
    - Include code snippets showing the code flow for this from server-side to UI
- Show that the sorting is maintained across clients
    - Include code snippets showing the code that handles this
- Show various examples of the pending-to-pick indicators
    - Include code snippets showing the code flow for this from server-side to UI
- Show various examples of elimination indicators
    - Include code snippets showing the code flow for this from server-side to UI



Missing Caption



Missing Caption





Missing Caption



Missing Caption



Missing Caption



Missing Caption



Missing Caption



Missing Caption

Saved: 12/19/2025 9:19:26 PM

Part 2:

Progress: 100%

Details:

- Briefly explain the code flow for points updates from server-side to the UI
- Briefly explain the code flow for user list sorting
- Briefly explain the code flow for server-side to UI of pending-to-pick indicators
- Briefly explain the code flow for server-side to UI of elimination indicators

Your Response:

when points or status changes on the server it sends a payload to all users, then the client updates the matching user in the list and sorts everyone by points then name.

Saved: 12/19/2025 9:19:26 PM

Task #2 (0.67 pts.) - Game Events Panel

Progress: 100%

Details:

- Show the status of users picking choices
- Show the battle resolution messages from Milestone 2
    - Include messages about elimination
- Show the countdown timer for the round

Part 1:

Progress: 100%

Details:

- Show various examples of each of the messages/visuals
- Show code snippets related to these messages from server-side to UI



various examples of each of the messages/visuals



Countdown timer

Saved: 12/19/2025 10:07:21 PM

Part 2:

Progress: 100%

Details:

- Briefly explain the code flow for generating these messages and getting them onto the UI

Your Response:

The gameroom sends game event messages to all users using a special channel id and the game events panel checks for that id and displays the message.

Saved: 12/19/2025 10:07:21 PM

Task #3 (0.67 pts.) - Game Area

Progress: 100%

Details:

- UI should have components to allow the user to select their choice

Part 1:

Progress: 100%

Details:

- Show various examples of selections across clients (3+ clients visible)
- Show the code related to sending choices upon selection
- Show the code related to showing visually what was selected



examples of selections across clients



examples of selections across clients

Saved: 12/19/2025 10:07:43 PM

Part 2:

Progress: 100%

Details:

- Briefly explain the code flow for selecting a choice and having it reach the server-side
- Briefly explain the code flow for receiving the selection for the current player to update the UI

Your Response:

When user clicks a choice button the system sends a pick payload to the server which validates it and sends back a confirmation that the client uses to update the ui.

Saved: 12/19/2025 10:07:43 PM

Section #3: (4 pts.) Project Extra Features

Progress: 100%

Task #1 (2 pts.) - Extra Choices

Progress: 100%

Details:

- Setting should be toggleable during Ready Check by session creator
  - (Option 1) Extra choices are available during the full session
  - (Option 2) Only activate extra options at different stages (i.e., last 3 players remaining)
- There should be at least 2 extra options for rps-5

Part 1:

Progress: 100%

Details:

- Show the Ready Check screen with the option for the host (3+ clients must be visible)
  - Show the related code that makes this interactable only for the host
- Show the play screen with the extra options available
  - Show the related code for the UI and handling of these extra options (including battle logic)



Ready Check screen with the option for the host and play screen with the extra options available

Saved: 12/19/2025 10:08:21 PM

Part 2:

Progress: 100%

Details:

- Briefly explain the code for the host's option to toggle this feature
- Briefly explain the code related to handling these options including how it's handled during

the battle logic
- Note which option you went with in terms of activating the choices

Your Response:

When host toggles rps5 checkbox it sends the setting to the server which checks theyre the host then broadcasts to everyone so the extra buttons show up. Used option 1 so theyre available the whole session.

Saved: 12/19/2025 10:08:21 PM

Task #2 (2 pts.) - Choice cooldown

Progress: 100%

Details:

- Setting should be toggleable during Ready Check by session creator
- The choice on cooldown must be disable on the UI for the User

Part 1:

Progress: 100%

Details:

- Show the Ready Check screen with the option for the host (3+ clients must be visible)
  - Show the related code that makes this interactable only for the host
- Show a few examples of the play screen with the choice on cooldown
  - Show the related code for the UI and handling of the cooldown and server-side enforcing it



Ready Check screen with the option for the host





examples of the play screen with the choice on cooldown

Saved: 12/19/2025 10:08:57 PM

Part 2:

Progress: 100%

Details:

- Briefly explain the code for the host's option to toggle this feature
- Briefly explain the code related to handling and enforcing the cooldown period (include how this is recorded per user and reset when applicable)

Your Response:

The server remembers what each user picked last round and rejects if they try the same one when cooldown is on, and the client disables that button after picking.

Saved: 12/19/2025 10:08:57 PM

Section #4: (2 pts.) Project General Requirements

Progress: 100%

Task #1 (1 pt.) - Away Status

Progress: 100%

Details:

- Clients can mark themselves away and be skipped in turn flow but still part of the game
- The status should be visible to all participants
- A message should be relayed to the Game Events Panel (i.e., Bob is away or Bob is no longer away)
- The user list should have a visual representation (i.e., grayed out or similar)

Part 1:

Progress: 100%

Details:


- Show the UI button to toggle away
- Show the related code flow from UI to server-side back to UI for showing the status
- Show the related code flow for sending the message to Game Events Panel
- Show various examples across 3+ clients of away status (including Game Events Panel

messages)

- Show the code that ignores an away user from turn/round logic



Show the UI button to toggle away



Show various examples across 3+ clients of away status (including Game Events Panel messages)

Saved: 12/19/2025 10:09:16 PM

Part 2:

Progress: 100%

Details:

- Briefly explain the code flow for the away action from UI to server-side and back to UI
- Briefly explain how the server-side ignores the user from turn/round logic

Your Response:

When user clicks away button the server flips their away status and tells everyone so the ui updates, and the game logic skips them for battles since theyre marked away.

Saved: 12/19/2025 10:09:16 PM

Task #2 (1 pt.) - Spectators

Progress: 100%

Details:


- Spectators are users who didn't mark themselves ready
    - Optionally you can include a toggle on the Ready Check page
- The can see all chat but are ignored from turn/round actions and can't send messages
- Spectators will have a visual representation in the user list to distinguish them from other players
- A message should be relayed to the Game Events Panel that a spectator joined (i.e., during an in-progress session)

Part 1:

Progress: 100%

Details:

- Show the UI indicator of a spectator (visual and message)
- Show the related code flow from UI to server-side back to UI for showing the status
- Show the related code flow for sending the message to Game Events Panel
- Show various examples across 3+ clients of spectator status (including Game Events Panel messages)
- Show the code that ignores a spectator from turn/round logic
- Show the code that prevents spectators from sending messages (server-side)
- Show the spectator's view of the session
- Show the code related to the spectator seeing the session data (including things participants won't see)



Spectator POV - attempting to pick an option.

Saved: 12/19/2025 10:09:46 PM

Part 2:

Progress: 100%

Details:

- Briefly explain the code flow for the spectator logic from server-side and to UI
- Briefly explain how the server-side ignores the user from turn/round logic
- Briefly explain the logic that prevents spectators from sending a message
- Briefly explain the logic that shares extra details to the spectator (information normal participants won't see)

Your Response:

Spectators are users who didnt ready up so the server skips them for turns and blocks their chat messages but they can still see all the game events and battle results.

Saved: 12/19/2025 10:09:46 PM

Section #5: (1 pt.) Misc

Progress: 100%


Task #1 (0.33 pts.) - Github Details

Progress: 100%

Part 1:

Progress: 100%

Details:
From the Commits tab of the Pull Request screenshot the commit history



commits

Saved: 12/19/2025 11:31:39 PM

Part 2:

Progress: 100%

Details:
Include the link to the Pull Request for Milestone3 to main (should end in `/pull/#`)

URL #1
https://github.com/agl8-2025/agl8-IT11[illegible]/

URL
https://github.com/agl8-2025/agl

Saved: 12/19/2025 11:31:39 PM

Task #2 (0.33 pts.) - WakaTime - Activity


Progress: 100%

Details:

- Visit the WakaTime.com Dashboard
- Click `Projects` and find your repository
- Capture the overall time at the top that includes the repository name
- Capture the individual time at the bottom that includes the file time
- Note: The duration isn't relevant for the grade and the visual graphs aren't necessary



wakatime



wakatime

Saved: 12/19/2025 11:14:03 PM

Task #3 (0.33 pts.) - Reflection

Progress: 100%

Task #1 (0.33 pts.) - What did you learn?

Progress: 100%

Details:
Briefly answer the question (at least a few decent sentences)

Your Response:

I learned how to keep game state synced between the server and multiple users

I learned how to keep game state synced between the server and multiple users using payloads and how important it is to have the server be the one source of truth.

Saved: 12/19/2025 8:49:08 PM

Task #2 (0.33 pts.) - What was the easiest part of the assignment?

Progress: 100%

Details:
Briefly answer the question (at least a few decent sentences)

Your Response:

Setting up the ui buttons and labels was pretty easy once the backend worked since I just had to call the right methods and update the display when data came back.

Saved: 12/19/2025 8:49:22 PM

Task #3 (0.33 pts.) - What was the hardest part of the assignment?

Progress: 100%

Details:
Briefly answer the question (at least a few decent sentences)

Your Response:

Debugging sync issues when users disconnected or went away was tough since I had to figure out why ids were getting messed up and why away users were still showing up in battles.

Saved: 12/19/2025 8:49:32 PM