



Eicosapentaenoic acid



IUPAC name

[hide]

(5Z,8Z,11Z,14Z,17Z)-5,8,11,14,17-
icosapentaenoic acid

Biological Psychiatry

A Journal of Psychiatric Neuroscience and Therapeutics

[Articles and Issues](#) ▾ [Press Releases](#) [Cover Images](#) [For Authors](#) ▾ [Journal Info](#) ▾ [Society Info](#) ▾ [Subscribe](#)

All Content



Search

[Advanced Search](#)

[< Previous Article](#)


Biological Psychiatry

[Volume 56, Issue 7](#), Pages 490–496, October 1, 2004

[Next Article >](#)

Suicide attempt and n-3 fatty acid levels in red blood cells: A case control study in china







Shewanella frigidimarina

An Antarctic species with the ability to produce eicosapentaenoic acid (EPA). It grows anaerobically by dissimilatory Fe (III) reduction.[1] Its cells are motile and rod shaped

EPA is obtained in the human diet by eating oily fish or fish oil, e.g. cod liver, herring, mackerel, and salmon.

Shewanella frigidimarina



Biological Psychiatry

A Journal of Psychiatric Neuroscience and Therapeutics

[Articles and Issues](#) [Press Releases](#) [Cover Images](#) [For Authors](#) [Journal Info](#) [Society Info](#) [Subscribe](#)

[All Content](#) [Search](#) [Advanced Search](#)

[< Previous Article](#)

Biological Psychiatry
Volume 56, Issue 7, Pages 490–496, October 1, 2004

[Next Article >](#)

Suicide attempt and n-3 fatty acid levels in red blood cells: A case control study in china

Who is there, and what are they making?

