ZILLION SYSTEMS
INTERNAL OPERATING DOCUMENT | v2

Cold Email Operating System

Infrastructure · Launch · Testing · Scaling · Deliverability Management — 2026

THE CORE PHILOSOPHY

The lazy approach of launching campaigns without a tight offer, clean copy, and ICP fit is dead. The meta in 2026 is maximizing engagement.
Every decision — which leads we send to first, how we write the email, how we structure the copy — must optimize for replies, not just volume. High engagement protects deliverability. Poor engagement destroys it faster than anything else.
We do not send lazy. We do not send broad on Day 1. We earn our right to volume.

01 | Infrastructure: Build What You Need + 2x Backup

Infrastructure is the foundation. If it fails, nothing else matters — not the copy, not the list, not the offer. We build for exactly 3,000/day per client: 1,500 active + 1,500 insurance.

Standard Infra Allocation Per Client

Pool	Daily Volume	Status	Notes
Active Pool	1,500 emails/day	Live sending	Group A or B depending on rotation cycle
Insurance Pool	1,500 emails/day	Warming / standby	Ready to hot-swap within hours — never touched until needed
Total Provisioned	3,000 emails/day	—	Cap per client. Scale beyond by ordering next batch proactively.

Vendors & Sourcing

Provider	Use Case	Pricing	Specs
InboxKit	Azure / Outlook inboxes (primary)	$30/domain	25 inboxes per domain included
ENDY Inboxes	Google / GSuite inboxes	$2.50/inbox/month	3 inboxes per domain — buy domain separately

Porkbun / Dynadot	Domain registration	Varies — buy on sale	.com only. .co acceptable. Avoid .info long-term.
Plusvibe	Sending platform (primary)	—	All campaign management, sequencing, reporting

Infrastructure Math — Per Client

Inbox Type	Emails/Inbox/Day (Launch)	Emails/Inbox/Day (Scale)	Inboxes Needed for 1,500/day	Domains Needed
Azure / Outlook (InboxKit)	2 emails/inbox	5 emails/inbox	300 inboxes at launch → 300 at scale	12 domains (25 inboxes each)
Google / GSuite (ENDY)	8 emails/inbox	15 emails/inbox	~188 inboxes at launch → ~100 at scale	63 domains (3 inboxes each)

IMPORTANT — ENTERPRISE SPAM FILTER AVOIDANCE

Azure/Outlook inboxes are far more likely to hit enterprise-level spam filters (Proofpoint, Mimecast, Barracuda, Abnormal Security). These filters are sophisticated pattern-matchers that flag high-velocity, templated sending instantly.

Keep Azure inbox send rates LOW and conservative — especially at launch (2/inbox/day). Never hammer enterprise targets from Azure/Outlook inboxes.

Google inboxes are safer for enterprise-tier targets. Route enterprise-heavy lists through Google inboxes first. If a company has Proofpoint or Mimecast on their MX records, push them to the bottom of your send order and use aged Google domains only.

One practical rule: if >30% of your list is behind enterprise filters, lean heavily on Google inboxes and aged domains (4+ weeks). Do not use Azure inboxes as your primary channel for enterprise-heavy lists.

Domain Strategy: Buy 3x and Buy Generic on Sale

- Always buy 3x the number of domains you think you need. One third active, one third insurance/warming, one third staged for future rotation.
- During domain sales at Porkbun/Dynadot: buy a large batch of generic non-branded .com domains and let them age — do not set up inboxes immediately. The domain age alone is a deliverability asset.
- Generic emergency domains (e.g., outreach-team.com, growth-intro.com) should always be stocked. If your branded main infra takes a hit, swap in generics within hours.
- Domains are an annual cost. Inboxes are a monthly cost. Buying domains early and aging them is one of the cheapest investments you can make for future deliverability.

15-Day Rotation Cycle

Unlike a monthly rotation, we rotate every 15 days. This shorter cycle keeps domains fresher and limits the blast radius of any single burned domain.

Days	Group A	Group B
Days 1–15	Active sending	Warming / insurance
Days 16–30	Resting / re-warming	Active sending
Days 31–45	Active sending	Resting / re-warming
...and so on	—	—

Naming convention in Plusvibe: [Client] | [Industry] | [Launch Date] | [Group A / Group B] — this makes diagnosing infra vs offer issues significantly faster.

One Email Per Company Per Day

Hard rule: never send more than one email to any single company in a 24-hour window, regardless of how many contacts you have at that company in your list. Hitting multiple contacts at the same company on the same day triggers company-level spam marking, which can flag your domain across their entire mail infrastructure.

HOW TO ENFORCE THIS

In Clay or your list-building tool, deduplicate at the company domain level before upload. In Plusvibe, use the company domain deduplication setting if available. Stagger multi-contact campaigns so Contact A at Acme Corp gets Email 1 on Day 1 and Contact B doesn't get touched until Day 2 at earliest.

02 | Warmup Protocol & DNS Verification

Warmup Timeline Before Any Send

Week	What's Happening	Action Required
Week 1–2	Domain warming — low volume	Warmup tool active. No campaign sends. Let it run.
Week 3–4	Domain maturing — building reputation	Continue warmup. Begin DNS verification. Prepare copy and list.
Week 4+ (ideal)	Domain ready for launch	Full launch protocol. Aged 4+ weeks = cleared for Outlook too.
Week 6–8 (for Outlook/enterprise)	Domain well-aged	Use these specifically for Outlook-heavy or enterprise lists.

WARMUP RULES

Minimum warmup: 2 weeks before any live send.

Target warmup: 4 weeks for most campaigns.
Outlook / enterprise lists: 6–8 weeks domain age before introducing.
Never skip warmup even when clients are in a hurry. A burned domain on Day 3 sets everything back further than a 2-week delay would have.

DNS Verification — To-Do Before Every Launch

DNS misconfiguration = guaranteed spam folder. This is non-negotiable. Complete this checklist for every domain before any campaign goes live.

#	Task	How to Verify	Tool
1	SPF record set up	TXT lookup on domain → must contain 'v=spf1'. Check it allows your sending IPs.	MXToolbox.com → SPF Lookup
2	DKIM record set up	Look up the DKIM TXT record (selector._domainkey.yourdomain.com). Must be present and valid.	MXToolbox.com → DKIM Lookup
3	DMARC record set up	TXT lookup on _dmarc.yourdomain.com → must contain 'v=DMARC1'. Set to p=none to start.	MXToolbox.com → DMARC Lookup
4	Send test email to yourself	Use a personal Gmail. Open it. Check headers (Show Original). Confirm SPF: PASS, DKIM: PASS.	Gmail → Show Original → Ctrl+F 'PASS'
5	Check for blacklisting	New domains should be clean. Run the domain through a blacklist checker before launch.	MXToolbox.com → Blacklist Check
6	Check MX records are not pointing wrong	Domain's MX records should point to the correct mail server (Google / Microsoft), not a leftover registrar default.	MXToolbox.com → MX Lookup
7	Verify custom tracking domain (if any)	If using a custom click-tracking domain, ensure it has a valid CNAME and is not flagged.	Plusvibe settings → domain verify

WHAT TO LOOK FOR IN EMAIL HEADERS

Open the test email in Gmail → click three dots → 'Show Original'.
Search for: 'dkim=pass' — must be present.
Search for: 'spf=pass' — must be present.
Search for: 'dmarc=pass' — must be present.
If any of these show 'fail' or 'softfail' — stop. Fix DNS before sending a single live email.

03 | Launch Protocol: Engagement-First From Day One

How you launch determines how long your domains last. A careless launch burns 6 weeks of warmup in 3 days. The engagement-first framework is non-negotiable.

PHASE 1 — Intent-Only Launch (Days 1–5)

Send only to your highest-signal, most-likely-to-reply audience first

Before touching any broad list, your first sends must go to prospects with active buying signals. This builds domain reputation from day one and gives you an early reply signal to validate copy.

Intent signals to prioritize at launch:

- Companies actively hiring for roles your offer directly solves
- Recently funded companies (past 60–90 days)
- Recent leadership changes — new hire in a relevant title within 90 days
- Companies that recently changed relevant tech stack (BuiltWith signals)
- Prospects who have engaged with your or the client's LinkedIn content

Launch volume caps:

- Azure inboxes: 2 emails/inbox/day
- Google inboxes: 8 emails/inbox/day
- Total campaign volume: 500–800 sends/day for the first 5 days
- Sequencer pacing: maximum 1 email/hour per inbox

WHY INTENT-ONLY FIRST

Intent audiences reply at 2–5x the rate of cold broad lists. Those early replies build your sending reputation before you introduce harder-to-reach inboxes and broader audiences. You are earning your right to send at volume.

PHASE 2 — Gmail-Only Sending (Days 1–14)

Protect new domains from Outlook and enterprise filters

For all new infrastructure, default to Google/Gmail-only sending for the first 2 weeks. Azure/Outlook inboxes need more warmup time and domain age before they can pierce enterprise filters reliably.

- In Plusvibe, disable sending to Outlook, Proofpoint, Mimecast, Barracuda targets in the first 2 weeks
- Use inboxcore.com or MX record lookup to filter Google vs Outlook leads on your list
- Move Outlook and enterprise-filtered leads to a sub-campaign tagged for Week 3+ launch
- On your lead CSV: sort with enterprise-filter leads at the bottom so the sequencer hits clean Gmail inboxes first

Trying Outlook while scaling:

OUTLOOK TRIAL RULE

Once in the scaling phase (after Day 14 with positive signals), you can introduce Outlook sending — but only using aged domains (4+ weeks). Monitor response closely. If Outlook targets show zero response and no out-of-office replies within 24 hours of sending, shut Outlook sending off immediately. Do not wait. Continued sending to unresponsive Outlook inboxes will burn your domains.

PHASE 3

Copy & Offer Lock — Before Any Send

Nothing goes out without passing the engagement bar

The engagement-first framework only works if the message is worth engaging with. This checklist must be completed before a single email is sent.

Checkpoint	Standard
Can a 10-year-old understand the offer?	Read it aloud. Remove all jargon before sending.
Would you say this to someone in person?	No corporate speak. Casual, human, conversational.
Is WIIFM answered clearly?	What's in it for them must be in every email.
Spam words removed?	Run through mailmeteor.com/blog/spam-words — remove all flagged terms.
CTA is a small ask, not a large commitment	15-min chat, quick call — not 'book a demo'.
Subject line: under 6 words?	Ideally starts with {{firstname}} or {{companyname}}.
Preview text: complete offer or strategic tease?	Decide intentionally — don't leave it to chance.
Spintax in place — all variants manually reviewed?	Every version must read naturally. AI will make bad variants. Check them all.
No images, PDFs, or links in Email 1	Plain text only. Always.
1 email per company per day enforced?	Deduped at company domain level before upload.

PHASE 4

Broad List Rollout (Week 2–3)

Scale only after positive signals are confirmed

Once intent-only launch shows a positive baseline reply rate, begin rolling out to the broader audience:

- Open the campaign to your broader ICP list — maintaining strict relevance filtering (LinkedIn About Us keyword method)

- Scale to full sending volume: Azure 5 emails/inbox/day, Google 15 emails/inbox/day
- Re-introduce Outlook sending only on aged domains (4–6 week minimum) — see Outlook Trial Rule above
- Cap volume increases at 20% week-over-week per inbox until hitting target ADV
- At this phase, switch to AI-generated copy only — no static templates (see Section 5)

04 | Copy, Testing & Spam Compliance

Heavy Spintax as the Default — Not an Option

We do not launch with static copy. Every campaign must launch with heavy spintax from day one. This creates natural variation that avoids pattern detection by spam filters and gives us real test data across multiple angles simultaneously.

THE SPINTAX-FIRST LAUNCH RULE

Before launch, create a minimum of 3–5 meaningfully different copy variations within the same campaign using spintax. These should vary in:

• Opening angle (pain-based vs insight-based vs direct value prop)
• Sentence structure (short punchy vs slightly more context)
• CTA phrasing (5 different versions minimum)
• Signature format and style

All variations must be the same offer. If you want to test a different offer, create a separate campaign — not a spintax variant.

Review every single spintax variant manually before launch. AI will create unnatural-sounding versions. Catch them before they go live.

Testing Rules

- Test at least 1,000 sends and wait 48 hours before drawing any conclusions
- Change a meaningful chunk — a whole opening angle, a full value prop frame, or an entirely different structure. Not just one word or CTA punctuation.
- Only one variable per test. Two changes at once = zero learnings.
- Spintax variants within a campaign = style/format testing. Separate campaigns = offer testing.
- 'Is this worth a chat' vs 'Would you be open next week' is not a real test. The difference is statistically meaningless.

What to Test and In What Order

Priority	Test	Why
1st	Offer / Value Proposition	Biggest lever. Wrong offer = nothing else matters.
2nd	ICP Segment / List Quality	Right people beat better copy every time.
3rd	Preview Text + Subject Line	Affects open rate and first impression frame.

4th	Email 1 opening angle (via spintax)	Pain-based vs insight vs direct offer vs social proof.
5th	CTA phrasing (via spintax)	Soft ask vs specific time request vs lead magnet tie.
6th	Personalization variable	Only validate after offer and list are working.

AI Copy at Scale — Required for Broad Rollout

Static templates do not scale. Once a campaign moves past intent-only launch into broad rollout, all copy must be AI-generated and personalized at the contact/company level.

- Use Clay + AI to generate company-specific first lines or opening observations
- Creative Ideas campaign: prompt AI to generate 3 specific, relevant ideas based on company description, website, and known pain points — this consistently outperforms generic copy
- Use the company's LinkedIn About Us or website language in the prompt to mirror their own vocabulary back to them
- AI copy shows research effort. Research effort triggers mild reciprocity. Reciprocity drives replies.

Spam Word Removal — Mandatory Pre-Launch Step

MANDATORY: CHECK EVERY EMAIL AGAINST MAILMETEOR SPAM WORD LIST

Before any email goes live, run the full copy through the Mailmeteor spam word checker:
→ https://mailmeteor.com/blog/spam-words
Common trigger words to eliminate: 'free', 'guarantee', 'no obligation', 'limited time', 'act now', 'click here', 'earn money', 'increase sales', 'make money', 'risk-free', 'winner', 'prize', 'urgent'.
This applies to every spintax variant — not just the primary version. Check all of them.
A single spam-word trigger in one variant can flag the entire campaign.

Email 1 Is the Only Email That Matters for Scale

Email 1 is the top-performing email in every sequence across all clients. Follow-up emails beyond Email 3 generate diminishing returns and increasing spam reports.

- Optimize for Email 1 send volume, not sequence depth
- If Email 1 is not working, do not rely on follow-ups to save it — fix Email 1
- Every additional follow-up email increases the probability of a spam report — especially Emails 5 and 6

05 | Deliverability Monitoring: Early Warning System

Good deliverability is not managed reactively. It is managed through a continuous monitoring system that catches problems before they destroy campaigns.

The Four Core Signals

Signal	Frequency	Threshold	Method	Action
Campaign reply rate	Daily	<1% overall (or >40% below client avg)	Plusvibe dashboard	Investigate — check other 3 signals
Inbox reputation / warmup score	Continuous	<98% on any inbox	Plusvibe warmup tab	Pull inbox immediately. Rotate in insurance.
Bounce rate	Daily	>2% with valid addresses	Plusvibe bounce log	Domain problem. Cancel and reorder.
Domain-level reply rate	Every Friday	<1% or bottom 10% of cohort	Plusvibe API → Supabase export	Cancel domain. Swap in insurance.

NO OPEN TRACKING

Open tracking is off permanently. We observed reply rates consistently dropping on days we ran open tracking checks. Open tracking pixels identify you as a marketer to spam filters. The signals above are sufficient. Do not turn open tracking on for any reason during live campaigns.

Distinguishing Infra Issue vs Offer Issue

This is the most critical diagnosis question. Work through these steps in order:

STEP 1 — CHECK INBOX REPUTATION

Log into Plusvibe. Pull warmup scores. Any inbox below 98% = infra issue. Pull it now.

STEP 2 — CHECK BOUNCE CODES

Review bounce reasons in Plusvibe. Status Code 550, 'message blocked', 'reported as spam' = infra issue, not copy. Upload bounce error codes to ChatGPT to decode quickly.

STEP 3 — CHECK DOMAIN-LEVEL REPLY RATE

Pull Friday report: every active domain vs client average reply rate. One domain 40%+ below the average with meaningful send volume = that domain is the problem.

STEP 4 — THE MISSING AUTORESPONSE TEST

Sending volume but zero out-of-office emails, zero auto-replies, zero negatives = going to spam across the board. Full infra problem. Hot swap immediately.

STEP 5 — IF ALL INFRA LOOKS CLEAN

Clean inbox health + clean bounce rates + low reply rate = offer, copy, or list problem. Do not order new domains. Rewrite the campaign.

Use Client Averages, Not Universal Benchmarks

1% reply rate for a Fortune 1000 enterprise campaign is strong. 1% for an SMB software campaign is a problem. Compare each domain's reply rate against that specific client's average — not a universal standard.

- Calculate: client's rolling monthly average reply rate across all active domains
- Flag any domain 40% or more below that average as questionable
- At 57%+ below average with sufficient volume: cancel and reorder immediately

06 | Minimizing Downtime: Hot Swap Protocol

Downtime kills pipeline. The goal is zero dead days — campaigns keep sending while bad infrastructure is cancelled and replaced in the background.

Hot Swap Steps — When a Domain Fails

1. In Plusvibe, immediately remove all inboxes on the failing domain from active campaigns
2. Tag the domain as FAILED in your internal tracking system
3. Pull from insurance pool: activate pre-warmed backup inboxes to fill the volume gap. The campaign never stops.
4. Cancel the failed domain to stop billing. Use InboxKit's forwarding feature to forward all replies from that inbox to your new inbox going forward.
5. Order a fresh domain immediately. Begin warmup on day of order. Tag as INSURANCE.
6. Campaign continues. Client sees no downtime.

InboxKit Inbox Forwarding (Replaces Hypertide Layover)

When cancelling a domain, set up InboxKit's forwarding so any replies that come in after cancellation are forwarded to your new active inbox. This ensures no warm lead reply is ever lost during a domain swap.

- Cancel the domain in InboxKit to stop billing
- Before final deletion, configure InboxKit forwarding to point to the replacement inbox
- Warm leads replying to the old domain will be forwarded transparently to the new inbox
- Update your CRM contact record with the new reply inbox to ensure clean tracking

Insurance Pool Sizing — 3,000/Day Standard

Pool	Size	Readiness State
Active Pool	1,500 emails/day	Live — currently sending

Insurance Pool	1,500 emails/day	Warmed — ready to hot-swap within hours
Emergency Generic Domains	Min. 5–10 aged domains per client	Aged domains with warmed inboxes — never touch until infra emergency

Outlook / Proofpoint / Enterprise Filter Protocol

- Day 1 default: Google inboxes only. Azure/Outlook inboxes are secondary channel.
- Azure/Outlook on aged domains only (4+ weeks). Never use new Azure inboxes on Outlook-heavy lists.
- If introducing Outlook sending during scale phase: monitor within 24 hours. No replies + no out-of-offices = shut Outlook off immediately.
- Keep emails shorter and simpler for Outlook-heavy lists — complexity triggers enterprise filter scoring.
- For lists where >30% of contacts are behind Proofpoint/Mimecast: route through aged Google inboxes only. Do not use Azure.

07 | List Building for Maximum Engagement

The list is part of the offer. Wrong people = wasted infrastructure and burned domains. The intent-only launch framework only works if your first sends are your most precisely targeted.

Build Method: Forward / Backward / Circular

Method	When to Use	How
Forward (Default)	Clear ICP with defined industry/title	Apollo/Clay → industry + title filters → clean and send
Backward (Recommended for new clients)	Hard-to-define ICP	Start with won deals → analyze firmographics → build TAM from findings
Circular (Edge cases only)	Very niche TAM, no clean filter	Lookalike builder (Ocean.io / EXA) → AI validation loop → auto-stop at <15% hit rate

LinkedIn 'About Us' as Your Primary Filter Engine

Industry tags from data providers are wrong 40–60% of the time on niche ICPs. Use the company LinkedIn About Us description as your real filter:

- Enrich company LinkedIn URL → pull About Us text via Clay
- Build a keyword bank: take 5 ideal accounts, paste their About Us into ChatGPT, extract 15–30 high-signal terms
- Filter: industry tag (broad) AND About Us contains [keyword list] (precise)
- This takes list accuracy from ~60% to 90–95% without expensive AI classification tools

Golden ICP Layering — Different Messages for Different Match Levels

- 4 ICP criteria match → hyper-personalized AI creative ideas campaign
- 3 criteria match → personalized value prop with specific outcome
- 2 criteria match → broad offer campaign
- 1 criterion match → only include if TAM is small and volume is needed

One Contact Per Company Per Day — Enforcement

- Deduplicate at company domain level in Clay before exporting to Plusvibe
- If sending to multiple contacts at the same company: stagger by 24+ hours between contacts
- Use Plusvibe's company domain deduplication or suppress duplicates in your sequence settings

08 | KPI Hygiene Check: Scale vs Shut Down

Every campaign should be evaluated against these KPIs weekly. Green = scale. Yellow = investigate and fix. Red = pause sending and address immediately before any further volume increase.

Deliverability KPIs

KPI	GREEN (Scale)	YELLOW (Watch)	RED (Shut Down)	Action
Inbox reputation score	>99%	98–99%	<98%	RED: Pull inbox. Rotate in insurance immediately.
Campaign bounce rate	<1%	1–2%	>2%	RED: Cancel domain. Swap in insurance. Reorder.
Missing autoresponses (OOO)	Regular flow of OOO/auto replies	Noticeably fewer than usual	Zero autoresponses on any meaningful volume	RED: Going to spam. Full infra hot swap.
Bounce error type	Undeliverable / no-exist	Mix of undeliverable + blocked	550 error / marked as spam / message blocked	RED: Domain burned. Cancel now.

Engagement KPIs

KPI	GREEN (Scale)	YELLOW (Watch)	RED (Shut Down)	Action

Overall campaign reply rate	>2% (or client average)	1–2%	<1% for 48+ hours	RED: Check infra first. Then rewrite copy.
Domain-level reply rate vs client avg	Within 20% of client avg	20–40% below client avg	>40% below client avg	RED: Cancel domain. Swap in insurance.
Positive reply rate	>50% of replies are positive	30–50% positive	<30% positive	YELLOW: Revisit ICP targeting. Adjust copy angle.
Negative / unsubscribe rate	<0.3% of sends	0.3–0.5%	>0.5%	YELLOW/RED: Targeting too broad or offer mismatch. Fix list.

Copy & Offer KPIs

KPI	GREEN (Scale)	YELLOW (Watch)	RED (Shut Down)	Action
Email 1 reply rate vs Email 2+	Email 1 significantly higher	Email 1 slightly higher	Email 1 lower than follow-ups	RED: Email 1 is broken. Rewrite before adding volume.
Spam word check passed	All clear	1–2 minor words flagged	Multiple high-risk words present	RED: Do not send. Fix copy first.
Spintax variant quality	All variants sound human	1–2 awkward variants	Multiple robotic/AI-sounding variants	RED: Rewrite variants before launch.
AI personalization accuracy	Company-specific and accurate	Generic but not wrong	Inaccurate or clearly generic	RED: Fix Clay enrichment or prompt before scaling.

Infrastructure KPIs

KPI	GREEN (Scale)	YELLOW (Watch)	RED (Shut Down)	Action
Insurance pool availability	>100% of ADV ready	50–100% of ADV ready	<50% of ADV ready	YELLOW: Order new domains. Begin

				warmup now.
Domain age of active pool	4+ weeks avg warmup	2–4 weeks avg warmup	Fresh domains <2 weeks old in active	RED: Swap in aged domains. Fresh ones to insurance only.
15-day rotation on schedule	On schedule	1–2 days late	Missed rotation cycle	YELLOW: Reschedule immediately. Check domain fatigue.
Azure inbox send rate	At or below 5/inbox/day	5–7/inbox/day	>7/inbox/day	RED: Pull back volume. Azure burns fast above limit.
Google inbox send rate	At or below 15/inbox/day	15–20/inbox/day	>20/inbox/day	RED: Reduce volume. Risk of reputation drop.

Scale Decision Framework

WHEN TO SCALE VOLUME

ALL of these must be true before increasing volume:

- Inbox reputation: all inboxes above 99%
- Bounce rate: below 1%
- Campaign reply rate: at or above client baseline for 48+ hours
- Insurance pool: at least 50% of ADV warmed and ready
- Outlook/Azure performing within 20% of Google reply rate (or Outlook is disabled)

Scale in increments only: +20% per week maximum.

WHEN TO PAUSE AND FIX

Pause the campaign immediately if ANY of the following are true:

- Any inbox drops below 98% reputation
- Bounce rate exceeds 2% with validated addresses
- Zero out-of-office replies on meaningful volume
- Bounce codes show 550 / message blocked / reported as spam
- Domain-level reply rate is 40%+ below client average

Do not add volume to a broken campaign. Fix the problem first.

Confidential — Internal Use Only